

## 2018 Field Crop Survey - July

**CONFIDENTIAL once completed.**

Selon nos dossiers votre langue de préférence est l'anglais, si vous préférez recevoir ce document en français, veuillez nous appeler au numéro sans frais suivant :  
1-800-972-9692 ou ATS 1-855-382-7745

This information is collected under the authority of the *Statistics Act*, Revised Statutes of Canada, 1985, Chapter S-19.  
**COMPLETION OF THIS QUESTIONNAIRE IS A LEGAL REQUIREMENT UNDER THIS ACT.**

### Introduction

#### Survey purpose

The purpose of the field crop surveys is to obtain information on seeded and harvested field crop areas, average yields, production and on-farm stocks at strategic times over the course of a typical crop cycle, which ranges from spring to late fall. Therefore, the field crop surveys are conducted in March, June, July, November and December.

Your information may also be used by Statistics Canada for other statistical and research purposes.

#### Security of emails and faxes

Statistics Canada advises you that there could be a risk of disclosure during facsimile or email. However upon receipt, Statistics Canada will provide the guaranteed level of protection afforded all information collected under the authority of the *Statistics Act*.

**Note:** Our online questionnaires are secure, there is no risk of data interception when responding to Statistics Canada online surveys.

#### Confidentiality

The *Statistics Act* protects the confidentiality of information collected by Statistics Canada.

#### Data-sharing agreements

To reduce respondent burden, Statistics Canada has entered into data-sharing agreements with provincial and territorial statistical agencies and other government organizations, which have agreed to keep the data confidential and use them only for statistical purposes.

Information on confidentiality, data-sharing agreements and record linkages can be found on the last page of this questionnaire.

**Please return the questionnaire within 10 days.**

**Please mail the completed questionnaire in the enclosed envelope or fax it to Statistics Canada at 1-888-883-7999.**

If you are unable to complete within 10 days **OR** if you need help, call us at **1-800-972-9692** or **TTY 1-855-382-7745**.

Statistics Canada  
Operations and Integration Division  
150 Tunney's Pasture Driveway  
Ottawa, Ontario K1A 0T6

**Visit our website, [www.statcan.gc.ca](http://www.statcan.gc.ca)**

## Reporting instructions

- Please print in ink.
- Consult the reporting guide at [www.statcan.gc.ca/guides-e](http://www.statcan.gc.ca/guides-e) for further information.

## Business or organization and contact information

1. Please **provide** the business or organization's **legal and operating name**.

Legal name

Operating name (if applicable)

2. Please **provide the contact information** of the designated business or organization **contact person** for this questionnaire.

**Note:** The designated contact person is the person who should receive this questionnaire.

The designated contact person may not always be the one who actually completes the questionnaire.

First name

Last name

Title

Preferred language of communication

English

French

Mailing address (number and street)

City

Province, territory or state

Postal code or ZIP code

Example: A9A 9A9 or 12345-1234

Country

Email address

Example: user@example.gov.ca

Telephone number (including area code)

Example: 123-123-1234

Extension number  
(if applicable)

Fax number (including area code)

Example: 123-123-1234

INFORMATION COPY  
DO NOT USE TO REPORT



### 3c. Sold operations

When was this business or organization sold?

YYYY MM DD  
B00212

What is the legal name of the buyer?

B00406

→ Go to question 4

### 3d. Amalgamated with other businesses or organizations

When did this business or organization amalgamate?

YYYY MM DD  
B00213

What is the legal name of the resulting or continuing business or organization?

B00407

What are the legal names of the other amalgamated businesses or organizations?

B00408

→ Go to question 4

### 3e. Temporarily inactive but will re-open

When did this business or organization become temporarily inactive?

YYYY MM DD  
B00214

When does this business or organization expect to resume operations?

YYYY MM DD  
B00215

Why is this business or organization temporarily inactive?

B00313

→ Go to question 4

### 3f. No longer operating due to other reasons

When did this business or organization cease operations?

YYYY MM DD  
B00216

Why did this business or organization cease operations?

B00314

INFORMATION COPY  
DO NOT USE TO REPORT

4. Please **verify or provide the current main activity** of the business or organization identified by the legal and operating name.

**Note:** The described activity was assigned using the North American Industry Classification System (NAICS).

B05002

1  This is the current main activity. → **Go to next section**

2  This **is not** the current main activity.

Please provide a **brief but precise description** of this business or organization's **main activity**.

e.g., breakfast cereal manufacturing, shoe store, software development

B05003



5. Was this business or organization's main activity ever classified as:

B05111

1  **Yes**

2  **No → Go to next section**

6. When did the main activity change?

Date B00219

YYYY	MM	DD
<input type="text"/>	<input type="text"/>	<input type="text"/>

INFORMATION COPY  
DO NOT USE TO REPORT

## Grains in storage

1. Will you have any grains in storage on **your farm** on **July 31, 2018**?

**Include:**

- grains harvested in or prior to 2017
- grains owned by someone else but stored on your farm
- grains purchased for animal feed or seed.

**Exclude:**

- brand name feeds that were purchased (feed rations)
- grains that you own but are stored off your farm (**e.g.**, elevator, another farm, condominium storage, via storage ticket).

**Note:** Any crops harvested as fodder or green silage should not be included as 'grains in storage'.

B05211

<sup>1</sup>  Yes → **Go to question 2**

<sup>2</sup>  No → **Go to question 8**

2. For the following, indicate the quantity expected to be stored on your farm on **July 31, 2018**.

		Quantity in storage	Unit of measure		
a.	Barley	E44106_p5 <input type="text"/>	B40264_p5 01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	
b.	Canary seed	E44106_p6 <input type="text"/>	B40264_p26 01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	
c.	Canola	E44106_p2 <input type="text"/>	B40264_p2 01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	
d.	Chickpeas	E44106_p27 <input type="text"/>	B40264_p27 01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	
e.	Corn for grain <b>Include</b> seed corn. <b>Exclude</b> sweet corn and corn for silage.	E44106_p3 <input type="text"/>	B40264_p3 01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	

...continue next page

...continues from previous page

		Quantity in storage	Unit of measure					
f.	Dry beans, coloured, total	E44106_p24_pc71	B40264_p24_pc71		01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
		<input type="text"/>	02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds		
g.	Dry beans, white pea (navy)	E44106_p24_pc72	B40264_p24_pc72		03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
		<input type="text"/>	01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms		
h.	Dry field peas	E44106_p20	B40264_p20		02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
		<input type="text"/>	03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights		
i.	Flaxseed	E44106_p22	B40264_p22		01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
		<input type="text"/>	02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds		
j.	Lentils	E44106_p21	B40264_p21		03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
		<input type="text"/>	01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms		
k.	Mixed grains i.e., two or more grains sown together	E44106_p9	B40264_p9		02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
		<input type="text"/>	03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights		
l.	Mustard seed	E44106_p25	B40264_p25		01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
		<input type="text"/>	02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds		
m.	Oats	E44106_p7	B40264_p7		03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
		<input type="text"/>	01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms		
n.	Rye (spring and fall)	E44106_p8	B40264_p8		02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
		<input type="text"/>	03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights		

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

		Quantity in storage	Unit of measure			
o.	Soybeans	E44106_p6 <input type="text"/>	B40264_p6			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
p.	Sunflower seed	E44106_p28 <input type="text"/>	B40264_p28			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
q.	Wheat, durum	E44106_p1_pc3 <input type="text"/>	B40264_p1_pc3			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
r.	Wheat, spring — Canada Western Red Spring (CWRS) — <b>Hard Red</b>	E44106_p1_pc10 <input type="text"/>	B40264_p1_pc10			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
s.	Wheat, spring — Canada Northern Hard Red (CNHR)	E44106_p1_pc15 <input type="text"/>	B40264_p1_pc15			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
t.	Wheat, spring — Canada Prairie Spring Red (CPSR) <b>Include</b> semi-dwarf varieties.	E44106_p1_pc8 <input type="text"/>	B40264_p1_pc8			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
u.	Wheat, spring — Canada Prairie Spring White (CPSW) <b>Include</b> semi-dwarf varieties. <b>Exclude</b> soft white spring wheat.	E44106_p1_pc9 <input type="text"/>	B40264_p1_pc9			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
v.	Wheat, spring — Canada Western Extra Strong (CWES) <b>Include</b> utility.	E44106_p1_pc12 <input type="text"/>	B40264_p1_pc12			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
w.	Wheat, spring — Canada Western Hard White Spring (CWHWS)	E44106_p1_pc13 <input type="text"/>	B40264_p1_pc13			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page



...continues from previous page

		Quantity in storage	Unit of measure			
x.	Wheat, spring — Canada Western Soft White Spring (CWSWS)	E44106_p1_pc11	B40264_p1_pc11			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
y.	Wheat, spring — Canada Western Special Purpose (CWSP)	E44106_p1_pc14	B40264_p1_pc14			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
z.	Wheat, spring — other <b>Include</b> all other varieties not listed above.	E44106_p1_pc16	B40264_p1_pc16			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
aa.	Wheat, winter	E44106_p1_pc4	B40264_p1_pc4			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

3. What is the percent moisture content of the corn for grain you have in storage, if applicable?  
**Include** seed corn.  
**Exclude** sweet corn and corn for silage. ....

**Percentage from 1.0% to 40.0%**

B40266\_p3  
   %

**If Quebec respondent, go to question 4. Otherwise, go to question 7.**

4. What percentage of the **corn for grain** in storage is intended for the **commercial market**, if applicable? ...

**Percentage**

E44107\_p3  
   %

5. What percentage of the **total spring wheat** in storage on July 31, 2018 is intended for **human consumption**, if applicable? .....

E44108\_p1\_pc2  
   %

6. What percentage of the **winter wheat** in storage is intended for **human consumption**, if applicable? .....

E44108\_p1\_pc4  
   %

INFORMATION COPY  
DO NOT USE TO REPORT

## Use of temporary storage for grain

7. As of **July 31, 2018**, will any grain be stored on your farm using **temporary** storage methods?  
e.g., grain rings, grain or silo bags, under tarp

B05212

1  Yes



Approximately what quantity will be stored using temporary methods?

Quantity in temporary storage

E44109

Unit of measure

B40265

- |  |   |
|--|---|
| 01 <input type="radio"/> Bushels       | 04 <input type="radio"/> Kilograms      |
| 02 <input type="radio"/> Metric tonnes | 05 <input type="radio"/> Pounds         |
| 03 <input type="radio"/> Imperial tons | 06 <input type="radio"/> Hundredweights |

2  No

## Permanent grain storage capacity

8. What is the total **capacity** of the permanent grain storage structures on your farm?  
e.g., silos, grain bins, grain storage sheds

Permanent grain storage capacity

B11017

Unit of measure

B11018

- |  |   |
|--|---|
| 01 <input type="radio"/> Bushels       | 04 <input type="radio"/> Kilograms      |
| 02 <input type="radio"/> Metric tonnes | 05 <input type="radio"/> Pounds         |
| 03 <input type="radio"/> Imperial tons | 06 <input type="radio"/> Hundredweights |

## Grains in storage

9. If you reported **corn for grain** in storage on your farm as of July 31, 2018 (on page 6), please indicate the **expected quantity** in storage on **August 31, 2018**.

Quantity in storage on August 31, 2018

E44116\_p3

10. If you reported **soybeans** in storage on your farm as of July 31, 2018 (on page 6), please indicate the **expected quantity** in storage on **August 31, 2018**.

Quantity in storage on August 31, 2018

E44116\_p6

INFORMATION COPY  
DO NOT USE TO REPORT

## All land operated

The following questions deal with all **land operated**.

**Include** land rented from other operations and Crown or public land used for agricultural purposes.  
**Exclude** land rented to other operations.

## Unit of measure

11. What **unit of measure** will be used to answer **all land area** questions on this questionnaire?

B17024

- <sup>1</sup>  Acres
- <sup>2</sup>  Hectares
- <sup>3</sup>  Arpents (for Québec only)

## Fall rye and winter wheat seeded in previous year

12. In the fall of 2017, did you seed any fall rye and/or winter wheat?

- <sup>1</sup>  Yes → **Go to question 13**
- <sup>2</sup>  No → **Go to question 18**

13. For the following crops, indicate the **area seeded** in the fall of 2017 and the **area harvested or expected to be harvested as grain**.

- a. Fall rye .....
- b. Winter wheat .....

Area seeded

Area harvested  
or expected to be  
harvested as grain

B17016\_p8\_pc55

B17028\_p8\_pc55

B17016\_p1\_pc4

B17028\_p1\_pc4

14. For the harvested area of fall rye and winter wheat, do you prefer to report the **average yield** or the **total production**?

B40272\_p38

- <sup>1</sup>  Average yield → **Go to question 15**
- <sup>2</sup>  Total production → **Go to question 16**

INFORMATION COPY  
DO NOT USE TO REPORT

15. For the fall rye and winter wheat, indicate the **average yield** you obtained or expect to obtain in 2018.

	Average yield	Unit of measure per acre, hectare or arpent as selected in question 11					
a. Fall rye	E45182_p8_pc55 <input type="text"/>	B40273_p8_pc55					
		01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms				
		02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds				
		03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights				
					<input type="radio"/> per acre		
					<input type="radio"/> per hectare		
					<input type="radio"/> per arpent		
b. Winter wheat	E45182_p1_pc4 <input type="text"/>	B40273_p1_pc4					
		01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms				
		02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds				
		03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights				
					<input type="radio"/> per acre		
					<input type="radio"/> per hectare		
					<input type="radio"/> per arpent		

Go to question 17

16. For the fall rye and winter wheat, indicate the **total production** you obtained or expect to obtain in 2018.

	Total production	Unit of measure					
a. Fall rye	E45183_p8_pc55 <input type="text"/>	B40274_p8_pc55					
		01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms				
		02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds				
		03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights				
b. Winter wheat	E45183_p1_pc4 <input type="text"/>	E45183_p1_pc4					
		01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms				
		02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds				
		03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights				

If Quebec respondent, go to question 17. Otherwise, go to question 18.

Percentage

17. What percentage of the **winter wheat** harvested as grain, is intended for **human consumption**, if applicable? .....

B17029\_p1\_pc4  
   %

### Crops seeded in 2018

18. Did you seed any crops in 2018?

B05213

1  Yes → Go to question 19

2  No → Go to question 25

19. For the following crops, what is the **seeded area** and the **area harvested or expected to be harvested as grain** in 2018?

**Area harvested or expected to be harvested as grain** excludes areas of crops to be baled, used for green feed, lost to natural causes (e.g., flooding) or abandoned (due to poor quality).

- a. Barley .....
- b. Buckwheat .....
- c. Canary seed, hairless (canario) .....
- d. Canary seed, regular .....
- e. Canola .....
- f. Chickpeas, desi .....
- g. Chickpeas, kabuli .....
- h. Chickpeas, other and unknown .....
- i. Corn for grain  
**Include** seed corn.  
**Exclude** sweet corn and corn for silage. ....
- j. Corn for silage, etc. ....
- k. Dry beans, black — black turtle, preto .....
- l. Dry beans, cranberry — romano .....
- m. Dry beans, dark red kidney .....
- n. Dry beans — **faba beans** (fava, broad) .....
- o. Dry beans, great northern .....
- p. Dry beans, light red kidney .....
- q. Dry beans, pinto .....

Area seeded	Area harvested or expected to be harvested as grain
B17019_p5	B17028_p5
B17019_p11	B17028_p11
B17019_p26_pc90	B17028_p26_pc90
B17019_p26_pc91	B17028_p26_pc91
B17019_p2	B17028_p2
B17019_p27_pc95	B17028_p27_pc95
B17019_p27_pc96	B17028_p27_pc96
B17019_p27_pc99	B17028_p27_pc99
B17019_p3	B17028_p3
B17019_p4	
B17019_p24_pc74	B17028_p24_pc74
B17019_p24_pc75	B17028_p24_pc75
B17019_p24_pc76	B17028_p24_pc76
B17019_p24_pc73	B17028_p24_pc73
B17019_p24_pc77	B17028_p24_pc77
B17019_p24_pc78	B17028_p24_pc78
B17019_p24_pc79	B17028_p24_pc79

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

Area seeded	Area harvested or expected to be harvested as grain
B17019_p24_pc80	B17028_p24_pc80
B17019_p24_pc72	B17028_p24_pc72
B17019_p24_pc99	B17028_p24_pc99
B17019_p20_pc60	B17028_p20_pc60
B17019_p20_pc61	B17028_p20_pc61
B17019_p20_pc99	B17028_p20_pc99
B17019_p22	B17028_p22
B17019_p29	B17028_p29
B17019_p21_pc65	B17028_p21_pc65
B17019_p21_pc66	B17028_p21_pc66
B17019_p21_pc67	B17028_p21_pc67
B17019_p21_pc99	B17028_p21_pc99
B17019_p9	B17028_p9
B17019_p25_pc85	B17028_p25_pc85
B17019_p25_pc86	B17028_p25_pc86
B17019_p25_pc61	B17028_p25_pc61
B17019_p25_pc99	B17028_p25_pc99
B17019_p7	B17028_p7
B17019_p30	B17028_p30
B17019_p6	B17028_p6

- r. Dry beans, small red (red Mexican) .....
- s. Dry beans, white pea (navy) .....
- t. Dry beans, other and unknown .....
- u. Dry field peas — green .....
- v. Dry field peas — yellow .....
- w. Dry field peas — other and unknown .....
- x. Flaxseed .....
- y. Hemp .....
- z. Lentils — large green .....
- aa. Lentils — red .....
- ab. Lentils — small green .....
- ac. Lentils — other and unknown .....
- ad. Mixed grains  
i.e., two or more grains sown together .....
- ae. Mustard seed — brown .....
- af. Mustard seed — oriental .....
- ag. Mustard seed — yellow .....
- ah. Mustard seed — other and unknown .....
- ai. Oats .....
- aj. Potatoes .....
- ak. Soybeans .....

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

	Area seeded	Area harvested or expected to be harvested as grain
	B17019_p8_pc2	B17028_p8_pc2
al. Spring rye .....	<input type="text"/>	<input type="text"/>
	B17019_p23	B17028_p23
am. Sugar beets .....	<input type="text"/>	<input type="text"/>
	B17019_p28	B17028_p28
an. Sunflower seed .....	<input type="text"/>	<input type="text"/>
	B17019_p10	B17028_p10
ao. Triticale .....	<input type="text"/>	<input type="text"/>
	B17019_p31	
ap. Tobacco .....	<input type="text"/>	
	B17019_p1_pc3	B17028_p1_pc3
aq. Wheat, durum .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc10	B17028_p1_pc10
ar. Wheat, spring — Canada Western Red Spring (CWRS) — <b>Hard Red</b> .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc15	B17028_p1_pc15
as. Wheat, spring — Canada Northern Hard Red (CNHR) .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc8	B17028_p1_pc8
at. Wheat, spring — Canada Prairie Spring Red (CPSR) <b>Include</b> semi-dwarf varieties. ....	<input type="text"/>	<input type="text"/>
au. Wheat, spring — Canada Prairie Spring White (CPSW) <b>Include</b> semi-dwarf varieties. <b>Exclude</b> soft white spring wheat. ....	B17019_p1_pc9	B17028_p1_pc9
	<input type="text"/>	<input type="text"/>
	B17019_p1_pc12	B17028_p1_pc12
av. Wheat, spring — Canada Western Extra Strong (CWES) <b>Include</b> utility. ....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc13	B17028_p1_pc13
aw. Wheat, spring — Canada Western Hard White Spring (CWHWS) .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc11	B17028_p1_pc11
ax. Wheat, spring — Canada Western Soft White Spring (CWSWS) .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc14	B17028_p1_pc14
ay. Wheat, spring — Canada Western Special Purpose (CWSP) .....	<input type="text"/>	<input type="text"/>
	B17019_p1_pc16	B17028_p1_pc16
az. Wheat, spring — other <b>Include</b> all other varieties not listed above. ....	<input type="text"/>	<input type="text"/>
	B17019_p90	
ba. Other field crop — Specify other field crop <b>Exclude</b> alfalfa, tame hay and forage seed as these are to be reported further in the questionnaire.	<input type="text"/>	<input type="text"/>
	B17019_p200	B17028_p200
<b>Total seeded and harvested areas</b> .....	<input type="text"/>	<input type="text"/>

B00351\_p11

INFORMATION COPY  
DO NOT USE TO REPORT

20. For the crop(s) seeded in 2018, do you prefer to report the **average yield** or the **total production**?

B40272

1  Average yield → **Go to question 21**

2  Total production → **Go to question 22**

21. For the following crops, what is the average yield you obtained or expect to obtain in 2018?

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11			
a.	Barley	E45182_p5 <input type="text"/>	B40273_p5 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
b.	Buckwheat	E45182_p11 <input type="text"/>	B40273_p11 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
c.	Canary seed, hairless (canario)	E45182_p26_pc90 <input type="text"/>	B40273_p26_pc90 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
d.	Canary seed, regular	E45182_p26_pc91 <input type="text"/>	B40273_p26_pc91 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
e.	Canola	E45182_p2 <input type="text"/>	B40273_p2 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
f.	Chickpeas, desi	E45182_p27_pc95 <input type="text"/>	B40273_p27_pc95 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
g.	Chickpeas, kabuli	E45182_p27_pc96 <input type="text"/>	B40273_p27_pc96 01 <input type="radio"/> Bushels      04 <input type="radio"/> Kilograms 02 <input type="radio"/> Metric tonnes      05 <input type="radio"/> Pounds 03 <input type="radio"/> Imperial tons      06 <input type="radio"/> Hundredweights			<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

...continue next page



...continues from previous page

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11		
h.	Chickpeas, other and unknown	E45182_p27_pc99 <input type="text"/>	B40273_p27_pc99 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
i.	Corn for grain <b>Include</b> seed corn. <b>Exclude</b> sweet corn and corn for silage.	E45182_p3 <input type="text"/>	B40273_p3 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
j.	Dry beans, black — black turtle, preto	E45182_p24_pc74 <input type="text"/>	B40273_p24_pc74 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
k.	Dry beans, cranberry — romano	E45182_p24_pc75 <input type="text"/>	B40273_p24_pc75 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
l.	Dry beans, dark red kidney	E45182_p24_pc76 <input type="text"/>	B40273_p24_pc76 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
m.	Dry beans — <b>faba beans</b> (fava, broad)	E45182_p24_pc73 <input type="text"/>	B40273_p24_pc73 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
n.	Dry beans, great northern	E45182_p24_pc77 <input type="text"/>	B40273_p24_pc77 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
o.	Dry beans, light red kidney	E45182_p24_pc78 <input type="text"/>	B40273_p24_pc78 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
p.	Dry beans, pinto	E45182_p24_pc79 <input type="text"/>	B40273_p24_pc79 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

...continue next page

...continues from previous page

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11		
q.	Dry beans, small red (red Mexican)	E45182_p24_pc80 <input type="text"/>	B40273_p24_pc80 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
r.	Dry beans, white pea (navy)	E45182_p24_pc72 <input type="text"/>	B40273_p24_pc72 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
s.	Dry beans, other and unknown	E45182_p24_pc99 <input type="text"/>	B40273_p24_pc99 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
t.	Dry field peas — green	E45182_p20_pc60 <input type="text"/>	B40273_p20_pc60 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
u.	Dry field peas — yellow	E45182_p20_pc61 <input type="text"/>	B40273_p20_pc61 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
v.	Dry field peas — other and unknown	E45182_p20_pc99 <input type="text"/>	B40273_p20_pc99 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
w.	Flaxseed	E45182_p22 <input type="text"/>	B40273_p22 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
x.	Hemp	E45182_p29 <input type="text"/>	B40273_p29 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
y.	Lentils — large green	E45182_p21_pc65 <input type="text"/>	B40273_p21_pc65 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

...continue next page

...continues from previous page

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11		
z.	Lentils — red	E45182_p21_pc66 <input type="text"/>	B40273_p21_pc66 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
aa.	Lentils — small green	E45182_p21_pc67 <input type="text"/>	B40273_p21_pc67 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ab.	Lentils — other and unknown	E45182_p21_pc99 <input type="text"/>	B40273_p21_pc99 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ac.	Mixed grains i.e., two or more grains sown together	E45182_p9 <input type="text"/>	B40273_p9 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ad.	Mustard seed — brown	E45182_p25_pc85 <input type="text"/>	B40273_p25_pc85 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ae.	Mustard seed — oriental	E45182_p25_pc86 <input type="text"/>	B40273_p25_pc86 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
af.	Mustard seed — yellow	E45182_p25_pc61 <input type="text"/>	B40273_p25_pc61 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ag.	Mustard seed — other and unknown	E45182_p25_pc99 <input type="text"/>	B40273_p25_pc99 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ah.	Oats	E45182_p7 <input type="text"/>	B40273_p7 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

...continue next page

...continues from previous page

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11		
ai.	Potatoes	E45182_p30 <input type="text"/>	B40273_p30 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
aj.	Soybeans	E45182_p6 <input type="text"/>	B40273_p6 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ak.	Spring rye	E45182_p8_pc2 <input type="text"/>	B40273_p8_pc2 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
al.	Sugar beets	E45182_p23 <input type="text"/>	B40273_p23 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
am.	Sunflower seed	E45182_p28 <input type="text"/>	B40273_p28 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
an.	Triticale	E45182_p10 <input type="text"/>	B40273_p10 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ao.	Wheat, durum	E45182_p1_pc3 <input type="text"/>	B40273_p1_pc3 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ap.	Wheat, spring — Canada Western Red Spring (CWRS) — <b>Hard Red</b>	E45182_p1_pc10 <input type="text"/>	B40273_p1_pc10 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
aq.	Wheat, spring — Canada Northern Hard Red (CNHR)	E45182_p1_pc15 <input type="text"/>	B40273_p1_pc15 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

...continue next page

...continues from previous page

		Average yield	Unit of measure per acre, hectare or arpent as selected in question 11		
ar.	Wheat, spring — Canada Prairie Spring Red (CPSR) <b>Include</b> semi-dwarf varieties.	E45182_p1_pc8 <input type="text"/>	B40273_p1_pc8 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
as.	Wheat, spring — Canada Prairie Spring White (CPSW) <b>Include</b> semi-dwarf varieties. <b>Exclude</b> soft white spring wheat.	E45182_p1_pc9 <input type="text"/>	B40273_p1_pc9 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
at.	Wheat, spring — Canada Western Extra Strong (CWES) <b>Include</b> utility.	E45182_p1_pc12 <input type="text"/>	B40273_p1_pc12 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
au.	Wheat, spring — Canada Western Hard White Spring (CWHWS)	E45182_p1_pc13 <input type="text"/>	B40273_p1_pc13 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
av.	Wheat, spring — Canada Western Soft White Spring (CWSWS)	E45182_p1_pc11 <input type="text"/>	B40273_p1_pc11 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
aw.	Wheat, spring — Canada Western Special Purpose (CWSP)	E45182_p1_pc14 <input type="text"/>	B40273_p1_pc14 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent
ax.	Wheat, spring — other <b>Include</b> all other varieties not listed above.	E45182_p1_pc16 <input type="text"/>	B40273_p1_pc16 01 <input type="radio"/> Bushels 02 <input type="radio"/> Metric tonnes 03 <input type="radio"/> Imperial tons	04 <input type="radio"/> Kilograms 05 <input type="radio"/> Pounds 06 <input type="radio"/> Hundredweights	<input type="radio"/> per acre <input type="radio"/> per hectare <input type="radio"/> per arpent

Go to question 23

INFORMATION COPY  
DO NOT USE TO REPORT

22. For the following crops, what is the total production you obtained or expect to obtain in 2018?

		Total production	Unit of measure			
a.	Barley	E45183_p5	B40274_p5			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
b.	Buckwheat	E45183_p11	B40274_p11			
		<input type="text"/>	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms
c.	Canary seed, hairless (canario)	E45183_p26_pc90	B40274_p26_pc90			
		<input type="text"/>	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights
d.	Canary seed, regular	E45183_p26_pc91	B40274_p26_pc91			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
e.	Canola	E45183_p2	B40274_p2			
		<input type="text"/>	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms
f.	Chickpeas, desi	E45183_p27_pc95	B40274_p27_pc95			
		<input type="text"/>	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights
g.	Chickpeas, kabuli	E45183_p27_pc96	B40274_p27_pc96			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
h.	Chickpeas, other and unknown	E45183_p27_pc99	B40274_p27_pc99			
		<input type="text"/>	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms
i.	Corn for grain Include seed corn. Exclude sweet corn and corn for silage.	E45183_p3	B40274_p3			
		<input type="text"/>	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds	03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

		Total production	Unit of measure			
j.	Dry beans, black — black turtle, preto	E45183_p24_pc74 <input type="text"/>	B40274_p24_pc74			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
k.	Dry beans, cranberry — romano	E45183_p24_pc75 <input type="text"/>	B40274_p24_pc75			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
l.	Dry beans, dark red kidney	E45183_p24_pc76 <input type="text"/>	B40274_p24_pc76			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
m.	Dry beans — <b>faba beans</b> (fava, broad)	E45183_p24_pc73 <input type="text"/>	B40274_p24_pc73			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
n.	Dry beans, great northern	E45183_p24_pc77 <input type="text"/>	B40274_p24_pc77			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
o.	Dry beans, light red kidney	E45183_p24_pc78 <input type="text"/>	B40274_p24_pc78			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
p.	Dry beans, pinto	E45183_p24_pc79 <input type="text"/>	B40274_p24_pc79			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
q.	Dry beans, small red (red Mexican)	E45183_p24_pc80 <input type="text"/>	B40274_p24_pc80			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
r.	Dry beans, white pea (navy)	E45183_p24_pc72 <input type="text"/>	B40274_p24_pc72			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

		Total production	Unit of measure			
s.	Dry beans, other and unknown	E45183_p24_pc99 <input type="text"/>	B40274_p24_pc99			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
t.	Dry field peas — green	E45183_p20_pc60 <input type="text"/>	B40274_p20_pc60			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
u.	Dry field peas — yellow	E45183_p20_pc61 <input type="text"/>	B40274_p20_pc61			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
v.	Dry field peas — other and unknown	E45183_p20_pc99 <input type="text"/>	B40274_p20_pc99			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
w.	Flaxseed	E45183_p22 <input type="text"/>	B40274_p22			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
x.	Hemp	E45183_p29 <input type="text"/>	B40274_p29			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
y.	Lentils — large green	E45183_p21_pc65 <input type="text"/>	B40274_p21_pc65			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
z.	Lentils — red	E45183_p21_pc66 <input type="text"/>	B40274_p21_pc66			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
aa.	Lentils — small green	E45183_p21_pc67 <input type="text"/>	B40274_p21_pc67			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page



...continues from previous page

		Total production	Unit of measure			
ab.	Lentils — other and unknown	E45183_p21_pc99 <input type="text"/>	B40274_p21_pc99			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ac.	Mixed grains i.e., two or more grains sown together	E45183_p9 <input type="text"/>	B40274_p9			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ad.	Mustard seed — brown	E45183_p25_pc85 <input type="text"/>	B40274_p25_pc85			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ae.	Mustard seed — oriental	E45183_p25_pc86 <input type="text"/>	B40274_p25_pc86			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
af.	Mustard seed — yellow	E45183_p25_pc61 <input type="text"/>	B40274_p25_pc61			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ag.	Mustard seed — other and unknown	E45183_p25_pc99 <input type="text"/>	B40274_p25_pc99			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ah.	Oats	E45183_p7 <input type="text"/>	B40274_p7			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ai.	Potatoes	E45183_p30 <input type="text"/>	B40274_p30			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
aj.	Soybeans	E45183_p6 <input type="text"/>	B40274_p6			
			01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms		
			02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds		
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

		Total production	Unit of measure			
ak.	Spring rye	E45183_p8_pc2 [ ]	B40274_p8_pc2			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
al.	Sugar beets	E45183_p23 [ ]	B40274_p23			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
am.	Sunflower seed	E45183_p28 [ ]	B40274_p28			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
an.	Triticale	E45183_p10 [ ]	B40274_p10			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
ao.	Wheat, durum	E45183_p1_pc3 [ ]	B40274_p1_pc3			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
ap.	Wheat, spring — Canada Western Red Spring (CWRS) — <b>Hard Red</b>	E45183_p1_pc10 [ ]	B40274_p1_pc10			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
aq.	Wheat, spring — Canada Northern Hard Red (CNHR)	E45183_p1_pc15 [ ]	B40274_p1_pc15			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
ar.	Wheat, spring — Canada Prairie Spring Red (CPSR) <b>Include</b> semi-dwarf varieties.	E45183_p1_pc8 [ ]	B40274_p1_pc8			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights
as.	Wheat, spring — Canada Prairie Spring White (CPSW) <b>Include</b> semi-dwarf varieties. <b>Exclude</b> soft white spring wheat.	E45183_p1_pc9 [ ]	B40274_p1_pc9			
			01	<input type="radio"/> Bushels	04	<input type="radio"/> Kilograms
			02	<input type="radio"/> Metric tonnes	05	<input type="radio"/> Pounds
			03	<input type="radio"/> Imperial tons	06	<input type="radio"/> Hundredweights

INFORMATION COPY  
DO NOT USE TO REPORT

...continue next page

...continues from previous page

		Total production	Unit of measure			
at.	Wheat, spring — Canada Western Extra Strong (CWES) <b>Include</b> utility.	E45183_p1_pc12	B40274_p1_pc12			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
au.	Wheat, spring — Canada Western Hard White Spring (CWHWS)	E45183_p1_pc13	B40274_p1_pc13			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
av.	Wheat, spring — Canada Western Soft White Spring (CWSWS)	E45183_p1_pc11	B40274_p1_pc11			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
aw.	Wheat, spring — Canada Western Special Purpose (CWSP)	E45183_p1_pc14	B40274_p1_pc14			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		
ax.	Wheat, spring — other <b>Include</b> all other varieties not listed above.	E45183_p1_pc16	B40274_p1_pc16			
		<input type="text"/>	01 <input type="radio"/> Bushels	04 <input type="radio"/> Kilograms	02 <input type="radio"/> Metric tonnes	05 <input type="radio"/> Pounds
			03 <input type="radio"/> Imperial tons	06 <input type="radio"/> Hundredweights		

INFORMATION COPY TO REPORT  
DO NOT USE TO REPORT

Percentage from 1.0% to 40.0%

23. What is the percent moisture content of the **corn for grain** when harvested, if applicable?

**Include** seed corn.

**Exclude** sweet corn and corn for silage. ....

B40275\_p3

Percentage input field with a % sign

If Quebec respondent, go to question 24. Otherwise, go to question 25.

Percentage

B17029\_p1\_pc2

Percentage input field with a % sign

24. What percentage of your harvested **spring wheat** is intended for **human consumption**, if applicable?

**Tame hay and forage seed**

25. Did you **grow** any alfalfa, other tame hay or forage seed in 2018?

**Include** hay grown on land rented from other operations and Crown or public land.

B05214

1  Yes → Go to question 26

2  No → Go to question 27

26. For the following crops, what was your total area in 2018?

**Exclude** under-seeded areas.

Total area

a. Alfalfa and alfalfa mixtures .....

B17022\_p60

Input field for alfalfa area

b. Other tame hay .....

B17022\_p61

Input field for other tame hay area

c. Forage seed .....

B17022\_p62

Input field for forage seed area

**Total area** .....

B17022\_p65

Total area input field

**Other land areas**

27. Please report your areas in 2018 for the following:

Total area

a. Summerfallow

**Include** chemfallow areas, winterkilled areas

(i.e., fall crop areas ploughed under but not reseeded) etc. ....

B17023\_y1

Input field for summerfallow area

b. Land for pasture or grazing

**Exclude** areas to be harvested as dry hay, silage or forage seed, community pastures, co-operative grazing associations or grazing reserves.

**Note:** If a field is used the same year for harvesting tame hay and as pasture, count it only once as a tame hay field. ....

B17023\_y2

Input field for pasture area

c. Other land

e.g., farm buildings and farm yard , vegetable gardens, roads, woodland, swamp .....

B17023\_y3

Input field for other land area

**Total other land areas** .....

B17023\_y4

Total other land areas input field

INFORMATION COPY DO NOT USE TO REPORT

## Agricultural production

28. Which of the following **agricultural products** are currently being produced on this operation?

Mark all that apply.

B05242\_p1

Field crops

B05242\_p2

Hay

B05242\_p3

Summerfallow

B05242\_p4

Potatoes

B05242\_p5

Fruit, berries and nuts

B05242\_p6

Vegetables

B05242\_p7

Sod

B05242\_p8

Nursery products

Go to question 29

B05242\_p9

Greenhouse products → Go to question 30

B05242\_p10

Cattle and calves  
Include beef or dairy.

B05242\_p11

Pigs

B05242\_p12

Sheep and lambs

Go to question 31

B05242\_p13

Mink

B05242\_p14

Fox

B05242\_p15

Hens and chickens

Go to question 32

B05242\_p16

Turkeys

B05242\_p17

Maple taps → Go to question 33

B05242\_p18

Honey bees → Go to question 34

B05242\_p19

Mushrooms → Go to question 35

B05242\_p20

Other – Specify agricultural products

B05242\_p21

**OR**

B05242\_p22

Not producing agricultural products

INFORMATION COPY  
DO NOT USE TO REPORT

## Area in crops

29. What **area** of this operation is used for the following crops?  
Report the areas **only once**, even if used for more than one crop type.  
**Exclude** land used by others.

	Area	Unit of measure
a. Field crops	B17031_p1 <input type="text"/>	B17032_p1 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
b. Hay	B17031_p2 <input type="text"/>	B17032_p2 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
c. Summerfallow	B17031_p3 <input type="text"/>	B17032_p3 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
d. Potatoes	B17031_p4 <input type="text"/>	B17032_p4 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
e. Fruit, berries and nuts	B17031_p5 <input type="text"/>	B17032_p5 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
f. Vegetables	B17031_p6 <input type="text"/>	B17032_p6 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
g. Sod	B17031_p7 <input type="text"/>	B17032_p7 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents
h. Nursery products	B17031_p8 <input type="text"/>	B17032_p8 1 <input type="radio"/> Acres 5 <input type="radio"/> Hectares 2 <input type="radio"/> Arpents

INFORMATION COPY  
DO NOT USE TO REPORT

## Greenhouse area

	Total area	Unit of measure
30. What is the <b>total area under glass, plastic or other protection</b> used for growing plants?	B17033 <input type="text"/>	B17034 7 <input type="radio"/> Square feet 8 <input type="radio"/> Square metres

## Livestock — excluding birds

31. How many of the following **animals** are on this operation?

Report all animals on this operation, **regardless of ownership**, including those that are boarded, custom-fed or fed under contract.

**Include** all animals kept by this operation, regardless of ownership, that are **pastured on a community pasture**, grazing co-op or public land.

**Exclude** animals owned but kept on a farm, ranch or feedlot operated by someone else.

	Number
a. Cattle and calves	E44117_p10 <input type="text"/>
b. Pigs	E44117_p11 <input type="text"/>
c. Sheep and lambs	E44117_p12 <input type="text"/>
d. Mink	E44117_p13 <input type="text"/>
e. Fox	E44117_p14 <input type="text"/>

## Birds

32. How many of the following **birds** are on this operation?

Report all poultry on this operation, **regardless of ownership**, including those grown under contract.

**Include** poultry for sale and poultry for personal use.

**Exclude** poultry owned but kept on an operation operated by someone else.

	Number
a. Hens and chickens	E44117_p15 <input type="text"/>
b. Turkeys	E44117_p16 <input type="text"/>

## Maple taps

33. What was the **total number of taps** made on maple trees last spring?

Total number of taps

B45121

INFORMATION COPY  
DO NOT USE TO REPORT

## Honey bees

34. How many **live** colonies of **honey bees** (used for honey production or pollination) are owned by this operation?

**Include** bees owned, regardless of location.

Number of colonies

B45122

## Mushrooms

35. What is the **total growing area (standing footage)** for mushrooms?

**Include** mushrooms grown using beds, trays, tunnels or logs.

Total area

Unit of measure

B17031\_p19

B17032\_p19

7  Square feet

8  Square metres

INFORMATION COPY  
DO NOT USE TO REPORT



## Changes or events

36. Please indicate below, any changes or events that may have affected the reported values for this business or organization compared to the last reporting period

Mark all that apply:

B00302\_t3

Price changes in goods or services sold

B00302\_t6

Price changes in labour or raw materials

B00302\_t7

Natural disaster

B00302\_t10

Sold business units

B00302\_t11

Expansion

B00302\_t15

Other change or event — please specify:

B00302\_t16

**OR**

B00302\_t17

No change or event

INFORMATION COPY  
DO NOT USE TO REPORT



## General information

### Confidentiality

#### Your answers are confidential.

By law, Statistics Canada is prohibited from releasing any information it collects that could identify any person, business, or organization, unless consent has been given by the respondent, or as permitted by the *Statistics Act*. Statistics Canada will use the information from this survey for statistical purposes only.

### Data-sharing agreements

To reduce respondent burden, Statistics Canada has entered into data-sharing agreements with provincial and territorial statistical agencies and other government organizations, which have agreed to keep the data confidential and use them only for statistical purposes. Statistics Canada will only share data from this survey with those organizations that have demonstrated a requirement to use the data.

**Section 11** of the *Statistics Act* provides for the sharing of information with provincial and territorial statistical agencies that meet certain conditions. These agencies must have the legislative authority to collect the same information, on a mandatory basis, and the legislation must provide substantially the same provisions for confidentiality and penalties for disclosure of confidential information as the *Statistics Act*. Because these agencies have the legal authority to compel businesses to provide the same information, consent is not requested and businesses may not object to the sharing of the data.

For this survey, there are **Section 11** agreements with the provincial statistical agencies of Newfoundland and Labrador, Nova Scotia, New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia. The shared data will be limited to information pertaining to business establishments located within the jurisdiction of the respective province.

**Section 12** of the *Statistics Act* provides for the sharing of information with federal, provincial or territorial government organizations. Under **Section 12**, you may refuse to share your information with any of these organizations by writing a letter of objection to the Chief Statistician and returning it with the completed questionnaire. Please specify the organizations with which you do not want to share your data.

For this survey, there are **Section 12** agreements with the Prince Edward Island statistical agency as well as with the Ontario Ministry of Agriculture, Food and Rural Affairs.

For agreements with provincial and territorial government organizations, the shared data will be limited to information pertaining to business establishments located within the jurisdiction of the respective province or territory.

### Record linkages

To enhance the data from this survey and to minimize the reporting burden, Statistics Canada may combine it with information from other surveys or from administrative sources.

INFORMATION REPORT  
DO NOT USE

**Thank you for completing this questionnaire.**  
**Please retain a copy for your records.**  
**Visit our website, [www.statcan.gc.ca](http://www.statcan.gc.ca)**