
1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 1

September, 1998

Variable Name	Description	Page
AD : Alcohol dependence		
AD_6_1	Drunk / at work / school / taking care of child	417
AD_6_2	Number of times drunk / hung-over	417
AD_6_3	Being drunk increased chances of getting hurt	418
AD_6_4	Emotional / psychological problems due to alcohol	418
AD_6_5	Strong desire or urge to drink	419
AD_6_6	Spent month or more getting drunk	419
AD_6_7	Drank much more than intended	420
AD_6_8	Number of times drank much more than intended	420
AD_6_9	Had to drink more for the same effect	421
AD_6DPP	Derived alcohol dependence - short probability of CIDI	422
AD_6DSF	Derived alcohol dependence - short form score	421
AL : Alcohol		
ALC6_1	Drank alcohol in past 12 months	397
ALC6_2	Frequency of drinking alcohol	397
ALC6_3	Frequency of having 5 or more drinks	398
ALC6_5	Drank alcohol in past week	398
ALC6_5A1	Number of drinks - Monday	399
ALC6_5A2	Number of drinks - Tuesday	399
ALC6_5A3	Number of drinks - Wednesday	400
ALC6_5A4	Number of drinks - Thursday	400
ALC6_5A5	Number of drinks - Friday	401
ALC6_5A6	Number of drinks - Saturday	401
ALC6_5A7	Number of drinks - Sunday	402
ALC6_5B	Has ever had a drink	402
ALC6_6	Regularly drank more than 12 drinks a week	403
ALC6_7A	Reason reduced drinking - dieting	403
ALC6_7B	Reason reduced drinking - athletic training	404
ALC6_7C	Reason reduced drinking - pregnancy	404
ALC6_7D	Reason reduced drinking - getting older	405
ALC6_7E	Reason reduced drinking - drinking too much	405
ALC6_7F	Reason reduced drinking - affected work / studies	406
ALC6_7G	Reason reduced drinking - interfered with family life	406
ALC6_7H	Reason reduced drinking - affected physical health	407

Topical Index

September, 1998

Variable Name	Description	Page
ALC6_7I	Reason reduced drinking - affected social relationships	407
ALC6_7J	Reason reduced drinking - affected financial position	408
ALC6_7K	Reason reduced drinking - affected happiness	408
ALC6_7L	Reason reduced drinking - influence of family / friends	409
ALC6_7M	Reason reduced drinking - other	409
ALC6DDL	Derived average daily consumption	411
ALC6DTYP	Derived type of drinker	410
ALC6DWKY	Derived weekly total of alcohol consumed	411
ALC6G7	Single reason for reducing or quitting drinking - grouped	410
ALP6_1	Drank alcohol during last pregnancy	411
ALP6_2	Average number of drinks during pregnancy	412
ALP6_3	Consumed alcohol while breastfeeding	412
ALP6_4	Average number of drinks while breastfeeding	413
ALS6_1	Definition of moderate drinking	413
ALS6_2	Moderate drinking can be good for your health	414
ALS6_3	It's alright to get drunk once in a while	414
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	415
ALS6_5	Alright to get drunk once a week if no drinking rest of week	415
ALS6_6	Pregnant woman should not drink any amount of alcohol	416
ALS6_7	Alright for breastfeeding woman to drink occasionally	416
AM : Administration of the survey		
AM66_RNO	Record number on Health Microdata file	1
AP : Attitudes towards parents		
APP6_1	My parents are strict for my own good	445
APP6_10	My parents trust me	450
APP6_2	My parents do not understand me	446
APP6_3	I have a lot of arguments with my parents	446
APP6_4	What my parents think of me is important	447
APP6_5	Are times when I would like to run away from home	447
APP6_6	I have a happy home life	448
APP6_7	I would raise my children differently	448
APP6_8	My parents expect too much of me	449
APP6_9	I ask my parents for advice on serious matters	449

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 3

September, 1998

Variable Name	Description	Page
BP : Blood pressure		
BPC6_10	Ever had blood pressure taken	119
BPC6_12	Last time blood pressure was taken	120
BPC6_13A	Blood pressure taken - regular check-up	120
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	121
BPC6_13C	Blood pressure taken - doctor always does it	121
BPC6_13D	Blood pressure taken - health problem	122
BPC6_13E	Blood pressure taken - age	122
BPC6_13F	Blood pressure taken - job requirement	123
BPC6_13G	Blood pressure taken - pregnant	123
BPC6_13H	Blood pressure taken - in hospital for other reason	124
BPC6_13I	Blood pressure taken - when donating blood	124
BPC6_13J	Blood pressure taken - just for the "fun" of it	125
BPC6_13K	Blood pressure taken - other reason	125
BPC6_14	Had problems getting blood pressure test	126
BPC6_15A	Problem getting b.p. test - not available when required	126
BPC6_15B	Problem getting b.p. test - not available in area	127
BPC6_15C	Problem getting b.p. test - waiting time too long	127
BPC6_15D	Problem getting b.p. test - transportation	127
BPC6_15E	Problem getting b.p. test - language	128
BPC6_15F	Problem getting b.p. test - cost	128
BPC6_15G	Problem getting b.p. test - did not know where to go	128
BPC6_15H	Problem getting b.p. test - other	129
BPC6_16A	Blood pressure not taken - have not gotten around to it	129
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	130
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	130
BPC6_16D	Blood pressure not taken - personal / family resp.	131
BPC6_16E	Blood pressure not taken - not available when required	131
BPC6_16F	Blood pressure not taken - not available in area	132
BPC6_16G	Blood pressure not taken - waiting time too long	132
BPC6_16H	Blood pressure not taken - transportation problems	133
BPC6_16I	Blood pressure not taken - language problem	133
BPC6_16J	Blood pressure not taken - cost	134
BPC6_16K	Blood pressure not taken - did not know where to go	134
BPC6_16L	Blood pressure not taken - fear	135

Topical Index

September, 1998

Variable Name	Description	Page
BPC6_16M	Blood pressure not taken - other reason	135
CC : Chronic conditions		
CCC6_1A	Has food allergies	58
CCC6_1B	Has allergies other than food allergies	59
CCC6_1C	Has asthma	59
CCC6_1D	Has arthritis or rheumatism	61
CCC6_1E	Has back problems excluding arthritis	63
CCC6_1F	Has high blood pressure	64
CCC6_1G	Has migraine headaches	66
CCC6_1H	Has chronic bronchitis or emphysema	69
CCC6_1I	Has sinusitis	69
CCC6_1J	Has diabetes	70
CCC6_1K	Has epilepsy	73
CCC6_1L	Has heart disease	73
CCC6_1M	Has cancer	74
CCC6_1N	Has stomach or intestinal ulcers	74
CCC6_1O	Suffers from the effects of a stroke	75
CCC6_1P	Has urinary incontinence	75
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	76
CCC6_1R	Has Alzheimer's disease or other dementia	76
CCC6_1S	Has cataracts	77
CCC6_1T	Has glaucoma	77
CCC6_1U	Has a thyroid condition	78
CCC6_1V	Has other chronic condition	78
CCC6_C5	Asthma - had symptoms or attacks	60
CCC6_C6	Asthma - took medication	60
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	61
CCC6_D6A	Arthritis / rheumatism - treatment - drug	62
CCC6_D6B	Arthritis / rheumatism - treatment - diet	62
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	63
CCC6_F5	High blood pressure - receives treatment or medication	64
CCC6_F6A	High blood pressure - treatment - drug	65
CCC6_F6B	High blood pressure - treatment - diet	65
CCC6_F6C	High blood pressure - treatment - other kind	66
CCC6_G5	Migraines - receives treatment or medication	67

Topical Index

September, 1998

Variable Name	Description	Page
CCC6_G6A	Migraines - treatment - drug	67
CCC6_G6B	Migraines - treatment - diet	68
CCC6_G6C	Migraines - treatment - other kind	68
CCC6_J5	Diabetes - takes insulin	70
CCC6_J6	Diabetes - takes treatment other than insulin	71
CCC6_J7A	Diabetes - treatment - drug	71
CCC6_J7B	Diabetes - treatment - diet	72
CCC6_J7C	Diabetes - treatment - other kind	72
CCC6DANY	Derived - has a chronic condition	79
CCC6GNUM	Derived number of chronic conditions - grouped	79
CCK6_1	Frequency of nose or throat infections	57
CCK6_2	Has had otitis	57
CCK6_3	Number of times had otitis since birth	58
CO : Coping		
COP6_1	Ability to handle day-to-day demands	493
COP6_2	Ability to handle unexpected / difficult problems	493
DG : Drug use		
DGC6_1A	Took pain relievers	341
DGC6_1B	Took tranquilizers	342
DGC6_1C	Took diet pills	342
DGC6_1D	Took anti-depressants	343
DGC6_1E	Took codeine, Demerol or morphine	343
DGC6_1F	Took allergy medicine	344
DGC6_1G	Took asthma medications	344
DGC6_1H	Took cough or cold remedies	345
DGC6_1I	Took penicillin or other antibiotics	345
DGC6_1J	Took medicine for the heart	346
DGC6_1K	Took medicine for blood pressure	346
DGC6_1L	Took diuretics	347
DGC6_1M	Took steroids	347
DGC6_1N	Took insulin	348
DGC6_1O	Took pills to control diabetes	348
DGC6_1P	Took sleeping pills	349
DGC6_1Q	Took stomach remedies	349

Topical Index

September, 1998

Variable Name	Description	Page
DGC6_1R	Took laxatives	350
DGC6_1S	Took birth control pills	350
DGC6_1T	Took hormones for menopause	351
DGC6_1V	Took other medication	351
DGC6_2	Number of different medications taken in past 2 days	354
DGC6_4	Uses other health products	366
DGC6_6	Insurance covering prescription medication	375
DGC6F1	Took medications	352
DGC6G3A	Drug code - drug 1 - grouped	355
DGC6G3B	Drug code - drug 2 - grouped	356
DGC6G3C	Drug code - drug 3 - grouped	357
DGC6G3D	Drug code - drug 4 - grouped	358
DGC6G3E	Drug code - drug 5 - grouped	359
DGC6G3F	Drug code - drug 6 - grouped	360
DGC6G3G	Drug code - drug 7 - grouped	361
DGC6G3H	Drug code - drug 8 - grouped	362
DGC6G3I	Drug code - drug 9 - grouped	363
DGC6G3J	Drug code - drug 10 - grouped	364
DGC6G3K	Drug code - drug 11 - grouped	365
DGC6G3L	Drug code - drug 12 - grouped	366
DGC6G5A	Code for health product - product 1 - grouped	367
DGC6G5B	Code for health product - product 2 - grouped	368
DGC6G5C	Code for health product - product 3 - grouped	369
DGC6G5D	Code for health product - product 4 - grouped	370
DGC6G5E	Code for health product - product 5 - grouped	371
DGC6G5F	Code for health product - product 6 - grouped	372
DGC6G5G	Code for health product - product 7 - grouped	372
DGC6G5H	Code for health product - product 8 - grouped	373
DGC6G5I	Code for health product - product 9 - grouped	373
DGC6G5J	Code for health product - product 10 - grouped	374
DGC6G5K	Code for health product - product 11 - grouped	374
DGC6G5L	Code for health product - product 12 - grouped	375
DGK6_1	Takes ventolin or other inhalants	352
DGK6_3	Takes tranquilizers or nerve pills	353
DGK6_4	Takes anti-convulsants or anti-epileptic pills	353

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 7

September, 1998

Variable Name	Description	Page
DH : Demographic and household variables		
DHC6_OWNS	Dwelling owned by household member	5
DHC6_SEX	Sex	10
DHC6DLVG	Derived living arrangements of the selected respondent	13
DHC6G611	Derived persons 6 to 11 years old in hhld - grouped	12
DHC6GAGE	Age - grouped	10
DHC6GBED	Derived number of bedrooms in dwelling - grouped	5
DHC6GECF	Derived household type - grouped	12
DHC6GHSZ	Derived household size - grouped	11
DHC6GLE5	Derived persons <= 5 years old in household - grouped	11
DHC6GMAR	Marital status - grouped	11
DV : Dental visits		
DV_6_60	Visited dentist	221
DV_6_61	Last time visited dentist	222
DV_6_62A	Visits dentist - make sure everything is OK	222
DV_6_62B	Visits dentist - check-up covered by insurance	223
DV_6_62C	Visits dentist - catch problems early	223
DV_6_62D	Visits dentist - for good dental health	224
DV_6_62E	Visits dentist - care of teeth / gums / dentures	224
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	225
DV_6_62G	Visits dentist - to get a filling / extraction	225
DV_6_62H	Visits dentist - to check braces	226
DV_6_62I	Visits dentist - other reason	226
DV_6_63	Had problems obtaining dental services	227
DV_6_64A	Problem getting dental services - not avail. when required	227
DV_6_64B	Problem getting dental services - not available in area	228
DV_6_64C	Problem getting dental services - waiting time too long	228
DV_6_64D	Problem getting dental services - transportation	229
DV_6_64E	Problem getting dental services - language	229
DV_6_64F	Problem getting dental services - cost	230
DV_6_64G	Problem getting dental services - did not know where to go	230
DV_6_64H	Problem getting dental services - other	231
DV_6_65A	No dental visit - have not gotten around to it	231
DV_6_65B	No dental visit - respondent did not think it was necessary	232

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 8

September, 1998

Variable Name	Description	Page
DV_6_65C	No dental visit - dentist did not think it was necessary	232
DV_6_65D	No dental visit - personal or family responsibilities	233
DV_6_65E	No dental visit - not available when required	233
DV_6_65F	No dental visit - not available at all in area	234
DV_6_65G	No dental visit - waiting time too long	234
DV_6_65H	No dental visit - transportation problems	235
DV_6_65I	No dental visit - language problem	235
DV_6_65J	No dental visit - cost	236
DV_6_65K	No dental visit - did not know where to go	236
DV_6_65L	No dental visit - fear	237
DV_6_65M	No dental visit - wears dentures	237
DV_6_65N	No dental visit - other reason	238
DV_6_66	Has dental insurance	238
ED : Education		
EDC6_1	Currently attending a school, college or university	82
EDC6_2	Full-time student or part-time student	83
EDC6DLF	Derived labour force activity of students	84
EDC6G7	Derived highest level of education - 7 levels - grouped	83
ES : Emergency services		
ES_6_80	Overall quality of emergency services	257
ES_6_81	Used emergency services	257
ES_6_82	Has health insurance covering hospital charges	258
EX : Eye examination		
EX_6_70	Visited optometrist or ophthalmologist	239
EX_6_71	Last eye examination	239
EX_6_72	Frequency of eye examinations	240
EX_6_73A	Has eye exam - make sure everything is OK	240
EX_6_73B	Has eye exam - glaucoma test	241
EX_6_73C	Has eye exam - job requirement	241
EX_6_73D	Has eye exam - check prescription	242
EX_6_73E	Has eye exam - cataracts are developing	242
EX_6_73F	Has eye exam - to get driver's license	243
EX_6_73G	Has eye exam - eye problem / infection	243

Topical Index

September, 1998

Variable Name	Description	Page
EX_6_73H	Has eye exam - diabetes	244
EX_6_73I	Has eye exam - sight deterioration	244
EX_6_73J	Has eye exam - other reason	245
EX_6_74	Had problems obtaining an eye examination	245
EX_6_75A	Problem getting eye exam - not available when required	246
EX_6_75B	Problem getting eye exam - not available at all in area	246
EX_6_75C	Problem getting eye exam - waiting time too long	247
EX_6_75D	Problem getting eye exam - transportation	247
EX_6_75E	Problem getting eye exam - language	248
EX_6_75F	Problem getting eye exam - cost	248
EX_6_75G	Problem getting eye exam - did not know where to go	249
EX_6_75H	Problem getting eye exam - other	249
EX_6_76A	No eye exam - have not gotten around to it	250
EX_6_76B	No eye exam - respondent did not think it was neces.	250
EX_6_76C	No eye exam - doctor did not think it was necessary	251
EX_6_76D	No eye exam - personal or family responsibilities	251
EX_6_76E	No eye exam - not available when required	252
EX_6_76F	No eye exam - not available at all in area	252
EX_6_76G	No eye exam - waiting time too long	253
EX_6_76H	No eye exam - transportation problems	253
EX_6_76I	No eye exam - language problem	254
EX_6_76J	No eye exam - cost	254
EX_6_76K	No eye exam - did not know where to go	255
EX_6_76L	No eye exam - fear	255
EX_6_76M	No eye exam - other reason	256
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	256
FS : Flu shots		
FS_6_50	Ever had a flu shot	206
FS_6_52	Last time had flu shot	207
FS_6_53A	Had flu shot - peer pressure	207
FS_6_53B	Had flu shot - job requirement	208
FS_6_53C	Had flu shot - helps prevent the flu	208
FS_6_53D	Had flu shot - to protect others	209
FS_6_53E	Had flu shot - recommended because of age	209
FS_6_53F	Had flu shot - health problem	210

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 10

September, 1998

Variable Name	Description	Page
FS_6_53G	Had flu shot - other reason	210
FS_6_54	Had problems obtaining a flu shot	211
FS_6_55A	Problem getting flu shot - not available when required	211
FS_6_55B	Problem getting flu shot - not available in area	212
FS_6_55C	Problem getting flu shot - waiting time too long	212
FS_6_55D	Problem getting flu shot - transportation	212
FS_6_55E	Problem getting flu shot - language	213
FS_6_55F	Problem getting flu shot - cost	213
FS_6_55G	Problem getting flu shot - did not know where to go	213
FS_6_55H	Problem getting flu shot - other	214
FS_6_56A	No flu shot - have not gotten around to it	214
FS_6_56B	No flu shot - respondent did not think it was necessary	215
FS_6_56C	No flu shot - doctor did not think it was necessary	215
FS_6_56D	No flu shot - personal or family responsibilities	216
FS_6_56E	No flu shot - not available when required	216
FS_6_56F	No flu shot - not available in area	217
FS_6_56G	No flu shot - waiting time too long	217
FS_6_56H	No flu shot - transportation problems	218
FS_6_56I	No flu shot - language problem	218
FS_6_56J	No flu shot - cost	219
FS_6_56K	No flu shot - did not know where to go	219
FS_6_56L	No flu shot - fear	220
FS_6_56M	No flu shot - bad reaction to previous shot	220
FS_6_56N	No flu shot - other reason	221
GE : Geographic identifiers		
GE36GCMA	Derived 1991 Census Metropolitan Area - grouped	2
GE36GHLR	Derived health areas - 26 groups - grouped	3
GE36GHRO	Derived health areas - 33 groups - grouped	4
GE36GURB	Derived rural and urban area - grouped	1
GH : General health		
GHC6_1	Respondent's general health	99
GHC6_21	Gave birth since last interview	184
GHC6DHD1	Derived health description index	100
GHK6_2	Level of physical activity - children	100

Topical Index

September, 1998

Variable Name	Description	Page
GHK6_6	Birth weight	115
GHP6_21A	Gave birth in the past 5 years	185
GHP6_25	Still breast-feeding	187
GHP6_26	Duration of breast-feeding last child	187
GHP6_27	Received help / advice about breast-feeding	188
GHP6_28	From whom received breast-feeding advice	188
GHP6_29	Main reason for stopping breast-feeding	189
GHS6_11	Did something to improve health	101
GHS6_12	Most important change to improve health	101
GHS6_13	Thinks something should be done to improve health	102
GHS6_14	Most important thing to be done to improve health	102
GHS6_15	Barrier to improving health	103
GHS6_16A	Reason for no improvement - lack of will power	103
GHS6_16B	Reason for no improvement - lack of time	104
GHS6_16C	Reason for no improvement - too tired	104
GHS6_16D	Reason for no improvement - too difficult	105
GHS6_16E	Reason for no improvement - too costly	105
GHS6_16F	Reason for no improvement - too stressed	106
GHS6_16G	Reason for no improvement - disability / health problem	106
GHS6_16H	Reason for no improvement - other	107
GHS6_17	Intending to improve health over next year	107
GHS6_18A	Health improvement over next year - more exercise	108
GHS6_18B	Health improvement over next year - lose weight	108
GHS6_18C	Health improvement over next year - improve eating habits	109
GHS6_18D	Health improvement over next year - quit smoking	109
GHS6_18E	Health improvement over next year - reduce amount smoked	110
GHS6_18F	Health improvement over next year - manage stress	110
GHS6_18G	Health improvement over next year - reduce stress level	111
GHS6_18H	Health improvement over next year - take vitamins	111
GHS6_18I	Health improvement over next year - other	112
GHS6_22	Gave birth to last baby in hospital	185
GHS6_23	Used services of doctor, midwife or both	186
GHS6_24	Breast fed child or tried to breast feed	186
GHS6_31	Smoked during last pregnancy	384
GHS6_32	Average number of cigarettes smoked daily during pregnancy	384
GHS6_33	Smoked while breast-feeding last baby	385

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 12

September, 1998

Variable Name	Description	Page
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	385
GHS6_35	Someone smoked reg. in presence during / after pregnancy	385
HC : Health care utilization		
HCC6_1	Overnight patient	18
HCC6_10A	Home care received - nursing care	47
HCC6_10B	Home care received - other health care	48
HCC6_10C	Home care received - personal care	48
HCC6_10D	Home care received - housework	49
HCC6_10E	Home care received - meal preparation or delivery	49
HCC6_10F	Home care received - shopping	49
HCC6_10G	Home care received - respite care	50
HCC6_10H	Home care received - other type	50
HCC6_11	Received health care services in the United States	51
HCC6_12	Went to United States primarily to receive health care	51
HCC6_3D	Place of most recent contact - nurse	26
HCC6_4	Consulted alternative health care provider	32
HCC6_4A	Attended self-help group	32
HCC6_5A	Alternative health care - massage therapist	33
HCC6_5B	Alternative health care - acupuncturist	33
HCC6_5C	Alternative health care - homeopath / naturopath	34
HCC6_5E	Alternative health care - relaxation therapist	34
HCC6_5H	Alternative health care - herbalist	35
HCC6_5I	Alternative health care - reflexologist	35
HCC6_5J	Alternative health care - spiritual healer	36
HCC6_6	Felt that health care was needed but didn't receive it	37
HCC6_7A	Health care not received - not available in area	37
HCC6_7B	Health care not received - not available when required	38
HCC6_7C	Health care not received - waiting time too long	38
HCC6_7D	Health care not received - felt would be inadequate	39
HCC6_7E	Health care not received - cost	39
HCC6_7F	Health care not received - too busy to get care	40
HCC6_7G	Health care not received - didn't get around to it	40
HCC6_7H	Health care not received - didn't know where to go	41
HCC6_7I	Health care not received - transportation problems	41
HCC6_7J	Health care not received - language problem	42

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 13

September, 1998

Variable Name	Description	Page
HCC6_7K	Health care not received - personal or family resp.	42
HCC6_7L	Health care not received - dislikes doctors / afraid	43
HCC6_7M	Health care not received - decided not to seek care	43
HCC6_7N	Health care not received - other reason	44
HCC6_8A	Health care not received - treat. of physical health problem	44
HCC6_8B	Health care not received - treat. of mental health problem	45
HCC6_8C	Health care not received - a regular check-up	45
HCC6_8D	Health care not received - care of injury	46
HCC6_8E	Health care not received - other type	46
HCC6_9	Received home care services	47
HCC6DHPC	Derived consultations with health professionals	31
HCC6F1	Used any health care service	30
HCC6G1A	No. of nights as patient - grouped	18
HCC6G2A	No. of consultations - family doctor / g.p. - grouped	20
HCC6G2B	No. of consultations - eye specialist - grouped	22
HCC6G2C	No. of consultations - other medical doctor - grouped	23
HCC6G2D	No. of consultations - nurse - grouped	25
HCC6G2E	No. of consultations - dentist / orthodontist - grouped	27
HCC6G2F	No. of consultations - chiropractor - grouped	27
HCC6G2G	No. of consultations - physiotherapist - grouped	28
HCC6G2H	No. of consultations - social worker / counsellor - grouped	28
HCC6G2I	No. of consultations - psychologist - grouped	29
HCC6G2J	No. of consultat. - speech/ audio./ occup. therapist-grouped	30
HCC6G3A	Place / most recent contact - family doctor - grouped	21
HCC6G3C	Place / most recent contact - other medical doctor - grouped	24
HCC6G5L	Alternative health care - other - grouped	36
HCC6GMDC	Derived no. of consultations with medical doctors - grouped	31
HCK6_2A	Overnight patient - respiratory problem	19
HCK6_2B	Overnight patient - gastrointestinal problem	19
HCK6_2C	Overnight patient - injuries	19
HCK6_2D	Overnight patient - at birth	20
HCK6_2E	Overnight patient - other reason	20
HI : Health information		
HIP6_1	First source of information - sports injuries	264
HIP6_1A	Look for other source - sports injuries	264

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 14

September, 1998

Variable Name	Description	Page
HIP6_1B	Second source of information - sports injuries	265
HIP6_2	First source of information - AIDS / STD	266
HIP6_2A	Look for other source - AIDS / STD	266
HIP6_2B	Second source of information - AIDS / STD	267
HIP6_3	First source of information - depression	268
HIP6_3A	Look for other source - depression	268
HIP6_3B	Second source of information - depression	269
HIP6_4	First source of information - pregnancy	270
HIP6_4A	Look for other source - pregnancy	270
HIP6_4B	Second source of information - pregnancy	271
HIP6_5	Attended school in past 12 months	271
HIP6_6	Rating of information received at school on improving health	272
HIP6_7	Attended sex education classes at school	272
HIP6_8	Rating of sex education classes	273
HS : Health status		
HSC6DEMO	Derived emotional problems - function code	276
HSC6DHSI	Derived Health Status Index (3 decimal places)	278
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	277
HSC6DSEV	Derived severity of pain - function code	277
HSC6GCOG	Derived cognition - function code - grouped	276
HSC6GDEX	Derived dexterity trouble - function code - grouped	275
HSC6GHER	Derived hearing problems - function code - grouped	274
HSC6GMOB	Derived mobility trouble - function code - grouped	275
HSC6GSPE	Derived speech trouble - function code - grouped	274
HSC6GVIS	Derived vision trouble - function code - grouped	273
HSK6_25A	Event causing great amount of worry or unhappiness	278
HSK6_31A	Worry or unhappiness - death in family	279
HSK6_31B	Worry or unhappiness - divorce / separation	279
HSK6_31C	Worry or unhappiness - move	280
HSK6_31D	Worry or unhappiness - illness / injury of family member	280
HSK6_31E	Worry or unhappiness - conflict between parents	281
HSK6_31F	Worry or unhappiness - other event	281
HV : HIV		
HVS6_1	Tissue sample given for life insurance	259

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 15

September, 1998

Variable Name	Description	Page
HVS6_2	Donated blood at the Red Cross	259
HVS6_3	Year of last blood donation	260
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	260
HVS6_5	Year of last HIV / AIDS test	261
HVS6_6	Reason for HIV / AIDS test	261
HVS6_7	Received "clotting factor" between 1978 and 1985	262
HVS6_8	Received a blood transfusion between 1978 and 1985	262
HVS6_9	Has injected non-prescription drugs	263
H : Height and weight		
HWC6_1	Currently pregnant	112
HWC6G3KG	Weight in kilograms - grouped	115
HWC6GBMI	Derived Body Mass Index (1 decimal place) - grouped	116
HWC6GHT	Height - adults and children - grouped	113
HWC6GSW	Derived standard weight - grouped	116
HWS6_1	Respondent's opinion of own weight	117
HWS6_2KG	Desired weight - kilograms	117
HWS6_4	Most important thing done to follow a healthy diet	118
HWS6_5	Skipping breakfast can control / reduce weight	119
IJ : Injury		
IJC6_1	Had an injury limiting normal activities	330
IJC6_2	Number of times injured	330
IJC6_3	Type of injury	331
IJC6_4	Body part affected by injury	332
IJC6_7	Injury occurred at work	334
IJC6_8A	To avoid the injury recurring - gave up the activity	335
IJC6_8B	To avoid the injury recurring - being more careful	335
IJC6_8C	To avoid the injury recurring - safety training	336
IJC6_8D	To avoid the injury recurring - protective gear	336
IJC6_8E	To avoid the injury recurring - changing physical situation	337
IJC6_8F	To avoid the injury recurring - other precaution	337
IJC6_8G	To avoid the injury recurring - no precautions taken	338
IJC6D1	Derived type of injury by body site	338
IJC6G5	Place of injury - grouped	333
IJC6G6	Reason for injury - grouped	334

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 16

September, 1998

Variable Name	Description	Page
IJC6GD2	Derived cause of injury by place of occurrence - grouped	339
IN : Income		
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	7
INC6DHH	Derived total household income from all sources	7
INC6DIA5	Derived income adequacy - 5 groups	6
INC6G2	Main source of household income - grouped	6
INS6_4	Household ran out of money to buy food	8
INS6_5	Received food from a charity	8
INS6_6	Description of food situation	9
IS : Insurance		
IS_6D1	Derived number of types of medical insurance	258
LF : Labour force		
LFC6DCMN	Derived main job is the current job	91
LFC6DCWS	Derived working status in last 12 months	89
LFC6DD1	Derived work duration - job 1	94
LFC6DD2	Derived work duration - job 2	95
LFC6DD3	Derived work duration - job 3	96
LFC6DDA	Derived duration of work without a break > 30 days	89
LFC6DDMN	Derived work duration - main job	92
LFC6DGA	Derived number of gaps of 30 days or more	85
LFC6DH1	Derived hours of work - job 1	96
LFC6DH2	Derived hours of work - job 2	97
LFC6DH3	Derived hours of work - job 3	97
LFC6DHA	Derived pattern of working hours of all jobs reported	90
LFC6DHMN	Derived hours of work - main job	92
LFC6DJA	Derived number of jobs	90
LFC6DJGA	Derived pattern of number of jobs	91
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	88
LFC6DT1	Derived type of working hours - job 1	98
LFC6DT2	Derived type of working hours - job 2	98
LFC6DT3	Derived type of working hours - job 3	99
LFC6DTMN	Derived type of working hours - main job	93
LFC6G17A	Reason for not working - most recent period - grouped	84

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 17

September, 1998

Variable Name	Description	Page
LFC6G17B	Reasons for not currently working - grouped	85
LFC6GI13	Industry Codes for main job - 13 groups - grouped	87
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	86
MH : Mental health		
MHC6_1J	How much these experiences interfere with life / activities	422
MHC6_1K	Consulted health professional about mental health	423
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	424
MHC6DDS	Derived Distress Scale	424
MHC6DMT	Derived specific month when felt depressed	426
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	425
MHC6DSF	Derived Depression Scale - Short Form Score	425
MHC6DWK	Derived number of weeks felt depressed	425
MHC6G1L	No. of consult. / health profes. / mental health - grouped	423
PA : Physical activity		
PAC6_1A	Walked for exercise in last 3 months	282
PAC6_1B	Gardening / yard work in last 3 months	282
PAC6_1C	Swam in last 3 months	283
PAC6_1D	Bicycled in last 3 months	283
PAC6_1E	Popular or social dance in last 3 months	284
PAC6_1F	Home exercises in last 3 months	284
PAC6_1G	Played ice hockey in last 3 months	285
PAC6_1H	Ice skated in last 3 months	285
PAC6_1I	Downhill skied in last 3 months	286
PAC6_1J	Jogged or ran in last 3 months	286
PAC6_1K	Golfed in last 3 months	287
PAC6_1L	Had exercise class or did aerobics in last 3 months	287
PAC6_1M	Cross-country skied in last 3 months	288
PAC6_1N	Bowled in last 3 months	288
PAC6_1O	Played baseball or softball in last 3 months	289
PAC6_1P	Played tennis in last 3 months	289
PAC6_1Q	Weight-trained in last 3 months	290
PAC6_1R	Fished in last 3 months	290
PAC6_1S	Played volleyball in last 3 months	291
PAC6_1T	Played basketball in last 3 months	291

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 18

September, 1998

Variable Name	Description	Page
PAC6_1U	Did other physical activity in last 3 months - (#1)	292
PAC6_1V	Did no physical activity in last 3 months	292
PAC6_1W	Did other physical activity in last 3 months - (#2)	293
PAC6_1X	Did other physical activity in last 3 months - (#3)	293
PAC6_2A	Number of times participated - walking for exercise	294
PAC6_2B	Number of times participated - gardening or yard work	295
PAC6_2C	Number of times participated - swimming	296
PAC6_2D	Number of times participated - bicycling	297
PAC6_2E	Number of times participated - popular or social dance	298
PAC6_2F	Number of times participated - home exercises	299
PAC6_2G	Number of times participated - ice hockey	300
PAC6_2H	Number of times participated - ice skating	301
PAC6_2I	Number of times participated - downhill skiing	302
PAC6_2J	Number of times participated - jogging or running	303
PAC6_2K	Number of times participated - golfing	304
PAC6_2L	Number of times participated - exercise class or aerobics	305
PAC6_2M	Number of times participated - cross-country skiing	306
PAC6_2N	Number of times participated - bowling	307
PAC6_2O	Number of times participated - baseball or softball	308
PAC6_2P	Number of times participated - tennis	309
PAC6_2Q	Number of times participated - weight training	310
PAC6_2R	Number of times participated - fishing	311
PAC6_2S	Number of times participated - volleyball	312
PAC6_2T	Number of times participated - basketball	313
PAC6_2U	Number of times participated - other physical activity (#1)	314
PAC6_2W	Number of times participated - other physical activity (#2)	315
PAC6_2X	Number of times participated - other physical activity (#3)	316
PAC6_3A	Time spent - walking for exercise	294
PAC6_3B	Time spent - gardening or yard work	295
PAC6_3C	Time spent - swimming	296
PAC6_3D	Time spent - bicycling	297
PAC6_3E	Time spent - popular or social dance	298
PAC6_3F	Time spent - home exercises	299
PAC6_3G	Time spent - ice hockey	300
PAC6_3H	Time spent - ice skating	301
PAC6_3I	Time spent - downhill skiing	302

Topical Index

September, 1998

Variable Name	Description	Page
PAC6_3J	Time spent - jogging or running	303
PAC6_3K	Time spent - golfing	304
PAC6_3L	Time spent - exercise class or aerobics	305
PAC6_3M	Time spent - cross-country skiing	306
PAC6_3N	Time spent - bowling	307
PAC6_3O	Time spent - baseball or softball	308
PAC6_3P	Time spent - tennis	309
PAC6_3Q	Time spent - weight training	310
PAC6_3R	Time spent - fishing	311
PAC6_3S	Time spent - volleyball	312
PAC6_3T	Time spent - basketball	313
PAC6_3U	Time spent - other physical activity (#1)	314
PAC6_3W	Time spent - other physical activity (#2)	315
PAC6_3X	Time spent - other physical activity (#3)	316
PAC6_4A	Number of hours walking to work / school	317
PAC6_4B	Number of hours biking to work / school	317
PAC6_5	Frequency of bike helmet use	318
PAC6_6	Level of physical activity for usual day	318
PAC6DEE	Derived energy expenditure (1 decimal point)	319
PAC6DFD	Derived participation / daily phys. activities > 15 min.	320
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	319
PAC6DFR	Derived frequency of all physical activity	320
PAC6DLEI	Derived participant in leisure physical activity	319
PAC6DPAI	Derived physical activity index	321

PC : Physical check-up

PC_6_40	Had physical check-up without having a health problem	189
PC_6_41	Had physical check-up during visit for health problem	190
PC_6_42	Last time had physical check up	190
PC_6_42A	Frequency of physical check-ups	191
PC_6_43A	Gets physical check-up - family history of health problems	191
PC_6_43B	Gets physical check-up - testing	192
PC_6_43C	Gets physical check-up - required for job, etc.	192
PC_6_43D	Gets physical check-up - make sure everything is OK	193
PC_6_43E	Gets physical check-up - catch problems early	193
PC_6_43F	Gets physical check-up - for prevention	194

Topical Index

September, 1998

Variable Name	Description	Page
PC_6_43G	Gets physical check-up - for health reasons	194
PC_6_43H	Gets physical check-up - other reason	195
PC_6_44	Had problems obtaining physical check-up	195
PC_6_45A	Prob. getting phys. check-up - not available when required	196
PC_6_45B	Prob. getting phys. check-up - not available in area	196
PC_6_45C	Prob. getting phys. check-up - waiting time too long	197
PC_6_45D	Prob. getting phys. check-up - transportation	197
PC_6_45E	Prob. getting phys. check-up - language	198
PC_6_45F	Prob. getting phys. check-up - cost	198
PC_6_45G	Prob. getting phys. check-up - did not know where to go	199
PC_6_45H	Prob. getting phys. check-up - other	199
PC_6_46A	No physical check-up - have not gotten around to it	200
PC_6_46B	No physical check-up - resp. didn't think it was neces.	200
PC_6_46C	No physical check-up - doctor didn't think it was neces.	201
PC_6_46D	No physical check-up - personal or family respons.	201
PC_6_46E	No physical check-up - not available / time required	202
PC_6_46F	No physical check-up - not available at all in area	202
PC_6_46G	No physical check-up - waiting time too long	203
PC_6_46H	No physical check-up - transportation problems	203
PC_6_46I	No physical check-up - language problem	204
PC_6_46J	No physical check-up - cost	204
PC_6_46K	No physical check-up - did not know where to go	205
PC_6_46L	No physical check-up - fear	205
PC_6_46M	No physical check-up - other reason	206
PR : Province		
PRC6_CUR	Province of residence	1
RA : Restriction of activity		
RAC6_6A	Needs help - preparing meals	53
RAC6_6B	Needs help - shopping for groceries or other necessities	54
RAC6_6C	Needs help - housework	54
RAC6_6D	Needs help - heavy household chores	55
RAC6_6E	Needs help - personal care	55
RAC6_6F	Needs help - moving about in the house	56
RAC6D6G	Derived need for help in series of tasks	56

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 21

September, 1998

Variable Name	Description	Page
RAC6F1	Restriction of activity flag	52
RAC6G5	Cause of health problem - grouped	53
RAC6GC7	Derived main health problem - 7 groups - grouped	52
RP : Repetitive strain		
RPC6_1	Had repetitive strain injuries	326
RPC6_2	Number of repetitive strain injuries	327
RPC6_3	Body part affected by repetitive strain injury	327
RPC6_4A	Injury caused by activity at home	328
RPC6_4B	Injury caused by activity at school	328
RPC6_4C	Injury caused by leisure activities	329
RPC6_4D	Injury caused by other activity	329
RS : Road safety		
RSS6_1	Been passenger with driver who had too much to drink	480
RSS6_10	Frequency - designated driver	488
RSS6_2	Driver intoxicated - tried to prevent person from driving	481
RSS6_3A	Driver intoxicated - drove person home yourself	481
RSS6_3B	Driver intoxicated - asked someone to drive person home	482
RSS6_3C	Driver intoxicated - asked person to take a taxi	482
RSS6_3D	Driver intoxicated - hid person's car keys	483
RSS6_3E	Driver intoxicated - served coffee to person	483
RSS6_3F	Driver intoxicated - kept the person at home	484
RSS6_3G	Driver intoxicated - other action to prevent driving	484
RSS6_4	Has valid driver's license for a motor vehicle	485
RSS6_5	Frequency - insisting that passengers wear their seatbelt	485
RSS6_6	Frequency - obey speed limits	486
RSS6_7	Number of times drank too much and drove	486
RSS6_8	Go out with friends / family to consume alcohol	487
RSS6_9	Have designated driver when going out	487
SD : Socio-demographics		
SDC6FIMM	Flag indicating that the respondent is an immigrant	80
SDC6GCB	Country of birth - grouped	80
SDC6GLG4	Derived language resp. can conduct conversation in - grouped	81
SDC6GRAC	Derived race or colour - grouped	82

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 22

September, 1998

Variable Name	Description	Page
SDC6GRES	Derived length of time in Canada - grouped	81
SH : Sexual health		
SHP6_1	Effective in preventing STD - using condom	466
SHP6_10	Chance of getting an STD	475
SHP6_11	To prevent STD - changed sexual behaviour	476
SHP6_12	To prevent STD - sex with only 1 partner	476
SHP6_13	To prevent STD - using condoms	477
SHP6_14	To prevent STD - using spermicidal jellies and foams	477
SHP6_15	To prevent STD - more careful in selecting partners	478
SHP6_16	To prevent STD - started being tested for STD	478
SHP6_17	To prevent STD - insisting that partner be tested for STD	479
SHP6_18	To prevent STD - abstaining from sexual intercourse	479
SHP6_19	To prevent STD - other measures	480
SHP6_2	Effective in preventing STD - birth control pill	466
SHP6_3	Effective in preventing STD - diaphragm / sponge	467
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	467
SHP6_5	Effective in preventing STD - asking if a partner has one	468
SHP6_6	Effective in preventing STD - having regular partner	468
SHP6_7	Effective in preventing STD - asking partner to go for test	469
SHP6_8	Has sources of information on preventing STD	469
SHP6_9A	Main source of information on STD - parents	470
SHP6_9B	Main source of information on STD - medical professional	470
SHP6_9C	Main source of information on STD - friends	471
SHP6_9D	Main source of information on STD - school	471
SHP6_9E	Main source of information on STD - church	472
SHP6_9F	Main source of information on STD - youth club	472
SHP6_9G	Main source of information on STD - TV / radio	473
SHP6_9H	Main source of information on STD - magazines / newspaper	473
SHP6_9I	Main source of information on STD - information pamphlets	474
SHP6_9J	Main source of information on STD - books	474
SHP6_9K	Main source of information on STD - other	475
SHS6_1	Ever had sexual intercourse	456
SHS6_10	Had / has - syphilis	462
SHS6_11	Had / has - genital warts	462
SHS6_12	Had / has - genital herpes	463

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 23

September, 1998

Variable Name	Description	Page
SHS6_13	Had / has - hepatitis B	463
SHS6_14	Has - HIV / AIDS	464
SHS6_15	Had / has - pelvic inflammatory disease	464
SHS6_16	Had / has - other STD	465
SHS6_2	Age at first sexual intercourse	457
SHS6_3	Had sexual intercourse in past 12 months	458
SHS6_4	Number of partners (sexual intercourse)	458
SHS6_5	Relationship lasted 12 months or longer	459
SHS6_6	Relationships lasted less than 12 months	459
SHS6_7	Condom use in relationship(s) lasting less than 12 months	460
SHS6_7A	Used a condom the last time	460
SHS6_8	Had / has - chlamydia	461
SHS6_9	Had / has - gonorrhea	461
SHS6D1	Derived - had at least 1 sexually-transmitted disease	465
SHS6G2	Age at first sexual intercourse - grouped	457
SM : Smoking		
SMC6_1	Household member smokes regularly inside house	376
SMC6_2	Type of smoker	376
SMC6_3	Age started smoking daily - daily smoker	377
SMC6_4	Number of cigarettes smoked each day - daily smoker	378
SMC6_4A	Ever smoked cigarettes	378
SMC6_5	Ever smoked daily	379
SMC6_6	Age started smoking daily - former daily smoker	379
SMC6_7	Number of cigarettes smoked each day - former daily smoker	380
SMC6_8	Age stopped smoking daily - former daily smoker	381
SMC6DTYP	Derived type of smoker	383
SMC6DYRS	Derived number of years smoked	383
SMC6G3	Age started smoking daily - daily smoker - grouped	377
SMC6G6	Age started smoking daily - former daily smoker - grouped	380
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	382
SMS6_12	Restrictions on smoking in work place	387
SMS6_13A	Children more likely to start smoking if their parents smoke	387
SMS6_13B	People too concerned about second-hand smoke	388
SMS6_13C	Non-smokers mind when people smoke in their presence	388
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	389

Topical Index

September, 1998

Variable Name	Description	Page
SMS6_13E	Pregnant women / others living with / should not smoke	389
SMS6_13F	Provide non-smokers with a smoke-free environment at work	390
SMS6_13G	Ask permission to smoke in the presence of others	390
SMS6_13H	Lower cigarette prices lead to increased smoking	391
SMS6_14	Feels unpleasant effects from second-hand smoke	391
SMS6_15	Second-hand smoke can cause health problems in non-smoker	392
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	392
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	393
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	393
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	394
SMS6_17	Smoking cigarettes can cause health problems in smoker	394
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	395
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	395
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	396
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	396
SMS6_8	Time until first cigarette after waking up	386
SMS6_9	Considering quitting smoking in next 6 months	386
SS : Social support		
SSC6_1	Member of organization / association	426
SSC6_2	Frequency of participation in organizations / associations	427
SSC6_2A	Frequency of attending religious services	427
SSC6_3	Has someone to confide in	429
SSC6_4	Has someone to count on in crisis situation	429
SSC6_5	Has someone who gives advice when making important decisions	430
SSC6_6	Has someone to make feel loved and cared for	430
SSC6_7A	Frequency of contact with parents / in-laws	431
SSC6_7B	Frequency of contact with grandparents	432
SSC6_7C	Frequency of contact with daughters / daughters-in-law	433
SSC6_7D	Frequency of contact with sons / sons-in-law	434
SSC6_7E	Frequency of contact with brothers / sisters	435
SSC6_7F	Frequency of contact with other relatives	436
SSC6_7G	Frequency of contact with close friends	437
SSC6_7H	Frequency of contact with neighbours	438
SSC6D1	Derived social support index	438
SSC6D2	Derived social involvement score	439

1996-97 NPHS: Public Use Microdata File - Health Topical Index

Page 25

September, 1998

Variable Name	Description	Page
SSC6D3	Derived average frequency of contacts	439
SSP6_1	Received care from friend / relative in the past 12 months	443
SSP6_2	Received care from friend / relative in last month	444
SSP6_3	Level of support from family / friends	444
SSP6_4	Helped relative / friend with health problem	445
SSS6_1	Spiritual values / faith play important role in life	428
SSS6_2	Self-perception of religiousness / spirituality	428
SSS6_3	Number of people seen socially who smoke	440
SSS6_4	Number of people seen socially who drink too much	440
SSS6_5A	Partner smokes cigarettes	441
SSS6_5B	Partner exercises regularly	441
SSS6_5C	Partner drinks too much	442
SSS6_5D	Partner overeats	442
SSS6_5E	Partner uses tranquilizers	443
SV : Health services		
SVB6_1	Overall quality of the health care system for children	454
SVB6_2	Quality of children's health care services in community	454
SVB6_3	Availability of children's health care services in community	455
SVB6_4	Difficulty of getting health care services	455
SVB6_5	Overall quality of health care in past 12 months	456
SVP6_1	Overall rating of health care system	450
SVP6_2	Availability of community health care	451
SVP6_3	Overall quality of health care in community	451
SVP6_4	Overall availability of health care in community	452
SVP6_5	Overall quality of health care in community	452
SVP6_6	Difficulty getting health care services needed	453
SVP6_7	Quality of health care received in past 12 months	453
TU : Tanning and UV exposure		
TUP6_1	Tried to get a suntan (sun or artificial)	321
TUP6_10	Frequency of wearing protective clothing in the sun	326
TUP6_2	Deepness of suntan	322
TUP6_3	Got sunburnt	322
TUP6_4	Number of times sunburned	323
TUP6_5	Description of worst sunburn	323

1996-97 NPHS: Public Use Microdata File - Health

Topical Index

Page 26

September, 1998

Variable Name	Description	Page
TUP6_6	Frequency of using sunscreen in summer	324
TUP6_7	Frequency of avoiding sun from 11am to 4pm	324
TUP6_8	Frequency of avoiding long periods in the sun	325
TUP6_9	Frequency of wearing sunglasses with UV protection	325
TW : Two-week disability		
TWC6_1	Stayed in bed / hospital due to illness / injury	13
TWC6_2	Number of days spent in bed	14
TWC6_3	Cut down on things normally done due to illness / injury	15
TWC6_4	Number of days cut down on things	16
TWC6_5	Has regular medical doctor	17
TWC6DDDY	Derived total number of disability days	17
VS : Violence and personal safety		
VSP6_1	Frequency of feeling safe in community	488
VSP6_10	Number of times attacked outside of school	492
VSP6_2	Frequency of feeling safe at home	489
VSP6_4	Frequency of feeling safe at school	489
VSP6_5	Number of times verbally abused at school / school bus	490
VSP6_6	Number of times verbally threatened at school / school bus	490
VSP6_7	Number of times attacked at school / school bus	491
VSP6_8	Number of times verbally abused outside of school	491
VSP6_9	Number of times verbally threatened outside of school	492
W : Women's health		
WHC6_20	Had PAP smear test	136
WHC6_22	Last time PAP smear test was done	136
WHC6_23A	Had PAP smear - part of check-up	137
WHC6_23B	Had PAP smear - high risk group	137
WHC6_23C	Had PAP smear - follow-up of previous problem	138
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	138
WHC6_23E	Had PAP smear - sexually active	139
WHC6_23F	Had PAP smear - on birth control pill	139
WHC6_23G	Had PAP smear - pregnant / after delivery	140
WHC6_23H	Had PAP smear - on hormone replacement therapy	140
WHC6_23I	Had PAP smear - other reason	141

Topical Index

September, 1998

Variable Name	Description	Page
WHC6_24	Had problems getting a PAP smear test	141
WHC6_25A	Problem getting PAP smear - not available when required	142
WHC6_25B	Problem getting PAP smear - not available in area	142
WHC6_25C	Problem getting PAP smear - waiting time too long	143
WHC6_25D	Problem getting PAP smear - transportation	143
WHC6_25E	Problem getting PAP smear - language	144
WHC6_25F	Problem getting PAP smear - cost	144
WHC6_25G	Problem getting PAP smear - did not know where to go	145
WHC6_25H	Problem getting PAP smear - other	145
WHC6_26A	No PAP smear - have not gotten around to it	146
WHC6_26B	No PAP smear - respondent did not think it was necessary	146
WHC6_26C	No PAP smear - doctor did not think it was necessary	147
WHC6_26D	No PAP smear - personal or family responsibilities	147
WHC6_26E	No PAP smear - not available when required	148
WHC6_26F	No PAP smear - not available at all in area	148
WHC6_26G	No PAP smear - waiting time too long	149
WHC6_26H	No PAP smear - transportation problems	149
WHC6_26I	No PAP smear - language problem	150
WHC6_26J	No PAP smear - cost	150
WHC6_26K	No PAP smear - did not know where to go	151
WHC6_26L	No PAP smear - fear	151
WHC6_26M	No PAP smear - hysterectomy	152
WHC6_26N	No PAP smear - hate / dislike having one done	152
WHC6_26O	No PAP smear - other reason	153
WHC6_30	Ever had mammogram	153
WHC6_32	Last time mammogram was done	154
WHC6_33A	Had mammogram - family history	154
WHC6_33B	Had mammogram - regular check-up	155
WHC6_33C	Had mammogram - age	155
WHC6_33D	Had mammogram - previously detected lump	156
WHC6_33E	Had mammogram - follow-up treatment	156
WHC6_33F	Had mammogram - on hormone replacement therapy	157
WHC6_33G	Had mammogram - other reason	157
WHC6_34	Had problems getting a mammogram	158
WHC6_35A	Problem getting mammogram - not available when required	158
WHC6_35B	Problem getting mammogram - not available at all in area	159

Topical Index

September, 1998

Variable Name	Description	Page
WHC6_35C	Problem getting mammogram - waiting time too long	159
WHC6_35D	Problem getting mammogram - transportation	159
WHC6_35E	Problem getting mammogram - language	160
WHC6_35F	Problem getting mammogram - cost	160
WHC6_35G	Problem getting mammogram - did not know where to go	160
WHC6_35H	Problem getting mammogram - other	161
WHC6_36A	No mammogram - have not gotten around to it	161
WHC6_36B	No mammogram - resp. did not think it was neces.	162
WHC6_36C	No mammogram - doctor did not think it was neces.	162
WHC6_36D	No mammogram - pers. or family responsibilities	163
WHC6_36E	No mammogram - not available when required	163
WHC6_36F	No mammogram - not available at all in the area	164
WHC6_36G	No mammogram - waiting time was too long	164
WHC6_36H	No mammogram - transportation problems	165
WHC6_36I	No mammogram - language problem	165
WHC6_36J	No mammogram - cost	166
WHC6_36K	No mammogram - did not know where to go	166
WHC6_36L	No mammogram - fear	167
WHC6_36M	No mammogram - other reason	167
WHC6_90	Had breasts examined for lumps by health professional	168
WHC6_92	Last time breasts examined for lumps	169
WHC6_93A	Had breast exam - family history	169
WHC6_93B	Had breast exam - regular check-up	170
WHC6_93C	Had breast exam - age	170
WHC6_93D	Had breast exam - previously detected lump	171
WHC6_93E	Had breast exam - follow-up treatment	171
WHC6_93F	Had breast exam - on hormone replacement therapy	172
WHC6_93G	Had breast exam - other reason	172
WHC6_94	Had problems getting a breast exam	173
WHC6_95A	Problem getting breast exam - not available when required	173
WHC6_95B	Problem getting breast exam - not available in area	174
WHC6_95C	Problem getting breast exam - waiting time too long	174
WHC6_95D	Problem getting breast exam - transportation	174
WHC6_95E	Problem getting breast exam - language	175
WHC6_95F	Problem getting breast exam - cost	175
WHC6_95G	Problem getting breast exam - did not know where to go	175

Topical Index

September, 1998

Variable Name	Description	Page
WHC6_95H	Problem getting breast exam - other	176
WHC6_96A	No breast exam - have not gotten around to it	176
WHC6_96B	No breast exam - respondent did not think it was necessary	177
WHC6_96C	No breast exam - doctor did not think it was necessary	177
WHC6_96D	No breast exam - personal or family responsibilities	178
WHC6_96E	No breast exam - not available when required	178
WHC6_96F	No breast exam - not available at all in area	179
WHC6_96G	No breast exam - waiting time too long	179
WHC6_96H	No breast exam - transportation problems	180
WHC6_96I	No breast exam - language problem	180
WHC6_96J	No breast exam - cost	181
WHC6_96K	No breast exam - did not know where to go	181
WHC6_96L	No breast exam - fear	182
WHC6_96M	No breast exam - other reason	182
WHS6_37	Intend to have a mammogram in the next 2 years	168
WHS6_90	Self-examined breasts for lumps	183
WHS6_91	Frequency of breast self-examination	183
WHS6_92	How breast self-exam was learned	184
WT : Sample weights		
WT66	Sampling weight for selected respondent	494
WT66_N	Sampling weight for selected resp. for non-common content	494