

**Microdata User Guide**  
**NATIONAL TENANT SATISFACTION SURVEY**  
**2010**



Statistics  
Canada

Statistique  
Canada

Canada



## Table of Contents

<b>1.0</b>	<b>Introduction</b>	<b>5</b>
<b>2.0</b>	<b>Background</b>	<b>7</b>
<b>3.0</b>	<b>Objectives</b>	<b>9</b>
<b>4.0</b>	<b>Concepts and Definitions</b>	<b>11</b>
4.1	Survey Concepts	11
4.1.1	Participating Departments and Agencies	12
4.2	Survey Definitions	13
<b>5.0</b>	<b>Survey Methodology</b>	<b>15</b>
5.1	Population Coverage	15
5.2	Sample Design	15
5.2.1	Stratification	15
5.2.2	Sample Allocation and Selection	15
<b>6.0</b>	<b>Data Collection</b>	<b>17</b>
6.1	Questionnaire Design and Testing	17
6.2	Interviewing	17
6.3	Supervision and Control	17
6.4	Non-response to the National Tenant Satisfaction Survey	17
<b>7.0</b>	<b>Data Processing</b>	<b>19</b>
7.1	Data Capture	19
7.2	Editing	19
7.3	Coding of Questionnaire Information	19
7.4	Creation of Derived Variables	19
7.5	Weighting	20
7.6	Suppression of Confidential Information	20
<b>8.0</b>	<b>Data Quality</b>	<b>23</b>
8.1	Response Rates	23
8.2	Survey Errors	23
8.2.1	The Frame	24
8.2.2	Data Collection	24
8.2.3	Non-response	24
8.2.4	Measurement of Sampling Error	25
<b>9.0</b>	<b>Guidelines for Tabulation, Analysis and Release</b>	<b>27</b>
9.1	Rounding Guidelines	27
9.2	Sample Weighting Guidelines for Tabulation	27
9.3	Categorical Estimates	28
9.3.1	Tabulation of Categorical Estimates	28
9.4	Guidelines for Statistical Analysis	28
9.5	Coefficient of Variation Release Guidelines	29
9.6	Release Cut-off's for the National Tenant Satisfaction Survey	31
9.7	Quality Level of the Estimates	31
9.7.1	Quality Level of Region and Management Type Estimates	31
9.7.2	Quality Level of Building Estimates	33

<b>10.0</b>	<b>Approximate Sampling Variability Tables .....</b>	<b>42</b>
10.1	How to Use the Coefficient of Variation Tables for Categorical Estimates .....	43
10.1.1	Examples of Using the Coefficient of Variation Tables for Categorical Estimates .....	45
10.2	How to Use the Coefficient of Variation Tables to Obtain Confidence Limits.....	50
10.2.1	Example of Using the Coefficient of Variation Tables to Obtain Confidence Limits .....	51
10.3	How to Use the Coefficient of Variation Tables to Do a T-test .....	51
10.3.1	Example of Using the Coefficient of Variation Tables to Do a T-test.....	52
10.4	Coefficient of Variation Tables .....	53
<b>11.0</b>	<b>Weighting .....</b>	<b>61</b>
<b>12.0</b>	<b>Questionnaire .....</b>	<b>63</b>
<b>Appendix A</b>	<b>.....</b>	<b>89</b>

## **1.0 Introduction**

The National Tenant Satisfaction Survey (NTSS) was conducted by Statistics Canada from September 7, 2010 to December 17, 2010 with the cooperation and support of Public Works and Government Services Canada (PWGSC). This manual has been produced to facilitate the use of the survey results and microdata.

Any questions about the data set or its use should be directed to:

### Statistics Canada

Client Services  
Special Surveys Division  
Telephone: 613-951-3321 or call toll-free: 1 800 461-9050  
Fax: 613-951-4527  
Email: [ssd@statcan.ca](mailto:ssd@statcan.ca)



## **2.0 Background**

The National Tenant Satisfaction Survey was undertaken to provide information on the satisfaction of federal public servants who work in buildings under the responsibility of Public Works and Government Services Canada (PWGSC) with regard to their physical working environment. The survey collected information about employee workspace, building services, service availability, changes in services and satisfaction with the property management team. The survey was first conducted by Statistics Canada from December 11, 2001 to March 15, 2002.

The resulting data and analysis will highlight areas which need improvement as well as areas where employees are satisfied with the standard of services delivered.





### **3.0 Objectives**

The main objectives of this survey were to:

- Determine tenant satisfaction in government buildings under the responsibility of Public Works and Government Services Canada (PWGSC).
- Enable PWGSC to better understand the needs of their tenants and improve existing building services.



## **4.0 Concepts and Definitions**

This chapter outlines concepts and definitions of interest to the users. Users are referred to Chapter 12.0 of this document for a copy of the actual survey questionnaire used.

### **4.1 Survey Concepts**

The survey sample frame units are the telephone numbers of the target population. The National Tenant Satisfaction Survey (NTSS) is a sample survey weighted to the number of tenants in the target population.

#### Population

Federal Government of Canada employees who are in federal government departments or agencies participating in the National Tenant Satisfaction Survey and who are in buildings which have been identified by Public Works and Government Services Canada (PWGSC) as under their responsibility and in-scope for the survey.

#### Target population

Federal Government of Canada employees with telephone numbers who are in federal government departments or agencies participating in the National Tenant Satisfaction Survey and who are in buildings which have been identified by Public Works and Government Services Canada as under their responsibility and in-scope for the survey.

#### Large buildings

Buildings identified with 100 or more telephone lines.

#### Small buildings

Buildings identified with less than 100 telephone lines.

#### Tenant

Federal government employees who are occupants in the buildings.

#### Respondents

Federal government employees who responded to the questionnaire.

#### Eligible cases

The telephone lines which were verified as belonging to federal government employees in large buildings under the responsibility of PWGSC in participating departments and agencies (i.e. in-scope telephone numbers).

#### Response rate

The number of federal government employees responding to NTSS as a percentage of the number of eligible cases.

#### Out-of-scope

Telephone numbers which fell outside of the sample criteria. Units were considered out-of-scope if the telephone numbers were those belonging to facsimile machines, conference rooms, data lines, elevators, or were identified as not belonging to a federal department or agency, or were those of a department or agency who did not wish to participate in the survey. Also, some telephone numbers initially thought to be in-scope were later verified to belong to buildings not under the responsibility of PWGSC or buildings not in-scope for the survey.

### **4.1.1 Participating Departments and Agencies**

Because of the changing nature of government department names, with mergers and splits, the list below may not be a current, accurate and complete list of departments and agencies. The list provided below is a “snap shot” of the list of department and agency names we had prior to finalizing the frame of telephone numbers for choosing the sample for the survey.

- Agriculture and Agri-Food Canada
- Association of Professional Executives of the Public Service of Canada
- Canadian Food Inspection Agency
- Canadian Heritage
- Citizenship and Immigration Canada
- Department of Finance Canada
- Department of Foreign Affairs
- Department of Justice Canada
- Environment Canada
- Fisheries and Oceans Canada
- Governor General Residence of Her Excellency
- Health Canada
- Indian and Northern Affairs Canada
- Industry Canada
- Infrastructure Canada
- International Trade Canada
- Library and Archives Canada
- Millennium Bureau of Canada
- National Defence
- Natural Resources Canada
- Office of the Auditor General of Canada
- Office of the Governor General of Canada
- Parks Canada
- Parliament of Canada
- Privy Council Office
- Public Safety and Emergency Preparedness Canada
- Public Works and Government Services Canada
- Royal Canadian Mounted Police
- Royal Society of Canada
- Solicitor General of Canada
- The Leadership Network
- Transport Canada
- Treasury Board of Canada Secretariat
- Veterans Affairs Canada

Some departments and agencies elected not to participate in this survey. They include:

- Canada Revenue Agency
- Canada Border Services Agency
- Canadian Security Intelligence Service
- Canada Post Corporation
- Human Resources and Social Development Canada

## **4.2 Survey Definitions**

### Physical work environment

Services in buildings, including cleaning, lighting, cafeteria food, office space, etc.

### Parking availability

Refers to publicly managed parking lots.

### Task lighting

Special lights over or on the immediate work area.

### Natural lighting

Light coming through windows or skylights.

### Air quality

Quality of the air in the buildings, including air movement and odours.

### Building security services

Security guards, perimeter doors and management of after-hours building access.

### Barrier free accessibility to the building

Easy entry into the building for people with disabilities such as wheelchair ramps.

### Building system noise levels

Noise levels of furnaces, fans, and air conditioning.

### Real property or facilities management

The people responsible for the management service of property assets and their equipment to employees within their department.

### Property manager

The person responsible for the day to day operations of buildings and specialized facilities. This includes planning, budgeting, energy management and ensuring due diligence with respect to environmental and life safety systems compliance.

### Closed office

Room with four walls from floor to ceiling and with a door.



## **5.0 Survey Methodology**

The National Tenant Satisfaction Survey (NTSS) was administered between September 7, 2010 and December 17, 2010 to a sample of telephone numbers. The NTSS design is briefly described in the sections below.

### **5.1 Population Coverage**

The NTSS is a sample survey of federal government employees in buildings under the responsibility of Public Works and Government Services Canada (PWGSC). Specifically excluded from the survey's coverage are employees in buildings which had fewer than 100 telephone numbers. Also excluded were employees in federal government departments and agencies which chose not to participate in the survey. These included Canada Border Services Agency, Canada Revenue Agency, Canadian Security Intelligence Service, and Human Resources and Social Development Canada. Also excluded were buildings which PWGSC specifically chose to exclude for operational or other reasons and buildings for which it was not possible to obtain a list of employee telephone numbers.

### **5.2 Sample Design**

The sampling frame from 2008 was used as a starting point for the 2010 NTSS. Out-of-scope telephone numbers were removed and new phone numbers obtained from the Government Electronic Directory Services (GEDS) were added. The final 2010 frame contained 139,440 telephone numbers for 187 buildings. All survey results relate to the buildings on the final frame.

#### **5.2.1 Stratification**

The NTSS is based on a stratified design with simple random sampling within strata. Telephone numbers were used as the sampling unit and the strata were defined as the buildings.

#### **5.2.2 Sample Allocation and Selection**

When calculating the sample size some assumptions were necessary. The rate of out-of-scope telephone numbers on the frame was expected to be 35% and the response rate 80%. The survey requirements for the NTSS 2010 were to produce reliable estimates at the management type by region level (22 in all), and to produce reliable estimates for 25 priority buildings which were specified by the external client. In all cases, the minimum estimable proportion was set at 0.15 (min  $p$ ).

The following requirements were used to determine the original sample allocation:

- the total sample size was set at approximately 18,000 telephone numbers.
- the minimum estimable proportion at the management type, region, and pre-specified building levels were set at 0.15 (min  $p$ ).

We calculated the number of responses needed at the management type and region level in order to be able to estimate a proportion of 0.15 with a coefficient of variation (CV) of 16.5%. This was achieved using the Kish allocation. This type

of allocation offers a compromise between proportional and equal allocation.

The sample selection took place at the stratum level. Telephone numbers were randomly selected using simple random sampling within a stratum.

The distribution of the sample by region is given in the table below.

<b>Region</b>	<b>Sample Size</b>
Atlantic	2,282
Quebec (excluding National Capital Region)	1,351
National Capital Region and Nunavut	8,864
Ontario (excluding National Capital Region)	1,570
Western (includes Northwest Territories)	2,569
Pacific (includes Yukon)	1,359
<b>Canada</b>	<b>17,995</b>



## **6.0 Data Collection**

Data collection for the National Tenant Satisfaction Survey (NTSS) was carried out from September 7, 2010 to December 17, 2010. Interviews were conducted over the telephone from the Statistics Canada regional offices in Sturgeon Falls and Sherbrooke.

### **6.1 Questionnaire Design and Testing**

Qualitative testing in the form of focus groups was used to test and evaluate the questionnaire and survey concepts.

During March and April of 2001, seven focus group sessions took place in the National Capital Region, in both official languages, each lasting two hours. Before they took part in the focus groups, tenant participants were contacted by telephone to complete the survey. This was done in order to get their reactions from a respondent's point of view.

The main objectives of the focus groups were:

- 1) To test the overall reaction of knowledgeable clients, Client Service Unit Directors, landlords and building tenants.
- 2) To test the appropriateness and applicability of concepts, content and flow.
- 3) To test the response burden and respondent-friendliness
- 4) To test the cognitive processes of building tenants in responding to the questionnaire including:
  - an assessment of the respondents' understanding of various concepts and content; and
  - an evaluation of the respondents' ability to respond to questions.

### **6.2 Interviewing**

Statistics Canada interviewers are employees hired and trained to carry out surveys. Interviewers contacted each of the sampled telephone numbers to conduct the interview. Data was collected using a computer-assisted telephone interviewing (CATI) system. Interviews lasted 10 minutes on average.

### **6.3 Supervision and Control**

All NTSS interviewers are under the supervision of a staff of senior interviewers who are responsible for ensuring that interviewers are familiar with the concepts and procedures of the survey and also for periodically monitoring their interviewers and reviewing their completed documents.

### **6.4 Non-response to the National Tenant Satisfaction Survey**

In total, there were 10,486 telephone numbers where contact was successfully made; the NTSS interview was completed for 9,525 of these telephone numbers for a response rate of 91%. More detailed information on response rates is presented in Chapter 8.0 (Data Quality).



## **7.0 Data Processing**

An output of the National Tenant Satisfaction Survey (NTSS) is a “clean” microdata file. This chapter presents a brief summary of the processing steps involved in producing this file. The main output is the HTML documents that were derived from the microdata file that is held by Statistics Canada.

### **7.1 Data Capture**

Responses to survey questions are captured directly by the interviewer at the time of the interview using a computerized questionnaire. The computerized questionnaire reduces processing time and costs associated with data entry, transcription errors, and data transmission. The response data are encrypted to ensure confidentiality and transmitted over a secure line to Ottawa for further processing.

### **7.2 Editing**

A series of edits were performed on the capture file to check the data paths and flows and for internal consistency. The first type of error treated was errors in questionnaire flow, where questions which did not apply to the respondent (and should therefore not have been answered) were found to contain answers. In this case a computer edit automatically eliminated superfluous data by following the flow of the questionnaire implied by answers to previous, and in some cases, subsequent questions.

The second type of error treated involved a lack of information in questions which should have been answered. For this type of error, a non-response or “not-stated” code was assigned to the item.

### **7.3 Coding of Questionnaire Information**

During the interview, respondents were asked to confirm the building location and department or agency where the telephone number belonged. Information related to the department or agency was captured and coded at the time of the interview. Building name and/or address related to the location of the respondent was also recorded by the interviewer, and then used to code his/her location to a specific building code.

A small number of data items on the questionnaire were recoded. These data items were related to additional services important to tenants such as: office space, food services, privacy, drinking water and shower facilities. Using automated coding techniques and manual verification, many of these open-ended responses were recoded into existing categories on the questionnaire.

### **7.4 Creation of Derived Variables**

A number of data items on the microdata file have been derived by combining items on the questionnaire in order to facilitate data analysis and tabulations.

For example, SS\_Q01 asks on a scale of 1 to 5, where 1 is lowest importance and 5 is highest importance, how the respondent would rate the importance of natural lighting while SS\_Q02 asks on a scale of 1 to 5, where 1 is lowest satisfaction and 5 is highest satisfaction, how the respondent would rate his/her level of satisfaction with the natural lighting. A derived variable was created and included in the HTML document to show the average score of importance of natural lighting and the average satisfaction with the natural lighting.

Another example would be question BSER\_Q05 which asks for the respondents’ overall

satisfaction with the services in their building. Their options are: very satisfied, somewhat satisfied, somewhat dissatisfied, and very dissatisfied. A derived variable is created to calculate overall satisfaction which adds the very satisfied with the somewhat satisfied. This derived variable is near the end of the Executive Summary HTML documents.

A final example of derived variables in the HTML documents is the “Average ratings” tables. When calculating the average importance, respondents who answered “Does not apply to me” were given a value of 0. So in this section the scale of importance ranges from 0 to 5. When calculating average satisfaction, respondents who answered “Does not apply to me” were excluded from the calculation. So in this section the scale of satisfaction ranges from 1 to 5. To illustrate the rationale for treating the “Does not apply to me” differently we will look at a fictional building. In this fictional building there are 100 respondents, 5 of whom have children of the age that could need daycare facilities.

For the “importance” question, 95 respondents would probably rate their level of importance for access to daycare facilities as “Does not apply to me”. While the remaining 5 respondents, who have children of daycare age, would rate their level of importance as 5. So if we were to exclude the “Does not apply to me” responses in calculating the “average” importance, it would show that at the building level average importance is 5.00. But in reality, 95% of respondents consider daycare facilities to be of such little importance that it does not apply to them. So the average rating for importance of access to daycare facilities in the building would be more accurately shown as 0.05.

Now let’s examine the average satisfaction rating, and why “Does not apply to me” is excluded from the calculation. Let us say that these same 5 respondents with children of daycare age rated their satisfaction of the daycare facilities in their building with a 5, because they feel it meets all their needs. The same 95 respondents who do not have children of daycare age responded with “Does not apply to me”. If we were to rate these 95 responses with a value of 0, then the average satisfaction would be 0.05. But we know that the daycare facilities in this building are exceptional. Therefore, only those 5 respondents who responded and gave the daycare facilities a rating of 5 are considered in the average rating score.

## **7.5 Weighting**

The principle behind estimation in a probability sample such as the NTSS is that each person in the sample “represents”, besides himself or herself, several other persons not in the sample. For example, in a simple random 2% sample of the population, each person in the sample represents 50 persons in the population.

The weighting phase is a step which calculates, for each record, what this number is. This weight appears on the microdata file, and **must** be used to derive meaningful estimates from the survey. For example, if the number of individuals working in a particular building is to be estimated, it is done by selecting the records referring to those individuals in the sample that said they worked in that building and summing the weights entered on those records.

Details of the method used to calculate these weights are presented in Chapter 11.0.

## **7.6 Suppression of Confidential Information**

Any estimates generated from this file for client use will be screened in order to protect the anonymity of individual survey respondents. Answer categories are suppressed or collapsed into larger categories in order to ensure confidentiality. Estimates generated will be released to the user, subject to meeting the guidelines for analysis and release outlined in Chapter 9.0

of this document.

It should be noted that the amount of information contained in the HTML documents differ in a number of important respects from the survey “master” files held by Statistics Canada. As a result, the totals on all tables may not always be equal. These differences are the result of actions taken to protect the anonymity of individual survey respondents and/or organizations.



## 8.0 Data Quality

### 8.1 Response Rates

The following table summarizes the response rates to the National Tenant Satisfaction Survey (NTSS) by region for Public Works and Government Services Canada (PWGSC). These response rates are with respect to the number of telephone numbers where contact was successfully made.

Region	Sample Size	Number of Telephone Numbers Where Contact was Made	Number of Respondents	Response Rate (%)
Atlantic	2,282	1,317	1,208	91.7
Quebec (excluding National Capital Region)	1,351	700	634	90.6
National Capital Region and Nunavut	8,864	5,138	4,672	90.9
Ontario (excluding National Capital Region)	1,570	967	868	89.8
Western (includes Northwest Territories)	2,569	1,512	1,361	90.0
Pacific (includes Yukon)	1,359	852	782	91.8
<b>Canada</b>	<b>17,995</b>	<b>10,486</b>	<b>9,525</b>	<b>90.8</b>

### 8.2 Survey Errors

The estimates derived from this survey are based on a sample of telephone numbers. Somewhat different estimates might have been obtained if a complete census had been taken using the same questionnaire, interviewers, supervisors, processing methods, etc. as those actually used in the survey. The difference between the estimates obtained from the sample and those resulting from a complete count taken under similar conditions, is called the sampling error of the estimate.

Errors which are not related to sampling may occur at almost every phase of a survey operation. Interviewers may misunderstand instructions, respondents may make errors in answering questions, the answers may be incorrectly entered on the questionnaire and errors may be introduced in the processing and tabulation of the data. These are all examples of non-sampling errors.

Over a large number of observations, randomly occurring errors will have little effect on estimates derived from the survey. However, errors occurring systematically will contribute to biases in the survey estimates. Considerable time and effort were taken to reduce non-sampling errors in the survey. Quality assurance measures were implemented at each step of the data collection and processing cycle to monitor the quality of the data. These measures include the use of highly skilled interviewers, extensive training of interviewers with respect to the survey procedures and questionnaire, focus group testing of the questionnaire, procedures to ensure that data capture errors were minimized, and coding and edit quality checks to verify the processing logic.

## **8.2.1 The Frame**

The quality of some of the sampling variables on the frame were dependent on the timeliness and accuracy of the data from the telephone companies. Due to inaccuracies on the frame, it was possible that interviewers contacted employees of government departments or agencies which were out-of-scope for the survey. In these cases interviewers were instructed to apologize for the interruption and end the interview. These telephone numbers were then coded as out-of-scope. There were several other reasons why telephone numbers were considered to be out-of-scope. When the list of telephone numbers were obtained from the telephone companies it was not possible to identify lines used for facsimile machines, data lines, conference rooms etc. All of these numbers were coded as out-of-scope. As well, telephone numbers where no contact was made during collection were set out-of-scope. Overall, 42% of the telephone numbers on the frame were coded as out-of-scope for the survey. This was higher than originally expected. The out-of-scope rate affects the quality of the data by reducing the effective sample size. Some allowance for the fact that telephone numbers would be out-of-scope was made when the initial sample sizes were calculated.

Some variables on the sampling frame play a critical role. That is why at the time of the interview we confirmed with the respondent his location and department or agency.

## **8.2.2 Data Collection**

Interviewer training consisted of reading the NTSS Interviewer's Manual, attending a one day formal in-class training session and discussing any questions with senior interviewers before the start of the survey. A description of the background and objectives of the survey was provided, as well as a glossary of terms and a set of questions and answers. In addition, the computer-assisted telephone interviewing system used for the collection reduced the possibility of error.

## **8.2.3 Non-response**

A major source of non-sampling errors in surveys is the effect of non-response on the survey results. The extent of non-response varies from partial non-response (failure to answer just one or some questions) to total non-response. Total non-response occurred because the interviewer was either unable to contact the respondent or the respondent refused to participate in the survey. Total non-response was handled by adjusting the weights of individuals who responded to the survey to compensate for those who did not respond.

In most cases, partial non-response to the survey occurred when the respondent did not understand or misinterpreted a question, refused to answer a question, or could not recall the requested information.

If non-respondents tend to differ from respondents in terms of the survey variables then a non-response bias could be present. To reduce the effect of any non-response bias, efforts were made to keep the response rate as high as possible. Interviewers were instructed to make reasonable attempts to obtain NTSS interviews with tenants of participating departments and agencies. For tenants who at first refused to participate in the NTSS, a second call was made by the senior interviewer and a confirmation letter was sent by facsimile from the



Regional Office to the tenant's office stressing the importance of the survey and the tenant's cooperation. For cases in which the timing of the interviewer's call was inconvenient, an appointment was arranged to call back at a more convenient time. For cases where no one was in the office, numerous call backs were made.

### **8.2.4 Measurement of Sampling Error**

Since it is an unavoidable fact that estimates from a sample survey are subject to sampling error, sound statistical practice calls for researchers to provide users with some indication of the magnitude of this sampling error. This section of the documentation outlines the measures of sampling error which Statistics Canada commonly uses and which it urges users producing estimates from this microdata file to use also.

The basis for measuring the potential size of sampling errors is the standard error of the estimates derived from survey results.

However, because of the large variety of estimates that can be produced from a survey, the standard error of an estimate is usually expressed relative to the estimate to which it pertains. This resulting measure, known as the coefficient of variation (CV) of an estimate, is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate.

For example, suppose that, based upon the NTSS 2002-2003 survey results, one estimates that 59.0% of individuals would like to see improvements made to their physical work environment and related services in their building and this estimate is found to have a standard error of 0.005. Then the coefficient of variation of the estimate is calculated as:

$$\left( \frac{0.005}{0.590} \right) \times 100\% = 0.8\%$$

There is more information on the calculation of coefficients of variation in Chapter 10.0.



## **9.0 Guidelines for Tabulation, Analysis and Release**

This chapter of the documentation outlines the guidelines to be adhered to by users tabulating, analysing, publishing or otherwise releasing any data derived from the survey microdata files. With the aid of these guidelines, users of microdata should be able to produce the same figures as those produced by Statistics Canada and, at the same time, will be able to develop currently unpublished figures in a manner consistent with these established guidelines.

### **9.1 Rounding Guidelines**

In order that estimates for publication or other release derived from these microdata files correspond to those produced by Statistics Canada, users are urged to adhere to the following guidelines regarding the rounding of such estimates:

- a) Estimates in the main body of a statistical table are to be rounded to the nearest hundred units using the normal rounding technique. In normal rounding, if the first or only digit to be dropped is 0 to 4, the last digit to be retained is not changed. If the first or only digit to be dropped is 5 to 9, the last digit to be retained is raised by one. For example, in normal rounding to the nearest 100, if the last two digits are between 00 and 49, they are changed to 00 and the preceding digit (the hundreds digit) is left unchanged. If the last digits are between 50 and 99 they are changed to 00 and the preceding digit is incremented by 1.
- b) Marginal sub-totals and totals in statistical tables are to be derived from their corresponding unrounded components and then are to be rounded themselves to the nearest 100 units using normal rounding.
- c) Averages, proportions, rates and percentages are to be computed from unrounded components (i.e. numerators and/or denominators) and then are to be rounded themselves to one decimal using normal rounding. In normal rounding to a single digit, if the final or only digit to be dropped is 0 to 4, the last digit to be retained is not changed. If the first or only digit to be dropped is 5 to 9, the last digit to be retained is increased by 1.
- d) Sums and differences of aggregates (or ratios) are to be derived from their corresponding unrounded components and then are to be rounded themselves to the nearest 100 units (or the nearest one decimal) using normal rounding.
- e) In instances where, due to technical or other limitations, a rounding technique other than normal rounding is used resulting in estimates to be published or otherwise released which differ from corresponding estimates published by Statistics Canada, users are urged to note the reason for such differences in the publication or release document(s).
- f) Under no circumstances are unrounded estimates to be published or otherwise released by users. Unrounded estimates imply greater precision than actually exists.

### **9.2 Sample Weighting Guidelines for Tabulation**

The sample design used for the National Tenant Satisfaction Survey (NTSS) was not self-weighting. When producing simple estimates, including the production of ordinary statistical tables, users must apply the proper sampling weight.

If proper weights are not used, the estimates derived from the microdata files cannot be considered to be representative of the survey population, and will not correspond to those produced by Statistics Canada.

Users should also note that some software packages may not allow the generation of estimates that exactly match those available from Statistics Canada, because of their treatment of the weight field.

Data on the proportions and average values of the HTML tables are weighted estimates. The population represents the weighted number of people excluding those who refused, or didn't know the answer for each question. The number of respondents represent the number of people who answered these questions (excluding "refusals" and "don't knows").

### **9.3 Categorical Estimates**

Before discussing how the NTSS data can be tabulated and analysed, it is useful to describe the type of point estimate of population characteristics which can be generated from the data file for the NTSS.

Categorical estimates are estimates of the number, or percentage of the surveyed population possessing certain characteristics or falling into some defined category. The number of employees who would like to see improvements to their physical work environment or the proportion of employees who are very satisfied with the services in their building are examples of such estimates. An estimate of the number of persons possessing a certain characteristic may also be referred to as an estimate of an aggregate.

#### Examples of Categorical Questions:

- Q: Would you like to see any improvements made to your physical work environment and related services in your building?  
R: Yes / No
- Q: Overall, how satisfied are you with the services in your building?  
R: Very satisfied / Somewhat satisfied / Somewhat dissatisfied / Very dissatisfied

#### **9.3.1 Tabulation of Categorical Estimates**

Estimates of the number of people with a certain characteristic can be obtained from the microdata file by summing the final weights of all records possessing the characteristic(s) of interest. Proportions and ratios of the form  $\hat{X} / \hat{Y}$  are obtained by:

- a) summing the final weights of records having the characteristic of interest for the numerator  $(\hat{X})$ ,
- b) summing the final weights of records having the characteristic of interest for the denominator  $(\hat{Y})$ , then
- c) dividing estimate a) by estimate b)  $(\hat{X} / \hat{Y})$ .

### **9.4 Guidelines for Statistical Analysis**

The NTSS is based upon a stratified sample design, with simple random sampling within

strata. Using data from such complex surveys presents problems to analysts because the survey design and the selection probabilities affect the estimation and variance calculation procedures that should be used. In order for survey estimates and analyses to be free from bias, the survey weights must be used.

While many analysis procedures found in statistical packages allow weights to be used, the meaning or definition of the weight in these procedures may differ from that which is appropriate in a sample survey framework, with the result that while in many cases the estimates produced by the packages are correct, the variances that are calculated are poor. Approximate variances for simple estimates such as totals, proportions and ratios (for qualitative variables) can be derived using the accompanying Approximate Sampling Variability Tables.

For other analysis techniques (for example linear regression, logistic regression and analysis of variance), a method exists which can make the variances calculated by the standard packages more meaningful, by incorporating the unequal probabilities of selection. The method rescales the weights so that there is an average weight of 1.

For example, suppose that analysis of all male respondents is required. The steps to rescale the weights are as follows:

- 1) select all respondents from the file who reported SEX = men;
- 2) calculate the AVERAGE weight for these records by summing the original person weights from the microdata file for these records and then dividing by the number of respondents who reported SEX = men;
- 3) for each of these respondents, calculate a RESCALED weight equal to the original person weight divided by the AVERAGE weight;
- 4) perform the analysis for these respondents using the RESCALED weight.

However, because the stratification of the sample's design are still not taken into account, the variance estimates calculated in this way are likely to be under-estimates.

The calculation of more precise variance estimates requires detailed knowledge of the design of the survey. Such detail cannot be given in this microdata file because of confidentiality. Variances that take the complete sample design into account can be calculated for many statistics by Statistics Canada on a cost-recovery basis.

## **9.5 Coefficient of Variation Release Guidelines**

Before releasing and/or publishing any estimate from the NTSS, users should first determine the quality level of the estimate. The quality levels are *acceptable*, *marginal* and *unacceptable*. Data quality is affected by both sampling and non-sampling errors as discussed in Chapter 8.0. However for this purpose, the quality level of an estimate will be determined only on the basis of sampling error as reflected by the coefficient of variation as shown in the table below. Nonetheless users should be sure to read Chapter 8.0 to be more fully aware of the quality characteristics of these data.

First, the number of respondents who contribute to the calculation of the estimate should be determined. A rough estimate of the number of respondents for a particular cell in a table can be obtained by multiplying the total number of respondents, as given in the appropriate column or row of the table, by the percentage of the estimate given in the cell of interest. If this number is less than 30, the weighted estimate should be considered to be of unacceptable quality.

For weighted estimates based on sample sizes of 30 or more, users should determine the coefficient of variation of the estimate and follow the guidelines below. These quality level guidelines should be applied to weighted rounded estimates.

All estimates can be considered releasable. However, those of marginal or unacceptable quality level must be accompanied by a warning to caution subsequent users.

**Quality Level Guidelines**

<b>Quality Level of Estimate</b>	<b>Guidelines</b>
1) Acceptable	<p>Estimates have a sample size of 30 or more, and low coefficients of variation in the range of 0.0% to 16.5%.</p> <p>No warning is required.</p>
2) Marginal	<p>Estimates have a sample size of 30 or more, and high coefficients of variation in the range of 16.6% to 33.3%.</p> <p>Estimates should be flagged with the letter E (or some similar identifier). They should be accompanied by a warning to caution subsequent users about the high levels of error, associated with the estimates.</p>
3) Unacceptable	<p>Estimates have a sample size of less than 30, or very high coefficients of variation in excess of 33.3%.</p> <p>Statistics Canada recommends not to release estimates of unacceptable quality. However, if the user chooses to do so then estimates should be flagged with the letter F (or some similar identifier) and the following warning should accompany the estimates:</p> <p>“Please be warned that these estimates [flagged with the letter F] do not meet Statistics Canada’s quality standards. Conclusions based on these data will be unreliable, and most likely invalid.”</p>

## 9.6 Release Cut-off's for the National Tenant Satisfaction Survey

The following table provides an indication of the precision of population estimates as it shows the release cut-offs associated with each of the three quality levels introduced in the previous section. These cut-offs are derived from the coefficient of variation tables discussed in Chapter 10.0.

For example, the table shows that the quality of a weighted estimate of 150 people possessing a given characteristic in the Atlantic Region is marginal.

Note that these cut-offs apply to estimates of population totals only. To estimate ratios, users should not use the numerator value (nor the denominator) in order to find the corresponding quality level. Rule 4 in Section 10.1 and Example 4 in Section 10.1.1 explains the correct procedure to be used for ratios.

Region	Acceptable CV 0.0% to 16.5%	Marginal CV 16.6% to- 33.3%	Unacceptable CV > 33.3%
Atlantic	190 & over	50 to < 190	under 50
Quebec (excluding National Capital Region)	280 & over	70 to < 280	under 70
National Capital Region and Nunavut	600 & over	150 to < 600	under 150
Ontario (excluding National Capital Region)	210 & over	50 to < 210	under 50
Western (includes Northwest Territories)	270 & over	70 to < 270	under 70
Pacific (includes Yukon)	90 & over	20 to < 90	under 20
<b>Canada</b>	<b>510 &amp; over</b>	<b>120 to &lt; 510</b>	<b>under 120</b>

## 9.7 Quality Level of the Estimates

### 9.7.1 Quality Level of Region and Management Type Estimates

Tables of estimates were produced for the following domains: Canada, region, management type, and region by management type. The quality level of these tables was then calculated. It was found that all tables at the Canada level have at least one cell with an estimate that is of acceptable or marginal quality. All other domains have some tables populated entirely by cells of unacceptable quality. Such tables will be referred to as unreliable, and are indicated below with an asterisk. Tables are identified by the variable name used in the questionnaire or codebook. Tables with no asterisk have at least one cell with an estimate that is of acceptable or marginal quality. Coefficient of Variation Tables should be used to determine the quality of each cell, as described in Section 10.

The tables most frequently identified as unreliable were those that pertain strictly to subpopulations. An example of a subpopulation for which few reliable estimates were produced, is persons that provide Real Property or Facilities Management services. As such, the tables that pertain strictly to

this subpopulation, namely BS\_Q13 to BS\_Q18, are almost always unreliable.

**Unreliable Tables at the Region Level**  
(Unreliable tables are indicated with an asterisk)

Building Services (BS)												
Region	Q02	Q04	Q07	Q08	Q09	Q11	Q13	Q14	Q15	Q16	Q17	Q18
Atlantic												
Québec	*					*	*	*	*		*	
National Capital												
Ontario										*		
Western												
Pacific							*	*	*	*	*	*

**Unreliable Tables at the Management Type Level**  
(Unreliable tables are indicated with an asterisk)

Building Services (BS)												
Management Type	Q02	Q04	Q07	Q08	Q09	Q11	Q13	Q14	Q15	Q16	Q17	Q18
Lease												
PWGSC								*				
OGD							*	*	*	*	*	*
AFD 22	*					*						
AFD 23	*	*			*	*	*	*	*	*	*	*
AFD 24					*		*	*	*	*	*	*
AFD 25							*	*	*	*	*	*
AFD 26							*	*	*		*	*
AFD 27	*					*	*	*	*	*	*	*
AFD 28		*					*	*	*	*	*	*
AFD 29						*	*	*	*	*	*	*

**Unreliable Tables at the Region by Management Type Level**  
(Unreliable tables are indicated with an asterisk)

Building Services (BS)													WS
Region by Management Type	Q02	Q04	Q07	Q08	Q09	Q11	Q13	Q14	Q15	Q16	Q17	Q18	Q05
Atlantic Lease	*	*	*	*	*	*	*	*	*	*	*	*	*
Atlantic PWGSC	*	*				*	*	*	*	*	*	*	
Atlantic OGD		*				*	*	*	*	*	*	*	
Atlantic AFD	*					*							
National Capital Lease													



National Capital PWGSC							*	*	*	*	*	*	
National Capital OGD	*	*				*	*	*	*	*	*	*	
National Capital AFD 24					*		*	*	*	*	*	*	
National Capital AFD 25							*	*	*	*	*	*	
National Capital AFD 26							*	*	*		*	*	
Ontario Lease	*				*	*	*	*	*	*	*	*	
Ontario OGD	*	*			*	*	*	*	*	*	*	*	
Ontario AFD	*					*	*	*	*	*	*	*	
Pacific Lease	*						*	*	*	*	*	*	
Pacific AFD						*	*	*	*	*	*	*	
Quebec Lease	*	*		*	*	*	*	*	*	*	*	*	
Quebec PWGSC	*	*			*	*	*	*	*	*	*	*	*
Quebec AFD	*	*			*	*	*	*	*	*	*	*	
Western Lease	*						*	*	*	*	*	*	
Western PWGSC	*				*	*	*	*	*	*	*	*	
Western OGD		*			*	*	*	*	*	*	*	*	*
Western AFD		*					*	*	*	*	*	*	

### 9.7.2 Quality Level of Building Estimates

Tables of estimates at the building level were produced for those buildings identified as 'priority' by the external client. The quality level of these tables was then calculated. It was found that all 'priority' buildings have some unreliable tables populated entirely by cells of unacceptable quality. Unreliable tables are indicated below with an asterisk. Tables of estimates are identified by the variable name used in the questionnaire or codebook. Tables with no asterisk have at least one cell with an estimate that is of acceptable or marginal quality. Coefficient of Variation Tables should be used to determine the quality of each cell, as described in Section 10.

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

<b>Building Services (BS)</b>									
<b>Building</b>	<b>Q01</b>	<b>Q02</b>	<b>Q03</b>	<b>Q04</b>	<b>Q05</b>	<b>Q06</b>	<b>Q07</b>	<b>Q08</b>	<b>Q09</b>
0094				*					
0209									*
0218		*		*					*
0235		*		*					*
0294		*		*					*
0313		*	*	*	*		*	*	*
0336		*		*			*	*	*
0348		*		*					*
0377		*		*					*
0398		*		*				*	*
0445				*					*
0460		*		*				*	*
0466		*		*			*	*	*
0505		*							*
0539		*		*				*	*
0541		*		*					*
0577		*		*					*
0583		*							*
0598		*		*					*
0801		*		*					*
0864		*		*			*	*	*
0890		*		*					*
0892		*		*					*
0906		*		*					*
0941		*		*					*
2002		*		*					*
2011		*							*
2031		*		*			*	*	*
3039		*		*					*
3043		*							
3049		*		*					*

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

<b>Building Services (BS)</b>									
<b>Building</b>	<b>Q10</b>	<b>Q11</b>	<b>Q12</b>	<b>Q13</b>	<b>Q14</b>	<b>Q15</b>	<b>Q16</b>	<b>Q17</b>	<b>Q18</b>
0094		*		*	*	*	*	*	*
0209		*		*	*	*	*	*	*
0218		*		*	*	*	*	*	*
0235		*		*	*	*	*	*	*
0294		*		*	*	*	*	*	*
0313		*		*	*	*	*	*	*
0336		*		*	*	*	*	*	*
0348		*		*	*	*	*	*	*
0377		*		*	*	*	*	*	*
0398		*		*	*	*	*	*	*
0445		*		*	*	*	*	*	*
0460		*		*	*	*	*	*	*
0466		*		*	*	*	*	*	*
0505		*		*	*	*	*	*	*
0539		*		*	*	*	*	*	*
0541		*		*	*	*	*	*	*
0577		*		*	*	*	*	*	*
0583		*		*	*	*	*	*	*
0598		*		*	*	*	*	*	*
0801		*		*	*	*	*	*	*
0864		*		*	*	*	*	*	*
0890		*		*	*	*	*	*	*
0892		*		*	*	*	*	*	*
0906		*		*	*	*	*	*	*
0941		*		*	*	*	*	*	*
2002		*		*	*	*	*	*	*
2011		*		*	*	*	*	*	*
2031		*		*	*	*	*	*	*
3039		*		*	*	*	*	*	*
3043		*		*	*	*	*	*	*
3049		*		*	*	*	*	*	*

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

Service Availability (SA)												
Building	Q01	Q02	Q03	Q04	Q05	Q06	Q07	Q08	Q09	Q10	Q11	Q12
0094												
0209												
0218												
0235												
0294						*						
0313			*	*	*	*	*		*		*	*
0336			*			*		*	*	*	*	*
0348												
0377												
0398												
0460					*	*	*		*		*	*
0445												
0466					*	*	*				*	*
0505												
0539			*			*	*	*		*	*	*
0541												
0577												
0583												
0598												
0801												
0864												
0890												
0892												
0906												
0941												
2002												
2011												
2031												
3039					*							
3043												
3049												

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

Satisfactory Service (SS)													
Building	SEX	Q01	Q02	Q03	Q04	Q05	Q06	Q07	Q08	Q09	Q10	Q11	Q12
0094													
0209													
0218													
0235													
0294													
0313			*	*	*	*	*		*		*	*	*
0336			*		*		*		*		*		
0348													
0377													
0398													
0445													
0460				*					*		*		
0466			*	*	*				*				*
0505													
0539			*	*	*				*		*	*	
0541													
0577													
0583													
0598													
0801													
0864													
0890													
0892													
0906													
0941													
2002													
2011													
2031													
3039													
3043													
3049													

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

Satisfactory Service (SS)													
Building	Q13	Q14	Q15	Q16	Q17	Q18	Q19	Q20	Q21	Q22	Q23	Q24	Q25
0094													
0209													
0218													
0235													
0294													
0313	*	*		*	*	*		*		*	*	*	
0336	*	*											*
0348													
0377													
0398													
0445													
0460		*				*		*			*		
0466	*	*		*		*		*					
0505													
0539		*		*						*			
0541													
0577													
0583													
0598													
0801													
0864													
0890													
0892													
0906													
0941													
2002													
2011													
2031													
3039													
3043													
3049													

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

Satisfactory Service (SS)													
Building	Q26	Q27	Q28	Q29	Q30	Q33	Q34	Q35	Q36	Q37	Q38	Q39	Q40
0094													
0209													
0218													
0235													
0294													
0313	*		*	*	*	*	*		*		*	*	*
0336							*	*			*		*
0348													
0377													
0398													*
0445													
0460	*			*	*	*	*		*				*
0466	*		*			*	*		*		*		*
0505													
0539	*		*		*	*			*		*	*	
0541													
0577													
0583													
0598													
0801													
0864													
0890													
0892													
0906													
0941													
2002													
2011													
2031													
3039													
3043													
3049												*	

**Unreliable Tables at the Building Level**  
(Unreliable tables indicated with an asterisk)

Workspace (WS)					
Building	Q01	Q02	Q03	Q04	Q05
0094					
0209					*
0218					
0235					
0294					*
0313	*	*	*		*
0336		*			*
0348					
0377					*
0398					
0445					*
0460			*		*
0466			*		*
0505					
0539		*	*		*
0541					
0577					
0583					*
0598					*
0801					
0864					
0890					
0892					
0906					
0941					
2002					
2011					
2031					*
3039					*
3043					
3049					*

Of the 'priority' buildings, the four worst, given below, were found to have approximately half of their tables populated entirely by cells of unacceptable data quality. Buildings 313, 336 and 466 are too small to provide reliable estimates, and building 539 had too few respondents. Tables not identified as unreliable have at least one cell with an estimate that is of acceptable or marginal quality. Coefficient of Variation Tables should be used to determine the quality of each cell, as described in Section 10.



Building	Building Name	Address	Unreliable Tables
313	Customs House	816 Government Street Victoria B.C.	BS_Q02 BS_Q03 BS_Q04 BS_Q05 BS_Q07 BS_Q08 BS_Q09 BS_Q11 BS_Q13 BS_Q14 BS_Q15 BS_Q16 BS_Q17 BS_Q18
			SA_Q03 SA_Q04 SA_Q05 SA_Q06 SA_Q07 SA_Q09 SA_Q11 SA_Q12
			SS_Q02 SS_Q03 SS_Q04 SS_Q05 SS_Q06 SS_Q08 SS_Q10 SS_Q11 SS_Q12 SS_Q13 SS_Q14 SS_Q16 SS_Q17 SS_Q18 SS_Q20 SS_Q22 SS_Q23 SS_Q24 SS_Q26 SS_Q28 SS_Q29 SS_Q30 SS_Q33 SS_Q34 SS_Q36 SS_Q38 SS_Q39 SS_Q40
			WS_Q01 WS_Q02 WS_Q03 WS_Q05
336	DND Data Centre	Tunney's Pasture Ottawa ON	BS_Q02 BS_Q04 BS_Q07 BS_Q08 BS_Q09 BS_Q11 BS_Q13 BS_Q14 BS_Q15 BS_Q16 BS_Q17 BS_Q18
			SA_Q03 SA_Q06 SA_Q08 SA_Q09 SA_Q10 SA_Q11 SA_Q12
			SS_Q02 SS_Q04 SS_Q06 SS_Q08 SS_Q10 SS_Q13 SS_Q14 SS_Q25 SS_Q34 SS_Q35 SS_Q38 SS_Q40
			WS_Q02 WS_Q05
466	Government of Canada Building	269 Main Street Winnipeg MB	BS_Q02 BS_Q04 BS_Q07 BS_Q08 BS_Q09 BS_Q11 BS_Q13 BS_Q14 BS_Q15 BS_Q16 BS_Q17 BS_Q18
			SA_Q05 SA_Q06 SA_Q07 SA_Q11 SA_Q12
			SS_Q02 SS_Q03 SS_Q04 SS_Q08 SS_Q12 SS_Q13 SS_Q14 SS_Q16 SS_Q18 SS_Q20 SS_Q26 SS_Q28 SS_Q33 SS_Q34 SS_Q36 SS_Q38 SS_Q40
			WS_Q03 WS_Q05
539	Harry Hays Building	220 4 <sup>th</sup> Ave SE Calgary AB	BS_Q02 BS_Q04 BS_Q08 BS_Q09 BS_Q11 BS_Q13 BS_Q14 BS_Q15 BS_Q16 BS_Q17 BS_Q18
			SA_Q03 SA_Q06 SA_Q07 SA_Q08 SA_Q10 SA_Q11 SA_Q12
			SS_Q02 SS_Q03 SS_Q04 SS_Q08 SS_Q10 SS_Q11 SS_Q14 SS_Q16 SS_Q22 SS_Q26 SS_Q28 SS_Q30 SS_Q33 SS_Q36 SS_Q38 SS_Q39
			WS_Q02 WS_Q03 WS_Q05

## 10.0 Approximate Sampling Variability Tables

In order to supply coefficients of variation (CV) which would be applicable to a wide variety of categorical estimates produced from this microdata file and which could be readily accessed by the user, a set of Approximate Sampling Variability Tables has been produced. These CV tables allow the user to obtain an approximate coefficient of variation based on the size of the estimate calculated from the survey data.

The coefficients of variation are derived using the variance formula for simple random sampling and incorporating a factor which reflects the sample design. This factor, known as the design effect, was determined by first calculating design effects for a wide range of characteristics and then choosing from among these a conservative value (usually the 75<sup>th</sup> percentile) to be used in the CV tables which would then apply to the entire set of characteristics.

The table below shows the conservative value of the design effects as well as sample sizes and population counts by region which were used to produce the Approximate Sampling Variability Tables for the National Tenant Satisfaction Survey (NTSS).

Region	Design Effect	Sample Size	Population
Atlantic	1.69	1,208	5,148
Quebec (excluding National Capital Region)	1.31	634	4,582
National Capital Region and Nunavut	1.24	4,672	66,605
Ontario (excluding National Capital Region)	1.89	868	3,674
Western (includes Northwest Territories)	1.86	1,361	7,023
Pacific (includes Yukon)	1.55	782	2,120
<b>Canada</b>	<b>1.66</b>	<b>9,525</b>	<b>89,152</b>

All coefficients of variation in the Approximate Sampling Variability Tables are approximate and, therefore, unofficial. Estimates of actual variance for specific variables may be obtained from Statistics Canada on a cost-recovery basis. Since the approximate CV is conservative, the use of actual variance estimates may cause the estimate to be switched from one quality level to another. For instance a *marginal* estimate could become *acceptable* based on the exact CV calculation.

**Remember:** If the number of observations on which an estimate is based is less than 30, the weighted estimate is most likely unacceptable and Statistics Canada recommends not to release such an estimate, regardless of the value of the coefficient of variation.

## **10.1 How to Use the Coefficient of Variation Tables for Categorical Estimates**

The following rules should enable the user to determine the approximate coefficients of variation from the Sampling Variability Tables for estimates of the number, proportion or percentage of the surveyed population possessing a certain characteristic and for ratios and differences between such estimates.

Users who have access to the electronic version of the HTML tables also have the option of using an automated method of finding the CVs for estimates of the number and percentage of the surveyed population possessing a certain characteristic. At the bottom of each table there is a link to a window which can be used to determine the CVs instead of looking in the Coefficient of Variation Tables provided in this guide. Note that the CVs obtained with this method are also approximate and not official. The CVs obtained using the tables and those obtained using the automated method may not always match exactly because when locating the numerator of the percentage in the approximate CV tables (first column), or the percentage across the top of the table, if the exact values are not in the table the user must find the closest values and find the CV for those values. In the automated method the percentage and the exact value of the population value are used in a formula. The automated method also has an option to find very approximate CV values for the averages for the “importance” and “satisfaction” questions. To find the CV for the average the user enters the average in the right-hand side of the window, selects the appropriate geographical region and clicks on the “calculate CV “ button.

### **Rule 1: Estimates of Numbers of Persons Possessing a Characteristic (Aggregates)**

An estimate of the number of people possessing a characteristic can be obtained from the tables of results by multiplying the percentage given in the cell of the HTML tables by the appropriate population value given in the second last row or column of the table.

The coefficient of variation depends only on the size of the estimate itself. On the Approximate Sampling Variability Table for the appropriate geographic area, locate the estimated number in the left-most column of the table (headed "Numerator of Percentage") and follow the asterisks (if any) across to the first figure encountered. This figure is the approximate coefficient of variation.

If using the automated method for calculating the CVs the user enters the percentage of interest from the HTML table and the population value given in the appropriate column or row of the HTML table. These are entered in the left-hand side of the window. Next the user selects the geographic region to which the estimate applies and then clicks on the “calculate CV” button. The approximate CV for the percentage as well as the estimate of the number of people possessing a characteristic and its CV value will be displayed in the lower portion of the left-hand side of the window.

## Rule 2: Estimates of Proportions or Percentages of Persons Possessing a Characteristic

The coefficient of variation of an estimated proportion or percentage depends on both the size of the proportion or percentage and the size of the total upon which the proportion or percentage is based. Estimated proportions or percentages are relatively more reliable than the corresponding estimates of the numerator of the proportion or percentage, when the proportion or percentage is based upon a sub-group of the population. For example, the proportion of employees who would like to see improvements to their physical work environment is more reliable than the estimated number of employees who would like to see improvements to their physical work environment. (Note that in the tables the coefficients of variation decline in value reading from left to right).

When the proportion or percentage is based upon the total population of the geographic area covered by the table, the CV of the proportion or percentage is the same as the CV of the numerator of the proportion or percentage. In this case, Rule 1 can be used.

When the proportion or percentage is based upon a subset of the total population (e.g. those in their office for less than one year), reference should be made to the proportion or percentage (across the top of the table) and to the numerator of the proportion or percentage (down the left side of the table). The intersection of the appropriate row and column gives the coefficient of variation.

If using the automated method, follow the same instructions as in Rule 1.

## Rule 3: Estimates of Differences Between Aggregates or Percentages

The standard error of a difference between two estimates is approximately equal to the square root of the sum of squares of each standard error considered separately. That is, the standard error of a difference ( $\hat{d} = \hat{X}_1 - \hat{X}_2$ ) is:

$$\sigma_{\hat{d}} = \sqrt{(\hat{X}_1 \alpha_1)^2 + (\hat{X}_2 \alpha_2)^2}$$

where  $\hat{X}_1$  is estimate 1,  $\hat{X}_2$  is estimate 2, and  $\alpha_1$  and  $\alpha_2$  are the coefficients of variation of  $\hat{X}_1$  and  $\hat{X}_2$  respectively. The coefficient of variation of  $\hat{d}$  is given by  $\sigma_{\hat{d}} / \hat{d}$ . This formula is accurate for the difference between separate and uncorrelated characteristics, but is only approximate otherwise.

If using the automated method, the CVs can be obtained as in Rule 1 and then insert the values into the formula above.

## Rule 4: Estimates of Ratios

In the case where the numerator is a subset of the denominator, the ratio should be converted to a percentage and Rule 2 applied. This would apply, for example, to the case where the denominator is the number of employees in the National Capital Region and Nunavut and the numerator is the number of employees in the National Capital Region and Nunavut who would like to see improvements to their physical work environment.

In the case where the numerator is not a subset of the denominator, as for example, the ratio of the number of employees in the National Capital Region and Nunavut who would like to see improvements to their physical work environment as compared to the number of employees in the Pacific Region who would like to see improvements to their physical work

environment, the standard error of the ratio of the estimates is approximately equal to the square root of the sum of squares of each coefficient of variation considered separately multiplied by  $\hat{R}$ . That is, the standard error of a ratio ( $\hat{R} = \hat{X}_1 / \hat{X}_2$ ) is:

$$\sigma_{\hat{R}} = \hat{R} \sqrt{\alpha_1^2 + \alpha_2^2}$$

where  $\alpha_1$  and  $\alpha_2$  are the coefficients of variation of  $\hat{X}_1$  and  $\hat{X}_2$  respectively. The coefficient of variation of  $\hat{R}$  is given by  $\sigma_{\hat{R}} / \hat{R}$ . The formula will tend to overstate the error if  $\hat{X}_1$  and  $\hat{X}_2$  are positively correlated and understate the error if  $\hat{X}_1$  and  $\hat{X}_2$  are negatively correlated.

If using the automated method, the CVs can be obtained as in Rule 1 and then insert the values into the formula above.

#### **Rule 5: Estimates of Differences of Ratios**

In this case, Rules 3 and 4 are combined. The CVs for the two ratios are first determined using Rule 4, and then the CV of their difference is found using Rule 3.

### **10.1.1 Examples of Using the Coefficient of Variation Tables for Categorical Estimates**

The following examples based on the NTSS, 2002-2003 are included to assist users in applying the foregoing rules. Please note that the data for these examples are different than the results obtained from the current survey and are only to be used as a guide.

#### **Example 1: Estimates of Numbers of Persons Possessing a Characteristic (Aggregates)**

Suppose that a user estimates that 33,396 employees were very satisfied with the services in their building during the reference period. How does the user determine the coefficient of variation of this estimate?

- 1) Refer to the coefficient of variation table for CANADA.
- 2) The estimated aggregate (33,396) does not appear in the left-hand column (the "Numerator of Percentage" column), so it is necessary to use the figure closest to it, namely 35,000.
- 3) The coefficient of variation for an estimated aggregate is found by referring to the first non-asterisk entry on that row, namely, 1.0%.

National Tenant Satisfaction Survey (NTSS) 2002 - 2003												
Approximate Sampling Variability Tables for Canada												
NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE											
	0,1%	1,0%	...	15,0%	20,0%	25,0%	30,0%	35,0%	40,0%	50,0%	70,0%	90,0%
10	76,3	75,9		70,3	68,2	66,1	63,8	61,5	59,1	54,0	41,8	24,1
20	53,9	53,7		49,7	48,3	46,7	45,1	43,5	41,8	38,1	29,6	17,1
30	44,0	43,8		40,6	39,4	38,1	36,9	35,5	34,1	31,1	24,1	13,9
.												
.												
15000	*****	*****		1,8	1,8	1,7	1,6	1,6	1,5	1,4	1,1	0,6
20000	*****	*****		*****	1,5	1,5	1,4	1,4	1,3	1,2	0,9	0,5
25000	*****	*****		*****	*****	1,3	1,3	1,2	1,2	1,1	0,8	0,5
30000	*****	*****		*****	*****	*****	1,2	1,1	1,1	1,0	0,8	0,4
35000	*****	*****		*****	*****	*****	*****	1,0	1,0	0,9	0,7	0,4
40000	*****	*****		*****	*****	*****	*****	*****	0,9	0,9	0,7	0,4
45000	*****	*****		*****	*****	*****	*****	*****	0,9	0,8	0,6	0,4
50000	*****	*****		*****	*****	*****	*****	*****	*****	0,8	0,6	0,3
55000	*****	*****		*****	*****	*****	*****	*****	*****	0,7	0,6	0,3

**NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION**

- 4) So the approximate coefficient of variation of the estimate is 1.0%. The finding that there were 33,396 (to be rounded according to the rounding guidelines in Section 9.1) employees who were very satisfied with the services in their building during the reference period is publishable with no qualifications.

**Example 2: Estimates of Proportions or Percentages of Persons Possessing a Characteristic**

Suppose that the user estimates that  $1,664 / 5,042 = 33.0\%$  of employees in the Quebec Region, who had worked in the same building for at least one year, felt that there were services which had deteriorated compared to one year ago. How does the user determine the coefficient of variation of this estimate?

- 1) Refer to the coefficient of variation table for the QUEBEC REGION.
- 2) Because the estimate is a percentage which is based on a subset of the total population (i.e., employees who had worked in the same building for at least one year), it is necessary to use both the percentage (33.0%) and the numerator portion of the percentage (1,664) in determining the coefficient of variation.
- 3) The numerator, 1,664 does not appear in the left-hand column (the "Numerator of Percentage" column) so it is necessary to use the figure closest to it, namely 1,700. Similarly, the percentage estimate does not appear as any of the column headings, so it is necessary to use the percentage closest to it, 35.0%.

National Tenant Satisfaction Survey (NTSS) 2002 - 2003														
Approximate Sampling Variability Tables for Quebec (excluding National Capital Region)														
NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0,1%	1,0%	2,0%	5,0%	10,0%	15,0%	20,0%	25,0%	30,0%	35,0%	40,0%	50,0%	70,0%	90,0%
10	*****	61,5	61,2	60,2	58,6	57,0	55,3	53,5	51,7	49,8	47,9	43,7	33,8	19,5
20	*****	43,5	43,3	42,6	41,5	40,3	39,1	37,8	36,6	35,2	33,8	30,9	23,9	13,8
30	*****	35,5	35,3	34,8	33,8	32,9	31,9	30,9	29,9	28,8	27,6	25,2	19,5	11,3
40	*****	30,7	30,6	30,1	29,3	28,5	27,6	26,8	25,9	24,9	23,9	21,8	16,9	9,8
:														
1400	*****	*****	*****	*****	*****	*****	*****	4,5	4,4	4,2	4,0	3,7	2,9	1,7
1500	*****	*****	*****	*****	*****	*****	*****	4,4	4,2	4,1	3,9	3,6	2,8	1,6
1600	*****	*****	*****	*****	*****	*****	*****	4,1	4,0	3,9	3,8	3,5	2,7	1,5
1700	*****	*****	*****	*****	*****	*****	*****	4,0	3,9	3,8	3,7	3,4	2,6	1,5
1800	*****	*****	*****	*****	*****	*****	*****	3,9	3,8	3,7	3,6	3,3	2,5	1,5
1900	*****	*****	*****	*****	*****	*****	*****	3,8	3,7	3,6	3,5	3,2	2,5	1,4
:														
4500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,9
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,9
5500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,8

**NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION**

- 4) The figure at the intersection of the row and column used, namely 3.8% is the coefficient of variation to be used.
- 5) So the approximate coefficient of variation of the estimate is 3.8%. The finding that 33.0% of employees in the Quebec Region, who had worked in the same building for at least one year and felt that there were services which had deteriorated compared to one year ago, can be published with no qualifications.

**Example 3: Estimates of Differences Between Aggregates or Percentages**

Suppose that a user estimates that  $49,337 / 83,622 = 59.0\%$  of employees in the National Capital Region and Nunavut would like to see improvements to their physical work environment, while  $5,318 / 9,669 = 55.0\%$  of employees in the Western Region would like to see improvements to their physical work environment. How does the user determine the coefficient of variation of the difference between these two estimates?

- 1) Using the NATIONAL CAPITAL REGION AND NUNAVUT and the WESTERN REGION coefficient of variation tables in the same manner as described in Example 1 gives the CV of the estimate for employees in the National Capital Region and Nunavut as 0.6% and the CV of the estimate for employees in the Western Region as 1.1%.

National Tenant Satisfaction Survey (NTSS) 2002 - 2003															
Approximate Sampling Variability Tables for National Capital Region and Nunavut															
NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														
	0,1%	1,0%	2,0%	5,0%	10,0%	15,0%	20,0%	25,0%	30,0%	35,0%	40,0%	50,0%	70,0%	90,0%	
10	82,4	82,0	81,6	80,4	78,2	76,0	73,7	71,4	69,0	66,5	63,9	58,3	45,2	26,1	
20	58,3	58,0	57,7	56,8	55,3	53,8	52,1	50,5	48,8	47,0	45,2	41,2	31,9	18,4	
30	47,6	47,4	47,1	46,4	45,2	43,9	42,6	41,2	39,8	38,4	36,9	33,7	26,1	15,1	
40	41,2	41,0	40,8	40,2	39,1	38,0	36,9	35,7	34,5	33,2	31,9	29,2	22,6	13,0	
.															
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,0	0,8	0,4
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,9	0,7	0,4
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,7	0,4
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,6	0,4
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,6	0,4	
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,3	
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,3	

**NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION**

National Tenant Satisfaction Survey (NTSS) 2002 - 2003															
Approximate Sampling Variability Tables for Western															
NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														
	0,1%	1,0%	2,0%	5,0%	10,0%	15,0%	20,0%	25,0%	30,0%	35,0%	40,0%	50,0%	70,0%	90,0%	
10	*****	45,9	45,7	45,0	43,8	42,6	41,3	40,0	38,6	37,2	35,8	32,7	25,3	14,6	
20	*****	32,5	32,3	31,8	31,0	30,1	29,2	28,3	27,3	26,3	25,3	23,1	17,9	10,3	
30	*****	26,5	26,4	26,0	25,3	24,6	23,8	23,1	22,3	21,5	20,7	18,9	14,6	8,4	
40	*****	23,0	22,9	22,5	21,9	21,3	20,7	20,0	19,3	18,6	17,9	16,3	12,6	7,3	
50	*****	20,5	20,4	20,1	19,6	19,0	18,5	17,9	17,3	16,6	16,0	14,6	11,3	6,5	
60	*****	18,8	18,7	18,4	17,9	17,4	16,9	16,3	15,8	15,2	14,6	13,3	10,3	6,0	
70	*****	17,4	17,3	17,0	16,6	16,1	15,6	15,1	14,6	14,1	13,5	12,3	9,6	5,5	
.															
4500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,5	1,2	0,7
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,1	0,7
5500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,1	0,6
6000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,0	0,6
6500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1,0	0,6
7000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0,6	
.															

**NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION**

2) Using Rule 3, the standard error of a difference ( $\hat{d} = \hat{X}_1 - \hat{X}_2$ ) is:

$$\sigma_{\hat{d}} = \sqrt{(\hat{X}_1 \alpha_1)^2 + (\hat{X}_2 \alpha_2)^2}$$

where  $\hat{X}_1$  is estimate 1 (National Capital Region and Nunavut),  $\hat{X}_2$  is



estimate 2 (Western Region), and  $\alpha_1$  and  $\alpha_2$  are the coefficients of variation of  $\hat{X}_1$  and  $\hat{X}_2$  respectively.

That is, the standard error of the difference  $\hat{d} = 0.590 - 0.550 = 0.040$  is:

$$\begin{aligned}\sigma_{\hat{d}} &= \sqrt{[(0.590)(0.006)]^2 + [(0.550)(0.011)]^2} \\ &= \sqrt{(0.00001253) + (0.00003660)} \\ &= 0.0070\end{aligned}$$

- 3) The coefficient of variation of  $\hat{d}$  is given by  $\sigma_{\hat{d}} / \hat{d} = 0.0070 / 0.040 = 0.175$
- 4) So the approximate coefficient of variation of the difference between the estimates is 17.5%. The difference between the estimates is considered marginal and Statistics Canada recommends this estimate be flagged with the letter M (or some similar identifier) and be accompanied by a warning to caution subsequent users about the high levels of error associated with the estimate.

#### Example 4: Estimates of Ratios

Suppose that the user estimates that 5,318 employees in the Western Region would like to see improvements to their physical work environment, while 49,337 employees in the National Capital Region and Nunavut would like to see improvements to their physical work environment. The user is interested in comparing the estimate of Western Region employees versus that of the National Capital Region and Nunavut employees in the form of a ratio. How does the user determine the coefficient of variation of this estimate?

- 1) First of all, this estimate is a ratio estimate, where the numerator of the estimate ( $\hat{X}_1$ ) is the number of employees in the Western Region who would like to see improvements to their physical work environment. The denominator of the estimate ( $\hat{X}_2$ ) is the number of employees in the National Capital Region and Nunavut who would like to see improvements to their physical work environment.
- 2) Refer to the coefficient of variation tables for the WESTERN REGION and the NATIONAL CAPITAL REGION AND NUNAVUT.
- 3) The numerator of this ratio estimate is 5,318. The figure closest to it is 5,500. The coefficient of variation for this estimate is found by referring to the first non-asterisk entry on that row in the WESTERN REGION CV table, namely, 1.1%.
- 4) The denominator of this ratio estimate is 49,337. The figure closest to it is 50,000. The coefficient of variation for this estimate is found by referring to the first non-asterisk entry on that row in the NATIONAL CAPITAL REGION AND NUNAVUT CV table, namely, 0.6%.
- 5) So the approximate coefficient of variation of the ratio estimate is given by Rule 4, which is:

$$\alpha_{\hat{R}} = \sqrt{\alpha_1^2 + \alpha_2^2}$$

where  $\alpha_1$  and  $\alpha_2$  are the coefficients of variation of  $\hat{X}_1$  and  $\hat{X}_2$  respectively. That is:

$$\begin{aligned}\alpha_{\hat{R}} &= \sqrt{(0.011)^2 + (0.006)^2} \\ &= \sqrt{0.000121 + 0.000036} \\ &= 0.013\end{aligned}$$

- 6) The obtained ratio of Western Region versus National Capital Region and Nunavut employees who would like to see improvements to their physical work environment is 5,318 / 49,337 which is 0.11:1 (to be rounded according to the rounding guidelines in Section 9.1). The coefficient of variation of this estimate is 1.3%, which is releasable with no qualifications.

## 10.2 How to Use the Coefficient of Variation Tables to Obtain Confidence Limits

Although coefficients of variation are widely used, a more intuitively meaningful measure of sampling error is the confidence interval of an estimate. A confidence interval constitutes a statement on the level of confidence that the true value for the population lies within a specified range of values. For example, a 95% confidence interval can be described as follows:

If sampling of the population is repeated indefinitely, each sample leading to a new confidence interval for an estimate, then in 95% of the samples the interval will cover the true population value.

Using the standard error of an estimate, confidence intervals for estimates may be obtained under the assumption that under repeated sampling of the population, the various estimates obtained for a population characteristic are normally distributed about the true population value. Under this assumption, the chances are about 68 out of 100 that the difference between a sample estimate and the true population value would be less than one standard error, about 95 out of 100 that the difference would be less than two standard errors, and about 99 out of 100 that the differences would be less than three standard errors. These different degrees of confidence are referred to as the confidence levels.

Confidence intervals for an estimate,  $\hat{X}$ , are generally expressed as two numbers, one below the estimate and one above the estimate, as  $(\hat{X} - k, \hat{X} + k)$  where  $k$  is determined depending upon the level of confidence desired and the sampling error of the estimate.

Confidence intervals for an estimate can be calculated directly from the Approximate Sampling Variability Tables by first determining from the appropriate table the coefficient of variation of the estimate  $\hat{X}$ , and then using the following formula to convert to a confidence interval ( $CI_{\hat{x}}$ ):

$$CI_{\hat{X}} = \left( \hat{X} - t\hat{X}\alpha_{\hat{X}}, \hat{X} + t\hat{X}\alpha_{\hat{X}} \right)$$

where  $\alpha_{\hat{X}}$  is the determined coefficient of variation of  $\hat{X}$ , and

- $t = 1$  if a 68% confidence interval is desired;
- $t = 1.6$  if a 90% confidence interval is desired;
- $t = 2$  if a 95% confidence interval is desired;
- $t = 2.6$  if a 99% confidence interval is desired.

**Note:** Release guidelines which apply to the estimate also apply to the confidence interval. For example, if the estimate is not releasable, then the confidence interval is not releasable either.

### 10.2.1 Example of Using the Coefficient of Variation Tables to Obtain Confidence Limits

A 95% confidence interval for the estimated proportion of employees in the Quebec Region who had worked in the same building for at least one year and felt that there were services which had deteriorated compared to one year ago (from Example 2, Section 10.1.1) would be calculated as follows:

$$\hat{X} = 33.0\% \text{ (or expressed as a proportion 0.330)}$$

$$t = 2$$

$\alpha_{\hat{X}} = 3.8\%$  (0.038 expressed as a proportion) is the coefficient of variation of this estimate as determined from the tables.

$$CI_{\hat{X}} = \{0.330 - (2)(0.330)(0.038), 0.330 + (2)(0.330)(0.038)\}$$

$$CI_{\hat{X}} = \{0.330 - 0.025, 0.330 + 0.025\}$$

$$CI_{\hat{X}} = \{0.305, 0.355\}$$

With 95% confidence it can be said that between 30.5% and 35.5% of employees in the Quebec Region who had worked in the same building for at least one year felt that there were services which had deteriorated compared to one year ago.

### 10.3 How to Use the Coefficient of Variation Tables to Do a T-test

Standard errors may also be used to perform hypothesis testing, a procedure for distinguishing between population parameters using sample estimates. The sample estimates can be numbers, averages, percentages, ratios, etc. Tests may be performed at various levels of significance, where a level of significance is the probability of concluding that the characteristics are different when, in fact, they are identical.

Let  $\hat{X}_1$  and  $\hat{X}_2$  be sample estimates for two characteristics of interest. Let the standard

error on the difference  $\hat{X}_1 - \hat{X}_2$  be  $\sigma_d$ .

If  $t = \frac{\hat{X}_1 - \hat{X}_2}{\sigma_d}$  is between -2 and 2, then no conclusion about the difference between the

characteristics is justified at the 5% level of significance. If however, this ratio is smaller than -2 or larger than +2, the observed difference is significant at the 0.05 level. That is to say that the difference between the estimates is significant.

### 10.3.1 Example of Using the Coefficient of Variation Tables to Do a T-test

Let us suppose that the user wishes to test, at 5% level of significance, the hypothesis that there is no difference between the proportion of employees in the National Capital Region and Nunavut who would like to see improvements to their physical work environment and the proportion of employees in the Western Region who would like to see improvements to their physical work environment. From Example 3, Section 10.1.1, the standard error of the difference between these two estimates was found to be 0.0070. Hence,

$$t = \frac{\hat{X}_1 - \hat{X}_2}{\sigma_d} = \frac{0.590 - 0.550}{0.0070} = \frac{0.040}{0.0070} = 5.71$$

Since  $t = 5.71$  is greater than 2, it must be concluded that there is a significant difference between the two estimates at the 0.05 level of significance.

## 10.4 Coefficient of Variation Tables

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables - Atlantic

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
10	*****	73.9	73.5	72.4	70.4	68.4	66.4	64.3	62.1	59.9	57.5	52.5	40.7	23.5	
20	*****	52.2	52.0	51.2	49.8	48.4	47.0	45.5	43.9	42.3	40.7	37.1	28.8	16.6	
30	*****	42.6	42.4	41.8	40.7	39.5	38.3	37.1	35.9	34.6	33.2	30.3	23.5	13.6	
40	*****	36.9	36.7	36.2	35.2	34.2	33.2	32.1	31.1	29.9	28.8	26.2	20.3	11.7	
50	*****	33.0	32.9	32.4	31.5	30.6	29.7	28.8	27.8	26.8	25.7	23.5	18.2	10.5	
60	*****	*****	30.0	29.5	28.8	27.9	27.1	26.2	25.4	24.4	23.5	21.4	16.6	9.6	
70	*****	*****	27.8	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9	
80	*****	*****	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3	
90	*****	*****	24.5	24.1	23.5	22.8	22.1	21.4	20.7	20.0	19.2	17.5	13.6	7.8	
100	*****	*****	23.2	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4	
150	*****	*****	*****	18.7	18.2	17.7	17.1	16.6	16.0	15.5	14.8	13.6	10.5	6.1	
200	*****	*****	*****	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2	
250	*****	*****	*****	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7	
300	*****	*****	*****	*****	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3	
350	*****	*****	*****	*****	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	
400	*****	*****	*****	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	
450	*****	*****	*****	*****	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
500	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3	
600	*****	*****	*****	*****	*****	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0	
700	*****	*****	*****	*****	*****	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8	
750	*****	*****	*****	*****	*****	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7	
1,000	*****	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.2	4.1	2.3	
1,500	*****	*****	*****	*****	*****	*****	*****	5.1	4.9	4.7	4.3	3.3	1.9	1.9	
2,000	*****	*****	*****	*****	*****	*****	*****	*****	4.1	3.7	2.9	1.7	1.7	1.7	
3,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.3	1.4	1.4	1.4	
4,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2	1.2	1.2	

NOTE: For correct usage of these tables, please refer to the microdata documentation.

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables - Quebec (exclude NCR)

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	*****	89.9	89.4	88.0	85.7	83.3	80.8	78.2	75.6	72.8	70.0	63.9	49.5	28.6
20	*****	63.5	63.2	62.2	60.6	58.9	57.1	55.3	53.4	51.5	49.5	45.2	35.0	20.2
30	*****	51.9	51.6	50.8	49.5	48.1	46.6	45.2	43.6	42.0	40.4	36.9	28.6	16.5
40	*****	44.9	44.7	44.0	42.8	41.6	40.4	39.1	37.8	36.4	35.0	31.9	24.7	14.3
50	*****	40.0	40.0	39.4	38.3	37.2	36.1	35.0	33.8	32.6	31.3	28.6	22.1	12.8
60	*****	36.5	35.9	35.0	34.0	33.0	31.9	30.8	29.7	28.6	26.1	20.2	11.7	
70	*****	33.8	33.3	32.4	31.5	30.5	29.6	28.6	27.5	26.4	24.1	18.7	10.8	
80	*****	31.6	31.1	30.3	29.4	28.6	27.7	26.7	25.7	24.7	22.6	17.5	10.1	
90	*****	29.8	29.3	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5	
100	*****	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0		
150	*****	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4		
200	*****	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4		
250	*****	17.1	16.7	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7			
300	*****	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2			
350	*****	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8			
400	*****	13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5			
450	*****	12.8	12.4	12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3			
500	*****	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0				
600	*****	10.8	10.4	10.1	9.8	9.4	9.0	8.2	6.4	3.7				
700	*****	9.7	9.3	9.0	8.7	8.4	7.6	5.9	3.4					
750	*****	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3					
1,000	*****	7.8	7.6	7.3	7.0	6.4	4.9	2.9						
1,500	*****	5.9	5.7	5.2	4.0	2.3								
2,000	*****	4.5	3.5	2.0										
3,000	*****	2.9	1.6											
4,000	*****	1.4												

NOTE: For correct usage of these tables, please refer to the microdata documentation.

*National Tenant Satisfaction Survey, 2010 – User Guide*

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables - National Capital Region and Nunavut

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	128.1	127.6	126.9	125.0	121.6	118.2	114.7	111.0	107.3	103.4	99.3	90.7	70.2	40.5
20	90.6	90.2	89.7	88.4	86.0	83.6	81.1	78.5	75.8	73.1	70.2	64.1	49.7	28.7
30	74.0	73.7	73.3	72.1	70.2	68.2	66.2	64.1	61.9	59.7	57.3	52.3	40.5	23.4
40	64.1	63.8	63.5	62.5	60.8	59.1	57.3	55.5	53.6	51.7	49.7	45.3	35.1	20.3
50	57.3	57.0	56.8	55.9	54.4	52.9	51.3	49.7	48.0	46.2	44.4	40.5	31.4	18.1
60	52.3	52.1	51.8	51.0	49.7	48.3	46.8	45.3	43.8	42.2	40.5	37.0	28.7	16.6
70	*****	48.2	48.0	47.2	46.0	44.7	43.3	42.0	40.5	39.1	37.5	34.3	26.5	15.3
80	*****	45.1	44.9	44.2	43.0	41.8	40.5	39.3	37.9	36.5	35.1	32.1	24.8	14.3
90	*****	42.5	42.3	41.7	40.5	39.4	38.2	37.0	35.8	34.5	33.1	30.2	23.4	13.5
100	*****	40.3	40.1	39.5	38.5	37.4	36.3	35.1	33.9	32.7	31.4	28.7	22.2	12.8
150	*****	32.9	32.8	32.3	31.4	30.5	29.6	28.7	27.7	26.7	25.6	23.4	18.1	10.5
200	*****	28.5	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
250	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.5	20.7	19.9	18.1	14.0	8.1
300	*****	23.3	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.6	12.8	7.4
350	*****	21.6	21.5	21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9
400	*****	20.2	20.1	19.8	19.2	18.7	18.1	17.6	17.0	16.3	15.7	14.3	11.1	6.4
450	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.0
500	*****	18.0	17.9	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
600	*****	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
700	*****	*****	15.2	14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
750	*****	*****	14.7	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
1,000	*****	*****	12.7	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
1,500	*****	*****	*****	10.2	9.9	9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
2,000	*****	*****	*****	8.8	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
3,000	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
4,000	*****	*****	*****	*****	6.1	5.9	5.7	5.6	5.4	5.2	5.0	4.5	3.5	2.0
5,000	*****	*****	*****	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.1	3.1	1.8
6,000	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
7,000	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.1	3.9	3.8	3.4	2.7	1.5
8,000	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.2	2.5	1.4
9,000	*****	*****	*****	*****	*****	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.4
10,000	*****	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3
12,500	*****	*****	*****	*****	*****	*****	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1
15,000	*****	*****	*****	*****	*****	*****	*****	2.9	2.8	2.7	2.6	2.3	1.8	1.0
20,000	*****	*****	*****	*****	*****	*****	*****	*****	2.3	2.2	2.0	1.6	0.9	0.6
25,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.8	1.4	0.8	0.6
30,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.3	0.7	0.6
35,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2	0.7	0.6
40,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1	0.6
45,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.6
50,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.6

NOTE: For correct usage of these tables, please refer to the microdata documentation

*National Tenant Satisfaction Survey, 2010 – User Guide*

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables – Ontario (exclude NCR)

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	*****	77.8	77.4	76.2	74.2	72.1	69.9	67.7	65.4	63.0	60.5	55.3	42.8	24.7
20	*****	55.0	54.7	53.9	52.4	51.0	49.4	47.9	46.2	44.6	42.8	39.1	30.3	17.5
30	*****	44.9	44.7	44.0	42.8	41.6	40.4	39.1	37.8	36.4	35.0	31.9	24.7	14.3
40	*****	38.7	38.1	37.1	36.0	35.0	33.8	32.7	31.5	30.3	27.6	21.4	12.4	
50	*****	34.6	34.1	33.2	32.2	31.3	30.3	29.2	28.2	27.1	24.7	19.1	11.1	
60	*****	31.6	31.1	30.3	29.4	28.5	27.6	26.7	25.7	24.7	22.6	17.5	10.1	
70	*****	29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3	
80	*****	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7		
90	*****	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2		
100	*****	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8		
150	*****	19.7	19.1	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4		
200	*****	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5			
250	*****	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9			
300	*****	13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5			
350	*****	12.5	12.2	11.8	11.4	11.1	10.7	10.2	9.3	7.2	4.2			
400	*****	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9				
450	*****	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7				
500	*****	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.1	3.5				
600	*****	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2					
700	*****	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0					
750	*****	7.8	7.6	7.3	7.0	6.4	4.9	2.9						
1,000	*****	6.5	6.3	6.1	5.5	4.3	2.5							
1,500	*****	4.5	3.5	2.0										
2,000	*****	3.0	1.7											
3,000	*****	1.4												

NOTE: For correct usage of these tables, please refer to the microdata documentation.



*National Tenant Satisfaction Survey, 2010 – User Guide*

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables - Western

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	*****	87.5	87.1	85.7	83.5	81.1	78.7	76.2	73.6	70.9	68.1	62.2	48.2	27.8
20	*****	61.9	61.6	60.6	59.0	57.3	55.6	53.9	52.0	50.1	48.2	44.0	34.1	19.7
30	*****	50.5	50.3	49.5	48.2	46.8	45.4	44.0	42.5	40.9	39.3	35.9	27.8	16.1
40	*****	43.8	43.5	42.9	41.7	40.6	39.3	38.1	36.8	35.5	34.1	31.1	24.1	13.9
50	*****	39.1	38.9	38.3	37.3	36.3	35.2	34.1	32.9	31.7	30.5	27.8	21.5	12.4
60	*****	35.7	35.6	35.0	34.1	33.1	32.1	31.1	30.0	29.0	27.8	25.4	19.7	11.4
70	*****	33.1	32.9	32.4	31.5	30.7	29.7	28.8	27.8	26.8	25.8	23.5	18.2	10.5
80	*****	30.8	30.8	30.3	29.5	28.7	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8
90	*****	29.0	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.1	9.3
100	*****	27.5	27.5	27.1	26.4	25.6	24.9	24.1	23.3	22.4	21.5	19.7	15.2	8.8
150	*****	22.1	22.1	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.1	12.4	7.2	7.2
200	*****	19.2	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2	6.2
250	*****	17.1	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	5.6
300	*****	15.7	15.7	15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.4	8.8	5.1	5.1
350	*****	14.5	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7	4.7
400	*****	13.2	13.2	12.8	12.4	12.0	11.6	11.2	10.8	10.4	9.6	7.6	4.4	4.4
450	*****	12.4	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.3	7.2	4.1	4.1
500	*****	11.8	11.8	11.5	11.1	10.8	10.4	10.0	9.6	9.2	8.8	6.8	3.9	3.9
600	*****	10.8	10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.5	8.0	6.2	3.6	3.6
700	*****	10.0	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.9	7.4	5.8	3.3	3.3
750	*****	9.4	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.8	5.6	3.2	3.2
1,000	*****	8.1	8.1	7.9	7.6	7.4	7.1	6.8	6.5	6.2	5.8	4.8	2.8	2.8
1,500	*****	6.2	6.2	6.0	5.8	5.6	5.1	4.8	4.4	4.1	3.9	2.8	2.3	2.3
2,000	*****	5.2	5.2	5.0	4.8	4.4	4.1	3.9	3.6	3.4	3.2	2.8	2.0	2.0
3,000	*****	4.4	4.4	4.1	3.9	3.6	3.4	3.2	3.0	2.8	2.6	2.4	1.6	1.6
4,000	*****	3.6	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.4	1.4
5,000	*****	3.0	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.2	1.2
6,000	*****	2.4	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.9	0.8	1.1	1.1

NOTE: For correct usage of these tables, please refer to the microdata documentation.

*National Tenant Satisfaction Survey, 2010 – User Guide*

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables - Pacific

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	*****	51.2	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.5	39.9	36.4	28.2	16.3
20	*****	36.2	36.0	35.5	34.5	33.6	32.6	31.5	30.5	29.4	28.2	25.7	19.9	11.5
30	*****		29.4	29.0	28.2	27.4	26.6	25.7	24.9	24.0	23.0	21.0	16.3	9.4
40	*****		25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.8	19.9	18.2	14.1	8.1
50	*****			22.4	21.8	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3
60	*****				20.5	19.9	19.4	18.8	18.2	17.6	17.0	16.3	14.9	6.6
70	*****					19.0	18.5	17.9	17.4	16.9	16.3	15.7	13.8	6.2
80	*****						17.7	17.3	16.8	16.3	15.8	15.2	14.1	5.8
90	*****							16.7	16.3	15.8	15.4	14.9	14.4	5.4
100	*****								15.9	15.4	15.0	14.6	14.1	5.1
150	*****									12.6	12.3	11.9	11.5	4.2
200	*****										10.9	10.6	10.3	3.6
250	*****											9.5	9.2	3.3
300	*****												8.7	3.0
350	*****													2.8
400	*****													2.6
450	*****													2.4
500	*****													2.3
600	*****													2.1
700	*****													1.9
750	*****													1.9
1,000	*****													1.6
1,500	*****													1.3

NOTE: For correct usage of these tables, please refer to the microdata documentation.

*National Tenant Satisfaction Survey, 2010 – User Guide*

National Tenant Satisfaction Survey (NTSS) 2010

Approximate Sampling Variability Tables – Canada

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
10	117.7	117.2	116.6	114.8	111.8	108.6	105.4	102.0	98.6	95.0	91.2	83.3	64.5	37.3
20	83.3	82.9	82.5	81.2	79.0	76.8	74.5	72.1	69.7	67.2	64.5	58.9	45.6	26.3
30	68.0	67.7	67.3	66.3	64.5	62.7	60.8	58.9	56.9	54.8	52.7	48.1	37.3	21.5
40	58.9	58.6	58.3	57.4	55.9	54.3	52.7	51.0	49.3	47.5	45.6	41.6	32.3	18.6
50	52.7	52.4	52.2	51.3	50.0	48.6	47.1	45.6	44.1	42.5	40.8	37.3	28.9	16.7
60	48.1	47.9	47.6	46.9	45.6	44.3	43.0	41.6	40.2	38.8	37.3	34.0	26.3	15.2
70	44.5	44.3	44.1	43.4	42.2	41.0	39.8	38.6	37.3	35.9	34.5	31.5	24.4	14.1
80	41.6	41.4	41.2	40.6	39.5	38.4	37.3	36.1	34.8	33.6	32.3	29.5	22.8	13.2
90	*****	39.1	38.9	38.3	37.3	36.2	35.1	34.0	32.9	31.7	30.4	27.8	21.5	12.4
100	*****	37.1	36.9	36.3	35.3	34.3	33.3	32.3	31.2	30.0	28.9	26.3	20.4	11.8
150	*****	30.3	30.1	29.6	28.9	28.0	27.2	26.3	25.4	24.5	23.6	21.5	16.7	9.6
200	*****	26.2	26.1	25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3
250	*****	23.4	23.3	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.5
300	*****	21.4	21.3	21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8
350	*****	19.8	19.7	19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3
400	*****	18.5	18.4	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
450	*****	17.5	17.4	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
500	*****	16.6	16.5	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
600	*****	15.1	15.1	14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
700	*****	14.0	13.9	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
750	*****	13.5	13.5	13.3	12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
1,000	*****	*****	11.7	11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
1,500	*****	*****	9.5	9.4	9.1	8.9	8.6	8.3	8.0	7.8	7.5	6.8	5.3	3.0
2,000	*****	*****	*****	8.1	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
3,000	*****	*****	*****	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
4,000	*****	*****	*****	5.7	5.6	5.4	5.3	5.1	4.9	4.7	4.6	4.2	3.2	1.9
5,000	*****	*****	*****	*****	5.0	4.9	4.7	4.6	4.4	4.2	4.1	3.7	2.9	1.7
6,000	*****	*****	*****	*****	4.6	4.4	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5
7,000	*****	*****	*****	*****	4.2	4.1	4.0	3.9	3.7	3.6	3.4	3.1	2.4	1.4
8,000	*****	*****	*****	*****	4.0	3.8	3.7	3.6	3.5	3.4	3.2	2.9	2.3	1.3
9,000	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.2	1.2
10,000	*****	*****	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
12,500	*****	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.8	1.1
15,000	*****	*****	*****	*****	*****	*****	2.7	2.6	2.5	2.5	2.4	2.2	1.7	1.0
20,000	*****	*****	*****	*****	*****	*****	*****	2.3	2.2	2.1	2.0	1.9	1.4	0.8
25,000	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.9	1.8	1.7	1.3	0.7
30,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.7	1.5	1.2	0.7
35,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	1.4	1.1	0.6
40,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3	1.0	0.6
45,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.6
50,000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.5

NOTE: For correct usage of these tables, please refer to the microdata documentation.



## 11.0 Weighting

The final weights are based on the inverse of the initial probability that the telephone number was selected in the sample in addition to some adjustments. The following steps were made to derive the final weight.

### Step 1:

The initial weight (WEIGHT1) is calculated as:

$$WEIGHT1 = \frac{\text{Number of telephone numbers on the frame within the stratum}}{\text{Number of telephone numbers in the sample within the stratum}}$$

For example, if the frame contained 500 telephone numbers in a given stratum and was sampled at a rate of 20%, 100 telephone numbers would be selected. In this example,  $WEIGHT1 = 500 / 100 = 5$ . Every person in the sample in this stratum, “represents” a total of 5 people in the population in this stratum.

### Step 2:

An adjustment to account for non-response to the survey, out-of-scope telephone numbers on the frame and the fact that some employees have more than one telephone number is calculated as:

$$A1 = \frac{\sum \text{the initial weights of all sample units}}{\sum \text{the initial weights of respondents, out-of-scope units and duplicates}}$$

### Step 3:

An adjustment to account for the fact that one telephone number could be linked to several employees. Question SI\_Q04 asked the respondent how many people were using the selected telephone number. The second adjustment uses the response to SI\_Q04 to adjust the final weight to account for this one telephone number to many employees relationship.

### Step 4:

The final weight is calculated as:

$$FINAL\ WEIGHT = WEIGHT1 * A1 * SI\_Q04$$

This weight is required in order to produce meaningful estimates from the survey data.



## 12.0 Questionnaire

The National Tenant Satisfaction Survey questionnaire was used from August to December 2008 to collect the information for the survey.

“DK” represents “Don’t know” responses.

“RF” represents “Refusal” responses.

---

<b>Section:</b>	<b>Survey Introduction (SI)</b>
<b>SI_STR</b>	TIME CHECK
<b>SI_I01</b>	<p><b>We are doing a survey of Federal Government employees in buildings under the responsibility of Public Works and Government Services Canada (PWGSC) concerning the quality of services.</b></p> <p><b>This information will help PWGSC to better understand your needs and use the information to improve the services in your building. Your opinion is very important. Your answers will be kept confidential under the Statistics Act and will be used only for statistical purposes.</b></p> <p><b>While participation is voluntary, your assistance is essential if the results of the survey are to be accurate. (Registration#: STC/SSD-040-75221).</b></p>
<b>MON_R01</b>	<p><b>Before we begin, I would like to let you know that this call may be monitored for survey quality control.</b></p> <p><u>INTERVIEWER</u>: Press &lt;Enter&gt; to continue.</p>
<b>SI_Q04</b>	<p><b>How many people are using ^TELNUM ^TELEXT?</b></p> <p>____(3 spaces)            [Min: 1 Max: 995]</p> <p>Note:                    ^TELNUM and ^TELEXT come from Database. If ^TELEXT is blank then show ^TELNUM only.</p>
<b>SI_Q05</b>	<p><b>Is the name of your building ^NAMEBLDG ?</b></p> <p>1            <b>Yes</b></p> <p>2            <b>No</b> .....(Go to SI_Q05S)</p> <p>              DK, RF .....(Go to SI_Q06)</p> <p>Default:                (Go to SI_Q06)</p> <p>Note:                    ^NAMEBLDG comes from Database. Display only first 80 alpha-numeric characters. If blank then go to SI_Q05S.</p>
<b>SI_Q05S</b>	<p><b>What is the name of your building?</b></p> <p>____(80 spaces)</p>

**SI\_Q06 Is the address of your building ^BLDGADD?**

- 1 **Yes**
- 2 **No** ..... (Go to SI\_N06)  
DK, RF ..... (Go to SI\_Q07)

Default: (Go to SI\_Q07)

Note: ^BLDGADD comes from database. Display only 5 characters for civic number, 50 characters for street name, 30 characters for city name and 2 characters for province.

**SI\_N06 What is the building's address?**

INTERVIEWER: Enter address

Note: NUM Enter the civic number (5 bytes) STREET Enter the street name (50 bytes) APT Enter the suite number (5 bytes) CITY Enter the city name (30 bytes) PROV Enter the province (2 bytes) POSTAL CODE Enter the postal code (6 bytes) do not allow blanks, only DK or RF allowed for non response. Accept only 5 characters for civic number, 50 characters for street name, 30 characters for city name and 2 characters for province.

**SI\_Q07 Is the name of your department ^NAMEDEPT?**

- 1 **Yes**
- 2 **No** .....(Go to SI\_Q07A)  
DK, RF

Default: (Go to SI\_STP)

Note: ^NAMEDEPT comes from Database. Display only first 80 alpha-numeric characters If blank then go to SI\_Q07S.

**SI\_Q07A What is the name of your department?**

\_\_\_\_(4 spaces)

Note: Programmer Note: Use Excel spread sheet to create trigram. A four digit code should be returned. See note on trigram spec for further instructions.

**SI\_Q07S (What is the name of your department?)**

\_\_\_\_(80 spaces)

**SI\_STP** TIME CHECK

**Section:** **Workspace (WS)**

**WS\_STR** TIME CHECK



**WS\_Q01 Which of the following best describes your workspace? Is it?**

INTERVIEWER: Read categories to respondent.

- 01 **A cubicle (single office in open concept)**
- 02 **A shared cubicle (shared office in open concept)**
- 03 **A closed office, not shared**
- 04 **A closed office, shared**
- 05 **A warehouse**
- 06 **A laboratory**
- 07 **Other - Specify** ..... (Go to WS\_Q01S)  
DK, RF

Default: (Go to WS\_Q02)

**WS\_Q01S (How do you best describe your workspace?)**

\_\_\_\_(80 spaces)

**WS\_Q02 How many years have you worked in this building?**

- 1 **Less than 1 year**
- 2 **1 to 2 years**
- 3 **3 to 5 years**
- 4 **More than 5 years**  
DK, RF

**WS\_Q03 How long have you been in your current office?**

- 1 **Less than 1 year**
- 2 **1 to 2 years**
- 3 **3 to 5 years**
- 4 **More than 5 years**  
DK, RF

**WS\_E03** The answer in WS\_Q03 should be less than or equal to the answer in WS\_Q02. If not, pop up hard edit with the following text: "Time spent in your current office is more than number of years working in the building, this is incorrect. Please correct value."

**WS\_Q04 Would you like to see any improvements made to your physical work environment and related services in your building?**

- 1 **Yes** .....(Go to WS\_Q05)
- 2 **No** .....(Go to WS\_STP)  
DK, RF

**WS\_Q05**      **Which ones?**

INTERVIEWER: Mark all that apply.

- 01      **Air quality**
- 02      **Temperature**
- 03      **Office - Size/Layout**
- 04      **Office - Privacy/Noise**
- 05      **Interior Finishes**
- 06      **Cleaning & Repairs - Office Areas**
- 07      **Cleaning & Repairs - Washrooms**
- 08      **Cleaning & Repairs - Common Use Areas**
- 09      **Cleaning & Repairs - Carpets**
- 10      **Lighting - Natural**
- 11      **Lighting - Artificial**
- 12      **Elevators**
- 13      **Furniture/Ergonomics**
- 14      **Drinking Water**
- 15      **Food Services**
- 16      **Building System Noise**
- 17      **Parking**
- 18      **Fitness Facilities/Bike Racks**
- 19      **Smoking Area/Smoke Free Area**
- 20      **Recycling/Garbage**
- 21      **Other - Specify** ..... (Go to WS\_Q05S)  
DK, RF

Default:      (Go to WS\_STP)

Note:      Attached is the contents to be displayed on the help screen for this question.

**WS\_Q05S**      **(Which improvements would you like to see made to your physical work environment and related services in your building?)**

\_\_\_\_(80 spaces)

**WS\_STP**      TIME CHECK

**Section:**      **Satisfactory Service (SS)**

**SS\_STR**      TIME CHECK

**SS\_I01**      **In the following section, you will be asked to rate specific services in terms of their importance to you personally and your level of satisfaction regarding these services.**

**SS\_Q01**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of natural lighting (for you)?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q03)  
                  DK, RF

**SS\_Q02**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the natural lighting?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q03**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of task lighting?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q05)  
                  DK, RF

**SS\_Q04**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the task lighting?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q05**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of overhead lighting?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q07)  
                  DK, RF

**SS\_Q06**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the overhead lighting?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q07**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of temperature (too hot or too cold)?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q09)  
                  DK, RF

**SS\_Q08**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the temperature (too hot or too cold)?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q09**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of air quality?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q11)  
                  DK, RF

**SS\_Q10**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the air quality?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q11**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of parking availability?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q13)  
                  DK, RF

**SS\_Q12**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the parking availability?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q13**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of outside lighting?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q15)  
                  DK, RF

**SS\_Q14**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the outside lighting?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF

**SS\_Q15**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of building security services (after hours access & security guards)?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q17)  
                  DK, RF

**SS\_Q16**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the building security services (after hours access & security guards)?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF

**SS\_Q17**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of snow removal?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q19)  
                  DK, RF

**SS\_Q18**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the snow removal?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q19**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of office cleaning services?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q21)  
                  DK, RF

**SS\_Q20**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the office cleaning services?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q21**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of washroom cleaning services?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q23)  
                  DK, RF

**SS\_Q22**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the washroom cleaning services?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF

**SS\_Q23**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of cleaning services for hallways, elevators and common areas?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q25)  
                  DK, RF

**SS\_Q24**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the cleaning services for hallways, elevators and common areas?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF



**SS\_Q25**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of reliability of elevators?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q27)  
                  DK, RF

**SS\_Q26**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the reliability of elevators?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q27**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of accessibility of building for people with disabilities?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q29)  
                  DK, RF

**SS\_Q28**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with accessibility of building for people with disabilities?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q29**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of building system noise levels?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q33)  
                  DK, RF

**SS\_Q30**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the building system noise levels?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF

**SS\_Q33**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of the food services?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me** .....(Go to SS\_Q35)  
                  DK, RF

**SS\_Q34**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the food services?**

01              **1**  
02              **2**  
03              **3**  
04              **4**  
05              **5**  
66              **Does not apply to me**  
                  DK, RF

**SS\_Q35**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of privacy?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q37)  
                  DK, RF

**SS\_Q36**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the privacy?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q37**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of drinking water?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me** .....(Go to SS\_Q39)  
                  DK, RF

**SS\_Q38**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the drinking water?**

01            **1**  
02            **2**  
03            **3**  
04            **4**  
05            **5**  
66            **Does not apply to me**  
                  DK, RF

**SS\_Q39**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of shower facilities?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SS\_STP)  
DK, RF

**SS\_Q40**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the shower facilities?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me**  
DK, RF

**SS\_STP**      TIME CHECK

**Section:**      **Service Availability (SA)**

**SA\_STR**      TIME CHECK

**SA\_I01**      **Using the same scales, we would like to know the importance of having specific services available in your building or in the surrounding areas and your level of satisfaction regarding their availability.**

**SA\_Q01**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of access to public transportation?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SA\_Q03)  
DK, RF

**SA\_Q02**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the access to public transportation?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me**  
DK, RF

**SA\_Q03**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of access to daycare?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SA\_Q05)  
DK, RF

**SA\_Q04**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the access to daycare?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me**  
DK, RF

**SA\_Q05**      **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of access to fitness facilities?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SA\_Q07)  
DK, RF

**SA\_Q06**            **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the access to fitness facilities?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me**  
DK, RF

**SA\_Q07**            **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of access to shopping areas?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SA\_Q09)  
DK, RF

**SA\_Q08**            **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... your level of satisfaction with the access to shopping areas?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me**  
DK, RF

**SA\_Q09**            **On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:**

**... the importance of access to bank machines?**

- 01            **1**
- 02            **2**
- 03            **3**
- 04            **4**
- 05            **5**
- 66            **Does not apply to me** .....(Go to SA\_Q11)  
DK, RF

**SA\_Q10** On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:

... your level of satisfaction with the access to bank machines?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**SA\_Q11** On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:

... the importance of access to a place to lock your bike?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me .....(Go to SA\_STP)  
DK, RF

**SA\_Q12** On a scale of 1 to 5, where 1 is lowest importance or satisfaction and 5 is highest importance or satisfaction, how would you rate:

... your level of satisfaction with the access to a place to lock your bike?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**SA\_STP** TIME CHECK

**Section:** Building Services (BS)

**BSER\_STR** TIME CHECK

Note: If WS\_Q02=1 or WS\_Q02=DK or WS\_Q02=RF then go to BSER\_Q05. Else go to BSER\_Q01.

**BSER\_Q01** Compared to 1 year ago, are there any services which have improved?

- 1 Yes
- 2 No .....(Go to BSER\_Q03)  
DK, RF .....(Go to BSER\_Q03)

**BSER\_Q02 Which ones?**

INTERVIEWER: Mark all that apply.

- 01 **Air quality**
- 02 **Temperature**
- 03 **Office - Size/Layout**
- 04 **Office - Privacy/Noise**
- 05 **Interior Finishes**
- 06 **Cleaning - Office Areas**
- 07 **Cleaning - Washrooms**
- 08 **Cleaning - Common Use Areas**
- 09 **Lighting - Natural**
- 10 **Lighting - Artificial**
- 11 **Elevators**
- 12 **Furniture/Ergonomics**
- 13 **Drinking Water**
- 14 **Food Services**
- 15 **Parking**
- 16 **Fitness Facilities/Bike Racks**
- 17 **Smoking Areas/Smoke Free Area**
- 18 **Shower Facilities**
- 19 **Building Security**
- 20 **Accessibility of building for people with disabilities**
- 21 **Other - Specify** ..... (Go to BSER\_Q02S)  
DK, RF

Default: (Go to BSER\_Q03)

Note: Attached is the contents to be displayed on the help screen for this question.

**BSERQ02S (Are there any other services which have improved?)**

\_\_\_\_(80 spaces)

**BSER\_Q03 Compared to 1 year ago, are there any services which have deteriorated?**

- 1 **Yes**
- 2 **No** .....(Go to BSER\_Q05)  
DK, RF .....(Go to BSER\_Q05)



**BSER\_Q04 Which ones?**

INTERVIEWER: Mark all that apply.

- 01 **Air quality**
- 02 **Temperature**
- 03 **Office - Size/Layout**
- 04 **Office - Privacy/Noise**
- 05 **Interior Finishes**
- 06 **Cleaning - Office Areas**
- 07 **Cleaning - Washrooms**
- 08 **Cleaning - Common Use Areas**
- 09 **Lighting - Natural**
- 10 **Lighting - Artificial**
- 11 **Elevators**
- 12 **Furniture/Ergonomics**
- 13 **Drinking Water**
- 14 **Food Services**
- 15 **Parking**
- 16 **Fitness Facilities/Bike Racks**
- 17 **Smoking Areas/Smoke Free Area**
- 18 **Shower Facilities**
- 19 **Building Security**
- 20 **Accessibility of building for people with disabilities**
- 21 **Other - Specify .....** (Go to BSER\_Q02S)  
DK, RF

Default: (Go to BSER\_Q05)

Note: Attached is the contents to be displayed on the help screen for this question.

**BSERQ04S (Are there any other services which have deteriorated?)**

\_\_\_\_(80 spaces)

**BSER\_Q05 Overall, how satisfied are you with the services in your building?**

INTERVIEWER: Read categories to respondent.

- 1 **Very satisfied**
  - 2 **Somewhat satisfied**
  - 3 **Somewhat dissatisfied**
  - 4 **Very dissatisfied**
- DK, RF

**BSER\_Q06 To whom would you report problems or concerns in your building?**

INTERVIEWER: Read categories to respondent.

- 1 **Administration area** .....(Go to BSER\_Q10)
- 2 **Departmental contact or supervisor**.....(Go to BSER\_Q10)
- 3 **1-800 number - PWGSC National Service Call Centre**
- 4 **PWGSC Property Manager**
- 5 **[b]Other - Specify** ..... (Go to BSER\_Q06S)  
DK, RF .....(Go to BSER\_Q10)

Default: (Go to BSER\_Q07)

**BSERQ06S (To whom would you report problems or concerns in your building?)**

\_\_\_\_(80 spaces)

**BSER\_Q07 Have you ever reported a problem or concern to one of these people?**

- 1 **Yes**
- 2 **No** .....(Go to BSER\_Q10)  
DK, RF .....(Go to BSER\_Q10)

**BSER\_Q08 How often were the problems or concerns resolved or answered to your satisfaction?**

INTERVIEWER: Read categories to respondent.

- 1 **Always** .....(Go to BSER\_Q10)
- 2 **Sometimes**
- 3 **Never**  
DK, RF .....(Go to BSER\_Q10)

**BSER\_Q09 Why were you not completely satisfied with the response?**

INTERVIEWER: Mark all that apply.

- 01 **Slow response to concern/complaints**
- 02 **Rude/unpleasant staff**
- 03 **Poor/bad service**
- 04 **Problem still exists**
- 05 **Nobody came to solve the problem**
- 06 **Poor communication**
- 07 **Other - Specify** ..... (Go to BSER\_Q09S)  
DK, RF

Default: (Go to BSER\_Q10)

**BSERQ09S (Why were you not completely satisfied with the response?)**

\_\_\_\_(80 spaces)

**BSER\_Q10 Did you ever have a problem that you did not report?**

- 1 **Yes**
- 2 **No** .....(Go to BSER\_Q12)  
DK, RF .....(Go to BSER\_Q12)

**BSER\_Q11 Why did you not report this issue (to anyone)?**

INTERVIEWER: Mark all that apply.

- 01 **Thought someone else would report**
- 02 **Don't know who to report to**
- 03 **Thought nothing would be done anyway**
- 04 **Wasn't important to me**
- 05 **Embarrassed**
- 06 **Rude/unpleasant staff**
- 07 **Worried about the repercussions**
- 08 **Other - Specify** ..... (Go to BSER\_Q11S)  
DK, RF

Default: (Go to BSER\_Q12)

**BSERQ11S (Why did you not report this issue (to anyone)?)**

\_\_\_\_(80 spaces)

**BSER\_Q12 Do you deliver Real Property services to employees of your department?**

INTERVIEWER: Definition: manage day to day Facilities Management operations (ie: parking, signage, move management, telecom management, etc...).

- 1 **Yes**
- 2 **No** .....(Go to BSER\_STP)  
DK, RF .....(Go to BSER\_STP)

**BSER\_Q13 Overall, how satisfied are you with the ability of your building's property manager/managers team to support your business and operational needs?**

INTERVIEWER: Read categories to respondent.

- 1 **Very satisfied**
- 2 **Somewhat satisfied**
- 3 **Somewhat dissatisfied**
- 4 **Very dissatisfied**  
DK, RF

**BSER\_Q14** On a scale of 1 to 5, where 1 is lowest and 5 is highest, please rate your satisfaction with the following aspects from the property management team:

... your level of satisfaction with their responsiveness?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**BSER\_Q15** On a scale of 1 to 5, where 1 is lowest and 5 is highest, please rate your satisfaction with the following aspects from the property management team:

... your level of satisfaction with their knowledge?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**BSER\_Q16** On a scale of 1 to 5, where 1 is lowest and 5 is highest, please rate your satisfaction with the following aspects from the property management team:

... your level of satisfaction with their courteousness?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**BSER\_Q17** On a scale of 1 to 5, where 1 is lowest and 5 is highest, please rate your satisfaction with the following aspects from the property management team:

... your level of satisfaction with their communication skills?

- 01 1
- 02 2
- 03 3
- 04 4
- 05 5
- 66 Does not apply to me  
DK, RF

**BSER\_Q18** Overall, how satisfied are you with the level of Project Management services received from PWGSC's team?

INTERVIEWER: Read categories to respondent.

- 1 **Very satisfied**
  - 2 **Somewhat satisfied**
  - 3 **Somewhat dissatisfied**
  - 4 **Very dissatisfied**
- DK, RF

**BSER\_STP** TIME CHECK

**CAI\_SO** END OF INTERVIEW

## INDEX

### B

BSER_Q01.....	17
BSER_Q02.....	18
BSER_Q03.....	18
BSER_Q04.....	19
BSER_Q05.....	19
BSER_Q06.....	20
BSER_Q07.....	20
BSER_Q08.....	20
BSER_Q09.....	20
BSER_Q10.....	21
BSER_Q11.....	21
BSER_Q12.....	21
BSER_Q13.....	21
BSER_Q14.....	22
BSER_Q15.....	22
BSER_Q16.....	22
BSER_Q17.....	22
BSER_Q18.....	23
BSER_STP.....	23
BSER_STR.....	17
BSERQ02S.....	18
BSERQ04S.....	19
BSERQ06S.....	20
BSERQ09S.....	20
BSERQ11S.....	21

### C

CAI_SO.....	23
-------------	----

### M

MON_R01.....	1
--------------	---

### S

SA_I01.....	14
SA_Q01.....	14
SA_Q02.....	15
SA_Q03.....	15
SA_Q04.....	15
SA_Q05.....	15
SA_Q06.....	16
SA_Q07.....	16
SA_Q08.....	16
SA_Q09.....	16
SA_Q10.....	17
SA_Q11.....	17
SA_Q12.....	17

SA_STP.....	17
SA_STR.....	14
SI_I01.....	1
SI_N06.....	2
SI_Q04.....	1
SI_Q05.....	1
SI_Q05S.....	1
SI_Q06.....	1
SI_Q07.....	2
SI_Q07A.....	2
SI_Q07S.....	2
SI_STP.....	2
SI_STR.....	1
SS_I01.....	4
SS_Q01.....	5
SS_Q02.....	5
SS_Q03.....	5
SS_Q04.....	5
SS_Q05.....	6
SS_Q06.....	6
SS_Q07.....	6
SS_Q08.....	6
SS_Q09.....	7
SS_Q10.....	7
SS_Q11.....	7
SS_Q12.....	7
SS_Q13.....	8
SS_Q14.....	8
SS_Q15.....	8
SS_Q16.....	8
SS_Q17.....	9
SS_Q18.....	9
SS_Q19.....	9
SS_Q20.....	9
SS_Q21.....	10
SS_Q22.....	10
SS_Q23.....	10
SS_Q24.....	10
SS_Q25.....	11
SS_Q26.....	11
SS_Q27.....	11
SS_Q28.....	11
SS_Q29.....	12
SS_Q30.....	12

SS_Q33 .....	12
SS_Q34 .....	12
SS_Q35 .....	13
SS_Q36 .....	13
SS_Q37 .....	13
SS_Q38 .....	13
SS_Q39 .....	14
SS_Q40 .....	14
SS_STP .....	14
SS_STR.....	4
<b>W</b>	
WS_E03 .....	3
WS_Q01.....	2
WS_Q01S .....	2
WS_Q02.....	3
WS_Q03.....	3
WS_Q04.....	3
WS_Q05.....	4
WS_Q05S .....	4
WS_STP.....	4
WS_STR.....	2





## Appendix A

The following was provided to interviewers to help them code appropriate responses to questions WS\_Q05, BSER\_Q02 and BSER\_Q04.

	<b>Description</b>	<b>Include</b>	<b>Exclude</b>
<b>1. Air Quality</b>	Air quality including: circulation or movement of air; ventilation; odours.	<ul style="list-style-type: none"> <li>• air quality</li> <li>• air circulation</li> <li>• air movement</li> <li>• ventilation</li> <li>• odours</li> <li>• stuffiness</li> <li>• amount of fresh air</li> <li>• drafts</li> <li>• stale or musty air</li> </ul>	<ul style="list-style-type: none"> <li>• temperature (<i>see 2. Temperature</i>)</li> <li>• humidity (<i>see 2. Temperature</i>)</li> <li>• odours from perfumes used by co-workers</li> <li>• allergens</li> </ul>
<b>2. Temperature</b>	Temperature or thermal comfort including: heating; air conditioning; humidity.	<ul style="list-style-type: none"> <li>• temperature</li> <li>• thermal comfort</li> <li>• too hot or too cold</li> <li>• heating</li> <li>• air conditioning</li> <li>• humidity</li> <li>• adjustment of indoor temperature to outdoor temperature changes</li> </ul>	<ul style="list-style-type: none"> <li>• air quality/circulation/ventilation (<i>see 1. Air Quality</i>)</li> <li>• capacity for personal temperature control</li> </ul>
<b>3. Office - Size/Layout</b>	Size and layout of individual offices/workstations and support areas (i.e. shared workspace for meetings, storage, printing, copying, reception, etc.). Includes: arrangement/configuration of workstations and furniture; size of workstations and support areas; functionality of office design.	<ul style="list-style-type: none"> <li>• floor plan</li> <li>• arrangement or configuration of workstations, partitions and furniture</li> <li>• workstations and support areas too small or too crowded</li> <li>• proximity to co-workers/team members</li> </ul>	<ul style="list-style-type: none"> <li>• furniture repairs/replacement (<i>see 19. Furniture</i>)</li> <li>• ergonomics of furniture (<i>see 19. Furniture</i>)</li> <li>• size of desk surface (<i>see 19. Furniture</i>)</li> <li>• inadequate furniture (<i>see 19. Furniture</i>)</li> <li>• not enough file cabinets (<i>see 19. Furniture</i>)</li> <li>• aesthetics of office design</li> </ul>
<b>4. Cleaning - Office Areas</b>	Cleaning of individual offices/workstations and support areas (i.e. shared workspace for meetings, storage, printing, copying, reception, etc.). Cleaning includes: washing of wall and floor surfaces; dusting; vacuuming; garbage removal; recycling.	<ul style="list-style-type: none"> <li>• spot cleaning/washing of walls and floors</li> <li>• dusting</li> <li>• vacuuming</li> <li>• garbage removal</li> <li>• emptying of recycling bins</li> </ul>	<ul style="list-style-type: none"> <li>• cleaning of desks and computer screens in offices/workstations</li> <li>• cleaning of appliances (microwaves, refrigerators) in support area</li> </ul>

	<b>Description</b>	<b>Include</b>	<b>Exclude</b>
<b>5. Cleaning - Washrooms</b>	Cleaning of washrooms including: cleaning of toilets, sinks, floors, walls, mirrors; replacement of soap, toilet paper and paper towels; removal of garbage.	<ul style="list-style-type: none"> <li>• cleaning of toilets, sinks, floors, walls, mirrors</li> <li>• replacement of soap, toilet paper and paper towels</li> <li>• removal of garbage</li> <li>• odours related to cleaning or lack of cleaning</li> <li>• cleaning products</li> </ul>	<ul style="list-style-type: none"> <li>• inadequacy of washroom facilities</li> <li>• condition/age of washroom fixtures</li> <li>• washroom modernization</li> <li>• poor ventilation (see 1. Air Quality)</li> </ul>
<b>6. Cleaning - Common Use Areas</b>	Cleaning of common use areas such as lobbies, stairwells, elevators, public corridors, cafeterias. Cleaning includes: washing of wall and floor surfaces; dusting; vacuuming; garbage removal.	<ul style="list-style-type: none"> <li>• cleaning of wall and floor surfaces</li> <li>• dusting</li> <li>• vacuuming</li> <li>• garbage removal</li> <li>• cleaning products</li> </ul>	<ul style="list-style-type: none"> <li>• cleaning of office/workstations or support areas (see 4. Cleaning – Office Areas)</li> </ul>
<b>7. Office – Privacy / Noise</b>	Privacy and noise levels within the office area or workspace related to: office enclosure (i.e. floor to ceiling partitions, open concept); availability of private meeting/phone call area; soundproofing; noise from photocopiers, printers.	<ul style="list-style-type: none"> <li>• no partitions</li> <li>• no area for private meetings or phone calls</li> <li>• soundproofing</li> <li>• noise from photocopiers, printers, surrounding work activities</li> <li>• need for walls or door</li> </ul>	<ul style="list-style-type: none"> <li>• noise from building/mechanical systems (see 13. Building System Noise)</li> </ul>
<b>8. Lighting - Natural</b>	Natural light coming through windows or skylights (sun).	<ul style="list-style-type: none"> <li>• not enough natural light</li> <li>• no windows</li> <li>• glare from natural light coming through windows or skylights (sun)</li> </ul>	<ul style="list-style-type: none"> <li>• artificial lighting (overhead and task lighting) (see Lighting - 9. Overhead or 10. Task)</li> </ul>
<b>9. Lighting - Overhead</b>	Overhead or area lighting in the ceiling or walls to illuminate individual offices/workstations, support areas and common use areas.	<ul style="list-style-type: none"> <li>• too dark</li> <li>• too bright</li> <li>• glare</li> <li>• flickering</li> </ul>	<ul style="list-style-type: none"> <li>• natural lighting from windows (see 8. Lighting – Natural)</li> </ul>
<b>10. Lighting - Task</b>	Special lights over or on the immediate work area such as a desk, drafting or laboratory table.	<ul style="list-style-type: none"> <li>• too dark</li> <li>• too bright</li> <li>• glare</li> <li>• flickering</li> </ul>	<ul style="list-style-type: none"> <li>• natural lighting from windows (see 8. Lighting – Natural)</li> </ul>
<b>11. Elevators</b>	Elevator reliability, speed, service record (i.e. frequency of repairs)	<ul style="list-style-type: none"> <li>• elevator unreliable</li> <li>• elevator too slow</li> <li>• elevator frequently breaks down/out of service</li> </ul>	<ul style="list-style-type: none"> <li>• cleaning of elevators (see 6. Cleaning - Common Use Areas)</li> </ul>

	<b>Description</b>	<b>Include</b>	<b>Exclude</b>
<b>12. Drinking Water</b>	Quality and availability of drinking water in the building.	<ul style="list-style-type: none"> <li>• quality and availability of drinking water in the building</li> <li>• taste of drinking water</li> </ul>	<ul style="list-style-type: none"> <li>• plumbing problems</li> <li>• hot and cold water for washing</li> <li>• maintenance of drinking water fountains (see 6. <i>Cleaning – Common Use Areas</i>)</li> </ul>
<b>13. Building System Noise</b>	Sound produced from building/mechanical systems including: furnaces, fans, air conditioning, etc.	<ul style="list-style-type: none"> <li>• noise level of building/mechanical systems, furnaces, fans, air conditioning</li> </ul>	<ul style="list-style-type: none"> <li>• noise from photocopiers, printers and other work-related machinery (see 7. <i>Office – Privacy</i>)</li> <li>• noise from repair/construction projects</li> </ul>
<b>14. Food Services</b>	Food services and related facilities including: quality and variety of food; hours, location, size of cafeteria.	<ul style="list-style-type: none"> <li>• food quality and variety</li> <li>• cost of food</li> <li>• cafeteria hours</li> <li>• cafeteria location or size</li> </ul>	<ul style="list-style-type: none"> <li>• cleaning of cafeteria (see 6. <i>Cleaning – Common use areas</i>)</li> </ul>
<b>15. Parking</b>	Availability and location of parking for employees.	<ul style="list-style-type: none"> <li>• availability of parking</li> <li>• location of parking</li> <li>• cost of parking</li> </ul>	<ul style="list-style-type: none"> <li>• security (see 16. <i>Building Security</i>)</li> <li>• availability of bike racks</li> <li>• maintenance of parking areas (snow removal, etc.)</li> </ul>
<b>16. Building Security</b>	Physical security of people and their belongings in the building: control of entrances by guards and security access systems; dark corridors; unoccupied space; after hours building access.	<ul style="list-style-type: none"> <li>• control of entrances by guards and security access systems</li> <li>• dark corridors</li> <li>• unoccupied space</li> <li>• after hours building access</li> </ul>	<ul style="list-style-type: none"> <li>• demeanor of security personnel</li> </ul>
<b>17. Shower Facilities</b>	Shower facilities including: availability of showers in the building; number of showers; cleaning and condition of showers.	<ul style="list-style-type: none"> <li>• availability of showers</li> <li>• no showers or not enough showers</li> <li>• cleaning of showers</li> <li>• condition of shower facilities</li> <li>• repairs to shower facilities</li> </ul>	<ul style="list-style-type: none"> <li>• washroom facilities (see 5. <i>Cleaning- Washrooms</i>)</li> </ul>
<b>18. Interior Finishes</b>	Repair/maintenance of base building finishes including: flooring (e.g. carpet, tile, linoleum); wall treatments/coverings (e.g. paint, wallpaper); ceiling finishes (e.g. tiles, paint); window coverings (e.g. blinds, curtains, solar film).	<ul style="list-style-type: none"> <li>• worn, torn, frayed carpets</li> <li>• chipped, cracked flooring (e.g. tiles or linoleum)</li> <li>• chipped, peeling paint</li> <li>• peeling, torn wallpaper</li> <li>• chipped, cracked, broken plaster or drywall</li> <li>• broken, soiled ceiling tiles</li> <li>• broken blinds, shades, curtain hardware</li> <li>• torn, stained curtains</li> <li>• peeling solar film on windows</li> </ul>	<ul style="list-style-type: none"> <li>• furniture repairs (see 19. <i>Furniture</i>)</li> </ul>

	<b>Description</b>	<b>Include</b>	<b>Exclude</b>
<b>19. Furniture</b>	Furniture in workstation or support areas (i.e. shared workspace for meetings, storage, printing, copying, reception, etc.) including: appropriateness of furniture; adequate storage or work surface; ergonomics (effective and safe design of furniture); condition of furniture (state of repair).	<ul style="list-style-type: none"> <li>• inappropriate furniture</li> <li>• inadequate storage or work surface</li> <li>• ergonomics (effective/safe design) of furniture</li> <li>• broken or damaged furniture</li> <li>• size of furniture</li> <li>• need for new furniture</li> <li>• modernization of furniture</li> </ul>	<ul style="list-style-type: none"> <li>• moveable partitions between workstations (see 7. Office Privacy/Noise)</li> </ul>
<b>20. Accessibility of building for people with disabilities</b>	Access and use of building by people with disabilities including: exterior walkways on building property; drop-off area and parking facilities; entrances; elevators; stairs; ramps; washrooms; drinking fountains; public telephones; tactile signage; cafeterias; lunchrooms and vending machines.	<p>Access to:</p> <ul style="list-style-type: none"> <li>• exterior walkways on building property</li> <li>• drop-off area and parking facilities</li> <li>• entrances</li> <li>• elevators</li> <li>• stairs</li> <li>• ramps</li> <li>• washrooms</li> <li>• drinking fountains</li> <li>• public telephones</li> <li>• tactile signage</li> <li>• cafeterias, lunchrooms and vending machines in public/common use areas</li> </ul>	<ul style="list-style-type: none"> <li>• special furniture or computer needs for persons with disabilities (see 19. Furniture)</li> </ul>
<b>21. Other</b>	Everything not listed previously	Everything not listed previously	