

NPHS Cycle 5 (2002-2003): Topical Index  
 Master File: Health Institutions - Longitudinal Square  
 January 2007

Variable Name	Description	Page
<b>AL : Alcohol</b>		
ALI0_1	Drank alcohol in past 12 months	502
ALI0_2	Frequency of drinking alcohol	503
ALI0_3	Has ever had a drink	503
ALI0_4	Regularly drank more than 12 drinks a week	504
ALI0DTYP	Type of drinker - (D)	504
ALI2_1	Drank alcohol in past 12 months	626
ALI2_2	Frequency of drinking alcohol	627
ALI2_3	Has ever had a drink	627
ALI2_4	Regularly drank more than 12 drinks a week	628
ALI2DTYP	Type of drinker - (D)	628
ALI4_1	Drank alcohol in past 12 months	80
ALI4_2	Frequency of drinking alcohol	80
ALI4_3	Has ever had a drink	81
ALI4DTYP	Type of drinker - (D)	81
ALI6_1	Drank alcohol in past 12 months	220
ALI6_2	Frequency of drinking alcohol	221
ALI6_3	Has ever had a drink	221
ALI6_4	Regularly drank more than 12 drinks a week	222
ALI6DTYP	Type of drinker - (D)	222
ALI8_1	Drank alcohol in past 12 months	376
ALI8_2	Frequency of drinking alcohol	377
ALI8_3	Has ever had a drink	377
ALI8_4	Regularly drank more than 12 drinks a week	378
ALI8DTYP	Type of drinker - (D)	378
<b>AM : Administration of the survey</b>		
AMIO_ASG	Interviewer's assignment number	437
AMIO_BDD	Day of interview	434
AMIO_BMM	Month of interview	435
AMIO_BY Y	Year of interview	435
AMIO_FS	Final status of interview	437
AMIO_IN	Institution number	433
AMIO_LNG	Language of interview	436
AMIO_LNK	Permission to link information	525
AMIO_LOC	Location of respondent	436

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
AMI0_RO	Regional office code	433
AMI0_ST	Institution stratum number	433
AMI2_ASG	Interviewer's assignment number	561
AMI2_BDD	Day of interview	559
AMI2_BMM	Month of interview	559
AMI2_BYY	Year of interview	559
AMI2_FS	Final status of interview	561
AMI2_IN	Institution number	558
AMI2_LNG	Language of interview	561
AMI2_LNK	Permission to link information	649
AMI2_LOC	Location of respondent	560
AMI2_RO	Regional office code	557
AMI2_ST	Institution stratum number	557
AMI4_BMM	Month of interview	14
AMI4_BYY	Year of interview	14
AMI4_IN	Institution number	13
AMI4_LNK	Permission to link information	15
AMI4_PER	Permission to obtain information	14
AMI4_RO	Regional office code	13
AMI4_ST	Institution stratum number	13
AMI6_BDD	Day of interview	150
AMI6_BMM	Month of interview	151
AMI6_BYY	Year of interview	151
AMI6_FS	Final status of interview	150
AMI6_IN	Institution number	150
AMI6_LNG	Language of interview	152
AMI6_LNK	Permission to link information	153
AMI6_PER	Permission to obtain information	152
AMI6_RO	Regional office code	149
AMI6_ST	Institution stratum number	149
AMI6DCOD	Type of respondent - (D)	152
AMI8_ASG	Interviewer's assignment number	311
AMI8_BDD	Day of interview	308
AMI8_BMM	Month of interview	309
AMI8_BYY	Year of interview	309
AMI8_FS	Final status of interview	311

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
AMI8_IN	Institution number	307
AMI8_LNG	Language of interview	310
AMI8_LNK	Permission to link information	399
AMI8_LOC	Location of respondent	310
AMI8_RO	Regional office code	307
AMI8_ST	Institution stratum number	307
IPI0_SEQ	Control Form Sequence Number	436
IPI2_SEQ	Control Form Sequence Number	560
IPI8_SEQ	Control Form Sequence Number	310
LONGPAT	Longitudinal response pattern - (D)	1
MOVER	Institution mover status - (D)	558
SHARE	Agree to share information - (D)	12
SPI0DFTP	Type of health institution - (D)	434
SPI2DFTP	Type of health institution - (D)	558
SPI4DFTP	Type of health institution - (D)	15
SPI6DFTP	Type of health institution - (D)	153
SPI8DFTP	Type of health institution - (D)	308
UNIQUEID	Record identifier for the respondent	1
<b>CC : Chronic conditions</b>		
CCI0_1A	Has arthritis or rheumatism	464
CCI0_1B	Has high blood pressure	465
CCI0_1C	Has asthma	465
CCI0_1D	Has chronic bronchitis or emphysema	466
CCI0_1E	Has diabetes	466
CCI0_1F	Has epilepsy	467
CCI0_1G	Has heart disease	467
CCI0_1H	Suffers from the effects of a stroke	468
CCI0_1I	Suffers from partial or complete paralysis	468
CCI0_1J	Suffers from urinary incontinence	469
CCI0_1K	Has difficulty controlling bowels	469
CCI0_1L	Has Alzheimer's disease / other dementia	470
CCI0_1M	Has osteoporosis or brittle bones	470
CCI0_1N	Has cataracts	471
CCI0_1O	Has glaucoma	471
CCI0_1P	Has stomach or intestinal ulcers	472
CCI0_1Q	Suffers from kidney failure or disease	472

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
CCI0_1R	Has a bowel disorder / Crohn's Disease or colitis	473
CCI0_1S	Has a thyroid condition	473
CCI0_1T	Has a developmental delay	474
CCI0_1U	Has schizophrenia, depression, psychosis or other	474
CCI0_1V	Has other chronic condition	475
CCI0_1W	Has cancer	475
CCI0DNUM	Number of chronic conditions - (D)	475
CCI2_1A	Has arthritis or rheumatism	588
CCI2_1B	Has high blood pressure	589
CCI2_1C	Has asthma	589
CCI2_1D	Has chronic bronchitis or emphysema	590
CCI2_1E	Has diabetes	590
CCI2_1F	Has epilepsy	591
CCI2_1G	Has heart disease	591
CCI2_1H	Suffers from the effects of a stroke	592
CCI2_1I	Suffers from partial or complete paralysis	592
CCI2_1J	Suffers from urinary incontinence	593
CCI2_1K	Has difficulty controlling bowels	593
CCI2_1L	Has Alzheimer's disease / other dementia	594
CCI2_1M	Has osteoporosis or brittle bones	594
CCI2_1N	Has cataracts	595
CCI2_1O	Has glaucoma	595
CCI2_1P	Has stomach or intestinal ulcers	596
CCI2_1Q	Suffers from kidney failure or disease	596
CCI2_1R	Has a bowel disorder / Crohn's Disease or colitis	597
CCI2_1S	Has a thyroid condition	597
CCI2_1T	Has a developmental delay	598
CCI2_1U	Has schizophrenia, depression, psychosis or other	598
CCI2_1V	Has other chronic condition	599
CCI2_1W	Has cancer	599
CCI2DNUM	Number of chronic conditions - (D)	599
CCI4_1A	Has arthritis or rheumatism	42
CCI4_1B	Has high blood pressure	43
CCI4_1C	Has asthma	43
CCI4_1D	Has chronic bronchitis or emphysema	44
CCI4_1E	Has diabetes	44

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
CCI4_1F	Has epilepsy	45
CCI4_1G	Has heart disease	45
CCI4_1H	Suffers from the effects of a stroke	46
CCI4_1I	Suffers from partial or complete paralysis	46
CCI4_1L	Has Alzheimer's disease / other dementia	47
CCI4_1M	Has osteoporosis or brittle bones	48
CCI4_1N	Has cataracts	48
CCI4_1O	Has glaucoma	49
CCI4_1Q	Suffers from kidney failure or disease	50
CCI4_1V	Has other chronic condition	53
CCI4_1W	Has cancer	54
CCI4_44J	Has urinary / bowel incontinence	47
CCI4_44O	Has digestive conditions	49
CCI4_44Q	Has cerebral palsy	50
CCI4_44R	Suffers from spina-bifida	51
CCI4_44S	Has cystic fibrosis	51
CCI4_44T	Has muscular dystrophy	52
CCI4_44U	Has multiple sclerosis	52
CCI4_44V	Has deformity, orthopedic impairment or absence of limbs	53
CCI4DNUM	Number of chronic conditions - (D)	54
CCI6_1A	Has arthritis or rheumatism	182
CCI6_1B	Has high blood pressure	183
CCI6_1C	Has asthma	183
CCI6_1D	Has chronic bronchitis or emphysema	184
CCI6_1E	Has diabetes	184
CCI6_1F	Has epilepsy	185
CCI6_1G	Has heart disease	185
CCI6_1H	Suffers from the effects of a stroke	186
CCI6_1I	Suffers from partial or complete paralysis	186
CCI6_1J	Suffers from urinary incontinence	187
CCI6_1K	Has difficulty controlling bowels	187
CCI6_1L	Has Alzheimer's disease / other dementia	188
CCI6_1M	Has osteoporosis or brittle bones	188
CCI6_1N	Has cataracts	189
CCI6_1O	Has glaucoma	189
CCI6_1P	Has stomach or intestinal ulcers	190

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
CCI6_1Q	Suffers from kidney failure or disease	190
CCI6_1R	Has a bowel disorder / Crohn's Disease or colitis	191
CCI6_1S	Has a thyroid condition	191
CCI6_1T	Has a developmental delay	192
CCI6_1U	Has schizophrenia, depression, psychosis or other	192
CCI6_1V	Has other chronic condition	193
CCI6DNUM	Number of chronic conditions - (D)	193
CCI8_1A	Has arthritis or rheumatism	338
CCI8_1B	Has high blood pressure	339
CCI8_1C	Has asthma	339
CCI8_1D	Has chronic bronchitis or emphysema	340
CCI8_1E	Has diabetes	340
CCI8_1F	Has epilepsy	341
CCI8_1G	Has heart disease	341
CCI8_1H	Suffers from the effects of a stroke	342
CCI8_1I	Suffers from partial or complete paralysis	342
CCI8_1J	Suffers from urinary incontinence	343
CCI8_1K	Has difficulty controlling bowels	343
CCI8_1L	Has Alzheimer's disease / other dementia	344
CCI8_1M	Has osteoporosis or brittle bones	344
CCI8_1N	Has cataracts	345
CCI8_1O	Has glaucoma	345
CCI8_1P	Has stomach or intestinal ulcers	346
CCI8_1Q	Suffers from kidney failure or disease	346
CCI8_1R	Has a bowel disorder / Crohn's Disease or colitis	347
CCI8_1S	Has a thyroid condition	347
CCI8_1T	Has a developmental delay	348
CCI8_1U	Has schizophrenia, depression, psychosis or other	348
CCI8_1V	Has other chronic condition	349
CCI8_1W	Has cancer	349
CCI8DNUM	Number of chronic conditions - (D)	350
<b>DG : Drug use</b>		
DGI0_2	Number of different medications taken in past 2 days	526
DGI0C3A	Drug code - drug 1	526
DGI0C3B	Drug code - drug 2	528
DGI0C3C	Drug code - drug 3	530

## Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI0C3D	Drug code - drug 4	531
DGI0C3E	Drug code - drug 5	533
DGI0C3F	Drug code - drug 6	534
DGI0C3G	Drug code - drug 7	536
DGI0C3H	Drug code - drug 8	538
DGI0C3I	Drug code - drug 9	540
DGI0C3J	Drug code - drug 10	541
DGI0C3K	Drug code - drug 11	543
DGI0C3L	Drug code - drug 12	544
DGI0F3A	Flag for drug 1	526
DGI0F3B	Flag for drug 2	527
DGI0F3C	Flag for drug 3	529
DGI0F3D	Flag for drug 4	531
DGI0F3E	Flag for drug 5	532
DGI0F3F	Flag for drug 6	534
DGI0F3G	Flag for drug 7	535
DGI0F3H	Flag for drug 8	537
DGI0F3I	Flag for drug 9	539
DGI0F3J	Flag for drug 10	541
DGI0F3K	Flag for drug 11	542
DGI0F3L	Flag for drug 12	544
DGI0G3A	Drug code - drug 1 - (G)	527
DGI0G3B	Drug code - drug 2 - (G)	529
DGI0G3C	Drug code - drug 3 - (G)	530
DGI0G3D	Drug code - drug 4 - (G)	532
DGI0G3E	Drug code - drug 5 - (G)	533
DGI0G3F	Drug code - drug 6 - (G)	535
DGI0G3G	Drug code - drug 7 - (G)	537
DGI0G3H	Drug code - drug 8 - (G)	539
DGI0G3I	Drug code - drug 9 - (G)	540
DGI0G3J	Drug code - drug 10 - (G)	542
DGI0G3K	Drug code - drug 11 - (G)	543
DGI0G3L	Drug code - drug 12 - (G)	545
DGI2_2	Number of different medications taken in past 2 days	650
DGI2C3A	Drug code - drug 1	650
DGI2C3B	Drug code - drug 2	652

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI2C3C	Drug code - drug 3	654
DGI2C3D	Drug code - drug 4	656
DGI2C3E	Drug code - drug 5	658
DGI2C3F	Drug code - drug 6	660
DGI2C3G	Drug code - drug 7	662
DGI2C3H	Drug code - drug 8	664
DGI2C3I	Drug code - drug 9	666
DGI2C3J	Drug code - drug 10	668
DGI2C3K	Drug code - drug 11	669
DGI2C3L	Drug code - drug 12	671
DGI2F3A	Flag for drug 1	650
DGI2F3B	Flag for drug 2	651
DGI2F3C	Flag for drug 3	654
DGI2F3D	Flag for drug 4	655
DGI2F3E	Flag for drug 5	657
DGI2F3F	Flag for drug 6	659
DGI2F3G	Flag for drug 7	661
DGI2F3H	Flag for drug 8	663
DGI2F3I	Flag for drug 9	666
DGI2F3J	Flag for drug 10	667
DGI2F3K	Flag for drug 11	669
DGI2F3L	Flag for drug 12	670
DGI2G3A	Drug code - drug 1 - (G)	651
DGI2G3B	Drug code - drug 2 - (G)	653
DGI2G3C	Drug code - drug 3 - (G)	655
DGI2G3D	Drug code - drug 4 - (G)	657
DGI2G3E	Drug code - drug 5 - (G)	659
DGI2G3F	Drug code - drug 6 - (G)	661
DGI2G3G	Drug code - drug 7 - (G)	663
DGI2G3H	Drug code - drug 8 - (G)	665
DGI2G3I	Drug code - drug 9 - (G)	667
DGI2G3J	Drug code - drug 10 - (G)	668
DGI2G3K	Drug code - drug 11 - (G)	670
DGI2G3L	Drug code - drug 12 - (G)	671
DGI4_2	Number of different medications taken in past 2 days	120
DGI4C3A	Drug code - drug 1	121



## Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI4C3B	Drug code - drug 2	123
DGI4C3C	Drug code - drug 3	125
DGI4C3D	Drug code - drug 4	127
DGI4C3E	Drug code - drug 5	129
DGI4C3F	Drug code - drug 6	131
DGI4C3G	Drug code - drug 7	133
DGI4C3H	Drug code - drug 8	135
DGI4C3I	Drug code - drug 9	137
DGI4C3J	Drug code - drug 10	139
DGI4C3K	Drug code - drug 11	141
DGI4C3L	Drug code - drug 12	143
DGI4F3A	Flag for drug 1	121
DGI4F3B	Flag for drug 2	123
DGI4F3C	Flag for drug 3	125
DGI4F3D	Flag for drug 4	127
DGI4F3E	Flag for drug 5	129
DGI4F3F	Flag for drug 6	131
DGI4F3G	Flag for drug 7	133
DGI4F3H	Flag for drug 8	135
DGI4F3I	Flag for drug 9	137
DGI4F3J	Flag for drug 10	139
DGI4F3K	Flag for drug 11	140
DGI4F3L	Flag for drug 12	142
DGI4G3A	Drug code - drug 1 - (G)	122
DGI4G3B	Drug code - drug 2 - (G)	124
DGI4G3C	Drug code - drug 3 - (G)	126
DGI4G3D	Drug code - drug 4 - (G)	128
DGI4G3E	Drug code - drug 5 - (G)	130
DGI4G3F	Drug code - drug 6 - (G)	132
DGI4G3G	Drug code - drug 7 - (G)	134
DGI4G3H	Drug code - drug 8 - (G)	136
DGI4G3I	Drug code - drug 9 - (G)	138
DGI4G3J	Drug code - drug 10 - (G)	140
DGI4G3K	Drug code - drug 11 - (G)	142
DGI4G3L	Drug code - drug 12 - (G)	143
DGI6_2	Number of different medications taken in past 2 days	269

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI6C3A	Drug code - drug 1	270
DGI6C3B	Drug code - drug 2	272
DGI6C3C	Drug code - drug 3	274
DGI6C3D	Drug code - drug 4	276
DGI6C3E	Drug code - drug 5	278
DGI6C3F	Drug code - drug 6	280
DGI6C3G	Drug code - drug 7	282
DGI6C3H	Drug code - drug 8	284
DGI6C3I	Drug code - drug 9	286
DGI6C3J	Drug code - drug 10	288
DGI6C3K	Drug code - drug 11	290
DGI6C3L	Drug code - drug 12	292
DGI6F3A	Flag for drug 1	269
DGI6F3B	Flag for drug 2	272
DGI6F3C	Flag for drug 3	274
DGI6F3D	Flag for drug 4	276
DGI6F3E	Flag for drug 5	278
DGI6F3F	Flag for drug 6	280
DGI6F3G	Flag for drug 7	282
DGI6F3H	Flag for drug 8	284
DGI6F3I	Flag for drug 9	286
DGI6F3J	Flag for drug 10	288
DGI6F3K	Flag for drug 11	290
DGI6F3L	Flag for drug 12	291
DGI6G3A	Drug code - drug 1 - (G)	271
DGI6G3B	Drug code - drug 2 - (G)	273
DGI6G3C	Drug code - drug 3 - (G)	275
DGI6G3D	Drug code - drug 4 - (G)	277
DGI6G3E	Drug code - drug 5 - (G)	279
DGI6G3F	Drug code - drug 6 - (G)	281
DGI6G3G	Drug code - drug 7 - (G)	283
DGI6G3H	Drug code - drug 8 - (G)	285
DGI6G3I	Drug code - drug 9 - (G)	287
DGI6G3J	Drug code - drug 10 - (G)	289
DGI6G3K	Drug code - drug 11 - (G)	291
DGI6G3L	Drug code - drug 12 - (G)	292

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI8_2	Number of different medications taken in past 2 days	400
DGI8C3A	Drug code - drug 1	400
DGI8C3B	Drug code - drug 2	402
DGI8C3C	Drug code - drug 3	404
DGI8C3D	Drug code - drug 4	406
DGI8C3E	Drug code - drug 5	408
DGI8C3F	Drug code - drug 6	409
DGI8C3G	Drug code - drug 7	411
DGI8C3H	Drug code - drug 8	413
DGI8C3I	Drug code - drug 9	415
DGI8C3J	Drug code - drug 10	417
DGI8C3K	Drug code - drug 11	418
DGI8C3L	Drug code - drug 12	420
DGI8F3A	Flag for drug 1	400
DGI8F3B	Flag for drug 2	401
DGI8F3C	Flag for drug 3	404
DGI8F3D	Flag for drug 4	406
DGI8F3E	Flag for drug 5	407
DGI8F3F	Flag for drug 6	409
DGI8F3G	Flag for drug 7	410
DGI8F3H	Flag for drug 8	412
DGI8F3I	Flag for drug 9	414
DGI8F3J	Flag for drug 10	416
DGI8F3K	Flag for drug 11	418
DGI8F3L	Flag for drug 12	419
DGI8G3A	Drug code - drug 1 - (G)	401
DGI8G3B	Drug code - drug 2 - (G)	403
DGI8G3C	Drug code - drug 3 - (G)	405
DGI8G3D	Drug code - drug 4 - (G)	407
DGI8G3E	Drug code - drug 5 - (G)	408
DGI8G3F	Drug code - drug 6 - (G)	410
DGI8G3G	Drug code - drug 7 - (G)	412
DGI8G3H	Drug code - drug 8 - (G)	414
DGI8G3I	Drug code - drug 9 - (G)	416
DGI8G3J	Drug code - drug 10 - (G)	417
DGI8G3K	Drug code - drug 11 - (G)	419

NPHS Cycle 5 (2002-2003): Topical Index  
 Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DGI8G3L	Drug code - drug 12 - (G)	420
<b>DH : Demographic and household variables</b>		
AOD	Age at time of death - (D)	12
COD10	Cause of death code ICD-10	10
COD9	Cause of death code ICD-9	8
CODG10	Cause of death ICD-10 - (G)	11
CODG9	Cause of death ICD-9 - (G)	9
DHI0_1	Information source	438
DHI0_7	Spouse lives in facility	439
DHI0_8	Room alone	440
DHI0_9	Has telephone in room	440
DHI0_MAR	Marital status	439
DHI0_MOA	Month of admission	441
DHI0_YOA	Year of admission	441
DHI0DADM	Age at admission in the facility - (D)	437
DHI0DAGE	Age at interview - (D)	435
DHI0DSTY	Length of stay in the facility - (D)	438
DHI2_1	Information source	563
DHI2_7	Spouse lives in facility	564
DHI2_8	Room alone	564
DHI2_9	Has telephone in room	565
DHI2_MAR	Marital status	563
DHI2_MOA	Month of admission	565
DHI2_YOA	Year of admission	566
DHI2DADM	Age at admission in the facility - (D)	562
DHI2DAGE	Age at interview - (D)	560
DHI2DSTY	Length of stay in the facility - (D)	562
DHI4_1	Information source	15
DHI4_11	Place of residency prior to admission	20
DHI4_7	Spouse lives in facility	17
DHI4_8	Room alone	17
DHI4_MAR	Marital status	16
DHI4_MOA	Month of admission	18
DHI4_YOA	Year of admission	18
DHI4DADM	Age at admission in the facility - (D)	19
DHI4DAGE	Age at interview - (D)	16

NPHS Cycle 5 (2002-2003): Topical Index  
 Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
DHI4DSTY	Length of stay in the facility - (D)	19
DHI6_1	Information source	154
DHI6_11	Place of residency prior to admission	159
DHI6_7	Spouse lives in facility	155
DHI6_8	Room alone	156
DHI6_9	Has telephone in room	156
DHI6_MAR	Marital status	155
DHI6_MOA	Month of admission	157
DHI6_YOA	Year of admission	157
DHI6DADM	Age at admission in the facility - (D)	158
DHI6DAGE	Age at interview - (D)	154
DHI6DSTY	Length of stay in the facility - (D)	158
DHI8_1	Information source	312
DHI8_7	Spouse lives in facility	313
DHI8_8	Room alone	314
DHI8_9	Has telephone in room	314
DHI8_MAR	Marital status	313
DHI8_MOA	Month of admission	315
DHI8_YOA	Year of admission	315
DHI8DADM	Age at admission in the facility - (D)	311
DHI8DAGE	Age at interview - (D)	309
DHI8DSTY	Length of stay in the facility - (D)	312
DOB	Day of birth	1
DOD	Day of death	7
MOB	Month of birth	2
MOD	Month of death	7
SEX	Sex	3
YOB	Year of birth	2
YOD	Year of death	8
<b>ED : Education</b>		
EDI4_1	Highest level of education attained	114
EDI6_1	Highest level of education attained	263
<b>FL : Balance</b>		
FLI0_1	Has fallen	491
FLI0_2	Number of falls	491

## Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
FLI0_3	Was injured in fall	492
FLI0_4	Most serious injury resulting from fall	492
FLI0_5A	Cause of fall - dizziness / fainting	493
FLI0_5B	Cause of fall - illness	493
FLI0_5C	Cause of fall - weakness / frailty	494
FLI0_5D	Cause of fall - problems with balance	494
FLI0_5E	Cause of fall - fell asleep	495
FLI0_5F	Cause of fall - reaction to medication	495
FLI0_5G	Cause of fall - poor eyesight	496
FLI0_5H	Cause of fall - tripped over / bumped object	496
FLI0_5I	Cause of fall - misjudged distance	497
FLI0_5J	Cause of fall - other	497
FLI2_1	Has fallen	615
FLI2_2	Number of falls	615
FLI2_3	Was injured in fall	616
FLI2_4	Most serious injury resulting from fall	616
FLI2_5A	Cause of fall - dizziness / fainting	617
FLI2_5B	Cause of fall - illness	617
FLI2_5C	Cause of fall - weakness / frailty	618
FLI2_5D	Cause of fall - problems with balance	618
FLI2_5E	Cause of fall - fell asleep	619
FLI2_5F	Cause of fall - reaction to medication	619
FLI2_5G	Cause of fall - poor eyesight	620
FLI2_5H	Cause of fall - tripped over / bumped object	620
FLI2_5I	Cause of fall - misjudged distance	621
FLI2_5J	Cause of fall - other	621
FLI4_1	Has fallen	68
FLI4_2	Number of falls	69
FLI4_3	Was injured in fall	69
FLI4_4	Most serious injury resulting from fall	70
FLI4_5A	Cause of fall - dizziness / fainting	70
FLI4_5B	Cause of fall - illness	71
FLI4_5C	Cause of fall - weakness / frailty	71
FLI4_5D	Cause of fall - problems with balance	72
FLI4_5J	Cause of fall - other	75
FLI4_61E	Cause of fall - fell out of bed	72

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
FLI4_61F	Cause of fall - hit or pushed by someone	73
FLI4_61G	Cause of fall - poor lighting	73
FLI4_61H	Cause of fall - condition of floor	74
FLI4_61I	Cause of fall - weather conditions	74
FLI6_1	Has fallen	209
FLI6_2	Number of falls	209
FLI6_3	Was injured in fall	210
FLI6_4	Most serious injury resulting from fall	210
FLI6_5A	Cause of fall - dizziness / fainting	211
FLI6_5B	Cause of fall - illness	211
FLI6_5C	Cause of fall - weakness / frailty	212
FLI6_5D	Cause of fall - problems with balance	212
FLI6_5E	Cause of fall - fell asleep	213
FLI6_5F	Cause of fall - reaction to medication	213
FLI6_5G	Cause of fall - poor eyesight	214
FLI6_5H	Cause of fall - tripped over / bumped object	214
FLI6_5I	Cause of fall - misjudged distance	215
FLI6_5J	Cause of fall - other	215
FLI8_1	Has fallen	365
FLI8_2	Number of falls	365
FLI8_3	Was injured in fall	366
FLI8_4	Most serious injury resulting from fall	366
FLI8_5A	Cause of fall - dizziness / fainting	367
FLI8_5B	Cause of fall - illness	367
FLI8_5C	Cause of fall - weakness / frailty	368
FLI8_5D	Cause of fall - problems with balance	368
FLI8_5E	Cause of fall - fell asleep	369
FLI8_5F	Cause of fall - reaction to medication	369
FLI8_5G	Cause of fall - poor eyesight	370
FLI8_5H	Cause of fall - tripped over / bumped object	370
FLI8_5I	Cause of fall - misjudged distance	371
FLI8_5J	Cause of fall - other	371
<b>GH : General health</b>		
GHI0_1	Respondent's self perceived general health	442
GHI0DHD1	Health description index - (D)	442
GHI2_1	Respondent's self perceived general health	566

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
GHI2DHD	Health description index - (D)	567
GHI4_1	Respondent's self perceived general health	20
GHI4DHD	Health description index - (D)	21
GHI6_1	Respondent's self perceived general health	160
GHI6DHD	Health description index - (D)	160
GHI8_1	Respondent's self perceived general health	316
GHI8DHD	Health description index - (D)	316
<b>HC : Health care utilization</b>		
HCI0_1A	Number of consultations - general practitioner	545
HCI0_1B	Number of consultations - eye specialist	546
HCI0_1C	Number of consultations - other medical doctor	546
HCI0_1D	Number of consultations - nurse	547
HCI0_1E	Number of consultations - physiotherapist	547
HCI0_1F	Number of consultations - speech / audiology therapist	548
HCI0_1G	Number of consultations - occupational therapist	548
HCI0_1H	Number of consultations - respiratory therapist	549
HCI0_1I	Number of consultations - dentist / denture therapist	549
HCI0_1J	Number of consultations - psychologist	550
HCI0_1K	Number of consultations - social worker or counselor	550
HCI0_2	Temporary transfer to acute care facility	551
HCI2_1A	Number of consultations - general practitioner	672
HCI2_1B	Number of consultations - eye specialist	672
HCI2_1C	Number of consultations - other medical doctor	673
HCI2_1D	Number of consultations - nurse	673
HCI2_1E	Number of consultations - physiotherapist	674
HCI2_1F	Number of consultations - speech / audiology therapist	674
HCI2_1G	Number of consultations - occupational therapist	675
HCI2_1H	Number of consultations - respiratory therapist	675
HCI2_1I	Number of consultations - dentist / denture therapist	676
HCI2_1J	Number of consultations - psychologist	676
HCI2_1K	Number of consultations - social worker or counselor	677
HCI2_2	Temporary transfer to acute care facility	677
HCI4_1D	Number of consultations - nurse	144
HCI4_1I	Number of consultations - dentist / denture therapist	145
HCI4_Q1A	Number of consultations - doctor, psychiatrist	144
HCI4_Q1C	Number of consultations - therapist	145



Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HCI4_Q1E	Number of consultations - psych. / counsellor / soc. worker	146
HCI4_Q1F	Number of consultations - other	146
HCI6_1A	Number of consultations - general practitioner	293
HCI6_1B	Number of consultations - eye specialist	293
HCI6_1C	Number of consultations - other medical doctor	294
HCI6_1D	Number of consultations - nurse	294
HCI6_1E	Number of consultations - physiotherapist	295
HCI6_1F	Number of consultations - speech / audiology therapist	295
HCI6_1G	Number of consultations - occupational therapist	296
HCI6_1H	Number of consultations - respiratory therapist	296
HCI6_1I	Number of consultations - dentist / denture therapist	297
HCI6_1J	Number of consultations - psychologist	297
HCI6_1K	Number of consultations - social worker or counselor	298
HCI6_2	Temporary transfer to acute care facility	298
HCI8_1A	Number of consultations - general practitioner	421
HCI8_1B	Number of consultations - eye specialist	421
HCI8_1C	Number of consultations - other medical doctor	422
HCI8_1D	Number of consultations - nurse	422
HCI8_1E	Number of consultations - physiotherapist	423
HCI8_1F	Number of consultations - speech / audiology therapist	423
HCI8_1G	Number of consultations - occupational therapist	424
HCI8_1H	Number of consultations - respiratory therapist	424
HCI8_1I	Number of consultations - dentist / denture therapist	425
HCI8_1J	Number of consultations - psychologist	425
HCI8_1K	Number of consultations - social worker or counselor	426
HCI8_2	Temporary transfer to acute care facility	426
<b>HS : Health status</b>		
HSI0_1	Vision - read newsprint without glasses / contacts	443
HSI0_10	Hearing - in quiet room with hearing aid	448
HSI0_11	Speech - understood by strangers in own language	449
HSI0_12	Speech - partially understood by strangers in own language	449
HSI0_13	Speech - completely understood by non-strangers	450
HSI0_14	Speech - partially understood by non-strangers	450
HSI0_15	Mobility - walk without difficulty and without support	451
HSI0_16	Mobility - able to walk	452
HSI0_17	Mobility - requires support to walk	452

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI0_18	Mobility - requires help of person to walk	453
HSI0_19	Mobility - requires a wheelchair	453
HSI0_2	Vision - read newsprint with glasses / contacts	443
HSI0_20	Mobility - frequency of wheelchair use	454
HSI0_21	Mobility - requires help to move in wheelchair	454
HSI0_22	Has difficulty cutting own toenails	455
HSI0_23	Dexterity - able to grasp and handle small objects	456
HSI0_24	Dexterity - requires help due to limitation in hands	456
HSI0_25	Dexterity - requires help with tasks	457
HSI0_26	Dexterity - requires special equipment / hand limitations	457
HSI0_27	Emotion - self perceived happiness	458
HSI0_28	Cognition - ability to remember things	459
HSI0_29	Cognition - memory problems	460
HSI0_3	Vision - able to see	444
HSI0_30	Cognition - ability to think and solve problems	460
HSI0_31	Severity - free of pain or discomfort	461
HSI0_32	Severity - pain or discomfort	462
HSI0_33	Severity - no. of activities prevented by pain	462
HSI0_4	Vision - recognize a friend without glasses / contacts	444
HSI0_5	Vision - recognize a friend with glasses / contacts	445
HSI0_6	Hearing - in group without hearing aid	446
HSI0_7	Hearing - in group with hearing aid	446
HSI0_8	Hearing - able to hear	447
HSI0_9	Hearing - in quiet room with hearing aid	447
HSI0DCOG	Cognition problem - function code - (D)	461
HSI0DDEX	Dexterity problem - function code - (D)	458
HSI0DEMO	Emotional problem - function code - (D)	459
HSI0DHER	Hearing problem - function code - (D)	448
HSI0DHSI	Health Utility Index (HUI3) - (D)	463
HSI0DMOB	Mobility problem - function code - (D)	455
HSI0DPAD	Activities prevented by pain - function code - (D)	463
HSI0DSPE	Speech problem - function code - (D)	451
HSI0DVIS	Vision problem - function code - (D)	445
HSI0FIMP	Imputation flag for Health Status Index	464
HSI2_1	Vision - read newsprint without glasses / contacts	567
HSI2_10	Hearing - in quiet room with hearing aid	572

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI2_11	Speech - understood by strangers in own language	573
HSI2_12	Speech - partially understood by strangers in own language	574
HSI2_13	Speech - completely understood by non-strangers	574
HSI2_14	Speech - partially understood by non-strangers	575
HSI2_15	Mobility - walk without difficulty and without support	576
HSI2_16	Mobility - able to walk	576
HSI2_17	Mobility - requires support to walk	577
HSI2_18	Mobility - requires help of person to walk	577
HSI2_19	Mobility - requires a wheelchair	578
HSI2_2	Vision - read newsprint with glasses / contacts	568
HSI2_20	Mobility - frequency of wheelchair use	578
HSI2_21	Mobility - requires help to move in wheelchair	579
HSI2_22	Has difficulty cutting own toenails	580
HSI2_23	Dexterity - able to grasp and handle small objects	580
HSI2_24	Dexterity - requires help due to limitation in hands	580
HSI2_25	Dexterity - requires help with tasks	581
HSI2_26	Dexterity - requires special equipment / hand limitations	581
HSI2_27	Emotion - self perceived happiness	582
HSI2_28	Cognition - ability to remember things	583
HSI2_29	Cognition - memory problems	584
HSI2_3	Vision - able to see	568
HSI2_30	Cognition - ability to think and solve problems	584
HSI2_31	Severity - free of pain or discomfort	585
HSI2_32	Severity - pain or discomfort	586
HSI2_33	Severity - no. of activities prevented by pain	586
HSI2_4	Vision - recognize a friend without glasses / contacts	569
HSI2_5	Vision - recognize a friend with glasses / contacts	569
HSI2_6	Hearing - in group without hearing aid	570
HSI2_7	Hearing - in group with hearing aid	571
HSI2_8	Hearing - able to hear	571
HSI2_9	Hearing - in quiet room with hearing aid	572
HSI2DCOG	Cognition problem - function code - (D)	585
HSI2DDEX	Dexterity problem - function code - (D)	582
HSI2DEMO	Emotional problem - function code - (D)	583
HSI2DHER	Hearing problem - function code - (D)	573
HSI2DHSI	Health Utility Index (HUI3) - (D)	587

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI2DMOB	Mobility problem - function code - (D)	579
HSI2DPAD	Activities prevented by pain - function code - (D)	587
HSI2DSPE	Speech problem - function code - (D)	575
HSI2DVIS	Vision problem - function code - (D)	570
HSI2FIMP	Imputation flag for Health Status Index	588
HSI4_1	Vision - read newsprint without glasses / contacts	21
HSI4_10	Hearing - in quiet room with hearing aid	26
HSI4_11	Speech - understood by strangers in own language	27
HSI4_12	Speech - partially understood by strangers in own language	28
HSI4_13	Speech - completely understood by non-strangers	28
HSI4_14	Speech - partially understood by non-strangers	29
HSI4_15	Mobility - walk without difficulty and without support	30
HSI4_16	Mobility - able to walk	30
HSI4_17	Mobility - requires support to walk	31
HSI4_18	Mobility - requires help of person to walk	31
HSI4_19	Mobility - requires a wheelchair	32
HSI4_2	Vision - read newsprint with glasses / contacts	22
HSI4_20	Mobility - frequency of wheelchair use	32
HSI4_21	Mobility - requires help to move in wheelchair	33
HSI4_23	Dexterity - able to grasp and handle small objects	34
HSI4_24	Dexterity - requires help due to limitation in hands	34
HSI4_25	Dexterity - requires help with tasks	35
HSI4_26	Dexterity - requires special equipment / hand limitations	35
HSI4_27	Emotion - self perceived happiness	36
HSI4_28	Cognition - ability to remember things	37
HSI4_29	Cognition - memory problems	38
HSI4_3	Vision - able to see	22
HSI4_30	Cognition - ability to think and solve problems	38
HSI4_31	Severity - free of pain or discomfort	39
HSI4_32	Severity - pain or discomfort	40
HSI4_33	Severity - no. of activities prevented by pain	40
HSI4_4	Vision - recognize a friend without glasses / contacts	23
HSI4_5	Vision - recognize a friend with glasses / contacts	23
HSI4_6	Hearing - in group without hearing aid	24
HSI4_7	Hearing - in group with hearing aid	25
HSI4_8	Hearing - able to hear	25

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI4_9	Hearing - in quiet room with hearing aid	26
HSI4DCOG	Cognition problem - function code - (D)	39
HSI4DDEX	Dexterity problem - function code - (D)	36
HSI4DEMO	Emotional problem - function code - (D)	37
HSI4DHER	Hearing problem - function code - (D)	27
HSI4DHSI	Health Utility Index (HUI3) - (D)	41
HSI4DMOB	Mobility problem - function code - (D)	33
HSI4DPAD	Activities prevented by pain - function code - (D)	41
HSI4DSPE	Speech problem - function code - (D)	29
HSI4DVIS	Vision problem - function code - (D)	24
HSI4FIMP	Imputation flag for Health Status Index	42
HSI6_1	Vision - read newsprint without glasses / contacts	161
HSI6_10	Hearing - in quiet room with hearing aid	166
HSI6_11	Speech - understood by strangers in own language	167
HSI6_12	Speech - partially understood by strangers in own language	167
HSI6_13	Speech - completely understood by non-strangers	168
HSI6_14	Speech - partially understood by non-strangers	168
HSI6_15	Mobility - walk without difficulty and without support	169
HSI6_16	Mobility - able to walk	170
HSI6_17	Mobility - requires support to walk	170
HSI6_18	Mobility - requires help of person to walk	171
HSI6_19	Mobility - requires a wheelchair	171
HSI6_2	Vision - read newsprint with glasses / contacts	161
HSI6_20	Mobility - frequency of wheelchair use	172
HSI6_21	Mobility - requires help to move in wheelchair	172
HSI6_22	Has difficulty cutting own toenails	173
HSI6_23	Dexterity - able to grasp and handle small objects	174
HSI6_24	Dexterity - requires help due to limitation in hands	174
HSI6_25	Dexterity - requires help with tasks	175
HSI6_26	Dexterity - requires special equipment / hand limitations	175
HSI6_27	Emotion - self perceived happiness	176
HSI6_28	Cognition - ability to remember things	177
HSI6_29	Cognition - memory problems	178
HSI6_3	Vision - able to see	162
HSI6_30	Cognition - ability to think and solve problems	178
HSI6_31	Severity - free of pain or discomfort	179

## Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI6_32	Severity - pain or discomfort	180
HSI6_33	Severity - no. of activities prevented by pain	180
HSI6_4	Vision - recognize a friend without glasses / contacts	162
HSI6_5	Vision - recognize a friend with glasses / contacts	163
HSI6_6	Hearing - in group without hearing aid	164
HSI6_7	Hearing - in group with hearing aid	164
HSI6_8	Hearing - able to hear	165
HSI6_9	Hearing - in quiet room with hearing aid	165
HSI6DCOG	Cognition problem - function code - (D)	179
HSI6DDEX	Dexterity problem - function code - (D)	176
HSI6DEMO	Emotional problem - function code - (D)	177
HSI6DHER	Hearing problem - function code - (D)	166
HSI6DHSI	Health Utility Index (HUI3) - (D)	181
HSI6DMOB	Mobility problem - function code - (D)	173
HSI6DPAD	Activities prevented by pain - function code - (D)	181
HSI6DSPE	Speech problem - function code - (D)	169
HSI6DVIS	Vision problem - function code - (D)	163
HSI6FIMP	Imputation flag for Health Status Index	182
HSI8_1	Vision - read newsprint without glasses / contacts	317
HSI8_10	Hearing - in quiet room with hearing aid	322
HSI8_11	Speech - understood by strangers in own language	323
HSI8_12	Speech - partially understood by strangers in own language	323
HSI8_13	Speech - completely understood by non-strangers	324
HSI8_14	Speech - partially understood by non-strangers	324
HSI8_15	Mobility - walk without difficulty and without support	325
HSI8_16	Mobility - able to walk	326
HSI8_17	Mobility - requires support to walk	326
HSI8_18	Mobility - requires help of person to walk	327
HSI8_19	Mobility - requires a wheelchair	327
HSI8_2	Vision - read newsprint with glasses / contacts	317
HSI8_20	Mobility - frequency of wheelchair use	328
HSI8_21	Mobility - requires help to move in wheelchair	328
HSI8_22	Has difficulty cutting own toenails	329
HSI8_23	Dexterity - able to grasp and handle small objects	330
HSI8_24	Dexterity - requires help due to limitation in hands	330
HSI8_25	Dexterity - requires help with tasks	331

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
HSI8_26	Dexterity - requires special equipment / hand limitations	331
HSI8_27	Emotion - self perceived happiness	332
HSI8_28	Cognition - ability to remember things	333
HSI8_29	Cognition - memory problems	334
HSI8_3	Vision - able to see	318
HSI8_30	Cognition - ability to think and solve problems	334
HSI8_31	Severity - free of pain or discomfort	335
HSI8_32	Severity - pain or discomfort	336
HSI8_33	Severity - no. of activities prevented by pain	336
HSI8_4	Vision - recognize a friend without glasses / contacts	318
HSI8_5	Vision - recognize a friend with glasses / contacts	319
HSI8_6	Hearing - in group without hearing aid	320
HSI8_7	Hearing - in group with hearing aid	320
HSI8_8	Hearing - able to hear	321
HSI8_9	Hearing - in quiet room with hearing aid	321
HSI8DCOG	Cognition problem - function code - (D)	335
HSI8DDEX	Dexterity problem - function code - (D)	332
HSI8DEMO	Emotional problem - function code - (D)	333
HSI8DHER	Hearing problem - function code - (D)	322
HSI8DHSI	Health Utility Index (HUI3) - (D)	337
HSI8DMOB	Mobility problem - function code - (D)	329
HSI8DPAD	Activities prevented by pain - function code - (D)	337
HSI8DSPE	Speech problem - function code - (D)	325
HSI8DVIS	Vision problem - function code - (D)	319
HSI8FIMP	Imputation flag for Health Status Index	338
<b>HW : Height and weight</b>		
HWI6_2HT	Height	299
HWI6_KG	Weight - kilograms	300
HWI6_LBS	Weight - pounds	300
<b>IN : Income</b>		
INI0_1A	Source of income - Old Age Security	520
INI0_1B	Source of income - benefits from Can. / Que. Pension Plan	521
INI0_1C	Source of income - Guaranteed Income Supplement	521
INI0_1D	Source of income - pensions, superannuation and annuities	522
INI0_1E	Source of income - dividends and interest	522

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
INI0_1F	Source of income - social assistance / welfare	523
INI0_1G	Source of income - wages / salaries / self-employment income	523
INI0_1H	Source of income - other	524
INI0_1I	Source of income - none	524
INI0_2	Total personal income	525
INI2_1A	Source of income - Old Age Security	644
INI2_1B	Source of income - benefits from Can. / Que. Pension Plan	645
INI2_1C	Source of income - Guaranteed Income Supplement	645
INI2_1D	Source of income - pensions, superannuation and annuities	646
INI2_1E	Source of income - dividends and interest	646
INI2_1F	Source of income - social assistance / welfare	647
INI2_1G	Source of income - wages / salaries / self-employment income	647
INI2_1H	Source of income - other	648
INI2_1I	Source of income - none	648
INI2_2	Total personal income	649
INI4_1A	Source of income - Old Age Security	115
INI4_1B	Source of income - benefits from Can. / Que. Pension Plan	114
INI4_1C	Source of income - Guaranteed Income Supplement	115
INI4_1D	Source of income - pensions, superannuation and annuities	116
INI4_1E	Source of income - dividends and interest	118
INI4_1F	Source of income - social assistance / welfare	116
INI4_1G	Source of income - wages / salaries / self-employment income	118
INI4_1H	Source of income - other	119
INI4_1I	Source of income - none	119
INI4_2	Total personal income	120
INI4_90F	Source of income - Workers' Compensation	117
INI4_90G	Source of income - Unemployment Insurance	117
INI6_1A	Source of income - Old Age Security	264
INI6_1B	Source of income - benefits from Can. / Que. Pension Plan	264
INI6_1C	Source of income - Guaranteed Income Supplement	265
INI6_1D	Source of income - pensions, superannuation and annuities	265
INI6_1E	Source of income - dividends and interest	266
INI6_1F	Source of income - social assistance / welfare	266
INI6_1G	Source of income - wages / salaries / self-employment income	267
INI6_1H	Source of income - other	267
INI6_1I	Source of income - none	268



Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
INI6_2	Total personal income	268
INI8_1A	Source of income - Old Age Security	394
INI8_1B	Source of income - benefits from Can. / Que. Pension Plan	395
INI8_1C	Source of income - Guaranteed Income Supplement	395
INI8_1D	Source of income - pensions, superannuation and annuities	396
INI8_1E	Source of income - dividends and interest	396
INI8_1F	Source of income - social assistance / welfare	397
INI8_1G	Source of income - wages / salaries / self-employment income	397
INI8_1H	Source of income - other	398
INI8_1I	Source of income - none	398
INI8_2	Total personal income	399
<b>IP : Institution policy</b>		
IPI0_1	Smoking policy	551
IPI0_2	Alcohol consumption policy	552
IPI0_3	Regular organized activities for residents	552
IPI0_4A	Organized activities - group physical activities	553
IPI0_4B	Organized activities - art or music classes	553
IPI0_4C	Organized activities - social activities	554
IPI0_4D	Organized activities - religious services	554
IPI0_4E	Organized activities - individual activities	555
IPI0_4F	Organized activities - other	555
IPI0_5	Organized activities for the residents' families	556
IPI0_6	Living wills completed before admission	556
IPI0_FS	Institutional Response Code	557
IPI2_1	Smoking policy	678
IPI2_2	Alcohol consumption policy	678
IPI2_3	Regular organized activities for residents	679
IPI2_4A	Organized activities - group physical activities	679
IPI2_4B	Organized activities - art or music classes	680
IPI2_4C	Organized activities - social activities	680
IPI2_4D	Organized activities - religious services	681
IPI2_4E	Organized activities - individual activities	681
IPI2_4F	Organized activities - other	682
IPI2_5	Organized activities for the residents' families	682
IPI2_6	Living wills completed before admission	683
IPI2_FS	Institutional Response Code	683

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
IPI4_1	Smoking policy	147
IPI4_2	Alcohol consumption policy	147
IPI4_4A	Organized activities - physical activities	148
IPI4_Q3	Sharing room policy	148
IPI4_Q5	Pet visits	149
IPI6_1	Smoking policy	301
IPI6_2	Alcohol consumption policy	301
IPI6_3	Regular organized activities for residents	302
IPI6_4A	Organized activities - group physical activities	302
IPI6_4B	Organized activities - art or music classes	303
IPI6_4C	Organized activities - social activities	303
IPI6_4D	Organized activities - religious services	304
IPI6_4E	Organized activities - individual activities	304
IPI6_4F	Organized activities - other	305
IPI6_5	Organized activities for the residents' families	305
IPI6_6	Living wills completed before admission	306
IPI6_FS	Institutional Response Code	306
IPI8_1	Smoking policy	427
IPI8_2	Alcohol consumption policy	427
IPI8_3	Regular organized activities for residents	428
IPI8_4A	Organized activities - group physical activities	428
IPI8_4B	Organized activities - art or music classes	429
IPI8_4C	Organized activities - social activities	429
IPI8_4D	Organized activities - religious services	430
IPI8_4E	Organized activities - individual activities	430
IPI8_4F	Organized activities - other	431
IPI8_5	Organized activities for the residents' families	431
IPI8_6	Living wills completed before admission	432
IPI8_FS	Institutional Response Code	432
<b>RA : Restriction of activity</b>		
RAI0_1A	Limited in kind / amount of activities - within	476
RAI0_1B	Limited in kind / amount of activities - outside	476
RAI0_2	Has long-term disabilities or handicaps	477
RAI0_4	Cause of main health problem	482
RAI0_5	Has a second long-term health problem	482
RAI0_6	Cause of second health problem	487

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
RAI0_7A	Needs help for personal care	487
RAI0_7B	Needs help for moving about inside	488
RAI0_7C	Needs help for moving about outside	488
RAI0_7D	Needs help for getting in and out of bed	489
RAI0_7E	Needs help for getting in or out of a chair	489
RAI0_8	Confined to bed or chair most of the day	490
RAI0CCD1	ICD-10 code - main health problem causing limitations	480
RAI0CCD2	ICD-10 code - second health problem causing limitations	485
RAI0CIC1	ICD-9 code - main health problem causing limitations	478
RAI0CIC2	ICD-9 code - second health problem causing limitations	483
RAI0DNUM	Number of tasks needing help - (D)	490
RAI0F1	Flag for restriction of activity	477
RAI0F3	Flag for main problem causing limitation	477
RAI0F5	Flag for second problem causing limitation	483
RAI0G12A	ICD-9 - main health problem - 12 groups - (D,G)	480
RAI0G12B	ICD-9 - second health problem - 12 groups - (D,G)	485
RAI0G22A	ICD-10 - Main health problem - 22 groups - (D,G)	481
RAI0G22B	ICD-10 - second health problem - 22 groups - (D,G)	486
RAI0G25A	ICD-9 - main health problem - 25 groups - (D,G)	479
RAI0G25B	ICD-9 - second health problem - 25 groups - (D,G)	484
RAI2_1A	Limited in kind / amount of activities - within	600
RAI2_1B	Limited in kind / amount of activities - outside	600
RAI2_2	Has long-term disabilities or handicaps	601
RAI2_4	Cause of main health problem	606
RAI2_5	Has a second long-term health problem	606
RAI2_6	Cause of second health problem	611
RAI2_7A	Needs help for personal care	611
RAI2_7B	Needs help for moving about inside	612
RAI2_7C	Needs help for moving about outside	612
RAI2_7D	Needs help for getting in and out of bed	613
RAI2_7E	Needs help for getting in or out of a chair	613
RAI2_8	Confined to bed or chair most of the day	614
RAI2CCD1	ICD-10 code - main health problem causing limitations	604
RAI2CCD2	ICD-10 code - second health problem causing limitations	609
RAI2CIC1	ICD-9 code - main health problem causing limitations	602
RAI2CIC2	ICD-9 code - second health problem causing limitations	607

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
RAI2DNUM	Number of tasks needing help - (D)	614
RAI2F1	Flag for restriction of activity	601
RAI2F3	Flag for main problem causing limitation	601
RAI2F5	Flag for second problem causing limitation	607
RAI2G12A	ICD-9 - main health problem - 12 groups - (D,G)	604
RAI2G12B	ICD-9 - second health problem - 12 groups - (D,G)	609
RAI2G22A	ICD-10 - Main health problem - 22 groups - (D,G)	605
RAI2G22B	ICD-10 - second health problem - 22 groups - (D,G)	610
RAI2G25A	ICD-9 - main health problem - 25 groups - (D,G)	603
RAI2G25B	ICD-9 - second health problem - 25 groups - (D,G)	608
RAI4_4	Cause of main health problem	63
RAI4_46	Limited in activities	55
RAI4_5	Has a second long-term health problem	63
RAI4_6	Cause of second health problem	68
RAI4_7A	Needs help for personal care	55
RAI4_7B	Needs help for moving about inside	56
RAI4_7D	Needs help for getting in or out of bed	56
RAI4_7E	Needs help for getting in and out of a chair	57
RAI4_8	Confined to bed or chair most of the day	58
RAI4CCD1	ICD-10 code - main health problem causing limitations	61
RAI4CCD2	ICD-10 code - second health problem causing limitations	66
RAI4CIC1	ICD-9 code - main health problem causing limitations	59
RAI4CIC2	ICD-9 code - second health problem causing limitations	64
RAI4DNUM	Number of tasks needing help - (D)	57
RAI4F3	Flag for main problem causing limitation	58
RAI4G12A	Main health problem - 12 groups - (D,G)	61
RAI4G12B	Second health problem -12 groups - (D,G)	66
RAI4G22A	ICD-10 - Main health problem - 22 groups - (D,G)	62
RAI4G22B	ICD-10 - second health problem - 22 groups - (D,G)	67
RAI4G25A	ICD-9 - Main health problem - 25 groups - (D,G)	60
RAI4G25B	ICD-9 - second health problem - 25 groups - (D,G)	65
RAI6_1A	Limited in kind / amount of activities - within	194
RAI6_1B	Limited in kind / amount of activities - outside	194
RAI6_2	Has long-term disabilities or handicaps	195
RAI6_4	Cause of main health problem	200
RAI6_5	Has a second long-term health problem	200

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
RAI6_6	Cause of second health problem	205
RAI6_7A	Needs help for personal care	205
RAI6_7B	Needs help for moving about inside	206
RAI6_7C	Needs help for moving about outside	206
RAI6_7D	Needs help for getting in and out of bed	207
RAI6_7E	Needs help for getting in or out of a chair	207
RAI6_8	Confined to bed or chair most of the day	208
RAI6CCD1	ICD-10 code - main health problem causing limitations	198
RAI6CCD2	ICD-10 code - second health problem causing limitations	203
RAI6CIC1	ICD-9 code - main health problem causing limitations	196
RAI6CIC2	ICD-9 code - second health problem causing limitations	201
RAI6DNUM	Number of tasks needing help - (D)	208
RAI6F1	Flag for restriction of activity	195
RAI6F3	Flag for main problem causing limitation	196
RAI6G12A	ICD-9 - main health problem - 12 groups - (D,G)	198
RAI6G12B	ICD-9 - second health problem - 12 groups - (D,G)	203
RAI6G22A	ICD-10 - Main health problem - 22 groups - (D,G)	199
RAI6G22B	ICD-10 - second health problem - 22 groups - (D,G)	204
RAI6G25A	ICD-9 - main health problem - 25 groups - (D,G)	197
RAI6G25B	ICD-9 - second health problem - 25 groups - (D,G)	202
RAI8_1A	Limited in kind / amount of activities - within	350
RAI8_1B	Limited in kind / amount of activities - outside	350
RAI8_2	Has long-term disabilities or handicaps	351
RAI8_4	Cause of main health problem	356
RAI8_5	Has a second long-term health problem	356
RAI8_6	Cause of second health problem	361
RAI8_7A	Needs help for personal care	361
RAI8_7B	Needs help for moving about inside	362
RAI8_7C	Needs help for moving about outside	362
RAI8_7D	Needs help for getting in and out of bed	363
RAI8_7E	Needs help for getting in or out of a chair	363
RAI8_8	Confined to bed or chair most of the day	364
RAI8CCD1	ICD-10 code - main health problem causing limitations	354
RAI8CCD2	ICD-10 code - second health problem causing limitations	359
RAI8CIC1	ICD-9 code - main health problem causing limitations	352
RAI8CIC2	ICD-9 code - second health problem causing limitations	357

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
RAI8DNUM	Number of tasks needing help - (D)	364
RAI8F1	Flag for restriction of activity	351
RAI8F3	Flag for main problem causing limitation	351
RAI8F5	Flag for second problem causing limitation	357
RAI8G12A	ICD-9 - main health problem - 12 groups - (D,G)	354
RAI8G12B	ICD-9 - second health problem - 12 groups - (D,G)	359
RAI8G22A	ICD-10 - Main health problem - 22 groups - (D,G)	355
RAI8G22B	ICD-10 - second health problem - 22 groups - (D,G)	360
RAI8G25A	ICD-9 - main health problem - 25 groups - (D,G)	353
RAI8G25B	ICD-9 - second health problem - 25 groups - (D,G)	358
<b>SD : Socio-demographics</b>		
AOI	Age at time of immigration - (D)	6
COB	Country of birth	4
COBC	Code for country of birth	4
COBGC	Code for country of birth - (G)	5
IMM	Immigrant status	5
SDI0DRES	Length of time in Canada since immigration - (D)	520
SDI2DRES	Length of time in Canada since immigration - (D)	644
SDI4_3A	Ethnic origin - Canadian	87
SDI4_3B	Ethnic origin - French	88
SDI4_3C	Ethnic origin - English	88
SDI4_3D	Ethnic origin - German	89
SDI4_3E	Ethnic origin - Scottish	89
SDI4_3F	Ethnic origin - Irish	90
SDI4_3G	Ethnic origin - Italian	90
SDI4_3H	Ethnic origin - Ukrainian	91
SDI4_3I	Ethnic origin - Dutch (Netherlands)	91
SDI4_3J	Ethnic origin - Chinese	92
SDI4_3K	Ethnic origin - Jewish	92
SDI4_3L	Ethnic origin - Polish	93
SDI4_3M	Ethnic origin - Portuguese	93
SDI4_3P	Ethnic origin - South Asian	94
SDI4_3Q	Ethnic origin - Black	94
SDI4_3R	Ethnic origin - North American Indian	95
SDI4_3S	Ethnic origin - Métis	95
SDI4_3T	Ethnic origin - Inuit / Eskimo	96

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SDI4_3U	Ethnic origin - other	96
SDI4_4A	First language learned and still understood - English	99
SDI4_4B	First language learned and still understood - French	100
SDI4_4C	First language learned and still understood - Chinese	101
SDI4_4D	First language learned and still understood - Cree	101
SDI4_4G	First language learned and still understood - German	102
SDI4_4H	First language learned and still understood - Greek	102
SDI4_4I	First language learned and still understood - Hungarian	103
SDI4_4J	First language learned and still understood - Italian	103
SDI4_4K	First language learned and still understood - Polish	104
SDI4_4L	First language learned and still understood - Portuguese	105
SDI4_4M	First language learned and still understood - Punjabi	105
SDI4_4N	First language learned and still understood - Spanish	106
SDI4_4Q	First language learned and still understood - Ukrainian	107
SDI4_4R	First language learned and still understood - other	108
SDI4_5A	Can converse - English	97
SDI4_5B	Can converse - French	97
SDI4_5C	Can converse - other language	98
SDI4_5D	Can converse - not able to speak or understand	98
SDI4_6A	Race or colour - White	108
SDI4_6B	Race or colour - Chinese	111
SDI4_6C	Race or colour - South Asian	112
SDI4_6D	Race or colour - Black	109
SDI4_6E	Race or colour - Native / Aboriginal peoples of N. America	111
SDI4_6F	Race or colour - West East Asian or North African	113
SDI4_6G	Race or colour - Filipino	110
SDI4_6H	Race or colour - South East Asian	112
SDI4_6J	Race or colour - Japanese	110
SDI4_6K	Race or colour - Korean	109
SDI4_6L	Race or colour - other	113
SDI4_87C	First language learned and still understood - Arabic	100
SDI4_87J	First language learned and still understood - Korean	104
SDI4_87K	First language learned and still understood - Persian	104
SDI4_87P	First language learned and still understood - Tagalog	106
SDI4_87R	First language learned and still understood - Vietnamese	107
SDI4DLNG	Language in which respondent can converse - (D)	99

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SDI4DRES	Length of time in Canada since immigration - (D)	87
SDI6_3A	Ethnic origin - Canadian	236
SDI6_3B	Ethnic origin - French	236
SDI6_3C	Ethnic origin - English	237
SDI6_3D	Ethnic origin - German	237
SDI6_3E	Ethnic origin - Scottish	238
SDI6_3F	Ethnic origin - Irish	238
SDI6_3G	Ethnic origin - Italian	239
SDI6_3H	Ethnic origin - Ukrainian	239
SDI6_3I	Ethnic origin - Dutch (Netherlands)	240
SDI6_3J	Ethnic origin - Chinese	240
SDI6_3K	Ethnic origin - Jewish	241
SDI6_3L	Ethnic origin - Polish	241
SDI6_3M	Ethnic origin - Portuguese	242
SDI6_3N	Ethnic origin - Swedish	242
SDI6_3O	Ethnic origin - Russian	243
SDI6_3P	Ethnic origin - South Asian	243
SDI6_3Q	Ethnic origin - Black	244
SDI6_3R	Ethnic origin - North American Indian	244
SDI6_3S	Ethnic origin - Métis	245
SDI6_3T	Ethnic origin - Inuit / Eskimo	245
SDI6_3U	Ethnic origin - other	246
SDI6_4A	First language learned and still understood - English	246
SDI6_4B	First language learned and still understood - French	247
SDI6_4C	First language learned and still understood - Chinese	247
SDI6_4D	First language learned and still understood - Cree	248
SDI6_4E	First language learned and still understood - Dutch	248
SDI6_4F	First language learned and still understood - Finnish	249
SDI6_4G	First language learned and still understood - German	249
SDI6_4H	First language learned and still understood - Greek	250
SDI6_4I	First language learned and still understood - Hungarian	250
SDI6_4J	First language learned and still understood - Italian	251
SDI6_4K	First language learned and still understood - Polish	251
SDI6_4L	First language learned and still understood - Portuguese	252
SDI6_4M	First language learned and still understood - Punjabi	252
SDI6_4N	First language learned and still understood - Spanish	253



Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SDI6_4O	First language learned and still understood - Swedish	253
SDI6_4P	First language learned and still understood - Russian	254
SDI6_4Q	First language learned and still understood - Ukrainian	254
SDI6_4R	First language learned and still understood - other	255
SDI6_5A	Can converse - English	255
SDI6_5B	Can converse - French	256
SDI6_5C	Can converse - other language	256
SDI6_5D	Can converse - not able to speak or understand	257
SDI6_6A	Race or colour - White	258
SDI6_6B	Race or colour - Chinese	258
SDI6_6C	Race or colour - South Asian	259
SDI6_6D	Race or colour - Black	259
SDI6_6E	Race or colour - Native / Aboriginal peoples of N. America	260
SDI6_6F	Race or colour - Arab / West Asian	260
SDI6_6G	Race or colour - Filipino	261
SDI6_6H	Race or colour - South East Asian	261
SDI6_6I	Race or colour - Latin American	262
SDI6_6J	Race or colour - Japanese	262
SDI6_6K	Race or colour - Korean	262
SDI6_6L	Race or colour - other	263
SDI6DLNG	Language in which respondent can converse - (D)	257
SDI6DRES	Length of time in Canada since immigration - (D)	235
SDI8DRES	Length of time in Canada since immigration - (D)	394
YOI	Year of immigration to Canada	6
<b>SM : Smoking</b>		
SMI0_1	Type of smoker	498
SMI0_2	Age started smoking daily - daily smoker	498
SMI0_3	Number of cigarettes smoked each day - daily smoker	499
SMI0_4	Ever smoked cigarettes	499
SMI0_5	Ever smoked daily	500
SMI0_6	Age started smoking daily - former daily smoker	500
SMI0_7	Age stopped smoking daily - former daily smoker	501
SMI0DTYP	Type of smoker - (D)	501
SMI0DYRS	Number of years that respondent smoked - (D)	502
SMI2_1	Type of smoker	622
SMI2_2	Age started smoking daily - daily smoker	622

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SMI2_3	Number of cigarettes smoked each day - daily smoker	623
SMI2_4	Ever smoked cigarettes	623
SMI2_5	Ever smoked daily	624
SMI2_6	Age started smoking daily - former daily smoker	624
SMI2_7	Age stopped smoking daily - former daily smoker	625
SMI2DTYP	Type of smoker - (D)	625
SMI2DYRS	Number of years that respondent smoked - (D)	626
SMI4_1	Type of smoker	75
SMI4_2	Age started smoking daily - daily smoker	76
SMI4_3	Number of cigarettes smoked each day - daily smoker	76
SMI4_4	Ever smoked cigarettes	77
SMI4_5	Ever smoked daily	77
SMI4_6	Age started smoking daily - former daily smoker	78
SMI4_7	Age stopped smoking daily - former daily smoker	78
SMI4DTYP	Type of smoker - (D)	79
SMI4DYRS	Number of years that respondent smoked - (D)	79
SMI6_1	Type of smoker	216
SMI6_2	Age started smoking daily - daily smoker	216
SMI6_3	Number of cigarettes smoked each day - daily smoker	217
SMI6_4	Ever smoked cigarettes	217
SMI6_5	Ever smoked daily	218
SMI6_6	Age started smoking daily - former daily smoker	218
SMI6_7	Age stopped smoking daily - former daily smoker	219
SMI6DTYP	Type of smoker - (D)	220
SMI6DYRS	Number of years that respondent smoked - (D)	219
SMI8_1	Type of smoker	372
SMI8_2	Age started smoking daily - daily smoker	372
SMI8_3	Number of cigarettes smoked each day - daily smoker	373
SMI8_4	Ever smoked cigarettes	373
SMI8_5	Ever smoked daily	374
SMI8_6	Age started smoking daily - former daily smoker	374
SMI8_7	Age stopped smoking daily - former daily smoker	375
SMI8DTYP	Type of smoker - (D)	375
SMI8DYRS	Number of years that respondent smoked - (D)	376
<b>SS : Social support</b>		
SSI0_1	Group participant inside facility	505

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SSI0_10	Number of close staff members	510
SSI0_11	Frequency of outings - social / recreational activities	511
SSI0_12A	Reason for outings - visited friends or relatives	511
SSI0_12B	Reason for outings - shopping	512
SSI0_12C	Reason for outings - social / religious events	512
SSI0_12D	Reason for outings - library	513
SSI0_12E	Reason for outings - movies	513
SSI0_12F	Reason for outings - beauty shop	514
SSI0_12G	Reason for outings - music or craft classes	514
SSI0_12H	Reason for outings - community club	515
SSI0_12I	Reason for outings - walks	515
SSI0_12J	Reason for outings - other	517
SSI0_12K	Reason for outings - drive	516
SSI0_12L	Reason for outings - lunch or dinner	516
SSI0_13	Frequency of telephone conversations - friend / relative	518
SSI0_14	Flexibility of daily schedule	517
SSI0_2	Frequency of participation in meetings or activities	505
SSI0_3A	Participation in one-to-one activities	506
SSI0_3B	Frequency of participation in one-to-one activities	506
SSI0_4	Number of close relatives	507
SSI0_5	Frequency of contacts with close relatives	507
SSI0_6	Number of close friends inside facility	508
SSI0_7	Number of close friends outside facility	508
SSI0_8	Frequency of contacts with outside friends	509
SSI0_9	Person seen most often	510
SSI0DCON	Frequency of contact - friends / relatives outside - (D)	519
SSI0DDIV	Diversity of contacts - friends / relatives / staff - (D)	519
SSI0DSIS	Frequency of social involvement - (D)	518
SSI2_1	Group participant inside facility	629
SSI2_10	Number of close staff members	634
SSI2_11	Frequency of outings - social / recreational activities	635
SSI2_12A	Reason for outings - visited friends or relatives	635
SSI2_12B	Reason for outings - shopping	636
SSI2_12C	Reason for outings - social / religious events	636
SSI2_12D	Reason for outings - library	637
SSI2_12E	Reason for outings - movies	637

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SSI2_12F	Reason for outings - beauty shop	638
SSI2_12G	Reason for outings - music or craft classes	638
SSI2_12H	Reason for outings - community club	639
SSI2_12I	Reason for outings - walks	639
SSI2_12J	Reason for outings - other	641
SSI2_12K	Reason for outings - drive	640
SSI2_12L	Reason for outings - lunch or dinner	640
SSI2_13	Frequency of telephone conversations - friend / relative	642
SSI2_14	Flexibility of daily schedule	641
SSI2_2	Frequency of participation in meetings or activities	629
SSI2_3A	Participation in one-to-one activities	630
SSI2_3B	Frequency of participation in one-to-one activities	630
SSI2_4	Number of close relatives	631
SSI2_5	Frequency of contacts with close relatives	631
SSI2_6	Number of close friends inside facility	632
SSI2_7	Number of close friends outside facility	632
SSI2_8	Frequency of contacts with outside friends	633
SSI2_9	Person seen most often	634
SSI2DCON	Frequency of contact - friends / relatives outside - (D)	643
SSI2DDIV	Diversity of contacts - friends / relatives / staff - (D)	643
SSI2DSIS	Frequency of social involvement - (D)	642
SSI4_1	Group participant inside facility	82
SSI4_10	Number of close staff members	85
SSI4_11	Frequency of outings - social / recreational activities	86
SSI4_14	Flexibility of daily schedule	86
SSI4_2	Frequency of participation - meetings or activities	82
SSI4_4	Number of close relatives	83
SSI4_5	Frequency of contacts with close relatives	83
SSI4_6	Number of close friends inside facility	84
SSI4_7	Number of close friends outside facility	84
SSI4_8	Frequency of contacts with outside friends	85
SSI6_1	Group participant inside facility	223
SSI6_10	Number of close staff members	227
SSI6_11	Frequency of outings - social / recreational activities	228
SSI6_12A	Reason for outings - visited friends or relatives	228
SSI6_12B	Reason for outings - shopping	229

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SSI6_12C	Reason for outings - social / religious events	229
SSI6_12D	Reason for outings - library	230
SSI6_12E	Reason for outings - movies	230
SSI6_12F	Reason for outings - beauty shop	231
SSI6_12G	Reason for outings - music or craft classes	231
SSI6_12H	Reason for outings - community club	232
SSI6_12I	Reason for outings - walks	232
SSI6_12J	Reason for outings - other	233
SSI6_13	Frequency of telephone conversations - friend / relative	233
SSI6_2	Frequency of participation - meetings or activities	223
SSI6_3	Participation in one-to-one activities at least once a month	224
SSI6_4	Number of close relatives	224
SSI6_5	Frequency of contacts with close relatives	225
SSI6_6	Number of close friends inside facility	225
SSI6_7	Number of close friends outside facility	226
SSI6_8	Frequency of contacts with outside friends	226
SSI6_9	Person seen most often	227
SSI6DCON	Frequency of contact - friends / relatives outside - (D)	234
SSI6DDIV	Diversity of contacts - friends / relatives / staff - (D)	235
SSI6DSIS	Frequency of social involvement - (D)	234
SSI8_1	Group participant inside facility	379
SSI8_10	Number of close staff members	384
SSI8_11	Frequency of outings - social / recreational activities	385
SSI8_12A	Reason for outings - visited friends or relatives	385
SSI8_12B	Reason for outings - shopping	386
SSI8_12C	Reason for outings - social / religious events	386
SSI8_12D	Reason for outings - library	387
SSI8_12E	Reason for outings - movies	387
SSI8_12F	Reason for outings - beauty shop	388
SSI8_12G	Reason for outings - music or craft classes	388
SSI8_12H	Reason for outings - community club	389
SSI8_12I	Reason for outings - walks	389
SSI8_12J	Reason for outings - other	391
SSI8_12K	Reason for outings - drive	390
SSI8_12L	Reason for outings - lunch or dinner	390
SSI8_13	Frequency of telephone conversations - friend / relative	392

Master File: Health Institutions - Longitudinal Square

January 2007

Variable Name	Description	Page
SSI8_14	Flexibility of daily schedule	391
SSI8_2	Frequency of participation in meetings or activities	379
SSI8_3A	Participation in one-to-one activities	380
SSI8_3B	Frequency of participation in one-to-one activities	380
SSI8_4	Number of close relatives	381
SSI8_5	Frequency of contacts with close relatives	381
SSI8_6	Number of close friends inside facility	382
SSI8_7	Number of close friends outside facility	382
SSI8_8	Frequency of contacts with outside friends	383
SSI8_9	Person seen most often	384
SSI8DCON	Frequency of contact - friends / relatives outside - (D)	393
SSI8DDIV	Diversity of contacts - friends / relatives / staff - (D)	393
SSI8DSIS	Frequency of social involvement - (D)	392
<b>WT : Sample weights</b>		
WFI2LF	Flag: Master - Longitudinal Full Response Subset	684
WFI2SLF	Flag: Share - Longitudinal Full Response Subset	684
WTI2LF	Weight: Master - Longitudinal Full Response Subset	684
WTI2SLF	Weight: Share - Longitudinal Full Response Subset	684
WTI4LS	Weight: Master - Longitudinal Square	683