

Master File - Revised

MAY 2004

Variable Name	Description	Page
ADM : Administration		
ADMB_DAT	Date of interview	6
ADMB_ENT	Identifier of person providing household information	6
ADMB_LHH	Language of preference - household interview	8
ADMB_N10	Respondent alone during interview	8
ADMB_N12	Language of interview	9
ADMB_STA	Response status after processing	6
ADMBDN09	Interview by telephone or in person	7
PERSONID	Person identifier of person selected	1
SAMPLEID	Household identifier	1
AGP : Agoraphobia		
AGPB_01A	Feared - being home alone	458
AGPB_01B	Feared - being in crowds	458
AGPB_01C	Feared - travelling away from home	459
AGPB_01D	Feared - travelling / being alone away from home	459
AGPB_01E	Feared - using public transportation	460
AGPB_01F	Feared - driving a car	460
AGPB_01G	Feared - standing in a line in a public place	461
AGPB_01H	Feared - being in a store	461
AGPB_01I	Feared - being in a movie theatre, auditorium, church	462
AGPB_01J	Feared - being in a restaurant / other public place	462
AGPB_01K	Feared - being in a wide, open field or street	463
AGPB_02	Agora fear ever caused by social/performance fear	463
AGPB_02A	Agora fear always caused by social/performance fear	464
AGPB_031	Remembered exactly age very first time had agora fear	464
AGPB_03A	Age - exactly first time had agora fear	465
AGPB_03B	Age - approximately first time had agora	465
AGPB_04A	Fear type - being alone or separated from loved ones	466
AGPB_04B	Fear type - some real danger like being robbed or assaulted	467
AGPB_04C	Fear type - might get sick to stomach / have diarrhea	467
AGPB_04D	Fear type - might have a panic attack	468
AGPB_04E	Fear type - might have heart attack / other emergency	468
AGPB_04F	Fear type - might become physically ill /without help	469
AGPB_04G	Fear type - might be difficult, embarrassing to escape	469
AGPB_04H	Fear type - some other terrible thing might happen	470

CCHS Cycle 1.2: Topical Index
Master File - Revised
MAY 2004

Page 2

Variable Name	Description	Page
AGPB_06	Age - very first time started avoiding agora situations	470
AGPB_061	Life period when first time avoided agora situations	471
AGPB_08	Particular incident caused very first agora fear	471
AGPB_08A	Had panic attack as a result of particular incident	472
AGPB_09A	Symptom - had heart pounding / racing	472
AGPB_09B	Symptom - was sweating	473
AGPB_09C	Symptom - was trembling or shaking	473
AGPB_09D	Symptom - had a dry mouth	474
AGPB_11A	Symptom - had trouble breathing normally	474
AGPB_11B	Symptom - felt like was choking	475
AGPB_11C	Symptom - had chest pain or discomfort	475
AGPB_11D	Symptom - was nauseous or sick to stomach	476
AGPB_11E	Symptom - was dizzy or faint	476
AGPB_11F	Symptom - feared might lose control, go crazy or pass out	477
AGPB_11G	Symptom - was afraid you might die	477
AGPB_11H	Symptom - had hot flushes or chills	478
AGPB_11I	Symptom - had numbness or tingling sensations	478
AGPB_11J	Symptom - felt like was not really there	479
AGPB_11K	Symptom - felt like things around were not real	479
AGPB_13	Unable to leave home for entire day because of fear	480
AGPB_13A	Length of longest period unable to leave home	480
AGPB_13B	Longest period unable to leave home - number of days	481
AGPB_13C	Longest period unable to leave home - number of weeks	481
AGPB_13D	Longest period unable to leave home - number of months	482
AGPB_13E	Longest period unable to leave home - number of years	482
AGPB_14	Unable to leave home unless accompanied	483
AGPB_15	Fear / avoidance interefered with work/social/relationships	483
AGPB_16	Emotionally upset/worried because of fear / avoidance	484
AGPB_17	Strongly feared or avoided agora situations - 12 mo	484
AGPB_17A	Reference period of most recent agora fear/avoidance - 12 mo	485
AGPB_17B	Age - last time strongly feared / avoided situations	485
AGPB_18	Intensity of hypothetical fear	486
AGPB_19	Frequency - avoided feared agora situations - 12 mo	486
AGPB_201	Level of interference - ability to attend school - 12 mo	488
AGPB_202	Level of interference - ability to work at a job - 12 mo	489
AGPB_20A	Level of interference - home responsibilities - 12 mo	487

Master File - Revised

MAY 2004

Variable Name	Description	Page
AGPB_20C	Level of interference - close relationships - 12 mo	490
AGPB_20D	Level of interference - social life -12 mo	491
AGPB_22	Nbr of days/365 totally unable because of fear - 12 mo	492
AGPB_24	Consulted MD / other prof. about agora fear	492
AGPB_24A	Age - first time consulted prof. about agora fear	493
AGPB_35	Received helpful / effective treatment for agora fear	493
AGPB_35A	Age - first time got helpful treatment for agora fear	494
AGPB_35B	Number of prof. consulted before helpful treatment	494
AGPB_35C	Total nbr of prof. consulted about agora fear - life	495
AGPB_37	Received prof. treatment for agora fear - 12 mo	495
AGPB_38	Hospitalized overnight for agora fear - life	496
AGPB_381	Number of relatives with strong agoraphobic fear	497
AGPB_38A	Age - first time hospitalized overnight for agora fear	496
AGPB_3B1	Life period when very first time had agora fear	466
AGPBD13Y	Longest period unable to leave home (in years) - (D)	497
AGPBDA	Criterion A, Part 1 and 2 - (D)	498
AGPBDAP	Agoraphobia Algorithm - Life - (D)	500
AGPBDAPP	Agoraphobia w/o panic Algorithm - Life - (D)	501
AGPBDB	Criterion B - (D)	499
AGPBDB1	Criterion B, Part 1 - (D)	498
AGPBDB2	Criterion B, Part 2 - (D)	498
AGPBDB3	Criterion B, Part 3 - (D)	499
AGPBDINT	Agoraphobia Interference - Mean - (D)	505
AGPBDON	Age of agoraphobia onset - (D)	502
AGPBDONP	Age of agoraphobia onset (no panic) - (D)	503
AGPBDPA	Criterion A, Part 1 and 2 - (D)	501
AGPBDPA2	Criterion A, Part 2 - (D)	500
AGPBDPB	Criterion B - (D)	501
AGPBDPER	Nbr of years of persistence of agoraphobia - (D)	502
AGPBDPRP	Nbr of years persistence of agora. (without panic) - (D)	503
AGPBDPY	Agoraphobia Algorithm - 12 month - (D)	504
AGPBDPYP	Agoraphobia w/o Panic Algorithm - 12 month - (D)	504
AGPBDRCP	Age at most recent agoraphobic episode (without panic) - (D)	503
AGPBDREC	Age when most recent agoraphobic episode - (D)	502
AGPBFINT	Agoraphobia Interference - (F)	505

ALC : Alcohol Use

Master File - Revised

MAY 2004

Variable Name	Description	Page
ALCB_1	Drank alcohol in past 12 months	509
ALCB_10	Regularly drank more than 12 drinks a week - life	517
ALCB_2	Frequency - drinking alcohol - 12 mo	510
ALCB_3	Frequency - having 5 or more drinks - 12 mo	511
ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	511
ALCB_5	Drank alcohol in past week	512
ALCB_5A1	Number of drinks - Sunday	512
ALCB_5A2	Number of drinks - Monday	513
ALCB_5A3	Number of drinks - Tuesday	513
ALCB_5A4	Number of drinks - Wednesday	514
ALCB_5A5	Number of drinks - Thursday	514
ALCB_5A6	Number of drinks - Friday	515
ALCB_5A7	Number of drinks - Saturday	515
ALCB_5B	Ever had a drink - life	516
ALCB_7A	Reason reduced drinking - dieting	517
ALCB_7B	Reason reduced drinking - athletic training	518
ALCB_7C	Reason reduced drinking - pregnancy	518
ALCB_7D	Reason reduced drinking - getting older	519
ALCB_7E	Reason reduced drinking - drinking too much	519
ALCB_7F	Reason reduced drinking - affected work / studies	520
ALCB_7G	Reason reduced drinking - interfered with family life	520
ALCB_7H	Reason reduced drinking - affected physical health	521
ALCB_7I	Reason reduced drinking - affected social relationships	521
ALCB_7J	Reason reduced drinking - affected financial position	522
ALCB_7K	Reason reduced drinking - affected happiness	522
ALCB_7L	Reason reduced drinking - influence of family / friends	523
ALCB_7M	Reason reduced drinking - other	523
ALCB_8	Age started drinking alcoholic beverages	524
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	516
ALCBDDLY	Average daily alcohol consumption - (D)	525
ALCBDTYP	Type of drinker - (D)	524
ALCBDWKY	Number of drinks - past week - (D)	525
ALD : Alcohol Dependence		
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	526
ALDB_01A	Drunk - at work / school / taking care of child - life	526
ALDB_01L	Drunk - at work / school / taking care of child - life	544

Master File - Revised

MAY 2004

Variable Name	Description	Page
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	527
ALDB_02L	Number of times - drunk at work/school/child care - life	544
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	527
ALDB_03A	Being drunk increased chances of getting hurt - life	528
ALDB_03L	Being drunk increased chances of getting hurt - life	545
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	528
ALDB_04A	Emotional or psychological problems due to alcohol - life	529
ALDB_04L	Emotional or psychological problems due to alcohol - life	545
ALDB_05	Strong desire or urge to drink - 12 mo	529
ALDB_05A	Strong desire or urge to drink - life	530
ALDB_05L	Strong desire or urge to drink - life	546
ALDB_06	Spent month or more getting drunk - 12 mo	530
ALDB_06A	Spent month or more getting drunk - life	531
ALDB_06L	Spent month or more getting drunk - life	546
ALDB_07	Drank much more than intended - 12 mo	531
ALDB_07A	Drank much more than intended - life	532
ALDB_07L	Drank much more than intended - life	547
ALDB_08	Number of times - drank much more than intended - 12 mo	532
ALDB_08L	Number of times - drank much more than intended - life	547
ALDB_09	Had to drink more for the same effect - 12 mo	533
ALDB_09A	Had to drink more for the same effect - life	533
ALDB_09L	Had to drink more for the same effect - life	548
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	534
ALDB_10A	Had symptom during period of cut down/alcohol - life	534
ALDB_10L	Had symptom during period of cut down/no alcohol - life	548
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	535
ALDB_11A	Drank alcohol - even though promised wouldn't - life	535
ALDB_11L	Drank alcohol - even though promised wouldn't - life	549
ALDB_12	Drank alcohol - little time for anything else - 12 mo	536
ALDB_12A	Drank alcohol - little time for anything else - life	536
ALDB_12L	Drank alcohol - little time for anything else - life	549
ALDB_13	Reduced important activities - because of alcohol - 12 mo	537
ALDB_13A	Reduced important activities - because of alcohol - life	537
ALDB_13L	Reduced important activities - because of alcohol - life	550
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	538
ALDB_14A	Continued drinking alcohol despite health problems - life	538

Master File - Revised

MAY 2004

Variable Name	Description	Page
ALDB_14L	Continued drinking alcohol despite health problems - life	550
ALDB_15A	Level of interference - home responsibilities - 12 mo	539
ALDB_15C	Level of interference - close relationships - 12 mo	542
ALDB_15D	Level of interference - social life -12 mo	543
ALDB_5B1	Level of interference - ability to attend school - 12 mo	540
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	541
ALDBDINT	Alcohol interference - mean - 12 months - (D)	552
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	551
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	551
ALDBFINT	Alcohol interference - 12 mo - (F)	553
CCC : Chronic Conditions		
CCCB_011	Has food allergies	34
CCCB_021	Has allergies other than food allergies	34
CCCB_031	Has asthma	35
CCCB_041	Has fibromyalgia	35
CCCB_051	Has arthritis or rheumatism	36
CCCB_061	Has back problems excluding fibromyalgia and arthritis	36
CCCB_071	Has high blood pressure	37
CCCB_081	Has migraine headaches	37
CCCB_101	Has diabetes	39
CCCB_111	Has epilepsy	39
CCCB_121	Has heart disease	40
CCCB_131	Has cancer	40
CCCB_141	Has stomach or intestinal ulcers	41
CCCB_151	Suffers from the effects of a stroke	41
CCCB_171	Has a bowel disorder / Crohn's Disease or colitis	42
CCCB_181	Has Alzheimer's disease or other dementia	42
CCCB_191	Has cataracts	43
CCCB_201	Has glaucoma	43
CCCB_211	Has a thyroid condition	44
CCCB_251	Has chronic fatigue syndrome	44
CCCB_261	Suffers from multiple chemical sensitivities	45
CCCB_271	Has schizophrenia	45
CCCB_281	Has other psychosis	46
CCCB_291	Has obsessive-compulsive disorder	46
CCCB_301	Has dysthymia	47

Master File - Revised

MAY 2004

Variable Name	Description	Page
CCCB_311	Suffers from post-traumatic stress disorder	47
CCCB_321	Has autism or any other developmental disorder	48
CCCB_331	Has a learning disability	48
CCCB_33A	Attention Deficit Disorder, no hyperactivity	49
CCCB_33B	Attention Deficit Hyperactivity Disorder	49
CCCB_33C	Suffers from Dyslexia	50
CCCB_33D	Other learning disabilities	50
CCCB_341	Eating disorder such as anorexia or bulimia	51
CCCB_901	Other long-term physical or mental health condition	51
CCCB_91A	Has chronic bronchitis	38
CCCB_91B	Has emphysema or chronic obstructive pulmonary disease	38
CCCBF1	Has a chronic condition	52
CPG : Problem Gambling		
CPGB_01A	Frequency - spending money on instant win tickets	589
CPGB_01B	Frequency - spending money on lottery tickets	590
CPGB_01C	Frequency - spending money on bingo	591
CPGB_01D	Frequency - spending money on cards/boards games	592
CPGB_01E	Frequency - spending money on VLTs/outside casinos	593
CPGB_01F	Frequency - spending money on VLTs/at casinos	594
CPGB_01G	Frequency - spending money on other games/at casinos	595
CPGB_01H	Frequency - spending money on internet/arcade gambling	596
CPGB_01I	Frequency - spending money on live horse racing	597
CPGB_01J	Frequency - spending money on sports lotteries	598
CPGB_01K	Frequency - spending money on speculative investments	599
CPGB_01L	Frequency - spending money on games of skill	600
CPGB_01M	Frequency - spending money on other forms of gambling	601
CPGB_01N	Amount of money spent on gambling activities	602
CPGB_02	Frequency - spent more than wanted on gambling	602
CPGB_03	Frequency - gambled more money for same feeling	603
CPGB_04	Frequency - returned to try to win back money lost	603
CPGB_05	Frequency - borrowed money/sold to get \$ for gambling	604
CPGB_06	Frequency - felt might have a problem with gambling	604
CPGB_07	Frequency - gambling caused any health problems	605
CPGB_08	Frequency - people criticized respondent's betting	605
CPGB_09	Frequency - gambling caused financial problems	606
CPGB_10	Frequency - felt guilty about gambling	606

Master File - Revised

MAY 2004

Variable Name	Description	Page
CPGB_11	Frequency - lied to hide gambling	607
CPGB_12	Frequency - wanted to stop betting but thought could not	607
CPGB_13	Frequency - bet more than could afford to lose	608
CPGB_14	Frequency - tried to quit/cut down; but unable	608
CPGB_15	Frequency - gambled to forget problems/feel better	609
CPGB_16	Frequency - gambling caused problem with family/friends	609
CPGB_17	Other family member with gambling problems	610
CPGB_18	Used alcohol or drugs while gambling	610
CPGB_19A	Level of interference - home responsibilities - 12 mo	611
CPGB_19C	Level of interference - close relationships - 12 mo	614
CPGB_19D	Level of interference - social life -12 mo	615
CPGB_9B1	Level of interference - ability to attend school - 12 mo	612
CPGB_9B2	Level of interference - ability to work at a job - 12 mo	613
CPGBDACT	Number of different types of gambling activities - (D)	617
CPGBDSEV	Problem gambling severity index - (D)	616
CPGBDTYP	Type of gambler - (D)	616
CPGBFGAM	Gambling Activity - Gambler vs. Non-gambler - (F)	615
DEP : Depression		
DEPB_01	Period when discouraged about how things were going - life	133
DEPB_01A	Period when lost interest in most things - life	133
DEPB_01B	Period when lost interest in most things - life	134
DEPB_02	Period when lost interest in most things - life	134
DEPB_09	2-week period when lost interest in most things - life	135
DEPB_12	2-week period when lost interest in most things - life	135
DEPB_16	Daily duration - being sad/discouraged/uninterested - life	136
DEPB_17	Intensity of emotional distress during periods - life	136
DEPB_18	Frequency - distress so severe, nothing cheer up - life	137
DEPB_19	Frequency - distress severe/could not carry daily - life	137
DEPB_21	Had depressive-like symptoms during episodes - life	138
DEPB_22	Experienced one particular worst episode - life	138
DEPB_22A	Age - when worst episode started	139
DEPB_22B	Worst episode - duration	139
DEPB_22C	Worst episode - number of days	140
DEPB_22D	Worst episode - number of weeks	140
DEPB_22E	Worst episode - number of months	141
DEPB_22F	Worst episode - number of years	141

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPB_23A	Age - when last bad episode occurred	142
DEPB_23B	Last bad episode - duration	142
DEPB_23C	Last bad episode - number of days	143
DEPB_23D	Last bad episode - number of weeks	143
DEPB_23E	Last bad episode - number of months	144
DEPB_23F	Last bad episode - number of years	144
DEPB_24A	Symptom - felt sad, empty or depressed	145
DEPB_24B	Symptom - felt so sad that nothing could cheer up	145
DEPB_24C	Symptom - felt discouraged about how things were going	146
DEPB_24D	Symptom - felt hopeless about future	146
DEPB_24E	Symptom - lost interest in almost all things	147
DEPB_24F	Symptom - felt like nothing was fun	147
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	149
DEPB_262	Pounds or kilograms	150
DEPB_263	Symptom - weight loss result of diet/physical illness	151
DEPB_264	Pounds or kilograms	152
DEPB_265	Symptom - could not cope with everyday responsibilities	163
DEPB_266	Symptom - wanted to be alone rather than with friends	163
DEPB_267	Symptom - felt less talkative than usual	164
DEPB_268	Symptom - was often in tears	164
DEPB_26A	Symptom - had much smaller appetite than usual	148
DEPB_26B	Symptom - had much larger appetite than usual	148
DEPB_26C	Symptom - gained weight without trying to	149
DEPB_26D	Amount of weight gained	150
DEPB_26E	Symptom - lost weight without trying to	151
DEPB_26F	Amount of weight lost	152
DEPB_26G	Symptom - had more trouble falling/staying asleep	153
DEPB_26H	Symptom - slept more than usual	153
DEPB_26I	Symptom - slept less than usual/still not tired	154
DEPB_26J	Symptom - felt tired/low in energy	154
DEPB_26K	Symptom - had more energy than usual	155
DEPB_26L	Symptom - talked/moved more slowly than normal	155
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	156
DEPB_26N	Symptom - restless/jittery/couldn't sit still	156
DEPB_26O	Symptom - others noticed respondent was restless	157
DEPB_26P	Symptom - thoughts came more slowly than usual	157

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
DEPB_26Q	Symptom - thoughts jumped/raced through head	158
DEPB_26R	Symptom - had more trouble concentrating	158
DEPB_26S	Symptom - unable to make up mind	159
DEPB_26T	Symptom - lost self-confidence	159
DEPB_26U	Symptom - felt was not as good as other people	160
DEPB_26V	Symptom - felt totally worthless	160
DEPB_26W	Symptom - felt guilty nearly every day	161
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	161
DEPB_26Y	Symptom - felt nervous/anxious most days	162
DEPB_26Z	Symptom - had attacks of intense fear or panic	162
DEPB_28	Depressive feelings interfere with work/social/relationships	198
DEPB_281	Depressive feelings interfere with work/social/relationships	199
DEPB_28A	Frequency - feelings = unable carry out daily activities	200
DEPB_29A	Depressive episodes due to physical causes	200
DEPB_29B	Physical causes always cause depressive episodes	201
DEPB_30	Episodes ever occur just after someone close died	211
DEPB_30A	Episodes always occurred after someone close died	211
DEPB_31	Number of episodes lasting 2 weeks or longer - life	212
DEPB_37	Remembered exactly age of very first depressive episode	212
DEPB_371	Life period when very first depressive episode occurred	214
DEPB_372	Episode triggered by stressful/unexpected event	214
DEPB_37A	Age - exactly very first depressive episode	213
DEPB_37B	Age - approximately very first depressive episode	213
DEPB_38	Had 2-week or longer depressive episode - 12 mo	217
DEPB_38B	Number of days out of 365 in depressive episode	226
DEPB_38C	Age - last time had depressive episode	227
DEPB_39A	Length of longest depressive episode ever had	227
DEPB_39B	Longest depressive episode ever had - number of days	228
DEPB_39C	Longest depressive episode ever had - number of weeks	228
DEPB_39D	Longest depressive episode ever had - number of months	229
DEPB_39E	Longest depressive episode ever had - number of years	229
DEPB_531	Nbr of 2-week episodes brought on by stressful experience	230
DEPB_54	Number of years had at least one depressive episode	230
DEPB_56	Longest number of yrs in a row had at least 1 episode/year	231
DEPB_58	Ever had period lasting full year when episode most days	231
DEPB_59	Number of years had episode most days - life	232

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPB_59A	Age - 1st time had full year when episode most days	232
DEPB_61	Longest number of years in a row in episode most days	233
DEPB_64A	Frequency - felt cheerful - 12 mo	233
DEPB_64B	Frequency - felt slowed down - 12 mo	234
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	234
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	235
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	235
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	236
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	236
DEPB_661	Level of interference - ability to attend school - 12 mo	238
DEPB_662	Level of interference - ability to work at a job - 12 mo	239
DEPB_66A	Level of interference - home responsibilities - 12 mo	237
DEPB_66C	Level of interference - close relationships - 12 mo	240
DEPB_66D	Level of interference - social life - 12 mo	241
DEPB_68	Nbr of days/365 totally unable because of feelings	242
DEPB_6A	Symptom - thought a lot about own death/death in general	165
DEPB_6B	Symptom - thought it would be better if dead	165
DEPB_72	Consulted MD/other prof. about feelings	242
DEPB_721	Age - first time consulted prof. about feelings	243
DEPB_72A	Age - first time consulted prof. about feelings	243
DEPB_73	Received helpful/effective treatment for feelings	244
DEPB_73A	Age - first time got helpful treatment for feelings	244
DEPB_73B	Number of prof. consulted before helpful treatment	245
DEPB_74	Total nbr of prof. consulted about feelings - life	245
DEPB_7CA	Length of very first depressive episode	215
DEPB_7CB	Very first depressive episode - number of days	215
DEPB_7CC	Very first depressive episode - number of weeks	216
DEPB_7CD	Very first depressive episode - number of months	216
DEPB_7CE	Very first depressive episode - number of years	217
DEPB_86	Received prof. treatment for feelings - 12 mo	246
DEPB_87	Hospitalized overnight for feelings - life	246
DEPB_871	Age - first time hospitalized overnight for feelings	247
DEPB_87A	Age - first time hospitalized overnight for feelings	247
DEPB_88	Nbr of close relatives ever had depressive episode	248
DEPB_8A	Reference period of depressive episode - 12 mo	218
DEPB_8A1	Number of different episodes - 12 mo	218

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPB_8A2	Month - when single past 12 months episode started	219
DEPB_8A3	Year - when single past 12 months episode started	220
DEPB_8A6	Single past 12 months episode ended / on-going	223
DEPB_8A9	First past 12 months episode ended / on-going	226
DEPB_8AA	Length of single episode - 12 mo	220
DEPB_8AB	Single past 12 months episode - number of days	221
DEPB_8AC	Single past 12 months episode - number of weeks	221
DEPB_8AD	Single past 12 months episode - number of months	222
DEPB_8AE	Single past 12 months episode - number of years	222
DEPB_8BA	Length of first past 12 months episode	223
DEPB_8BB	First past 12 months episode - number of days	224
DEPB_8BC	First past 12 months episode - number of weeks	224
DEPB_8BD	First past 12 months episode - number of months	225
DEPB_8BE	First past 12 months episode - number of years	225
DEPB_9CA	Physical exclusion - exhaustion	201
DEPB_9CB	Physical exclusion - hyperventilation	202
DEPB_9CC	Physical exclusion - hypochondria	202
DEPB_9CD	Physical exclusion - menstrual cycle	203
DEPB_9CE	Physical exclusion - pregnancy/postpartum	203
DEPB_9CF	Physical exclusion - thyroid disease	204
DEPB_9CG	Physical exclusion - cancer	204
DEPB_9CH	Physical exclusion - overweight	205
DEPB_9CI	Physical exclusion - medication (excluding illicit drugs)	205
DEPB_9CJ	Physical exclusion - illicit drugs	206
DEPB_9CK	Physical exclusion - alcohol	206
DEPB_9CL	Physical exclusion - chemical / serotonin imbalance	207
DEPB_9CM	Physical exclusion - chronic pain	207
DEPB_9CN	Physical exclusion - caffeine	208
DEPB_9CO	Physical exclusion - no specific diagnosis	208
DEPB_9CP	Physical exclusion - other	209
DEPB_9CQ	Physical exclusion - accident	209
DEPB_9CR	Physical exclusion - emotional/social/economic reason	210
DEPB_9CS	Physical exclusion - Other - Physical causes, etc.	210
DEPB_A	Suicide - ideation during worst / bad episode	166
DEPB_A1	Suicide - ideation - life	166
DEPB_A1A	Suicide - ideation - 12 mo	167

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPB_A1B	Suicide - ideation - 12 mo	171
DEPB_A2	Suicide - age when last ideation occurred	167
DEPB_A7	Suicide - ideation - consulted - professional	174
DEPB_AAA	Suicide - ideation - consulted - psychiatrist	175
DEPB_AAB	Suicide - ideation - consulted - family doctor or g.p.	175
DEPB_AAC	Suicide - ideation - consulted - psychologist	176
DEPB_AAD	Suicide - ideation - consulted - nurse	176
DEPB_AAE	Suicide - ideation - consulted - social worker/counsellor	177
DEPB_AAF	Suicide - ideation - consulted - relig/spiritual advisor	177
DEPB_AAG	Suicide - ideation - consulted - teacher/counsellor	178
DEPB_AAH	Suicide - ideation - consulted - other professional	178
DEPB_ABA	Suicide - ideation - hospitalized as overnight patient	179
DEPB_ABB	Suicide - ideation - health professional's office	179
DEPB_ABC	Suicide - ideation - hospital emergency room	180
DEPB_ABD	Suicide - ideation - psychiatric outpatient clinic	180
DEPB_ABE	Suicide - ideation - drug or alcohol outpatient clinic	181
DEPB_ABF	Suicide - ideation - other hospital outpatient clinic	181
DEPB_ABG	Suicide - ideation - Walk-in clinic	182
DEPB_ABH	Suicide - ideation - Appointment clinic	182
DEPB_ABI	Suicide - ideation - community health centre/CLSC	183
DEPB_ABJ	Suicide - ideation - at work	183
DEPB_ABK	Suicide - ideation - at school	184
DEPB_ABL	Suicide - ideation - at home	184
DEPB_ABM	Suicide - ideation - telephone consultation only	185
DEPB_ABN	Suicide - ideation - church/other religious assembly place	185
DEPB_ABO	Suicide - ideation - other contact place	186
DEPB_B	Suicide - plan during worst/bad episode or 12 mo	168
DEPB_B1C	Suicide - plan - 12 mo	171
DEPB_C	Suicide - attempt during worst/bad episode	168
DEPB_C1	Suicide - attempt - life	170
DEPB_C1A	Suicide - attempt - 12 mo	170
DEPB_C1D	Suicide - age when last attempt occurred	172
DEPB_C2	Suicide - age when attempt occurred	172
DEPB_C3	Suicide - attempt resulted in injury or poisoning	173
DEPB_C4	Suicide - medical attention following most recent attempt	173
DEPB_C5	Suicide - hospitalized overnight following recent attempt	174

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPB_CA	Suicide - more recent attempt since worst/bad episode	169
DEPB_CB	Suicide - attempt - life	169
DEPB_D8	Suicide - consulted - professional	186
DEPB_DAA	Suicide - consulted - psychiatrist	187
DEPB_DAB	Suicide - consulted - family doctor or g.p.	187
DEPB_DAC	Suicide - consulted - psychologist	188
DEPB_DAD	Suicide - consulted - nurse	188
DEPB_DAE	Suicide - consulted - social worker/counsellor	189
DEPB_DAF	Suicide - consulted - religious/spiritual advisor	189
DEPB_DAG	Suicide - consulted - teacher or counsellor	190
DEPB_DAH	Suicide - consulted - other professional	190
DEPB_DBA	Suicide - hospitalized as overnight patient	191
DEPB_DBB	Suicide - health professional's office	191
DEPB_DBC	Suicide - hospital emergency room	192
DEPB_DBD	Suicide - psychiatric outpatient clinic	192
DEPB_DBE	Suicide - drug or alcohol outpatient clinic	193
DEPB_DBF	Suicide - other hospital outpatient clinic	193
DEPBDBG	Suicide - walk-in clinic	194
DEPB_DBH	Suicide - appointment clinic	194
DEPB_DBI	Suicide - community health centre/CLSC	195
DEPB_DBJ	Suicide - at work	195
DEPB_DBK	Suicide - at school	196
DEPB_DBL	Suicide - at home	196
DEPB_DBM	Suicide - telephone consultation only	197
DEPB_DBN	Suicide - church/other religious place	197
DEPB_DBO	Suicide - other contact place	198
DEPBD22Y	Length of time in years - worst episode - (D)	248
DEPBD23Y	Length of time in years - last episode - (D)	249
DEPBD39Y	Length of time in years - longest episode - (D)	251
DEPBD664	Interference Level (cut-off at 4) - (D)	255
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	259
DEPBD7CY	Length of time in years - first episode - (D)	249
DEPBD8AY	Length of time in years - single 12 mo episode - (D)	250
DEPBD8BY	Length of time in years - first of several 12 mo episode-(D)	250
DEPBDA	Criterion A, Part 1 and 2 - (D)	255
DEPBDA1	Criterion A, Part 1 - (D)	251

Master File - Revised

MAY 2004

Variable Name	Description	Page
DEPBDA2	Criterion A, Part 2 - (D)	254
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	251
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	252
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	252
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	252
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	253
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	253
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	253
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	254
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	254
DEPBDC	Criterion C, Part 1 and 2 - (D)	256
DEPBDC1	Criterion C, Part 1 - (D)	255
DEPBDC2	Criterion C, Part 2 - (D)	256
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	262
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	264
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	261
DEPBDE1	Criterion E, Part 1 - (D)	257
DEPBDE2	Criterion E, Part 2 - (D)	259
DEPBDE21	Criterion E, Part 2.1 - (D)	257
DEPBDE22	Criterion E, Part 2.2 - (D)	257
DEPBDE23	Criterion E, Part 2.3 - (D)	258
DEPBDE24	Criterion E, Part 2.4 - (D)	258
DEPBDE25	Criterion E, Part 2.5 - (D)	258
DEPBDE26	Criterion E, Part 2.6 - (D)	259
DEPBDE3	Criterion E, Part 3 - (D)	261
DEPBDE3A	Criterion E, Part 3A - (D)	260
DEPBDE3B	Criterion E, Part 3B - (D)	260
DEPBDE3C	Criterion E, Part 3C - (D)	260
DEPBDE3E	Criterion E, Part 3E - (D)	261
DEPBDINT	Depression Interference - Mean - (D)	266
DEPBDON	Age at major depression onset - (D)	262
DEPBDPER	Nbr of years of major depression persistence - (D)	263
DEPBDREC	Age at most recent major depressive episode - (D)	262
DEPBDYA	Criterion A - 12 month - (D)	263
DEPBDYB	Criterion B - 12 month - (D)	263
DEPBDYC	Criterion C - 12 month - (D)	264

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
DEPBFIN	Depression interference - (F)	267
DEPBFLA	Suicide - attempt - life - (F)	265
DEPBFLT	Suicide - thought - life - (F)	264
DEPBFSYA	Suicide - attempt - 12 mo - (F)	266
DEPBFSYT	Suicide - thought - 12 mo - (F)	265
DEPBISYA	Imputation flag for DEPBFSYA - (I)	266
DEPBISYT	Imputation flag for DEPBFSYT - (I)	265
DHH : Demographic and Household Variables		
DHHB_AGE	Age	9
DHHB_BED	Dwelling - number of bedrooms	1016
DHHB_DOB	Day of birth	11
DHHB_MOB	Month of birth	10
DHHB_MS	Marital status	12
DHHB_OW	Dwelling - owned by a member of household	1015
DHHB_SEX	Sex	11
DHHB_YOB	Year of birth	10
DHHBD611	Number of persons 6 to 11 years old in household - (D)	1013
DHHBDDWE	Type of dwelling - (D)	1015
DHHBDECF	Household type - (D)	1013
DHHBDHSZ	Household size - (D)	1012
DHHBDL12	Number of persons less than 12 years old in household - (D)	1012
DHHBDLE5	Number of persons 5 years old or less in household - (D)	1012
DHHBDLVG	Living arrangement of selected respondent - (D)	1014
DIS : Distress		
DISB_10A	Frequency - distress: felt tired out - past month	115
DISB_10B	Frequency - distress: felt nervous - past month	115
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	116
DISB_10D	Frequency - distress: felt hopeless - past month	116
DISB_10E	Frequency - distress: felt restless / fidgety - past month	117
DISB_10F	Frequency - distress: could not sit still - past month	117
DISB_10G	Frequency - distress: felt sad / depressed - past month	118
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	118
DISB_10I	Frequency - distress: felt everything effort - past month	119
DISB_10J	Frequency - distress: felt worthless - past month	119
DISB_10K	Frequency - distress: occurrence of feelings - past month	120

Master File - Revised

MAY 2004

Variable Name	Description	Page
DISB_10L	Degree of higher occurrence of feelings - past month	120
DISB_10M	Degree of lower occurrence of feelings - past month	121
DISB_10N	Interference - feelings in life / activities - past month	121
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	123
DISBDDSX	Distress scale - K10 - past month - (D)	122
DISBDK6	Distress scale - K6 - past month - (D)	122
DSM : DSM-IV Disorder General		
MHPBDAON	Age of onset - Selected disorders - (D)	509
MHPBFINT	Reported interference - (F)	508
MHPBFL	Selected disorders dependence - life - (F)	506
MHPBFLA	Selected anxiety disorders - life - (F)	506
MHPBFLM	Selected mood disorders - life - (F)	506
MHPBFY	Selected disorders/substance dependence - 12 mo - (F)	507
MHPBFYA	Selected anxiety disorder - 12 mo - (F)	508
MHPBFYM	Selected mood disorders - 12 mo - (F)	507
MHPBFYSA	Selected substance dependence - 12 mo - (F)	508
EDU : Education		
EDUB_1	Highest grade of elementary or high school ever completed	1008
EDUB_2	Graduated from high school (secondary school)	1008
EDUB_3	Received any other education	1009
EDUB_4	Highest degree, certificate or diploma obtained	1009
EDUBDH04	Highest level of education - household, 4 levels - (D)	1011
EDUBDH10	Highest level of education - household, 10 levels - (D)	1011
EDUBDR04	Highest level of education - respondent, 4 levels - (D)	1010
EDUBDR10	Highest level of education - respondent, 10 levels - (D)	1010
ETA : Eating Troubles		
ETAB_01A	Had a strong fear of being too fat/overweight - life	617
ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	618
ETAB_02	Frequency - terrified of being overweight	618
ETAB_03	Frequency - avoided eating when hungry	619
ETAB_04	Frequency - preoccupied with food	619
ETAB_05	Frequency - went on eating binges	620
ETAB_06	Frequency - cut food into small pieces	620
ETAB_07	Frequency - was aware of calorie content	621
ETAB_08	Frequency - avoided food with high carbohydrate content	621

Master File - Revised

MAY 2004

Variable Name	Description	Page
ETAB_09	Frequency - eating more would be appreciated by others	622
ETAB_10	Frequency - vomited after eating	622
ETAB_11	Frequency - felt guilty after eating	623
ETAB_12	Frequency - preoccupied with desire to be thinner	624
ETAB_13	Frequency - thought of burning up calories when exercising	625
ETAB_14	Frequency - respondent too thin according to others	626
ETAB_15	Frequency - preoccupied with having fat on body	627
ETAB_16	Frequency - took longer to eat meals	628
ETAB_17	Frequency - avoided foods with sugar	629
ETAB_18	Frequency - ate diet foods	630
ETAB_19	Frequency - felt food controlled life	631
ETAB_20	Frequency - displayed self-control around food	632
ETAB_21	Frequency - others pressured to eat	633
ETAB_22	Frequency - gave too much time/thought to food	634
ETAB_23	Frequency - felt uncomfortable after eating sweets	635
ETAB_24	Frequency - engaged in dieting behaviour	636
ETAB_25	Frequency - liked stomach to be empty	637
ETAB_26	Frequency - had impulse to vomit after meals	638
ETAB_27	Frequency - enjoyed trying new rich food	639
ETABDIND	Eating Attitude Test Index Score - (D)	639
ETABFIND	Eating Attitude Test Index - (F)	640
GEN : General Health		
GENB_01	Self-perceived health	12
GENB_02	Self-perceived health compared to one year ago	13
GENB_03	Number of hours spent sleeping per night	14
GENB_04	Frequency - trouble sleeping	15
GENB_05	Frequency - find sleep refreshing	15
GENB_06	Frequency - find it difficult to stay awake	16
GENB_07	Self-perceived stress	16
GENB_08	Worked at job or business in the past 12-months	17
GENB_09	Self-perceived work stress	17
GENB_10	Sense of belonging to local community	18
GENBDHDI	Health description index - (D)	18
GEO : Geographic Identifiers		
GEOB_HR4	Health region	2

Master File - Revised

MAY 2004

Variable Name	Description	Page
GEOB_PC	Postal code	2
GEOB_PRV	Province	1
GEOBDCCD	Census Division - (D)	3
GEOBDCMA	Census Metropolitan Area - (D)	4
GEOBDCSD	Census Sub-Division - (D)	3
GEOBDEA	Enumeration Area - (D)	3
GEOBDFED	Federal Electoral District - (D)	3
GEOBDUR2	Rural and Urban Area - 2 Levels - (D)	5
GEOBDUR5	Rural and Urban Area - 5 Levels - (D)	5
HWT : Height and Weight		
HWTB_1	Currently pregnant	52
HWTB_2	Height	53
HWTB_2A	Height - exact height from 1'0" to 1'11"	53
HWTB_2B	Height - exact height from 2'0" to 2'11"	54
HWTB_2C	Height - exact height from 3'0" to 3'11"	54
HWTB_2D	Height - exact height from 4'0" to 4'11"	55
HWTB_2E	Height - exact height from 5'0" to 5'11"	56
HWTB_2F	Height - exact height from 6'0" to 6'11"	57
HWTB_3	Weight	57
HWTB_4	Respondent's opinion of own weight	58
HWTB_N4	Weight in pounds or kilograms	58
HWTBDBMI	Body Mass Index - (D)	61
HWTBDHTI	Height - inches - (D)	60
HWTBDHTM	Height - meters - (D)	59
HWTBDSW	Standard weight - (D)	62
HWTBDWTK	Weight - kilograms - (D)	60
HWTBDWTP	Weight - pounds - (D)	61
IDG : Illicit Drugs		
IDGB_01	Used - marijuana, cannabis, hashish - life	553
IDGB_02	Used - marijuana, cannabis, hashish - 12 mo	554
IDGB_03	Frequency - marijuana, cannabis, hashish - 12 mo	554
IDGB_04	Used - cocaine, crack - life	555
IDGB_05	Used - cocaine, crack - 12 mo	555
IDGB_06	Frequency - cocaine, crack - 12 mo	556
IDGB_07	Used - speed (amphetamines) - life	556

CCHS Cycle 1.2: Topical Index

Page 20

Master File - Revised

MAY 2004

Variable Name	Description	Page
IDGB_08	Used - speed (amphetamines) - 12 mo	557
IDGB_09	Frequency - speed (amphetamines) - 12 mo	557
IDGB_10	Used - ecstasy (MDMA) - life	558
IDGB_11	Used - ecstasy (MDMA) - 12 mo	558
IDGB_12	Frequency - ecstasy (MDMA) - 12 mo	559
IDGB_13	Used - hallucinogens, PCP, LSD - life	559
IDGB_14	Used - hallucinogens, PCP, LSD - 12 mo	560
IDGB_15	Frequency - hallucinogens, PCP, LSD - 12 mo	560
IDGB_16	Sniffed - glue, gasoline, other solvents - life	561
IDGB_17	Sniffed - glue, gasoline, other solvents - 12 mo	561
IDGB_18	Frequency - glue, gasoline, other solvents - 12 mo	562
IDGB_19	Used - heroin - life	562
IDGB_20	Used - heroin - 12 mo	563
IDGB_21	Frequency - heroin - 12 mo	563
IDGB_22	Used - steroids - life	564
IDGB_23	Used - steroids - 12 mo	564
IDGB_24	Frequency - steroids - 12 mo	565
IDGB_25A	Needed more drugs than usual to get high - 12 mo	566
IDGB_25B	Had symptom during period of cut down/no drugs - 12 mo	567
IDGB_25C	Used drugs to prevent having symptoms - 12 mo	568
IDGB_25D	Used drugs - even though promised wouldn't - 12 mo	569
IDGB_25E	Used drugs more frequently than intended - 12 mo	570
IDGB_25F	Used drugs - little time for anything else - 12 mo	571
IDGB_25G	Reduced important activities - because of drugs - 12 mo	572
IDGB_25H	Continued taking drugs despite health problems - 12 mo	573
IDGB_26A	Level of interference - home responsibilities - 12 mo	574
IDGB_26C	Level of interference - close relationships - 12 mo	577
IDGB_26D	Level of interference - social life - 12 mo	578
IDGB_5A1	Needed more drugs than usual to get high - life	566
IDGB_5AA	Took drugs at least once monthly for a year - life	565
IDGB_5AL	Needed more drugs than usual to get high - life	579
IDGB_5B1	Had symptom during period of cut down/no drugs - life	567
IDGB_5BL	Had symptom during period of cut down/no drugs - life	579
IDGB_5C1	Used drugs to prevent having symptoms - life	568
IDGB_5CL	Used drugs to prevent having symptoms - life	580
IDGB_5D1	Used drugs - even though promised wouldn't - life	569

Master File - Revised

MAY 2004

Variable Name	Description	Page
IDGB_5DL	Used drugs even though promised wouldn't - life	580
IDGB_5E1	Used drugs more frequently than intended - life	570
IDGB_5EL	Used drugs more frequently than intended - life	581
IDGB_5F1	Used drugs - little time for anything else - life	571
IDGB_5FL	Used drugs - little time for anything else - life	581
IDGB_5G1	Reduced important activities - because of drugs - life	572
IDGB_5GL	Reduced important activities - because of drugs - life	582
IDGB_5H1	Continued taking drugs despite health problems - life	573
IDGB_5HL	Continued taking drugs despite health problems - life	582
IDGB_6B1	Level of interference - ability to attend school - 12 mo	575
IDGB_6B2	Level of interference - ability to work at a job - 12 mo	576
IDGBDINT	Illicit drug interference - mean - 12 mo - (D)	588
IDGBFINT	Illicit drug interference - 12 mo - (F)	589
IDGBFLA	Illicit drug use - including one time cannabis - life - (F)	586
IDGBFLAC	Illicit drug use - excluding one time cannabis - life - (F)	586
IDGBFLAM	Amphetamine (speed) drug use - life - (F)	584
IDGBFLCA	Cannabis drug use - including one time only - life - (F)	583
IDGBFLCM	Cannabis drug use - excluding one time only - life - (F)	583
IDGBFLCO	Cocaine / crack drug use - life - (F)	584
IDGBFLEX	MDMA (ecstasy) drug use - life - (F)	584
IDGBFLGL	Glue, gasoline or other solvent use - life - (F)	585
IDGBFLHA	Hallucinogens, PCP or LSD drug use - life - (F)	585
IDGBFLHE	Heroin drug use - life - (F)	585
IDGBFLST	Steroid use - life - (F)	586
IDGBFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	587
IDGBFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	587
IDGBFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	583
IDGBFYDP	Criteria - Drug dependence - 12 mo - (F)	588
INC : Income		
INCB_1A	Source of household income - wages and salaries	1054
INCB_1B	Source of household income - self-employment	1054
INCB_1C	Source of household income - dividends and interest	1055
INCB_1D	Source of household income - employment insurance	1055
INCB_1E	Source of household income - worker's compensation	1056
INCB_1F	Source of hh income - benefits from Can. / Que. Pension Plan	1056
INCB_1G	Source of hh income - pensions, superannuation and annuities	1057

Master File - Revised

MAY 2004

Variable Name	Description	Page
INCB_1H	Source of household income - Old Age Security / G.I.S.	1057
INCB_1I	Source of household income - child tax benefit	1058
INCB_1J	Source of household income - social assistance / welfare	1058
INCB_1K	Source of household income - child support	1059
INCB_1L	Source of household income - alimony	1059
INCB_1M	Source of household income - other	1060
INCB_1N	Source of household income - none	1060
INCB_2	Total household income - main source	1061
INCB_3	Total household income - best estimate	1062
INCB_3A	Total household income - < \$20,000 or >= \$20,000	1062
INCB_3B	Total household income - < \$10,000 or >= \$10,000	1063
INCB_3C	Total household income - < \$5,000 or >= \$5,000	1063
INCB_3D	Total household income - < \$15,000 or >= \$15,000	1064
INCB_3E	Total household income - < \$40,000 or >= \$40,000	1064
INCB_3F	Total household income - < \$30,000 or >= \$30,000	1065
INCB_3G	Total household income - < \$50,000 to >= \$80,000	1065
INCB_4	Total personal income - best estimate	1066
INCB_4A	Total personal income - < \$20,000 or >= \$20,000	1066
INCB_4B	Total personal income - < \$10,000 or >= \$10,000	1067
INCB_4C	Total personal income - < \$5,000 or >= \$5,000	1067
INCB_4D	Total personal income - < \$15,000 or >= \$15,000	1068
INCB_4E	Total personal income - < \$40,000 or >= \$40,000	1068
INCB_4F	Total personal income - < \$30,000 or >= \$30,000	1069
INCB_4G	Total personal income < \$50,000 to >= \$80,000	1069
INCBDHH	Total household income from all sources - (D)	1071
INCBDIA2	Income adequacy - 2 groups - (D)	1070
INCBDIA4	Income adequacy - 4 groups - (D)	1070
INCBDIA5	Income adequacy - 5 groups - (D)	1071
INCBDPER	Total personal income from all sources - (D)	1072
LBF : Labour Force		
LFBF_01	Worked at job or business last week	1021
LFBF_02	Absent from job or business last week	1021
LFBF_03	Had more than one job or business - last week	1022
LFBF_11	Looked for work in past 4 weeks	1022
LFBF_13	Not currently working - reason	1023
LFBF_13A	Reason - physical, emotional, alcohol/drugs	1024

Master File - Revised

MAY 2004

Variable Name	Description	Page
LBFB_21	Worked at job or business in past 12 months	1024
LBFB_22	Looked for work in past 12-months	1025
LBFB_23	More than one job or business at same time - past 12-months	1025
LBFB_31	Self-employment status - main job or business	1026
LBFB_31A	Occupation - main job or business	1027
LBFB_41	Absent from job or business last week - reason	1028
LBFB_41A	Reason - physical, emotional, alcohol/drugs	1029
LBFB_42	Usual number of hours worked - main job or business	1029
LBFB_44	Usual work schedule - main job or business	1030
LBFB_45	Usual work schedule - reason	1031
LBFB_46	Work on weekends - main job or business	1031
LBFB_51	More than one job or business - number of weeks	1032
LBFB_52	More than one job or business - reason	1032
LBFB_53	Usual number of hours worked - other job or business	1033
LBFB_54	Work on weekends - other job or business	1033
LBFB_61	Weeks worked - past 12 months	1034
LBFB_71	Weeks looked for work - past 12 months	1034
LBFB_72	Not working or looking for work - number of weeks (confirm)	1035
LBFB_73	Did not look for work - main reason	1036
LBFB_73A	Reason - physical, emotional, alcohol/drugs	1037
LBFB DHPW	Total usual hours worked per week - (D)	1040
LBFB DJST	Job status over past year - (D)	1041
LBFB DMJS	Multiple job status - (D)	1040
LBFB DPFT	Usual hours worked - full-time / part-time flag - (D)	1041
LBFB DRNW	Main reason for not working last week - (D)	1039
LBFB DSTU	Student working status - (D)	1042
LBFB DWSL	Working status last week - 6 groups - (D)	1038
LBFB DWSS	Working status last week - 4 groups - (D)	1037
MED : Medication Use		
MEDB_11A	Took medication to help sleep - 12 mo	855
MEDB_11B	Took diet pills - 12 mo	856
MEDB_11C	Took medication to reduce anxiety - 12 mo	856
MEDB_11D	Took mood stabilizers - 12 mo	857
MEDB_11E	Took anti-depressants - 12 mo	857
MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	858
MEDB_11G	Took stimulants - 12 mo	858

CCHS Cycle 1.2: Topical Index
Master File - Revised
MAY 2004

Page 24

Variable Name	Description	Page
MEDB_2	Last 2 days - number of medications taken	914
MEDB_3AA	Prescription from a medical doctor or dentist - drug 1	916
MEDB_3BA	Prescription from medical doctor or dentist - drug 2	917
MEDB_3CA	Prescription from medical doctor or dentist - drug 3	919
MEDB_3DA	Prescription from medical doctor or dentist - drug 4	920
MEDB_3EA	Prescription from medical doctor or dentist - drug 5	922
MEDB_3FA	Prescription from medical doctor or dentist - drug 6	923
MEDB_3GA	Prescription from medical doctor or dentist - drug 7	925
MEDB_3HA	Prescription from medical doctor or dentist - drug 8	926
MEDB_3IA	Prescription from medical doctor or dentist - drug 9	928
MEDB_3JA	Prescription from medical doctor or dentist - drug 10	929
MEDB_3KA	Prescription from medical doctor or dentist - drug 11	931
MEDB_3LA	Prescription from medical doctor or dentist - drug 12	932
MEDB_4	Insurance that covers all/part of cost of prescription	933
MEDB_5	Used other health products for mental health - 12 mo	933
MEDB_6A	Health product used - St. John's Wort	934
MEDB_6B	Health product used - valerian	934
MEDB_6C	Health product used - chamomile	935
MEDB_6D	Health product used - ginseng	935
MEDB_6E	Health product used - kava kava	936
MEDB_6F	Health product used - lavender	936
MEDB_6G	Health product used - chasteberry	937
MEDB_6H	Health product used - black cohosh	937
MEDB_6I	Health product used - ginkgo biloba	938
MEDB_6J	Health product used - NeuRocover-DA	938
MEDB_6K	Health product used - vitamins	939
MEDB_6L	Health product used - other	939
MEDB_7	Health product recommended by a professional	940
MEDB_8A	Health product recommended by a psychiatrist	940
MEDB_8B	Health product recommended by a family doctor/GP	941
MEDB_8C	Health product recommended by an other medical doctor	941
MEDB_8D	Health product recommended by a psychologist	942
MEDB_8E	Health product recommended by a chiropractor	942
MEDB_8F	Health product recommended by a nurse	943
MEDB_8G	Health product recommended by a social worker	943
MEDB_8H	Health product recommended by a homeopath/naturopath	944

CCHS Cycle 1.2: Topical Index
Master File - Revised
MAY 2004

Page 25

Variable Name	Description	Page
MEDB_8I	Health product recommended by an herbalist	944
MEDB_8J	Health product recommended by a relaxation therapist	945
MEDB_8K	Health product recommended by a biofeedback teacher	945
MEDB_8L	Health product recommended by other	946
MEDB_A1	Sleep medication under professional supervision	859
MEDB_A2A	Sleep medication prescribed by a psychiatrist	859
MEDB_A2B	Sleep medication prescribed by family doctor / GP	860
MEDB_A2C	Sleep medication prescribed by other medical doctor	860
MEDB_A2D	Sleep medication prescribed by other professional	861
MEDB_A3	Days forgot to take/took less sleep medication	861
MEDB_A4A	Reason no/less med - Forgot	862
MEDB_A4B	Reason no/less med - Felt better	862
MEDB_A4C	Reason no/less med - Medicine was not helping	863
MEDB_A4D	Reason no/less med - Thought problem would get better	863
MEDB_A4E	Reason no/less med - Couldn't afford to pay	864
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	864
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	865
MEDB_A4H	Reason no/less med - Side-effects	865
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	866
MEDB_A4J	Reason no/less med - Other reason	866
MEDB_B1	Diet pills under professional supervision	867
MEDB_B2A	Diet pills prescribed by a psychiatrist	867
MEDB_B2B	Diet pills prescribed by family doctor / GP	868
MEDB_B2C	Diet pills prescribed by other medical doctor	868
MEDB_B2D	Diet pills prescribed by other professional	869
MEDB_B3	Days forgot to take/took less diet pills	869
MEDB_B4A	Reason no/less med - Forgot	870
MEDB_B4B	Reason no/less med - Felt better	870
MEDB_B4C	Reason no/less med - Medicine was not helping	871
MEDB_B4D	Reason no/less med - Thought problem would get better	871
MEDB_B4E	Reason no/less med - Couldn't afford to pay	872
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	872
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	873
MEDB_B4H	Reason no/less med - Side-effects	873
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	874
MEDB_B4J	Reason no/less med - Other reason	874

Master File - Revised

MAY 2004

Variable Name	Description	Page
MEDB_C1	Med. against anxiety under professional supervision	875
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	875
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	876
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	876
MEDB_C2D	Med. against anxiety prescribed by other professional	877
MEDB_C3	Days forgot to take/took less med. against anxiety	877
MEDB_C4A	Reason no/less med - Forgot	878
MEDB_C4B	Reason no/less med - Felt better	878
MEDB_C4C	Reason no/less med - Medicine was not helping	879
MEDB_C4D	Reason no/less med - Thought problem would get better	879
MEDB_C4E	Reason no/less med - Couldn't afford to pay	880
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	880
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	881
MEDB_C4H	Reason no/less med - Side-effects	881
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	882
MEDB_C4J	Reason no/less med - Other reason	882
MEDB_D1	Mood stabilizers under professional supervision	883
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	883
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	884
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	884
MEDB_D2D	Mood stabilizers prescribed by other professional	885
MEDB_D3	Days forgot to take/took less mood stabilizers	885
MEDB_D4A	Reason no/less med - Forgot	886
MEDB_D4B	Reason no/less med - Felt better	886
MEDB_D4C	Reason no/less med - Medicine was not helping	887
MEDB_D4D	Reason no/less med - Thought problem would get better	887
MEDB_D4E	Reason no/less med - Couldn't afford to pay	888
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	888
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	889
MEDB_D4H	Reason no/less med - Side-effects	889
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	890
MEDB_D4J	Reason no/less med - Other reason	890
MEDB_E1	Antidepressants under professional supervision	891
MEDB_E2A	Antidepressants prescribed by a psychiatrist	891
MEDB_E2B	Antidepressants prescribed by family doctor / GP	892
MEDB_E2C	Antidepressants prescribed by other medical doctor	892

Master File - Revised

MAY 2004

Variable Name	Description	Page
MEDB_E2D	Antidepressants prescribed by other professional	893
MEDB_E3	Days forgot to take/took less antidepressants	893
MEDB_E4A	Reason no/less med - Forgot	894
MEDB_E4B	Reason no/less med - Felt better	894
MEDB_E4C	Reason no/less med - Medicine was not helping	895
MEDB_E4D	Reason no/less med - Thought problem would get better	895
MEDB_E4E	Reason no/less med - Couldn't afford to pay	896
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	896
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	897
MEDB_E4H	Reason no/less med - Side-effects	897
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	898
MEDB_E4J	Reason no/less med - Other reason	898
MEDB_F1	Antipsychotic drugs under professional supervision	899
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	899
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	900
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	900
MEDB_F2D	Antipsychotic drugs prescribed by other professional	901
MEDB_F3	Days forgot to take/took less antipsychotic drugs	901
MEDB_F4A	Reason no/less med - Forgot	902
MEDB_F4B	Reason no/less med - Felt better	902
MEDB_F4C	Reason no/less med - Medicine was not helping	903
MEDB_F4D	Reason no/less med - Thought problem would get better	903
MEDB_F4E	Reason no/less med - Couldn't afford to pay	904
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	904
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	905
MEDB_F4H	Reason no/less med - Side-effects	905
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	906
MEDB_F4J	Reason no/less med - Other reason	906
MEDB_G1	Stimulants under professional supervision	907
MEDB_G2A	Stimulants prescribed by a psychiatrist	907
MEDB_G2B	Stimulants prescribed by family doctor / GP	908
MEDB_G2C	Stimulants prescribed by other medical doctor	908
MEDB_G2D	Stimulants prescribed by other professional	909
MEDB_G3	Days forgot to take/took less stimulants	909
MEDB_G4A	Reason no/less med - Forgot	910
MEDB_G4B	Reason no/less med - Felt better	910

Master File - Revised

MAY 2004

Variable Name	Description	Page
MEDB_G4C	Reason no/less med - Medicine was not helping	911
MEDB_G4D	Reason no/less med - Thought problem would get better	911
MEDB_G4E	Reason no/less med - Couldn't afford to pay	912
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	912
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	912
MEDB_G4H	Reason no/less med - Side-effects	913
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	913
MEDB_G4J	Reason no/less med - Other reason	914
MEDBC03A	Drug code - drug 1 - (C)	915
MEDBC03B	Drug code - drug 2 - (C)	917
MEDBC03C	Drug code - drug 3 - (C)	918
MEDBC03D	Drug code - drug 4 - (C)	920
MEDBC03E	Drug code - drug 5 - (C)	921
MEDBC03F	Drug code - drug 6 - (C)	923
MEDBC03G	Drug code - drug 7 - (C)	924
MEDBC03H	Drug code - drug 8 - (C)	926
MEDBC03I	Drug code - drug 9 - (C)	927
MEDBC03J	Drug code - drug 10 - (C)	929
MEDBC03K	Drug code - drug 11 - (C)	930
MEDBC03L	Drug code - drug 12 - (C)	932
MEDBF03A	Flag: drug 1 - (F)	915
MEDBF03B	Flag: drug 2 - (F)	916
MEDBF03C	Flag: drug 3 - (F)	918
MEDBF03D	Flag: drug 4 - (F)	919
MEDBF03E	Flag: drug 5 - (F)	921
MEDBF03F	Flag: drug 6 - (F)	922
MEDBF03G	Flag: drug 7 - (F)	924
MEDBF03H	Flag: drug 8 - (F)	925
MEDBF03I	Flag: drug 9 - (F)	927
MEDBF03J	Flag: drug 10 - (F)	928
MEDBF03K	Flag: drug 11 - (F)	930
MEDBF03L	Flag: drug 12 - (F)	931
MIA : Mania		
MIAB_01	Cognitive/behavior changes during excited periods	267
MIAB_03	Excited episode with largest number of changes	268
MIAB_03A	Age when excited episode with largest number of changes	268

Master File - Revised

MAY 2004

Variable Name	Description	Page
MIAB_03B	Length of excited episode with largest number of changes	269
MIAB_03C	Age - when most recent excited episode occurred	272
MIAB_03D	Length of most recent excited episode	272
MIAB_04	Symptom - irritable/grouchy during excited episode	275
MIAB_05	Cognitive/behavioural changes during irritable period	276
MIAB_06	Irritable episode with largest number of changes	276
MIAB_06A	Age when irritable episode with largest number of changes	277
MIAB_06B	Length of irritable episode with largest number of changes	277
MIAB_06C	Age - when most recent irritable episode occurred	280
MIAB_06D	Length of most recent irritable episode	280
MIAB_07A	Symptom - became restless or fidgety	283
MIAB_07B	Symptom - became overly friendly / outgoing with people	283
MIAB_07C	Symptom - behaved in a way that is inappropriate	284
MIAB_07D	Symptom - was more interested in sex than usual	284
MIAB_07E	Symptom - tried to do things that were impossible to do	285
MIAB_07F	Symptom - talked a lot more than usual	285
MIAB_07G	Symptom - constantly kept changing plans / activities	286
MIAB_07H	Symptom - was easily distracted	286
MIAB_07I	Symptom - had thoughts jumping from one thing to another	287
MIAB_07J	Symptom - slept far less than usual and was not tired	287
MIAB_07K	Symptom - was involved in foolish investments for making \$	288
MIAB_07L	Symptom - spent much more money than usual	288
MIAB_07M	Symptom - did risky things for pleasure	289
MIAB_07N	Symptom - had a greatly exaggerated self-confidence	289
MIAB_07O	Symptom - believed was someone else	290
MIAB_08	Number of episodes felt excited / irritable - life	290
MIAB_09	Manic episode interfered with work/social life/relationships	291
MIAB_09A	Frequency - feelings = unable carry out daily activities	291
MIAB_09B	People worry about the way respondent was acting	292
MIAB_10A	Manic episode due to physical causes	292
MIAB_10B	Physical causes always cause manic episodes	293
MIAB_18	Remembered exactly age of very first manic episode	302
MIAB_181	Life period when very first manic episode occurred	303
MIAB_18A	Age - exactly very first manic episode	302
MIAB_18B	Age - approximately first time manic episode	303
MIAB_18C	Episode triggered by stressful/unexpected event	304

Master File - Revised

MAY 2004

Variable Name	Description	Page
MIAB_18D	Length of very first manic episode	304
MIAB_19	Had manic episode - 12 mo	307
MIAB_191	Had a single manic episode - 12 mo	308
MIAB_19A	Reference period of manic episode - 12 mo	308
MIAB_19B	Number of manic episodes - 12 mo	309
MIAB_19C	Number of weeks had manic episode - 12 mo	309
MIAB_19D	Age - last time had manic episode	310
MIAB_1CA	Physical exclusion - exhaustion	293
MIAB_1CB	Physical exclusion - hyperventilation	294
MIAB_1CC	Physical exclusion - hypochondria	294
MIAB_1CD	Physical exclusion - menstrual cycle	295
MIAB_1CE	Physical exclusion - pregnancy / postpartum	295
MIAB_1CF	Physical exclusion - thyroid disease	296
MIAB_1CG	Physical exclusion - cancer	296
MIAB_1CH	Physical exclusion - overweight	297
MIAB_1CI	Physical exclusion - medication (excluding illicit drugs)	297
MIAB_1CJ	Physical exclusion - illicit drugs	298
MIAB_1CK	Physical exclusion - alcohol	298
MIAB_1CL	Physical exclusion - chemical / serotonin imbalance	299
MIAB_1CM	Physical exclusion - chronic pain	299
MIAB_1CN	Physical exclusion - caffeine	300
MIAB_1CO	Physical exclusion - no specific diagnosis	300
MIAB_1CP	Physical exclusion - other	301
MIAB_1CQ	Physical exclusion - Other - Physical causes, etc.	301
MIAB_1D1	Very first manic episode - number of hours	305
MIAB_1D2	Very first manic episode - number of days	305
MIAB_1D3	Very first manic episode - number of weeks	306
MIAB_1D4	Very first manic episode - number of months	306
MIAB_1D5	Very first manic episode - number of years	307
MIAB_20	Number of episodes lasting full week or longer - life	310
MIAB_201	Nbr of episodes lasting week + brought by stressful exp.	311
MIAB_202	One week or > episode due to stressful/unexpected experience	311
MIAB_21	Nbr of episodes lasting < week brought by stressful exp.	312
MIAB_211	Nbr of episodes/less than a week/stressful experiences	312
MIAB_212	Less than one week episode due to stressful/unexpected exp.	313
MIAB_22	Length of the longest manic episode - life	313

Master File - Revised

MAY 2004

Variable Name	Description	Page
MIAB_221	Longest manic episode - number of hours	314
MIAB_222	Longest manic episode - number of days	314
MIAB_223	Longest manic episode - number of weeks	315
MIAB_224	Longest manic episode - number of months	315
MIAB_225	Longest manic episode - number of years	316
MIAB_23	Number of different years in life/had manic episode	316
MIAB_24	Single life episode brought by stress./unexpected experience	317
MIAB_271	Level of interference - ability to attend school - 12 mo	319
MIAB_272	Level of interference - ability to work at a job - 12 mo	320
MIAB_27A	Level of interference - home responsibilities - 12 mo	318
MIAB_27C	Level of interference - close relationships - 12 mo	321
MIAB_27D	Level of interference - social life - 12 mo	322
MIAB_29	Nbr of days/365 totally unable because of mania - 12 mo	323
MIAB_33	Consulted MD/other prof. about manic episode	323
MIAB_33A	Age - first time consulted prof. about manic episode	324
MIAB_3B1	Excited episode with largest changes - number of hours	269
MIAB_3B2	Excited episode with largest changes - number of days	270
MIAB_3B3	Excited episode with largest changes - number of weeks	270
MIAB_3B4	Excited episode with largest changes - number of months	271
MIAB_3B5	Excited episode with largest changes - number of years	271
MIAB_3D1	Most recent excited episode - number of hours	273
MIAB_3D2	Most recent excited episode - number of days	273
MIAB_3D3	Most recent excited episode - number of weeks	274
MIAB_3D4	Most recent excited episode - number of months	274
MIAB_3D5	Most recent excited episode - number of years	275
MIAB_45	Received helpful/effective treatment for manic episode	324
MIAB_45A	Age - first time got helpful treatment for manic episode	325
MIAB_45B	Number of prof. consulted before helpful treatment	325
MIAB_45C	Total nbr of prof. consulted about manic episode - life	326
MIAB_47	Received professional treatment for manic episode - 12 mo	326
MIAB_48	Hospitalized overnight for manic episode - life	327
MIAB_481	Number of close relatives ever had manic episode	328
MIAB_48A	Age - first time hospitalized overnight for manic episode	327
MIAB_6B1	Irritable episode with largest changes - number of hours	278
MIAB_6B2	Irritable episode with largest changes - number of days	278
MIAB_6B3	Irritable episode with largest changes - number of weeks	278

Master File - Revised

MAY 2004

Variable Name	Description	Page
MIAB_6B4	Irritable episode with largest changes - number of months	279
MIAB_6B5	Irritable episode with largest changes - number of years	279
MIAB_6D1	Most recent irritable episode - number of hours	281
MIAB_6D2	Most recent irritable episode - number of days	281
MIAB_6D3	Most recent irritable episode - number of weeks	281
MIAB_6D4	Most recent irritable episode - number of months	282
MIAB_6D5	Most recent irritable episode - number of years	282
MIABD18Y	Duration in years - first episode - (D)	330
MIABD22Y	Duration in years - longest episode - (D)	331
MIABD277	Criterion D, Part 1A - Interference - (D)	335
MIABD3BY	Duration in years - excited - (D)	328
MIABD3DY	Duration in years - excited - (D)	329
MIABD6BY	Duration in years - irritable - (D)	329
MIABD6DY	Duration in years - irritable - (D)	330
MIABDA	Criterion A, Part 1 and 2 - (D)	332
MIABDA1	Criterion A, Part 1 - (D)	331
MIABDA2	Criterion A, Part 2 - (D)	332
MIABDB	Criterion B (Combined symptoms 1 to 7) - (D)	335
MIABDB1	Criterion B - Symptom 1 - (D)	332
MIABDB2	Criterion B - Symptom 2 - (D)	333
MIABDB3	Criterion B - Symptom 3 - (D)	333
MIABDB4	Criterion B - Symptom 4 - (D)	333
MIABDB5	Criterion B - Symptom 5 - (D)	334
MIABDB6	Criterion B - Symptom 6 - (D)	334
MIABDB7	Criterion B - Symptom 7 - (D)	334
MIABDBI	Criterion B - irritable focus (D)	335
MIABDD	Criterion D - (D)	337
MIABDD1	Criterion D, Part 1 - (D)	336
MIABDD2	Criterion D, Part 2 - (D)	336
MIABDD3	Criterion D, Part 3 - (D)	336
MIABDEPS	Manic Episode Algorithm - Life - (D)	337
MIABDEY	Manic Episode Algorithm - 12 Month - (D)	340
MIABDINT	Mania Interference - Mean - (D)	341
MIABDON	Age of first manic episode - onset - (D)	338
MIABDPER	Nbr of yrs of persistence of manic disorder - (D)	339
MIABDREC	Age at most recent manic episode - (D)	338

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
MIABDYA	Criterion A - 12 month - (D)	339
MIABDYB	Criterion B - 12 month - (D)	340
MIABDYC	Criterion C - Interference - (D)	340
MIABFINT	Mania Interference - (F)	341
PAC : Physical Activities		
PACB_1A	Activity / last 3 months - walking for exercise	62
PACB_1B	Activity / last 3 months - gardening / yard work	63
PACB_1C	Activity / last 3 months - swimming	63
PACB_1D	Activity / last 3 months - bicycling	64
PACB_1E	Activity / last 3 months - popular or social dance	64
PACB_1F	Activity / last 3 months - home exercises	65
PACB_1G	Activity / last 3 months - ice hockey	65
PACB_1H	Activity / last 3 months - ice skating	66
PACB_1I	Activity / last 3 months - in-line skating or rollerblading	66
PACB_1J	Activity / last 3 months - jogging or running	67
PACB_1K	Activity / last 3 months - golfing	67
PACB_1L	Activity / last 3 months - exercise class or aerobics	68
PACB_1M	Activity / last 3 months - downhill skiing or snowboarding	68
PACB_1N	Activity / last 3 months - bowling	69
PACB_1O	Activity / last 3 months - baseball or softball	69
PACB_1P	Activity / last 3 months - tennis	70
PACB_1Q	Activity / last 3 months - weight-training	70
PACB_1R	Activity / last 3 months - fishing	71
PACB_1S	Activity / last 3 months - volleyball	71
PACB_1T	Activity / last 3 months - basketball	72
PACB_1U	Activity / last 3 months - other (#1)	72
PACB_1V	Activity / last 3 months - no activity	73
PACB_1W	Activity / last 3 months - other (#2)	73
PACB_1X	Activity / last 3 months - other (#3)	74
PACB_2A	Number of times participated - walking for exercise	74
PACB_2B	Number of times participated - gardening	75
PACB_2C	Number of times participated - swimming	76
PACB_2D	Number of times participated - bicycling	77
PACB_2E	Number of times participated - popular / social dance	78
PACB_2F	Number of times participated - home exercises	79
PACB_2G	Number of times participated - ice hockey	80

CCHS Cycle 1.2: Topical Index
Master File - Revised
MAY 2004

Variable Name	Description	Page
PACB_2H	Number of times participated - ice skating	81
PACB_2I	Number of times participated - in-line skating	82
PACB_2J	Number of times participated - jogging / running	83
PACB_2K	Number of times participated - golfing	84
PACB_2L	Number of times participated - exercise class / aerobics	85
PACB_2M	Number of times participated - downhill ski / snowboarding	86
PACB_2N	Number of times participated - bowling	87
PACB_2O	Number of times participated - baseball / softball	88
PACB_2P	Number of times participated - tennis	89
PACB_2Q	Number of times participated - weight-training	90
PACB_2R	Number of times participated - fishing	91
PACB_2S	Number of times participated - volleyball	92
PACB_2T	Number of times participated - basketball	93
PACB_2U	Number of times participated - other activity (#1)	94
PACB_2W	Number of times participated - other activity (#2)	95
PACB_2X	Number of times participated - other activity (#3)	96
PACB_3A	Time spent - walking for exercise	75
PACB_3B	Time spent - gardening	76
PACB_3C	Time spent - swimming	77
PACB_3D	Time spent - bicycling	78
PACB_3E	Time spent - popular / social dance	79
PACB_3F	Time spent - home exercises	80
PACB_3G	Time spent - ice hockey	81
PACB_3H	Time spent - ice skating	82
PACB_3I	Time spent - in-line skating	83
PACB_3J	Time spent - jogging / running	84
PACB_3K	Time spent - golfing	85
PACB_3L	Time spent - exercise class / aerobics	86
PACB_3M	Time spent - downhill skiing or snowboarding	87
PACB_3N	Time spent - bowling	88
PACB_3O	Time spent - baseball / softball	89
PACB_3P	Time spent - tennis	90
PACB_3Q	Time spent - weight-training	91
PACB_3R	Time spent - fishing	92
PACB_3S	Time spent - volleyball	93
PACB_3T	Time spent - basketball	94

Master File - Revised

MAY 2004

Variable Name	Description	Page
PACB_3U	Time spent - other activity (#1)	95
PACB_3W	Time spent - other activity (#2)	96
PACB_3X	Time spent - other activity (#3)	97
PACB_4A	Number of hours walking - to work or to school	97
PACB_4B	Number of hours biking - to work or to school	98
PACB_6	Level of physical activity for usual day	98
PACBDEE	Energy expenditure - (D)	99
PACBDFM	Monthly frequency - physical activity lasting >15 min. - (D)	100
PACBDFR	Frequency of all physical activity - (D)	100
PACBDPAI	Physical activity index - (D)	101
PACBFD	Participant in daily physical activity - > 15 min.	101
PACBFLEI	Participant in leisure physical activity	99
PAD : Panic Disorder		
PADB_01A	Symptom - had heart pounding / racing	342
PADB_01B	Symptom - was short of breath	342
PADB_01C	Symptom - was nauseous / sick to stomach	343
PADB_01D	Symptom - felt dizzy / faint	343
PADB_01E	Symptom - was sweating	344
PADB_01F	Symptom - was trembling / shaking	344
PADB_01G	Symptom - had a dry mouth	345
PADB_01H	Symptom - felt like was choking	345
PADB_01I	Symptom - had chest pain / discomfort	346
PADB_01J	Symptom - was afraid might lose control / go crazy	346
PADB_01K	Symptom - felt like was not really there	347
PADB_01L	Symptom - felt things were not real	347
PADB_01M	Symptom - was afraid might pass out	348
PADB_01N	Symptom - was afraid might die	348
PADB_01O	Symptom - had hot flushes / chills	349
PADB_01P	Symptom - felt numbness / tingling sensations	349
PADB_03	Problems began suddenly and peaked <= 10 mins	350
PADB_04	Number of sudden attacks - life	350
PADB_06	Past 12 Months occurrence of single panic attack	351
PADB_07	Remembered exactly age when single attack occurred	351
PADB_071	Life period when single attack occurred	353
PADB_07A	Age - exactly when single attack occurred	352
PADB_07B	Age - approximately when single attack occurred	352

Master File - Revised

MAY 2004

Variable Name	Description	Page
PADB_08	Type of situations under which attack occurred	353
PADB_09	Remembered exactly age very first panic attack	354
PADB_091	Life period when very first attack occurred	355
PADB_09A	Age - exactly when very first panic attack occurred	354
PADB_09B	Age - approximately when very first attack occurred	355
PADB_10	Had panic attack - 12 mo	356
PADB_10A	Reference period of panic attack - 12 mo	356
PADB_10B	Number of weeks had at least one attack - 12 mo	357
PADB_10C	Total number of attacks - 12 mo	357
PADB_10D	Age - last time had panic attack	358
PADB_11	Greatest number of attacks in any single year - life	358
PADB_12	Number of different years had at least one attack - life	359
PADB_13A	1 Month or longer - worried might have another attack	359
PADB_13B	1 Month or longer - worried something terrible might happen	360
PADB_13C	1 Month or longer - changed everyday activities	360
PADB_13D	1 Month or longer - avoided situation for fear of attack	361
PADB_15	Age - first time had 1 month being worried / avoided	361
PADB_16	Had 1 month of worry / change in activity - 12 mo	362
PADB_16A	Reference period of 1 month disturbance - 12 mo	362
PADB_16B	Number of months of worry/change in activity - 12 mo	363
PADB_16C	Frequency - worried about having another attack - 12 mo	363
PADB_16D	Severity of worry of having another attack - 12 mo	364
PADB_16E	Age - approx. last time 1 month of worry of having attack	364
PADB_17	Had unexpected attack - life	365
PADB_17A	Number of unexpected attacks - life	365
PADB_18	Number of "not in real danger" attacks - life	366
PADB_19	Number of "real danger" attacks - life	366
PADB_21	Age - first time had an unexpected attack	367
PADB_21A	Life period when first unexpected attack occurred	367
PADB_22	Unexpected attack interfere with work/social/relationships	368
PADB_24	Unexpected attack occurred while sleeping - life	368
PADB_24A	Nmbr. unexpected attacks occr.while asleep - life	369
PADB_25A	Panic attack due to physical causes	369
PADB_25B	Physical causes always caused panic attacks	370
PADB_2CA	Physical exclusion - exhaustion	370
PADB_2CB	Physical exclusion - hyperventilation	371

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
PADB_2CC	Physical exclusion - hypochondria	371
PADB_2CD	Physical exclusion - menstrual cycle	372
PADB_2CE	Physical exclusion - pregnancy / postpartum	372
PADB_2CF	Physical exclusion - thyroid disease	373
PADB_2CG	Physical exclusion - cancer	373
PADB_2CH	Physical exclusion - overweight	374
PADB_2CI	Physical exclusion - medication (excluding illicit drugs)	374
PADB_2CJ	Physical exclusion - illicit drugs	375
PADB_2CK	Physical exclusion - alcohol	375
PADB_2CL	Physical exclusion - chemical / serotonin imbalance	376
PADB_2CM	Physical exclusion - chronic pain	376
PADB_2CN	Physical exclusion - caffeine	377
PADB_2CO	Physical exclusion - no specific diagnosis	377
PADB_2CP	Physical exclusion - other	378
PADB_2CQ	Physical exclusion - other - physical causes	378
PADB_36	Number of unexpected attacks - 12 mo	379
PADB_37A	Age - last time had unexpected attack	379
PADB_37B	Number of weeks had at least one attack - 12 mo	380
PADB_38	Reference period of most recent attack - 12 mo	380
PADB_40	Amount of emotional distress during attack - 12 mo	381
PADB_41	Upset by physical sensation reminding of attack - 12 mo	381
PADB_41A	Degree of discomfort due to physical sensations - 12 mo	382
PADB_42	Frequency - avoided situations causing sensations - 12 mo	382
PADB_43	Avoidance interfered with work/social/relationships	383
PADB_441	Level of int. - ability to attend school - 12 mo	385
PADB_442	Level of int. - ability to work at a job - 12 mo	386
PADB_44A	Level of interference - home respons. - 12 mo	384
PADB_44C	Level of int. - close relationships - 12 mo	387
PADB_44D	Level of interference - social life - 12 mo	388
PADB_46	Nbr of days/365 totally unable due to attacks	389
PADB_50	Consulted MD/other prof. about attacks	389
PADB_50A	Age - first time consulted prof. about attacks	390
PADB_62	Received helpful/effective treatment for attacks	390
PADB_62A	Age - first time got helpful treatment for attacks	391
PADB_62B	Number of prof. consulted before helpful treatment	391
PADB_62C	Total nbr of prof. consulted about attacks - life	392

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
PADB_64	Received prof. treatment for attacks - 12 mo	392
PADB_65	Hospitalized overnight for attacks - life	393
PADB_651	Number of relatives with attacks	394
PADB_65A	Age - first time hospitalized overnight for attacks	393
PADBDA	Panic Attack - Criterion A - (D)	394
PADBDA1	Panic Attack Algorithm - Life - (D)	400
PADBDA2	Panic Attack Algorithm - 12 month - (D)	404
PADBDB	Panic Attack - Criterion B - (D)	399
PADBDB01	Criterion B - Symptom 1 - (D)	395
PADBDB02	Criterion B - Symptom 2 - (D)	395
PADBDB03	Criterion B - Symptom 3 - (D)	395
PADBDB04	Criterion B - Symptom 4 - (D)	396
PADBDB05	Criterion B - Symptom 5 - (D)	396
PADBDB06	Criterion B - Symptom 6 - (D)	396
PADBDB07	Criterion B - Symptom 7 - (D)	397
PADBDB08	Criterion B - Symptom 8 - (D)	397
PADBDB09	Criterion B - Symptom 9 - (D)	397
PADBDB10	Criterion B - Symptom 10 - (D)	398
PADBDB11	Criterion B - Symptom 11 - (D)	398
PADBDB12	Criterion B - Symptom 12 - (D)	398
PADBDB13	Criterion B - Symptom 13 - (D)	399
PADBDB14	Criterion B - Symptom 14 - (D)	399
PADBDC	Panic Attack - Criterion C - (D)	400
PADBDDA	Panic Disorder - Criterion A, Part 1 and 2 - (D)	402
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	400
PADBDDA2	Panic Disorder - Criterion A, Part 2 - (D)	402
PADBDDAA	Panic Disorder - Criterion A, Part 2 - Symptom 1 - (D)	401
PADBDDAB	Panic Disorder - Criterion A, Part 2 - Symptom 2 - (D)	401
PADBDDAC	Panic Disorder - Criterion A, Part 2 - Symptom 3 - (D)	401
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	406
PADBDDINT	Panic Disorder Interference - Mean - (D)	406
PADBDDON	Age of panic disorder onset - (D)	403
PADBDDONA	Age of first panic attack - (D)	403
PADBDDPDS	Panic Disorder Algorithm - Life - (D)	403
PADBDDPER	Nbr of years of persistence of panic disorder - (D)	404
PADBDDREC	Age when most recent panic attack - (D)	404

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
PADBDYA	Panic Disorder - Criterion A - 12 month - (D)	405
PADBDYB	Panic Disorder - Criterion B - 12 month - (D)	405
PADBDYC	Panic Disorder - Criterion C - 12 month - (D)	405
PADBFINT	Panic Disorder Interference - (F)	407

PWB : Psychological Well-Being Scale

PWBB_01	Frequency - felt self-confident - past month	102
PWBB_02	Frequency - satisfied with accomplishments - past month	102
PWBB_03	Frequency - took on lots of projects - past month	103
PWBB_04	Frequency - felt emotionally balanced - past month	103
PWBB_05	Frequency - felt loved and appreciated - past month	104
PWBB_06	Frequency - had goals and ambitions - past month	104
PWBB_07	Frequency - felt like having fun - past month	105
PWBB_08	Frequency - felt useful - past month	105
PWBB_09	Frequency - smiled easily - past month	106
PWBB_10	Frequency - was true to self - past month	106
PWBB_11	Frequency - did good job listening to friends - past month	107
PWBB_12	Frequency - was curious and interested - past month	107
PWBB_13	Frequency - was able to clearly sort things out - past month	108
PWBB_14	Frequency - found life exciting - past month	108
PWBB_15	Frequency - life was well-balanced - past month	109
PWBB_16	Frequency - was calm and level-headed - past month	109
PWBB_17	Frequency - easily found answers - past month	110
PWBB_18	Frequency - got along well with others - past month	110
PWBB_19	Frequency - lived at normal pace - past month	111
PWBB_20	Frequency - impression of enjoying life - past month	111
PWBB_21	Frequency - had good sense of humour - past month	112
PWBB_22	Frequency - was at peace with self - past month	112
PWBB_23	Frequency - felt healthy/in good shape - past month	113
PWBB_24	Frequency - face situations positively - past month	113
PWBB_25	Frequency - had good morale - past month	114
PWBBDPWB	Psychological well-being scale - past month - (D)	114

RAC : Restriction of Activities

RACB_1	Has difficulty with activities	640
RACB_2A	Reduction in kind or amount activities - at home	641
RACB_2B1	Reduction in kind or amount activities - at school	641

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
RACB_2B2	Reduction in kind or amount activities - at work	642
RACB_2C	Reduction in kind or amount activities - other activities	642
RACB_5	Cause of health problem	643
RACB_5A1	Embarrassment due to condition/health problem - life	644
RACB_5A2	Embarrassment due to condition/health problem - 12 mo	644
RACB_5B1	Discrimination due to condition/health problem - life	645
RACB_5B2	Discrimination due to condition/health problem - 12 mo	645
RACB_6A	Needs help - preparing meals	646
RACB_6B1	Needs help - getting to appointments / running errands	646
RACB_6C	Needs help - doing housework	647
RACB_6D	Needs help - heavy household chores	647
RACB_6E	Needs help - personal care	648
RACB_6F	Needs help - moving about inside the house	648
RACB_6G	Needs help - looking after personal finances	649
RACB_7A	Difficulty - making new friends	649
RACB_7B	Difficulty - dealing with unknown people	650
RACB_7C	Difficulty - starting / maintaining a conversation	650
RACB_8A	Cause of difficulties - physical health	651
RACB_8B	Cause of difficulties - emotional or mental health	651
RACB_8C	Cause of difficulties - use of alcohol or drugs	652
RACB_8D	Cause of difficulties - other reason	652
RACBDIMP	Impact of health problems - (D)	653
RACBDPAL	Participation and Activity Limitation - (D)	653
RACBF6R	Help needed for series of tasks - (F)	654
RACBF7	Difficulty with social situations - (F)	654
SAM : Sample Identifiers		
SAMB_ACP	Actual collection period	5
SAMB_OCP	Original collection period	6
SAMBDLNK	Permission to link data - (D)	7
SAMBDSHR	Permission to share data - (D)	7
SCR : Screener Mental Disorders		
SCRB_01	Satisfaction with life in general	19
SCRB_081	Self-perceived physical health	19
SCRB_082	Self-perceived mental health	20
SCRB_20	Screener: had fear or panic attack - life	20

Master File - Revised

MAY 2004

Variable Name	Description	Page
SCRB_20A	Screeener: had attack when suddenly very uncomfortable - life	21
SCRB_21	Screeener: felt sad/empty/depressed for several days - life	21
SCRB_22	Screeener: was very discouraged several days or longer - life	22
SCRB_23	Screeener: lost interest in things for several days - life	22
SCRB_24	Screeener: had mania-like period lasting several days - life	23
SCRB_25	Screeener: very irritable/grumpy/ for several days - life	23
SCRB_25A	Screeener: so irritable started arguments/shouted/... - life	24
SCRB_26	Screeener: worried about things more than most people - life	24
SCRB_26A	Screeener: more nervous/anxious than most people - life	25
SCRB_26B	Screeener: 6 months when anxious/worried most days - life	25
SCRB_29	Screeener: felt very afraid or really shy with people - life	26
SCRB_291	Screeener: very upset/nervous in social situation - life	27
SCRB_292	Screeener: stayed away from social situations - life	27
SCRB_293	Screeener: social fear stronger than should have been - life	28
SCRB_29A	Screeener: very afraid/uncomfortable before group - life	26
SCRB_30	Screeener: very uncomfortable/afraid in crowds/etc. - life	28
SCRB_301	Screeener: became very upset/nervous in crowds/etc. - life	29
SCRB_302	Screeener: stayed away from situations whenever could - life	29
SCRB_303	Screeener: fear stronger than should have been - life	30
SCRBDMEN	Self-rated mental health - (D)	31
SCRBDPHY	Self-rated physical health - (D)	31
SCRBDSAT	Life satisfaction - (D)	30
SCRBFAGP	Respondent screened in agoraphobia module - (F)	33
SCRBFDEP	Respondent screened in depression module - (F)	32
SCRBFGAD	Respondent screened in GAD module - (F)	33
SCRBFMIA	Respondent screened in the mania module - (F)	32
SCRBFPAD	Respondent screened in the panic module - (F)	32
SCRBFSOP	Respondent screened in social phobia module - (F)	33
SDC : Socio-Demographics Characteristics		
SDCB_1	Country of birth	962
SDCB_2	Canadian citizen by birth	963
SDCB_3	Year of immigration to Canada	963
SDCB_4A	Ethnic origin - Canadian	964
SDCB_4B	Ethnic origin - French	964
SDCB_4C	Ethnic origin - English	965
SDCB_4D	Ethnic origin - German	965

Master File - Revised

MAY 2004

Variable Name	Description	Page
SDCB_4E	Ethnic origin - Scottish	966
SDCB_4F	Ethnic origin - Irish	966
SDCB_4G	Ethnic origin - Italian	967
SDCB_4H	Ethnic origin - Ukrainian	967
SDCB_4I	Ethnic origin - Dutch (Netherlands)	968
SDCB_4J	Ethnic origin - Chinese	968
SDCB_4K	Ethnic origin - Jewish	969
SDCB_4L	Ethnic origin - Polish	969
SDCB_4M	Ethnic origin - Portuguese	970
SDCB_4N	Ethnic origin - South Asian	970
SDCB_4O	Ethnic origin - Norwegian	971
SDCB_4P	Ethnic origin - Welsh	971
SDCB_4Q	Ethnic origin - Swedish	972
SDCB_4R	Ethnic origin - Aboriginal	972
SDCB_4S	Ethnic origin - other	973
SDCB_5A	Can converse - English	973
SDCB_5B	Can converse - French	974
SDCB_5C	Can converse - Arabic	974
SDCB_5D	Can converse - Chinese	975
SDCB_5E	Can converse - Cree	975
SDCB_5F	Can converse - German	976
SDCB_5G	Can converse - Greek	976
SDCB_5H	Can converse - Hungarian	977
SDCB_5I	Can converse - Italian	977
SDCB_5J	Can converse - Korean	978
SDCB_5K	Can converse - Persian (Farsi)	978
SDCB_5L	Can converse - Polish	979
SDCB_5M	Can converse - Portuguese	979
SDCB_5N	Can converse - Punjabi	980
SDCB_5O	Can converse - Spanish	980
SDCB_5P	Can converse - Tagalog (Pilipino)	981
SDCB_5Q	Can converse - Ukrainian	981
SDCB_5R	Can converse - Vietnamese	982
SDCB_5S	Can converse - other language	984
SDCB_5T	Can converse - Dutch	982
SDCB_5U	Can converse - Hindi	983

Master File - Revised

MAY 2004

Variable Name	Description	Page
SDCB_5V	Can converse - Russian	983
SDCB_5W	Can converse - Tamil	984
SDCB_6A	First language learned and still understood - English	985
SDCB_6B	First language learned and still understood - French	985
SDCB_6C	First language learned and still understood - Arabic	986
SDCB_6D	First language learned and still understood - Chinese	986
SDCB_6E	First language learned and still understood - Cree	987
SDCB_6F	First language learned and still understood - German	987
SDCB_6G	First language learned and still understood - Greek	988
SDCB_6H	First language learned and still understood - Hungarian	988
SDCB_6I	First language learned and still understood - Italian	989
SDCB_6J	First language learned and still understood - Korean	989
SDCB_6K	First language learned / still understood - Persian (Farsi)	990
SDCB_6L	First language learned and still understood - Polish	990
SDCB_6M	First language learned and still understood - Portuguese	991
SDCB_6N	First language learned and still understood - Punjabi	991
SDCB_6O	First language learned and still understood - Spanish	992
SDCB_6P	First lang. learned / still understood - Tagalog (Pilipino)	992
SDCB_6Q	First language learned and still understood - Ukrainian	993
SDCB_6R	First language learned and still understood - Vietnamese	993
SDCB_6S	First language learned and still understood - other	996
SDCB_6T	First language learned and still understood - Dutch	994
SDCB_6U	First language learned and still understood - Hindi	994
SDCB_6V	First language learned and still understood - Russian	995
SDCB_6W	First language learned and still understood - Tamil	995
SDCB_7A	Cultural / racial origin - White	996
SDCB_7B	Cultural / racial origin - Chinese	997
SDCB_7C	Cultural / racial origin - South Asian	997
SDCB_7D	Cultural / racial origin - Black	998
SDCB_7E	Cultural / racial origin - Filipino	998
SDCB_7F	Cultural / racial origin - Latin American	999
SDCB_7G	Cultural / racial origin - South East Asian	999
SDCB_7H	Cultural / racial origin - Arab	1000
SDCB_7I	Cultural / racial origin - West Asian	1000
SDCB_7J	Cultural / racial origin - Japanese	1001
SDCB_7K	Cultural / racial origin - Korean	1001

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
SDCB_7L	Cultural / racial origin - Aboriginal	1002
SDCB_7M	Cultural / racial origin - Other	1002
SDCB_8	Currently attending a school, college or university	1003
SDCB_9	Full-time student or part-time student	1003
SDCBCCB	Country of birth - (C)	1003
SDCBDAIM	Age at time of immigration - (D)	1004
SDCBDLNG	Languages in which respondent can converse - (D)	1006
SDCBDRAC	Cultural / racial origin - (D)	1007
SDCBDRES	Length of time in Canada since immigration - (D)	1005
SDCBFIMM	Immigrant status - (F)	1005
SDCBGCB	Country of birth - (G)	1004
SER : Mental Health Services Utilisation		
SERB_02	Hospitalized for mental health/alcohol/drug - life	671
SERB_03	Nbr of times hosp. for mental health/alcohol/drug - life	671
SERB_05A	Reference period for single lifetime hospitalization	672
SERB_05B	Age - for single hospitalization dating more than a year ago	672
SERB_05C	Lifetime unique hospitalization - time period	673
SERB_05D	Lifetime unique hospitalization - Number of nights	673
SERB_05E	Lifetime unique hospitalization - Number of weeks	674
SERB_05F	Lifetime unique hospitalization - Number of months	674
SERB_05G	Lifetime unique hospitalization - Number of years	675
SERB_06	Age - at time of first admission for mental health	675
SERB_07	Total time spent in hospital due to mental health	676
SERB_07A	Total lifetime hospitalization - Number of days	676
SERB_07B	Total lifetime hospitalization - Number of weeks	677
SERB_07C	Total lifetime hospitalization - Number of months	677
SERB_07D	Total lifetime hospitalization - Number of years	678
SERB_08	Hospitalized for mental health/alcohol/drug - 12 mo	678
SERB_08A	Age - last time hospitalized	679
SERB_09	Total time spent in hospital due to mental health - 12 mo	679
SERB_09A	Total past 12 months hospitalization - Number of days	680
SERB_09B	Total past 12 months hospitalization - Number of weeks	680
SERB_09C	Total past 12 months hospitalization - Number of months	680
SERB_10A	Ever saw / talked to prof. - psychiatrist	681
SERB_10B	Ever saw / talked to prof. - family doctor or GP	681
SERB_10C	Ever saw / talked to prof. - other medical doctor	682

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
SERB_10D	Ever saw / talked to prof. - psychologist	682
SERB_10E	Ever saw / talked to prof. - nurse	683
SERB_10F	Ever saw / talked to prof. - social worker/counsellor/etc	683
SERB_10G	Ever saw / talked to prof. - religious / spiritual advisor	684
SERB_10H	Ever saw / talked to prof. - other professional	684
SERB_10I	Ever saw / talked to prof. - none	685
SERB_12	Had session of counselling / therapy of 15 minutes or longer	685
SERB_13	Age - first time had session of counselling / therapy	686
SERB_20	Age - first time consulted psychiatrist	686
SERB_21	Last time consulted psychiatrist	687
SERB_22	Age - last time consulted psychiatrist	687
SERB_23	Number of times consulted psychiatrist - 12 mo	688
SERB_24A	Contact psychiatrist - hospitalized as an overnight patient	688
SERB_24B	Contact psychiatrist - health professional's office	689
SERB_24C	Contact psychiatrist - hospital emergency room	689
SERB_24D	Contact psychiatrist - psychiatric outpatient clinic	690
SERB_24E	Contact psychiatrist - drug or alcohol outpatient clinic	690
SERB_24F	Contact psychiatrist - other hospital outpatient clinic	691
SERB_24G	Contact psychiatrist - walk-in clinic	691
SERB_24H	Contact psychiatrist - appointment clinic	692
SERB_24I	Contact psychiatrist - community health centre / CLSC	692
SERB_24J	Contact psychiatrist - at work	693
SERB_24K	Contact psychiatrist - at school	693
SERB_24L	Contact psychiatrist - at home	694
SERB_24M	Contact psychiatrist - telephone consultation only	694
SERB_24N	Contact psychiatrist - church or other religious place	695
SERB_24O	Contact psychiatrist - other	695
SERB_25	Psychiatrist - satisfaction with treatments/services	696
SERB_26	Psychiatrist - perceived level of help received from prof.	696
SERB_27	Psychiatrist - stopped seeing this professional	697
SERB_28A	Reason stopped - felt better	697
SERB_28B	Reason stopped - completed the recommended treatment	698
SERB_28C	Reason stopped - thought it was not helping	698
SERB_28D	Reason stopped - problem would get better without help	699
SERB_28E	Reason stopped - couldn't afford to pay	699
SERB_28F	Reason stopped - too embarrassed to see professional	700

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_28G	Reason stopped - wanted to solve the problem without help	700
SERB_28H	Reason stopped - problems like transportation, childcare	701
SERB_28I	Reason stopped - service / program no longer available	701
SERB_28J	Reason stopped - not comfortable with prof. approach	702
SERB_28K	Reason stopped - other reason	702
SERB_29	Psychiatrist - recommended other professional	703
SERB_30	Age - first time consulted family doctor	703
SERB_31	Last time consulted family doctor	704
SERB_32	Age - last time consulted family doctor	704
SERB_33	Number of times consulted family doctor - 12 mo	705
SERB_34A	Contact family doctor - hospitalized as overnight patient	705
SERB_34B	Contact family doctor - health professional's office	706
SERB_34C	Contact family doctor - hospital emergency room	706
SERB_34D	Contact family doctor - psychiatric outpatient clinic	707
SERB_34E	Contact family doctor - drug or alcohol outpatient clinic	707
SERB_34F	Contact family doctor - other hospital outpatient clinic	708
SERB_34G	Contact family doctor - walk-in clinic	708
SERB_34H	Contact family doctor - appointment clinic	709
SERB_34I	Contact family doctor - community health centre / CLSC	709
SERB_34J	Contact family doctor - at work	710
SERB_34K	Contact family doctor - at school	710
SERB_34L	Contact family doctor - at home	711
SERB_34M	Contact family doctor - telephone consultation only	711
SERB_34N	Contact family doctor - church or other religious place	712
SERB_34O	Contact family doctor - other	712
SERB_35	Family doctor - satisfaction with treatments/services	713
SERB_36	Family doctor - perceived level of help received from prof.	713
SERB_37	Family doctor - stopped seeing prof.	714
SERB_38A	Reason stopped - felt better	714
SERB_38B	Reason stopped - completed the recommended treatment	715
SERB_38C	Reason stopped - thought it was not helping	715
SERB_38D	Reason stopped - problem would get better without help	716
SERB_38E	Reason stopped - couldn't afford to pay	716
SERB_38F	Reason stopped - too embarrassed to see professional	717
SERB_38G	Reason stopped - wanted to solve the problem without help	717
SERB_38H	Reason stopped - problems like transportation, childcare	718

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_38I	Reason stopped - service / program no longer available	718
SERB_38J	Reason stopped - not comfortable with prof. approach	719
SERB_38K	Reason stopped - other reason	719
SERB_39	Family doctor - recommended another professional	720
SERB_40A	Other doctor - cardiologist	720
SERB_40B	Other doctor - gynaecologist	721
SERB_40C	Other doctor - urologist	721
SERB_40D	Other doctor - allergist	722
SERB_40E	Other doctor - other	722
SERB_41	Other doctor consulted most often - 12 mo	723
SERB_42	Age - last time consulted other medical doctor	723
SERB_43	Number of times consulted other doctor - 12 mo	724
SERB_44A	Contact other doctor - hospitalized as overnight patient	724
SERB_44B	Contact other doctor - health professional's office	725
SERB_44C	Contact other doctor - hospital emergency room	725
SERB_44D	Contact other doctor - psychiatric outpatient clinic	726
SERB_44E	Contact other doctor - drug or alcohol outpatient clinic	726
SERB_44F	Contact other doctor - other hospital outpatient clinic	727
SERB_44G	Contact other doctor - walk-in clinic	727
SERB_44H	Contact other doctor - appointment clinic	728
SERB_44I	Contact other doctor - community health centre / CLSC	728
SERB_44J	Contact other doctor - at work	729
SERB_44K	Contact other doctor - at school	729
SERB_44L	Contact other doctor - at home	730
SERB_44M	Contact other doctor - telephone consultation only	730
SERB_44N	Contact other doctor - church or other religious place	731
SERB_44O	Contact other doctor - other	731
SERB_45	Other doctor - satisfaction with treatments/services	732
SERB_46	Other doctor - perceived level of help received from prof.	732
SERB_47	Other doctor - stopped seeing prof.	733
SERB_48A	Reason stopped - felt better	733
SERB_48B	Reason stopped - completed the recommended treatment	734
SERB_48C	Reason stopped - thought it was not helping	734
SERB_48D	Reason stopped - problem would get better without help	735
SERB_48E	Reason stopped - couldn't afford to pay	735
SERB_48F	Reason stopped - too embarrassed to see professional	736

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_48G	Reason stopped - wanted to solve the problem without help	736
SERB_48H	Reason stopped - problems like transportation, childcare	737
SERB_48I	Reason stopped - service / program no longer available	737
SERB_48J	Reason stopped - not comfortable with prof. approach	738
SERB_48K	Reason stopped - other reason	738
SERB_49	Other doctor - recommended other professional	739
SERB_50	Age - first time consulted psychologist	739
SERB_51	Last time consulted psychologist	740
SERB_52	Age - last time consulted psychologist	740
SERB_53	Number of times consulted psychologist - 12 mo	741
SERB_54A	Contact psychologist - hospitalized as an overnight patient	741
SERB_54B	Contact psychologist - health professional's office	742
SERB_54C	Contact psychologist - hospital emergency room	742
SERB_54D	Contact psychologist - psychiatric outpatient clinic	743
SERB_54E	Contact psychologist - drug or alcohol outpatient clinic	743
SERB_54F	Contact psychologist - other hospital outpatient clinic	744
SERB_54G	Contact psychologist - walk-in clinic	744
SERB_54H	Contact psychologist - appointment clinic	745
SERB_54I	Contact psychologist - community health centre / CLSC	745
SERB_54J	Contact psychologist - at work	746
SERB_54K	Contact psychologist - at school	746
SERB_54L	Contact psychologist - at home	747
SERB_54M	Contact psychologist - telephone consultation only	747
SERB_54N	Contact psychologist - church or other religious place	748
SERB_54O	Contact psychologist - other	748
SERB_55	Psychologist - satisfaction with treatments/services - 12 mo	749
SERB_56	Psychologist - perceived level of help received from prof.	749
SERB_57	Psychologist - stopped seeing this professional	750
SERB_58A	Reason stopped - felt better	750
SERB_58B	Reason stopped - completed the recommended treatment	751
SERB_58C	Reason stopped - thought it was not helping	751
SERB_58D	Reason stopped - problem would get better without help	752
SERB_58E	Reason stopped - couldn't afford to pay	752
SERB_58F	Reason stopped - too embarrassed to see professional	753
SERB_58G	Reason stopped - wanted to solve the problem without help	753
SERB_58H	Reason stopped - problems like transportation, childcare	754

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_58I	Reason stopped - service / program no longer available	754
SERB_58J	Reason stopped - not comfortable with prof. approach	755
SERB_58K	Reason stopped - other reason	755
SERB_59	Insurance covers all/part of cost with psychologist	756
SERB_59A	Psychologist - recommended other professional	756
SERB_60	Age - first time consulted nurse	757
SERB_61	Last time consulted nurse	757
SERB_62	Age - last time consulted nurse	758
SERB_63	Number of times consulted nurse - 12 mo	758
SERB_64A	Contact nurse - hospitalized as an overnight patient	759
SERB_64B	Contact nurse - health professional's office	759
SERB_64C	Contact nurse - hospital emergency room	760
SERB_64D	Contact nurse - psychiatric outpatient clinic	760
SERB_64E	Contact nurse - drug or alcohol outpatient clinic	761
SERB_64F	Contact nurse - other hospital outpatient clinic	761
SERB_64G	Contact nurse - walk-in clinic	762
SERB_64H	Contact nurse - appointment clinic	762
SERB_64I	Contact nurse - community health centre / CLSC	763
SERB_64J	Contact nurse - at work	763
SERB_64K	Contact nurse - at school	764
SERB_64L	Contact nurse - at home	764
SERB_64M	Contact nurse - telephone consultation only	765
SERB_64N	Contact nurse - church or other religious place	765
SERB_64O	Contact nurse - other	766
SERB_65	Nurse - satisfaction with treatments/services - 12 mo	766
SERB_66	Nurse - perceived level of help received from prof.	767
SERB_67	Nurse - stopped seeing this professional	767
SERB_68A	Reason stopped - felt better	768
SERB_68B	Reason stopped - completed the recommended treatment	768
SERB_68C	Reason stopped - thought it was not helping	769
SERB_68D	Reason stopped - problem would get better without help	769
SERB_68E	Reason stopped - couldn't afford to pay	770
SERB_68F	Reason stopped - too embarrassed to see professional	770
SERB_68G	Reason stopped - wanted to solve the problem without help	771
SERB_68H	Reason stopped - problems like transportation, childcare	771
SERB_68I	Reason stopped - service / program no longer available	772

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_68J	Reason stopped - not comfortable with prof. approach	772
SERB_68K	Reason stopped - other reason	773
SERB_69	Insurance covers all/part of cost with nurse	773
SERB_69A	Nurse - recommended other professional	774
SERB_70	Age - first time consulted social worker	774
SERB_71	Last time consulted social worker	775
SERB_72	Age - last time consulted social worker	775
SERB_73	Number of times consulted social worker - 12 mo	776
SERB_74A	Contact social worker - hospitalized as an overnight patient	776
SERB_74B	Contact social worker - health professional's office	777
SERB_74C	Contact social worker - hospital emergency room	777
SERB_74D	Contact social worker - psychiatric outpatient clinic	778
SERB_74E	Contact social worker - drug or alcohol outpatient clinic	778
SERB_74F	Contact social worker - other hospital outpatient clinic	779
SERB_74G	Contact social worker - walk-in clinic	779
SERB_74H	Contact social worker - appointment clinic	780
SERB_74I	Contact social worker - community health centre / CLSC	780
SERB_74J	Contact social worker - at work	781
SERB_74K	Contact social worker - at school	781
SERB_74L	Contact social worker - at home	782
SERB_74M	Contact social worker - telephone consultation only	782
SERB_74N	Contact social worker - church or other religious place	783
SERB_74O	Contact social worker - other	783
SERB_75	Social worker - satisfaction with treatments/services	784
SERB_76	Social worker - perceived level of help received from prof.	784
SERB_77	Social worker - stopped seeing this professional	785
SERB_78A	Reason stopped - felt better	785
SERB_78B	Reason stopped - completed the recommended treatment	786
SERB_78C	Reason stopped - thought it was not helping	786
SERB_78D	Reason stopped - problem would get better without help	787
SERB_78E	Reason stopped - couldn't afford to pay	787
SERB_78F	Reason stopped - too embarrassed to see professional	788
SERB_78G	Reason stopped - wanted to solve the problem without help	788
SERB_78H	Reason stopped - problems like transportation, childcare	789
SERB_78I	Reason stopped - service / program no longer available	789
SERB_78J	Reason stopped - not comfortable with prof. approach	790

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_78K	Reason stopped - other reason	790
SERB_79	Insurance covers all/part of cost with social worker	791
SERB_79A	Social worker - recommended other professional	791
SERB_80	Age - first time consulted religious advisor	792
SERB_81	Last time consulted religious advisor	792
SERB_82	Age - last time consulted religious advisor	793
SERB_83	Number of times consulted religious advisor - 12 mo	793
SERB_84A	Contact religious advisor - hosp as an overnight patient	794
SERB_84B	Contact religious advisor - health professional's office	794
SERB_84C	Contact religious advisor - hospital emergency room	795
SERB_84D	Contact religious advisor - psychiatric outpatient clinic	795
SERB_84E	Contact relig advisor - drug or alcohol outpatient clinic	796
SERB_84F	Contact religious advisor - other hospital outpatient clinic	796
SERB_84G	Contact religious advisor - walk-in clinic	797
SERB_84H	Contact religious advisor - appointment clinic	797
SERB_84I	Contact religious advisor - community health centre / CLSC	798
SERB_84J	Contact religious advisor - at work	798
SERB_84K	Contact religious advisor - at school	799
SERB_84L	Contact religious advisor - at home	799
SERB_84M	Contact religious advisor - telephone consultation only	800
SERB_84N	Contact religious advisor - church or other religious place	800
SERB_84O	Contact religious advisor - other	801
SERB_85	Religious advisor - satisfaction with treatments/services	801
SERB_86	Religious adv - perceived level of help received from prof.	802
SERB_87	Religious advisor - stopped seeing this professional	802
SERB_88A	Reason stopped - felt better	803
SERB_88B	Reason stopped - completed the recommended treatment	803
SERB_88C	Reason stopped - thought it was not helping	804
SERB_88D	Reason stopped - problem would get better without help	804
SERB_88E	Reason stopped - couldn't afford to pay	805
SERB_88F	Reason stopped - too embarrassed to see professional	805
SERB_88G	Reason stopped - wanted to solve the problem without help	806
SERB_88H	Reason stopped - problems like transportation, childcare	806
SERB_88I	Reason stopped - service / program no longer available	807
SERB_88J	Reason stopped - not comfortable with prof. approach	807
SERB_88K	Reason stopped - other reason	808

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_89	Religious advisor - recommend other professional	808
SERB_90A	Other professional - acupuncturist	809
SERB_90B	Other professional - biofeedback teacher	809
SERB_90C	Other professional - chiropractor	810
SERB_90D	Other professional - energy healing specialist	810
SERB_90E	Other professional - exercise or movement therapist	811
SERB_90F	Other professional - herbalist	811
SERB_90G	Other professional - homeopath or naturopath	812
SERB_90H	Other professional - hypnotist	812
SERB_90I	Other professional - guided imagery specialist	813
SERB_90J	Other professional - massage therapist	813
SERB_90K	Other professional - relaxation, yoga or meditation	814
SERB_90L	Other professional - dietician	814
SERB_90M	Other professional - other	815
SERB_91	Other professional consulted most often - 12 mo	816
SERB_92	Age - last time consulted other professional	817
SERB_93	Number of times consulted other professional - 12 mo	817
SERB_94A	Contact other prof. - hospitalized as an overnight patient	818
SERB_94B	Contact other prof. - health professional's office	818
SERB_94C	Contact other prof. - hospital emergency room	819
SERB_94D	Contact other prof. - psychiatric outpatient clinic	819
SERB_94E	Contact other prof. - drug or alcohol outpatient clinic	820
SERB_94F	Contact other prof. - other hospital outpatient clinic	820
SERB_94G	Contact other prof. - walk-in clinic	821
SERB_94H	Contact other prof. - appointment clinic	821
SERB_94I	Contact other prof. - community health centre / CLSC	822
SERB_94J	Contact other prof. - at work	822
SERB_94K	Contact other prof. - at school	823
SERB_94L	Contact other prof. - at home	823
SERB_94M	Contact other prof. - telephone consultation only	824
SERB_94N	Contact other prof. - church or other religious place	824
SERB_94O	Contact other prof. - other	825
SERB_95	Other prof. - satisfaction with treatments/services - 12 mo	825
SERB_96	Other prof. - perceived level of help received from prof.	826
SERB_97	Other prof. - stopped seeing this professional	826
SERB_98A	Reason stopped - felt better	827

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_98B	Reason stopped - completed the recommended treatment	827
SERB_98C	Reason stopped - thought it was not helping	828
SERB_98D	Reason stopped - problem would get better without help	828
SERB_98E	Reason stopped - couldn't afford to pay	829
SERB_98F	Reason stopped - too embarrassed to see professional	829
SERB_98G	Reason stopped - wanted to solve the problem without help	830
SERB_98H	Reason stopped - problems like transportation, childcare	830
SERB_98I	Reason stopped - service / program no longer available	831
SERB_98J	Reason stopped - not comfortable with prof. approach	831
SERB_98K	Reason stopped - other reason	832
SERB_98L	Reason stopped - none	832
SERB_99	Insurance covers all/part of cost with other prof.	833
SERB_99A	Other professional - recommended other professional	833
SERB_A0A	Used an internet support group / chat room - life	834
SERB_A0B	Last time used internet support group / chat room	834
SERB_A0C	Nbr of times internet support group / chat room - 12 mo	835
SERB_A1A	Self-help group for help with emotions - life	835
SERB_A1B	Age - first time went to self-help group	836
SERB_A1C	Last time went to self-help group	836
SERB_A1D	Nbr of times went to meeting of self-help group - 12 mo	837
SERB_A2A	Used telephone helpline for mental health - life	837
SERB_A2B	Age - first time used telephone helpline	838
SERB_A2C	Last time used telephone helpline	838
SERB_A2D	Number of times used telephone helpline - 12 mo	839
SERB_A3	Needed help for emotions but didn't receive it	839
SERB_A4A	Help needed - info on mental illness / treatments	840
SERB_A4B	Help needed - info on availability of services	840
SERB_A4C	Help needed - medication	841
SERB_A4D	Help needed - therapy or counselling	841
SERB_A4E	Help needed - for financial problems	842
SERB_A4F	Help needed - for housing problems	842
SERB_A4G	Help needed - for personal relationships	843
SERB_A4H	Help needed - for employment status / work situation	843
SERB_A4I	Help needed - other	844
SERB_A5A	Reason no help - preferred to manage him/herself	844
SERB_A5B	Reason no help - didn't think anything more could help	845

Master File - Revised

MAY 2004

Variable Name	Description	Page
SERB_A5C	Reason no help - didn't know how or where to get help	845
SERB_A5D	Reason no help - afraid to ask help / what others think	846
SERB_A5E	Reason no help - couldn't afford to pay	846
SERB_A5F	Reason no help - prob like transp, childcare, scheduling	847
SERB_A5G	Reason no help - professional unavailable in area	847
SERB_A5H	Reason no help - professional unavailable at time	848
SERB_A5I	Reason no help - waiting time too long	848
SERB_A5J	Reason no help - didn't get around to it / didn't bother	849
SERB_A5K	Reason no help - language problems	849
SERB_A5L	Reason no help - personal/family responsibilities	850
SERB_A5M	Reason no help - other	850
SERB_A7	Amount spent on mental health services/products - 12 mo	851
SERBDHDY	Total nbr of days hospitalized for mental hlth. - life (D)	852
SERBDRCT	Number of resources used for mental health - life - (D)	853
SERBDYCT	Number of resources used for mental health - 12 mo	854
SERBFACP	Acceptability barriers - mental health - (F)	854
SERBFACS	Accessibility barriers - mental health - (F)	854
SERBFAVA	Availability barriers - mental health - (F)	855
SERBFHYR	Hospitalization for mental health - 12 mo - (F)	852
SERBFLAP	Professional consultations for mental health - life - (F)	852
SERBFLHO	Hospitalization for mental health - life - (F)	851
SERBFLRU	Resources used for mental health - life - (F)	853
SERBFYRU	Number of resources used for mental health - 12 mo - (F)	853
SOP : Social Phobia		
SOPB_01A	Uneasy - meeting new people	407
SOPB_01B	Uneasy - talking to people in authority	408
SOPB_01C	Uneasy - speaking up in a meeting / class	408
SOPB_01D	Uneasy - going to parties / other social gatherings	409
SOPB_01E	Uneasy - performing / giving a talk	409
SOPB_01F	Uneasy - taking exam / interviewing for job	410
SOPB_01G	Uneasy - working while someone watches you	410
SOPB_01H	Uneasy - entering room when others already present	411
SOPB_01I	Uneasy - talking with people who don't know well	411
SOPB_01J	Uneasy - expressing disagreement to people don't know well	412
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	412
SOPB_01L	Uneasy - using public bathroom	413

Master File - Revised

MAY 2004

Variable Name	Description	Page
SOPB_01M	Uneasy - going on a date	413
SOPB_01N	Uneasy - other social situation where centre of attention	414
SOPB_031	Remembered exactly age of very first social fear	414
SOPB_032	Remembered exactly age of very first social fear	415
SOPB_03A	Age - exactly first time had social fear	415
SOPB_03B	Age - approximately first time had social fear	416
SOPB_06A	Age - when first started avoiding social situation	417
SOPB_08A	Symptom - was blushing or shaking	418
SOPB_08B	Symptom - feared losing bowel / bladder control	418
SOPB_08C	Symptom - feared might vomit	419
SOPB_09A	Symptom - had heart pounding / racing	419
SOPB_09B	Symptom - was sweating	420
SOPB_09C	Symptom - was trembling	420
SOPB_09D	Symptom - felt sick to stomach	421
SOPB_09E	Symptom - had dry mouth	421
SOPB_09F	Symptom - had hot flushes or chills	422
SOPB_09G	Symptom - felt numbness / tingling sensations	422
SOPB_09H	Symptom - had trouble breathing normally	423
SOPB_09I	Symptom - felt like was choking	423
SOPB_09J	Symptom - had pain / discomfort in chest	424
SOPB_09K	Symptom - felt dizzy / faint	424
SOPB_09L	Symptom - was afraid might die	425
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	425
SOPB_09N	Symptom - felt like "not really there"	426
SOPB_09O	Symptom - felt things were not real	426
SOPB_10	Symptom - was afraid might have a panic attack	427
SOPB_10A	Symptom - had a panic attack in this situation	427
SOPB_11	Symptom - was afraid might be trapped / unable to escape	428
SOPB_12	Symptom - was afraid might do something embarrassing	428
SOPB_12A	Symptom - was afraid might embarrass other people	429
SOPB_13	Symptom - was afraid people might think negatively	429
SOPB_14	Symptom - was afraid to be focus of attention	430
SOPB_14A	Reason associated with social fear	430
SOPB_15	Fear related to embarrassment about physical/mental problem	431
SOPB_15A	Problem - emotional or mental health condition	431
SOPB_15B	Problem - alcohol or drug	432

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
SOPB_15C	Problem - speech, vision or hearing	432
SOPB_15D	Problem - movement or coordination	433
SOPB_15E	Problem - facial/body disfigurement, weight/body image	433
SOPB_15F	Problem - bad odour/sweating	434
SOPB_15G	Problem - other physical health problem	434
SOPB_15H	Problem - pregnancy	435
SOPB_16	Social fear interfered with work/social/relationships	435
SOPB_17	Felt upset / worried / disappointed because of social fear	436
SOPB_18	Last time feared / avoided social situation	436
SOPB_18A	Age - last time feared / avoided social situation	437
SOPB_19	Severity of fear if had to face situation today	437
SOPB_20	Frequency - avoided feared social situation - 12 mo	438
SOPB_211	Level of interference - ability to attend school - 12 mo	440
SOPB_212	Level of interference - ability to work at a job - 12 mo	441
SOPB_21A	Level of interference - home responsibilities - 12 mo	439
SOPB_21C	Level of interference - close relationships - 12 mo	442
SOPB_21D	Level of interference - social life - 12 mo	443
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	444
SOPB_25	Consulted MD / other prof. about social fear	444
SOPB_25A	Age - first time consulted prof. about social fear	445
SOPB_36	Received helpful / effective treatment for social fear	445
SOPB_36A	Age - first time got helpful treatment for social fear	446
SOPB_36B	Number of prof. consulted before helpful treatment	446
SOPB_36C	Total nbr of prof. consulted about social fear - life	447
SOPB_38	Received prof. treatment for social fear - 12 mo	447
SOPB_39	Hospitalized overnight for social fear - life	448
SOPB_391	Number of relatives with strong social fear	449
SOPB_39A	Age - first time hospitalized overnight for social fear	448
SOPB_3B1	Life period when first time had social fear	416
SOPB_6A1	Life period when started avoiding social situation	417
SOPBD09	Criterion D, Part 2B - (D)	451
SOPBD215	Criterion E, Part 1A - (D)	452
SOPBDA	Criterion A, Part 1 and 2 - (D)	450
SOPBDA1	Criterion A, Part 1 - (D)	449
SOPBDA2	Criterion A, Part 2 - (D)	450
SOPBDB	Criterion B - (D)	450

CCHS Cycle 1.2: Topical Index
 Master File - Revised
 MAY 2004

Variable Name	Description	Page
SOPBDC	Criterion C - (D)	451
SOPBDD	Criterion D, Part 1 and 2 - (D)	452
SOPBDD1	Criterion D, Part 1 - (D)	451
SOPBDD2	Criterion D, Part 2 - (D)	452
SOPBDE	Criterion E, Part 1 and 2 - (D)	453
SOPBDF	Criterion F, Part 1 and 2 - (D)	454
SOPBDF1	Criterion F, Part 1 - (D)	453
SOPBDF2	Criterion F, Part 2 - (D)	453
SOPBDINT	Social Phobia Interference - Mean - (D)	457
SOPBDON	Age at social phobia onset - (D)	455
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	456
SOPBDREC	Age at most recent social phobia episode - (D)	455
SOPBDSP	Social Phobia Algorithm - Life - (D)	454
SOPBDYA	Criterion A - 12 month - (D)	455
SOPBDYB	Criterion B - 12 month - (D)	456
SOPBDYC	Criterion C - Interference - (D)	456
SOPBFINT	Social Phobia Interference - (F)	457
SPV : Spiritual Values		
SPVB_1	Spiritual values - playing important role in life	1016
SPVB_2	Spiritual values - helping to find meaning to life	1017
SPVB_3	Spiritual values - strength for everyday difficulties	1017
SPVB_4	Spiritual values - understanding difficulties of life	1018
SPVB_5	Respondent's religion	1019
SPVB_6	Frequency - Attends religious services or meetings	1020
SPVB_7	Self-perception - being religious	1020
SSM : Social Support		
SSMB_01	Number of close friends and relatives	946
SSMB_02	Has someone to give help if confined to bed	947
SSMB_03	Has someone to listen	947
SSMB_04	Has someone to give advice about a crisis	948
SSMB_05	Has someone to take to doctor	948
SSMB_06	Has someone who shows love and affection	949
SSMB_07	Has someone to have a good time with	949
SSMB_08	Has someone who gives information to understand a situation	950
SSMB_09	Has someone to confide in	950

Master File - Revised

MAY 2004

Variable Name	Description	Page
SSMB_10	Has someone who gives hugs	951
SSMB_11	Has someone to get together with for relaxation	951
SSMB_12	Has someone to prepare meals	952
SSMB_13	Has someone to give advice	952
SSMB_14	Has someone to do things to get mind off things	953
SSMB_15	Has someone to help with daily chores if sick	953
SSMB_16	Has someone to share most private worries and fears with	954
SSMB_17	Has someone to turn to for suggestions for personal problems	954
SSMB_18	Has someone to do something enjoyable with	955
SSMB_19	Has someone who understands problems	955
SSMB_20	Has someone who loves and makes feel wanted	956
SSMB_21A	Received tangible social support - 12 mo	956
SSMB_21B	Frequency of tangible social support - 12 mo	957
SSMB_22A	Received affective support - 12 mo	957
SSMB_22B	Frequency of affective support - 12 mo	958
SSMB_23A	Received positive social interactive support - 12 mo	958
SSMB_23B	Frequency of positive social interactive support - 12 mo	959
SSMB_24A	Received emotional/informational support - 12 mo	959
SSMB_24B	Frequency of emtional/informational support - 12 mo	960
SSMBDAFF	Affection - MOS subscale - (D)	961
SSMBDEMO	Emotional or informational support - MOS subscale - (D)	961
SSMBDSOC	Positive social interaction - MOS subscale - (D)	961
SSMBDTNG	Tangible social support - MOS subscale - (D)	960
STR : Stress		
STRB_1	Self-perceived ability to handle unexpected problem	123
STRB_2	Self-perceived ability to handle day-to-day demands	124
STRB_3	Most important source of feelings of stress	125
STRB_61	Frequency - coping - problem solving	126
STRB_610	Frequency - coping - blaming oneself	132
STRB_611	Frequency - coping - wishing situation would go away	132
STRB_62	Frequency - coping - talking to others	126
STRB_63	Frequency - coping - avoiding being with people	127
STRB_64	Frequency - coping - sleeping more than usual	127
STRB_65A	Frequency - coping - eating more or less than usual	128
STRB_65B	Frequency - coping - smoking more cigarettes than usual	128
STRB_65C	Frequency - coping - drinking alcohol	129

Master File - Revised

MAY 2004

Variable Name	Description	Page
STRB_65D	Frequency - coping - using drugs or medication	129
STRB_66	Frequency - coping - jogging or other exercise	130
STRB_67	Frequency - coping - praying or seeking spiritual help	130
STRB_68	Frequency - coping - doing something enjoyable	131
STRB_69	Frequency - coping - looking on the bright side of things	131
TWD : Two-Week Disability		
TWDB_1	Stayed in bed - because of illness or injury	655
TWDB_2	Stayed in bed - number of days	656
TWDB_2A	Single day when stayed in bed is due to mental health	657
TWDB_2B	Number of days when stayed in bed is due to mental health	657
TWDB_3	Reduced activities - because of illness or injury	658
TWDB_4	Reduced activities - number of days	659
TWDB_4A	Single day when reduced activities is due to mental health	660
TWDB_4B	Nber of days when reduced activities is due to mental health	661
TWDB_5A	Took extra effort - because of illness or injury	662
TWDB_6	Number of days requiring extra effort	663
TWDB_6A	Single day when extra effort is due to mental health	664
TWDB_6B	Number of days when extra effort is due to mental health	665
TWDBDDDY	Total number of disability days in past 14 days - (D)	666
TWDBDMH	Total number of disability days due to mental health - (D)	670
TWDBDMQ2	Number of days spent in bed due to mental health - (D)	667
TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	668
TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	669
WST : Work Stress		
WSTB_401	Work stress - must learn new things	1042
WSTB_402	Work stress - high level of skill	1043
WSTB_403	Work stress - freedom to decide	1043
WSTB_404	Work stress - repetitive tasks	1044
WSTB_405	Work stress - job hectic	1044
WSTB_406	Work stress - free from conflicting demands	1045
WSTB_407	Work stress - good job security	1045
WSTB_408	Work stress - required a lot of physical effort	1046
WSTB_409	Work stress - had own job input	1046
WSTB_410	Work stress - hostility or conflict with others	1047
WSTB_411	Work stress - supervisor helpful	1047

Master File - Revised

MAY 2004

Variable Name	Description	Page
WSTB_412	Work stress - co-workers helpful	1048
WSTB_413	Work stress - job satisfaction	1048
WSTBDAUT	Work stress - decision latitude / authority - (D)	1050
WSTBDJIN	Work stress - job insecurity - (D)	1051
WSTBDPHY	Work stress - physical exertion - (D)	1052
WSTBDPSY	Work stress - psychological demands - (D)	1051
WSTBDSKI	Work stress - decision latitude / discretion - (D)	1049
WSTBDSOC	Work stress - social support - (D)	1053
WTS : Weights		
WTSB_M	Sampling weight - master weight	1072
WTSB_S	Sampling weight - share weight	1072