

Master File - Revised

JUNE 2004

Variable Name	Description	Page
ADM : Administration		
ADMB_DAT	Date of interview	6
ADMB_LHH	Language of preference - household interview	7
ADMB_STA	Response status after processing	6
ADMBDN09	Interview by telephone or in person	6
PERSONID	Person identifier of person selected	1
SAMPLEID	Household identifier	1
ALC : Alcohol Use		
ALCB_1	Drank alcohol in past 12 months	507
ALCB_10	Regularly drank more than 12 drinks a week - life	515
ALCB_2	Frequency - drinking alcohol - 12 mo	508
ALCB_3	Frequency - having 5 or more drinks - 12 mo	509
ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	509
ALCB_5	Drank alcohol in past week	510
ALCB_5A1	Number of drinks - Sunday	510
ALCB_5A2	Number of drinks - Monday	511
ALCB_5A3	Number of drinks - Tuesday	511
ALCB_5A4	Number of drinks - Wednesday	512
ALCB_5A5	Number of drinks - Thursday	512
ALCB_5A6	Number of drinks - Friday	513
ALCB_5A7	Number of drinks - Saturday	513
ALCB_5B	Ever had a drink - life	514
ALCB_7A	Reason reduced drinking - dieting	515
ALCB_7B	Reason reduced drinking - athletic training	516
ALCB_7C	Reason reduced drinking - pregnancy	516
ALCB_7D	Reason reduced drinking - getting older	517
ALCB_7E	Reason reduced drinking - drinking too much	517
ALCB_7F	Reason reduced drinking - affected work / studies	518
ALCB_7G	Reason reduced drinking - interfered with family life	518
ALCB_7H	Reason reduced drinking - affected physical health	519
ALCB_7I	Reason reduced drinking - affected social relationships	519
ALCB_7J	Reason reduced drinking - affected financial position	520
ALCB_7K	Reason reduced drinking - affected happiness	520
ALCB_7L	Reason reduced drinking - influence of family / friends	521
ALCB_7M	Reason reduced drinking - other	521

Master File - Revised

JUNE 2004

Variable Name	Description	Page
ALCB_8	Age started drinking alcoholic beverages	522
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	514
ALCBDDLY	Average daily alcohol consumption - (D)	523
ALCBDTYP	Type of drinker - (D)	522
ALCBDWKY	Number of drinks - past week - (D)	523
ALD : Alcohol Dependence		
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	524
ALDB_01A	Drunk - at work / school / taking care of child - life	524
ALDB_01L	Drunk - at work / school / taking care of child - life	541
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	525
ALDB_02L	Number of times - drunk at work/school/child care - life	542
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	525
ALDB_03A	Being drunk increased chances of getting hurt - life	526
ALDB_03L	Being drunk increased chances of getting hurt - life	542
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	526
ALDB_04A	Emotional or psychological problems due to alcohol - life	527
ALDB_04L	Emotional or psychological problems due to alcohol - life	543
ALDB_05	Strong desire or urge to drink - 12 mo	527
ALDB_05A	Strong desire or urge to drink - life	528
ALDB_05L	Strong desire or urge to drink - life	543
ALDB_06	Spent month or more getting drunk - 12 mo	528
ALDB_06A	Spent month or more getting drunk - life	529
ALDB_06L	Spent month or more getting drunk - life	544
ALDB_07	Drank much more than intended - 12 mo	529
ALDB_07A	Drank much more than intended - life	530
ALDB_07L	Drank much more than intended - life	544
ALDB_08	Number of times - drank much more than intended - 12 mo	530
ALDB_08L	Number of times - drank much more than intended - life	545
ALDB_09	Had to drink more for the same effect - 12 mo	531
ALDB_09A	Had to drink more for the same effect - life	531
ALDB_09L	Had to drink more for the same effect - life	545
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	532
ALDB_10A	Had symptom during period of cut down/alcohol - life	532
ALDB_10L	Had symptom during period of cut down/no alcohol - life	546
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	533
ALDB_11A	Drank alcohol - even though promised wouldn't - life	533

Master File - Revised

JUNE 2004

Variable Name	Description	Page
ALDB_11L	Drank alcohol - even though promised wouldn't - life	546
ALDB_12	Drank alcohol - little time for anything else - 12 mo	534
ALDB_12A	Drank alcohol - little time for anything else - life	534
ALDB_12L	Drank alcohol - little time for anything else - life	547
ALDB_13	Reduced important activities - because of alcohol - 12 mo	535
ALDB_13A	Reduced important activities - because of alcohol - life	535
ALDB_13L	Reduced important activities - because of alcohol - life	547
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	536
ALDB_14A	Continued drinking alcohol despite health problems - life	536
ALDB_14L	Continued drinking alcohol despite health problems - life	548
ALDB_15A	Level of interference - home responsibilities - 12 mo	537
ALDB_15C	Level of interference - close relationships - 12 mo	540
ALDB_15D	Level of interference - social life -12 mo	541
ALDB_5B1	Level of interference - ability to attend school - 12 mo	538
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	539
ALDBDINT	Alcohol interference - mean - 12 months - (D)	550
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	549
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	548
ALDBFINT	Flag: Alcohol interference - 12 mo	550
CAS : Childhood and Adult Stressors		
CASB_1	2 weeks or more in the hospital	923
CASB_2	Parents divorced	923
CASB_3	Parents unemployed for a long time	924
CASB_4	Sent away from home for misconduct	924
CASB_5	Family problems due to parents abusing alcohol or drugs	925
CASB_6	Apprehended by child protection service	925
CASBDINX	Childhood and Adult Stress Index - (D)	926
CF : Canadian Forces		
CF_B_ENV	CF member's environment updated from tracing operation	2
CF_B_LAN	CF language reference	4
CF_B_REG	CF member's geographical reg. updated from tracing operation	3
CF_B_STR	CF stratification categories used for sample selection	1
CF_BDENV	CF member's environment coded to numeric code - (D)	3
CF_BDFOR	CF force type - (D)	5
CF_BDOCN	CF military occupation code grouped - (D)	4

Master File - Revised

JUNE 2004

Variable Name	Description	Page
CF_BDPES	CF regular force active status - (D)	4
CF_BDREG	CF member's geo. region coded to numeric code - (D)	3
CF_BDRKS	CF rank - rank grouped at time of stratification - (D)	2
CF_BDRKU	CF rank - desc. updated with info from interview notes - (D)	2
DEP : Depression		
DEPB_01	Period when discouraged about how things were going - life	56
DEPB_01A	Period when lost interest in most things - life	56
DEPB_01B	Period when lost interest in most things - life	57
DEPB_02	Period when lost interest in most things - life	57
DEPB_09	2-week period when lost interest in most things - life	58
DEPB_12	2-week period when lost interest in most things - life	58
DEPB_16	Daily duration - being sad/discouraged/uninterested - life	59
DEPB_17	Intensity of emotional distress during periods - life	59
DEPB_18	Frequency - distress so severe, nothing cheer up - life	60
DEPB_19	Frequency - distress severe/could not carry daily - life	60
DEPB_21	Had depressive-like symptoms during episodes - life	61
DEPB_22	Experienced one particular worst episode - life	61
DEPB_22A	Age - when worst episode started	62
DEPB_22B	Worst episode - duration	62
DEPB_22C	Worst episode - number of days	63
DEPB_22D	Worst episode - number of weeks	63
DEPB_22E	Worst episode - number of months	64
DEPB_22F	Worst episode - number of years	64
DEPB_23A	Age - when last bad episode occurred	65
DEPB_23B	Last bad episode - duration	65
DEPB_23C	Last bad episode - number of days	66
DEPB_23D	Last bad episode - number of weeks	66
DEPB_23E	Last bad episode - number of months	67
DEPB_23F	Last bad episode - number of years	67
DEPB_24A	Symptom - felt sad, empty or depressed	68
DEPB_24B	Symptom - felt so sad that nothing could cheer up	68
DEPB_24C	Symptom - felt discouraged about how things were going	69
DEPB_24D	Symptom - felt hopeless about future	69
DEPB_24E	Symptom - lost interest in almost all things	70
DEPB_24F	Symptom - felt like nothing was fun	70
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	72

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_262	Pounds or kilograms	73
DEPB_263	Symptom - weight loss result of diet/physical illness	74
DEPB_264	Pounds or kilograms	75
DEPB_265	Symptom - could not cope with everyday responsibilities	86
DEPB_266	Symptom - wanted to be alone rather than with friends	86
DEPB_267	Symptom - felt less talkative than usual	87
DEPB_268	Symptom - was often in tears	87
DEPB_26A	Symptom - had much smaller appetite than usual	71
DEPB_26B	Symptom - had much larger appetite than usual	71
DEPB_26C	Symptom - gained weight without trying to	72
DEPB_26D	Amount of weight gained	73
DEPB_26E	Symptom - lost weight without trying to	74
DEPB_26F	Amount of weight lost	75
DEPB_26G	Symptom - had more trouble falling/staying asleep	76
DEPB_26H	Symptom - slept more than usual	76
DEPB_26I	Symptom - slept less than usual/still not tired	77
DEPB_26J	Symptom - felt tired/low in energy	77
DEPB_26K	Symptom - had more energy than usual	78
DEPB_26L	Symptom - talked/moved more slowly than normal	78
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	79
DEPB_26N	Symptom - restless/jittery/couldn't sit still	79
DEPB_26O	Symptom - others noticed respondent was restless	80
DEPB_26P	Symptom - thoughts came more slowly than usual	80
DEPB_26Q	Symptom - thoughts jumped/raced through head	81
DEPB_26R	Symptom - had more trouble concentrating	81
DEPB_26S	Symptom - unable to make up mind	82
DEPB_26T	Symptom - lost self-confidence	82
DEPB_26U	Symptom - felt was not as good as other people	83
DEPB_26V	Symptom - felt totally worthless	83
DEPB_26W	Symptom - felt guilty nearly every day	84
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	84
DEPB_26Y	Symptom - felt nervous/anxious most days	85
DEPB_26Z	Symptom - had attacks of intense fear or panic	85
DEPB_28	Depressive feelings interfere with work/social/relationships	116
DEPB_281	Depressive feelings interfere with work/social/relationships	117
DEPB_28A	Frequency - feelings = unable carry out daily activities	117

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_29A	Depressive episodes due to physical causes	118
DEPB_29B	Physical causes always cause depressive episodes	118
DEPB_30	Episodes ever occur just after someone close died	128
DEPB_30A	Episodes always occurred after someone close died	129
DEPB_31	Number of episodes lasting 2 weeks or longer - life	129
DEPB_37	Remembered exactly age of very first depressive episode	130
DEPB_371	Life period when very first depressive episode occurred	131
DEPB_372	Episode triggered by stressful/unexpected event	132
DEPB_37A	Age - exactly very first depressive episode	130
DEPB_37B	Age - approximately very first depressive episode	131
DEPB_38	Had 2-week or longer depressive episode - 12 mo	135
DEPB_38B	Number of days out of 365 in depressive episode	143
DEPB_38C	Age - last time had depressive episode	144
DEPB_39A	Length of longest depressive episode ever had	144
DEPB_39B	Longest depressive episode ever had - number of days	145
DEPB_39C	Longest depressive episode ever had - number of weeks	145
DEPB_39D	Longest depressive episode ever had - number of months	146
DEPB_39E	Longest depressive episode ever had - number of years	146
DEPB_531	Nbr of 2-week episodes brought on by stressful experience	147
DEPB_54	Number of years had at least one depressive episode	147
DEPB_56	Longest number of yrs in a row had at least 1 episode/year	148
DEPB_58	Ever had period lasting full year when episode most days	148
DEPB_59	Number of years had episode most days - life	149
DEPB_59A	Age - 1st time had full year when episode most days	149
DEPB_61	Longest number of years in a row in episode most days	150
DEPB_64A	Frequency - felt cheerful - 12 mo	150
DEPB_64B	Frequency - felt slowed down - 12 mo	151
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	151
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	152
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	152
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	153
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	153
DEPB_661	Level of interference - ability to attend school - 12 mo	155
DEPB_662	Level of interference - ability to work at a job - 12 mo	156
DEPB_66A	Level of interference - home responsibilities - 12 mo	154
DEPB_66C	Level of interference - close relationships - 12 mo	157

CCHS Cycle 1.2 - Canadian Forces: Topical Index
 Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_66D	Level of interference - social life - 12 mo	158
DEPB_68	Nbr of days/365 totally unable because of feelings	159
DEPB_6A	Symptom - thought a lot about own death/death in general	88
DEPB_6B	Symptom - thought it would be better if dead	88
DEPB_72	Consulted MD/other prof. about feelings	159
DEPB_721	Age - first time consulted prof. about feelings	160
DEPB_72A	Age - first time consulted prof. about feelings	160
DEPB_73	Received helpful/effective treatment for feelings	161
DEPB_73A	Age - first time got helpful treatment for feelings	161
DEPB_73B	Number of prof. consulted before helpful treatment	162
DEPB_74	Total nbr of prof. consulted about feelings - life	162
DEPB_7CA	Length of very first depressive episode	132
DEPB_7CB	Very first depressive episode - number of days	133
DEPB_7CC	Very first depressive episode - number of weeks	133
DEPB_7CD	Very first depressive episode - number of months	134
DEPB_7CE	Very first depressive episode - number of years	134
DEPB_86	Received prof. treatment for feelings - 12 mo	163
DEPB_87	Hospitalized overnight for feelings - life	163
DEPB_871	Age - first time hospitalized overnight for feelings	164
DEPB_87A	Age - first time hospitalized overnight for feelings	164
DEPB_88	Nbr of close relatives ever had depressive episode	165
DEPB_8A	Reference period of depressive episode - 12 mo	135
DEPB_8A1	Number of different episodes - 12 mo	136
DEPB_8A2	Month - when single past 12 months episode started	137
DEPB_8A3	Year - when single past 12 months episode started	137
DEPB_8A6	Single past 12 months episode ended / on-going	140
DEPB_8A9	First past 12 months episode ended / on-going	143
DEPB_8AA	Length of single episode - 12 mo	138
DEPB_8AB	Single past 12 months episode - number of days	138
DEPB_8AC	Single past 12 months episode - number of weeks	139
DEPB_8AD	Single past 12 months episode - number of months	139
DEPB_8AE	Single past 12 months episode - number of years	139
DEPB_8BA	Length of first past 12 months episode	140
DEPB_8BB	First past 12 months episode - number of days	141
DEPB_8BC	First past 12 months episode - number of weeks	141
DEPB_8BD	First past 12 months episode - number of months	142

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_8BE	First past 12 months episode - number of years	142
DEPB_9CA	Physical exclusion - exhaustion	119
DEPB_9CB	Physical exclusion - hyperventilation	119
DEPB_9CC	Physical exclusion - hypochondria	120
DEPB_9CD	Physical exclusion - menstrual cycle	120
DEPB_9CE	Physical exclusion - pregnancy/postpartum	121
DEPB_9CF	Physical exclusion - thyroid disease	121
DEPB_9CG	Physical exclusion - cancer	122
DEPB_9CH	Physical exclusion - overweight	122
DEPB_9CI	Physical exclusion - medication (excluding illicit drugs)	123
DEPB_9CJ	Physical exclusion - illicit drugs	123
DEPB_9CK	Physical exclusion - alcohol	124
DEPB_9CL	Physical exclusion - chemical / serotonin imbalance	124
DEPB_9CM	Physical exclusion - chronic pain	125
DEPB_9CN	Physical exclusion - caffeine	125
DEPB_9CO	Physical exclusion - no specific diagnosis	126
DEPB_9CP	Physical exclusion - other	126
DEPB_9CQ	Physical exclusion - accident	127
DEPB_9CR	Physical exclusion - emotional/social/economic reason	127
DEPB_9CS	Physical exclusion - Other - Physical causes, etc.	128
DEPB_A	Suicide - ideation during worst / bad episode	89
DEPB_A1	Suicide - ideation - life	89
DEPB_A1A	Suicide - ideation - 12 mo	90
DEPB_A1B	Suicide - ideation - 12 mo	94
DEPB_A2	Suicide - age when last ideation occurred	90
DEPB_A7	Suicide - ideation - consulted - professional	97
DEPB_AAA	Suicide - ideation - consulted - psychiatrist	97
DEPB_AAB	Suicide - ideation - consulted - family doctor or g.p.	97
DEPB_AAC	Suicide - ideation - consulted - psychologist	98
DEPB_AAD	Suicide - ideation - consulted - nurse	98
DEPB_AAE	Suicide - ideation - consulted - social worker/counsellor	98
DEPB_AAF	Suicide - ideation - consulted - relig/spiritual advisor	99
DEPB_AAG	Suicide - ideation - consulted - teacher/counsellor	99
DEPB_AAH	Suicide - ideation - consulted - other professional	99
DEPB_ABA	Suicide - ideation - hospitalized as overnight patient	100
DEPB_ABB	Suicide - ideation - health professional's office	100

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_ABC	Suicide - ideation - hospital emergency room	100
DEPB_ABD	Suicide - ideation - psychiatric outpatient clinic	101
DEPB_ABE	Suicide - ideation - drug or alcohol outpatient clinic	101
DEPB_ABF	Suicide - ideation - other hospital outpatient clinic	101
DEPB_ABG	Suicide - ideation - Walk-in clinic	102
DEPB_ABH	Suicide - ideation - Appointment clinic	102
DEPB_ABI	Suicide - ideation - community health centre/CLSC	102
DEPB_ABJ	Suicide - ideation - at work	103
DEPB_ABK	Suicide - ideation - at school	103
DEPB_ABL	Suicide - ideation - at home	103
DEPB_ABM	Suicide - ideation - telephone consultation only	104
DEPB_ABN	Suicide - ideation - church/other religious assembly place	104
DEPB_ABO	Suicide - ideation - other contact place	104
DEPB_B	Suicide - plan during worst/bad episode or 12 mo	91
DEPB_B1C	Suicide - plan - 12 mo	94
DEPB_C	Suicide - attempt during worst/bad episode	91
DEPB_C1	Suicide - attempt - life	93
DEPB_C1A	Suicide - attempt - 12 mo	93
DEPB_C1D	Suicide - age when last attempt occurred	94
DEPB_C2	Suicide - age when attempt occurred	95
DEPB_C3	Suicide - attempt resulted in injury or poisoning	95
DEPB_C4	Suicide - medical attention following most recent attempt	96
DEPB_C5	Suicide - hospitalized overnight following recent attempt	96
DEPB_CA	Suicide - more recent attempt since worst/bad episode	92
DEPB_CB	Suicide - attempt - life	92
DEPB_D8	Suicide - consulted - professional	105
DEPB_DAA	Suicide - consulted - psychiatrist	105
DEPB_DAB	Suicide - consulted - family doctor or g.p.	106
DEPB_DAC	Suicide - consulted - psychologist	106
DEPB_DAD	Suicide - consulted - nurse	107
DEPB_DAE	Suicide - consulted - social worker/counsellor	107
DEPB_DAF	Suicide - consulted - religious/spiritual advisor	108
DEPB_DAG	Suicide - consulted - teacher or counsellor	108
DEPB_DAH	Suicide - consulted - other professional	109
DEPB_DBA	Suicide - hospitalized as overnight patient	109
DEPB_DBB	Suicide - health professional's office	110

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPB_DBC	Suicide - hospital emergency room	110
DEPB_DBD	Suicide - psychiatric outpatient clinic	111
DEPB_DBE	Suicide - drug or alcohol outpatient clinic	111
DEPB_DBF	Suicide - other hospital outpatient clinic	112
DEPBDBG	Suicide - walk-in clinic	112
DEPB_DBH	Suicide - appointment clinic	112
DEPB_DBI	Suicide - community health centre/CLSC	113
DEPB_DBJ	Suicide - at work	113
DEPB_DBK	Suicide - at school	114
DEPB_DBL	Suicide - at home	114
DEPB_DBM	Suicide - telephone consultation only	114
DEPB_DBN	Suicide - church/other religious place	115
DEPB_DBO	Suicide - other contact place	115
DEPBD22Y	Length of time in years - worst episode - (D)	165
DEPBD23Y	Length of time in years - last episode - (D)	166
DEPBD39Y	Length of time in years - longest episode - (D)	168
DEPBD664	Interference Level (cut-off at 4) - (D)	172
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	176
DEPBD7CY	Length of time in years - first episode - (D)	166
DEPBD8AY	Length of time in years - single 12 mo episode - (D)	167
DEPBD8BY	Length of time in years - first of several 12 mo episode-(D)	167
DEPBDA	Criterion A, Part 1 and 2 - (D)	172
DEPBDA1	Criterion A, Part 1 - (D)	168
DEPBDA2	Criterion A, Part 2 - (D)	171
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	168
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	169
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	169
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	169
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	170
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	170
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	170
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	171
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	171
DEPBDC	Criterion C, Part 1 and 2 - (D)	173
DEPBDC1	Criterion C, Part 1 - (D)	172
DEPBDC2	Criterion C, Part 2 - (D)	173

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	179
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	181
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	178
DEPBDE1	Criterion E, Part 1 - (D)	174
DEPBDE2	Criterion E, Part 2 - (D)	176
DEPBDE21	Criterion E, Part 2.1 - (D)	174
DEPBDE22	Criterion E, Part 2.2 - (D)	174
DEPBDE23	Criterion E, Part 2.3 - (D)	175
DEPBDE24	Criterion E, Part 2.4 - (D)	175
DEPBDE25	Criterion E, Part 2.5 - (D)	175
DEPBDE26	Criterion E, Part 2.6 - (D)	176
DEPBDE3	Criterion E, Part 3 - (D)	178
DEPBDE3A	Criterion E, Part 3A - (D)	177
DEPBDE3B	Criterion E, Part 3B - (D)	177
DEPBDE3C	Criterion E, Part 3C - (D)	177
DEPBDE3E	Criterion E, Part 3E - (D)	178
DEPBDINT	Depression Interference - Mean - (D)	183
DEPBDON	Age at major depression onset - (D)	179
DEPBDPER	Nbr of years of major depression persistence - (D)	180
DEPBDREC	Age at most recent major depressive episode - (D)	179
DEPBDYA	Criterion A - 12 month - (D)	180
DEPBDYB	Criterion B - 12 month - (D)	180
DEPBDYC	Criterion C - 12 month - (D)	181
DEPBFINT	Flag: Depression interference	184
DEPBFSLA	Flag: Suicide - attempt - life	182
DEPBFSLT	Flag: Suicide - thought - life	181
DEPBFSYA	Flag: Suicide - attempt - 12 mo	183
DEPBFSYT	Flag: Suicide - thought - 12 mo	182
DEPBISYA	Imputation flag for DEPBFSYA	183
DEPBISYT	Imputation flag for DEPBFSYT	182

DHH : Demographic and Household Variables

DHHB_AGE	Age	7
DHHB_BAR	Live in Canadian Forces barracks accommodation	921
DHHB_BED	Dwelling - number of bedrooms	922
DHHB_DOB	Day of birth	8
DHHB_DWE	What type of dwelling	921

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DHHB_MOB	Month of birth	8
DHHB_MS	Marital status	9
DHHB_OWN	Dwelling - owned by a member of household	922
DHHB_PMQ	Live in Canadian Forces PMQs	920
DHHB_SEX	Sex	9
DHHB_YOB	Year of birth	7
DHHBD611	Number of persons 6 to 11 years old in household - (D)	918
DHHBDECF	Household type - (D)	919
DHHBDHSZ	Household size - (D)	917
DHHBDL12	Number of persons less than 12 years old in household - (D)	918
DHHBDLE5	Number of persons 5 years old or less in household - (D)	918
DHHBDLVG	Living arrangement of selected respondent - (D)	920
DIS : Distress		
DISB_10A	Frequency - distress: felt tired out - past month	38
DISB_10B	Frequency - distress: felt nervous - past month	38
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	39
DISB_10D	Frequency - distress: felt hopeless - past month	39
DISB_10E	Frequency - distress: felt restless / fidgety - past month	40
DISB_10F	Frequency - distress: could not sit still - past month	40
DISB_10G	Frequency - distress: felt sad / depressed - past month	41
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	41
DISB_10I	Frequency - distress: felt everything effort - past month	42
DISB_10J	Frequency - distress: felt worthless - past month	42
DISB_10K	Frequency - distress: occurrence of feelings - past month	43
DISB_10L	Degree of higher occurrence of feelings - past month	43
DISB_10M	Degree of lower occurrence of feelings - past month	44
DISB_10N	Interference - feelings in life / activities - past month	44
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	46
DISBDDSX	Distress scale - K10 - past month - (D)	45
DISBDK6	Distress scale - K6 - past month - (D)	45
DPL : Deployment		
DPLB_1	Number of years as a member of the Canadian Forces	30
DPLB_2	Number of deployments lasting 3 months or more	31
DPLB_3	Period of less than 12 months between deployments	31
DPLB_4	Notice received prior to deployment	32

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DPLB_5	Immediate family/concerns regarding deployment	32
DPLB_6A	Concerns - safety	33
DPLB_6B	Concerns - lack of quality time	33
DPLB_6C	Concerns - absence from home	34
DPLB_6D	Concerns - care or discipline of children	34
DPLB_6E	Concerns - financial affairs	35
DPLB_6F	Concerns - managing daily chores	35
DPLB_6G	Concerns - neg. impact on significant relationships	36
DPLB_6H	Concerns - other	36
DPLB_7	Ever deployed as an augmentee	37
DPLB_8	Number of months away from home because of deployments	37
DYS : Dysthymia		
DYSB_01	Had period lasting 8 weeks in a row/not sad - 2 years	184
DYSB_02	Period lasting at least 8 weeks/not discouraged	185
DYSB_03A	Period of 2 years or longer - had problems with sleep	185
DYSB_03B	Had much smaller/larger appetite than usual	186
DYSB_03C	Had more trouble concentrating/unable to make decisions	186
DYSB_03D	Felt tired/low in energy	187
DYSB_03E	Could not cope with everyday responsibilities	187
DYSB_03F	Wanted to be alone rather than with friends/relatives	188
DYSB_03G	Felt helpless about future	188
DYSB_03H	Felt less talkative than usual	189
DYSB_03I	Felt no good or worthless	189
DYSB_03J	Period of 2 years or longer - was frequently in tears	190
DYSB_03K	Lost interest in sex/other pleasurable activities	190
DYSB_03L	Felt pessimistic about future/spent time brooding over past	191
DYSB_04A	Severity of emotional distress	191
DYSB_04B	Frequency - distress so severe nothing could cheer you up	192
DYSB_04C	Frequency - distress so severe could not carry out daily act	192
DYSB_05	Recall - 1st time had episode sad/discouraged	193
DYSB_051	Life period when first episode sad/discouraged	194
DYSB_05A	Age - 1st time had episode sad/discouraged	193
DYSB_05B	Age - approximately first time had episode sad/discouraged	194
DYSB_06	Had episode lasting 2 years or longer - 12 mo	195
DYSB_06A	Occurrence of sad/discouraged episode - 12 mo	195
DYSB_06B	Age - last time had episode	196

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DYSB_07	Number of different years - felt sad/discouraged	196
DYSB_09	Longest number of yrs felt sad/discouraged - most days	197
DYSB_11A	Episode result of physical/medication/drugs/alcohol	197
DYSB_11B	Episodes always result of physical/medication/drugs/alcohol	198
DYSB_12A	Physical exclusion - exhaustion	198
DYSB_12B	Physical exclusion - hyperventilation	199
DYSB_12C	Physical exclusion - hypochondria	199
DYSB_12D	Physical exclusion - menstrual cycle	199
DYSB_12E	Physical exclusion - pregnancy / postpartum	200
DYSB_12F	Physical exclusion - thyroid disease	200
DYSB_12G	Physical exclusion - cancer	201
DYSB_12H	Physical exclusion - overweight	201
DYSB_12I	Physical exclusion - medication (excluding illicit drugs)	202
DYSB_12J	Physical exclusion - illicit drugs	202
DYSB_12K	Physical exclusion - alcohol	203
DYSB_12L	Physical exclusion - chemical / serotonin imbalance	203
DYSB_12M	Physical exclusion - chronic pain	204
DYSB_12N	Physical exclusion - caffeine	204
DYSB_12O	Physical exclusion - no specific diagnosis	204
DYSB_12P	Physical exclusion - other	205
DYSB_12Q	Physical exclusion - Other - Physical causes, etc.	205
DYSB_211	Level of interference - ability to attend school - 12 mo	207
DYSB_212	Level of interference - ability to work at a job - 12 mo	208
DYSB_21A	Level of interference - home responsibilities - 12 mo	206
DYSB_21C	Level of interference - close relationships - 12 mo	209
DYSB_21D	Level of interference - social life - 12 mo	210
DYSB_23	Nbr of days/365 totally unable because of episodes - 12 mo	211
DYSB_28	Consulted MD/other prof. about episodes sad/discour. - life	211
DYSB_28A	Age - first time consulted MD/prof. about episodes	212
DYSB_29	Received helpful/effective treatment for episodes sad/disc	212
DYSB_29A	Age - first time got helpful treatment for episodes	213
DYSB_29B	Number of prof. consulted before helpful treatment	213
DYSB_29C	Total nbr of prof. consulted for episodes - life	214
DYSB_30	Received professional treatment for episodes - 12 mo	214
DYSB_31	Hospitalized overnight for episodes - life	215
DYSB_31A	Age - 1st time hospitalized overnight or longer for episodes	215

Master File - Revised

JUNE 2004

Variable Name	Description	Page
DYSB_32	Number of close relatives ever had episodes	216
EDU : Education		
EDUB_1	Highest grade of elementary or high school ever completed	913
EDUB_2	Graduated from high school (secondary school)	914
EDUB_3	Received any other education	914
EDUB_4	Highest degree, certificate or diploma obtained	915
EDUBDH04	Highest level of education - household, 4 levels - (D)	916
EDUBDH10	Highest level of education - household, 10 levels - (D)	917
EDUBDR04	Highest level of education - respondent, 4 levels - (D)	915
EDUBDR10	Highest level of education - respondent, 10 levels - (D)	916
ETA : Eating Troubles		
ETAB_01A	Had a strong fear of being too fat/overweight - life	551
ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	551
ETAB_02	Frequency - terrified of being overweight	552
ETAB_03	Frequency - avoided eating when hungry	552
ETAB_04	Frequency - preoccupied with food	553
ETAB_05	Frequency - went on eating binges	553
ETAB_06	Frequency - cut food into small pieces	554
ETAB_07	Frequency - was aware of calorie content	554
ETAB_08	Frequency - avoided food with high carbohydrate content	555
ETAB_09	Frequency - eating more would be appreciated by others	555
ETAB_10	Frequency - vomited after eating	556
ETAB_11	Frequency - felt guilty after eating	556
ETAB_12	Frequency - preoccupied with desire to be thinner	557
ETAB_13	Frequency - thought of burning up calories when exercising	557
ETAB_14	Frequency - respondent too thin according to others	558
ETAB_15	Frequency - preoccupied with having fat on body	558
ETAB_16	Frequency - took longer to eat meals	559
ETAB_17	Frequency - avoided foods with sugar	559
ETAB_18	Frequency - ate diet foods	560
ETAB_19	Frequency - felt food controlled life	560
ETAB_20	Frequency - displayed self-control around food	561
ETAB_21	Frequency - others pressured to eat	561
ETAB_22	Frequency - gave too much time/thought to food	562
ETAB_23	Frequency - felt uncomfortable after eating sweets	562

Master File - Revised

JUNE 2004

Variable Name	Description	Page
ETAB_24	Frequency - engaged in dieting behaviour	563
ETAB_25	Frequency - liked stomach to be empty	563
ETAB_26	Frequency - had impulse to vomit after meals	564
ETAB_27	Frequency - enjoyed trying new rich food	564
ETABDIND	Eating Attitude Test Index Score - (D)	565
ETABFIND	Flag: Eating Attitude Test Index	565
FLF : Canadian Forces Labour Force		
FLFB_01	Worked at job or business last week	931
FLFB_02	Absent from job or business last week	931
FLFB_03	Had more than one job or business - last week	932
FLFB_42A	Usual number of hours worked - civilian job or business	932
FLFB_42B	Usual number of hours worked - Canadian Forces job	933
FLFB_44	Usual work schedule - main job or business	933
FLFB_45	Usual work schedule - reason	934
FLFB_46	Work on weekends - main job or business	934
FLFB_47	Self-employment status - civilian job or business	935
FLFB_48	Occupation - civilian job or business	935
FLFB_50	Absent from job or business last week - reason	936
FLFB_50A	Reason - physical, emotional, alcohol / drugs	937
FLFB_51A	More than one job or business - number of weeks	937
FLFB_52	More than one job or business - reason	938
FLFB_53	Work on weekends - other job or business	938
FLFB_54	Self-employment status - other job or business	939
FLFB_55	Occupation - civilian job or business	939
FLFB_61	Weeks worked - past 12 months	940
FLFB_71	Weeks looked for work - past 12 months	940
FLFB_72	Not working or looking for work - number of weeks	941
FLFB_73	Did not look for work - main reason	942
FLFB_73A	Reason - physical, emotional, alcohol / drugs	943
FLFBDHPW	Total usual hours worked per week - (D)	945
FLFBDJST	Job status over past year - (D)	946
FLFBDMJS	Multiple job status - (D)	945
FLFBDPFT	Usual hours worked - full-time / part-time flag - (D)	945
FLFBDRNW	Main reason for not working last week - (D)	944
FLFBDWSL	Working status last week - (D)	943

Master File - Revised

JUNE 2004

Variable Name	Description	Page
GAD : General Anxiety Disorders		
GADB_01A	Anxious or worried about everything	330
GADB_01B	Anxious or worried about nothing in particular	331
GADB_01C	Worried - Finances	331
GADB_01D	Worried - Success at school work	332
GADB_01E	Worried - Social life	332
GADB_01F	Worried - Love life	333
GADB_01G	Worried - Relationships at school or work	333
GADB_01H	Worried - Relationships with family	334
GADB_01I	Worried - Physical appearance	334
GADB_01J	Worried - Own physical health	335
GADB_01K	Worried - Own mental health	335
GADB_01L	Worried - Alcohol or drug use	336
GADB_01M	Worried - Being away from home or apart from loved ones	336
GADB_01N	Worried - The health or welfare of loved ones	337
GADB_01O	Worried - Social phobias	337
GADB_01P	Worried - Agoraphobia	338
GADB_01Q	Worried - Specific phobias	338
GADB_01R	Worried - Obsessions	339
GADB_01S	Worried - Compulsions	339
GADB_01T	Worried - Crime / violence	340
GADB_01U	Worried - Economy	340
GADB_01V	Worried - Environment	341
GADB_01W	Worried - Moral decline of society	341
GADB_01X	Worried - War / revolution	342
GADB_01Y	Worried - Other	342
GADB_02A	Had other source of worry - 1	343
GADB_02B	Had other source of worry - 2	343
GADB_03	Feelings of worry - excessive/unreasonable/a lot stronger	344
GADB_04	Frequency - finding it difficult to control anxiety feelings	344
GADB_04A	Frequency - so nervous could not think about anything else	345
GADB_05	Longest period when feeling worried most days - life	345
GADB_05A	Longest period of months when was worried	346
GADB_05B	Longest period of years when was worried	346
GADB_05C	Had period lasting 6 months or longer when was worried	347
GADB_09A	Symptom - felt restless, keyed up, on edge	347

CCHS Cycle 1.2 - Canadian Forces: Topical Index

Master File - Revised

Page 18

JUNE 2004

Variable Name	Description	Page
GADB_09B	Symptom - got tired easily	348
GADB_09C	Symptom - was more irritable than usual	348
GADB_09D	Symptom - difficulty concentrating	349
GADB_09E	Symptom - had tense, sore, aching muscles	349
GADB_09F	Symptom - have trouble falling or staying asleep	350
GADB_10A	Symptom - had heart pounding or racing	350
GADB_10B	Symptom - often sweat	351
GADB_10C	Symptom - had trembles or shakes	351
GADB_10D	Symptom - had dry mouth	352
GADB_10E	Symptom - was sad or depressed most of the time	352
GADB_13A	Symptom - felt dizzy or lightheaded	353
GADB_13B	Symptom - was short of breath	353
GADB_13C	Symptom - felt like choking	354
GADB_13D	Symptom - had pain/discomfort in chest	354
GADB_13E	Symptom - had pain/discomfort in stomach	355
GADB_13F	Symptom - had nausea	355
GADB_13G	Symptom - felt was unreal	356
GADB_13H	Symptom - felt things around were unreal	356
GADB_13I	Symptom - was afraid that might lose control/go crazy	357
GADB_13J	Symptom - was afraid that might pass out	357
GADB_13K	Symptom - was afraid that might die	358
GADB_13L	Symptom - had hot flushes or chills	358
GADB_13M	Symptom - had numbness or tingling sensations	359
GADB_13N	Symptom - felt like had a lump in the throat	359
GADB_13O	Symptom - was easily startled	360
GADB_15	Intensity of emotional distress during GAD period - life	360
GADB_16	Frequency - nervous/worried could not think about anything	361
GADB_17	Frequency - being worried interfere with work, social life	361
GADB_17A	Frequency - unable to carry out daily activities	362
GADB_18A	Feelings occurred as result of physical causes/med/drugs/alc	362
GADB_18B	Anxiety always result of phys/med/drugs/alc	363
GADB_26	Age - when had first episode 6 months/longer	371
GADB_261	First occurrence of episode	373
GADB_26A	Age	372
GADB_26B	Approximate age	372
GADB_26C	Episode brought on by stressful experience/out of the blue	373

Master File - Revised

JUNE 2004

Variable Name	Description	Page
GADB_26D	Number of episodes had when felt anxious/6 months or longer	374
GADB_27	Episode anxious/lasted 6 months or longer	374
GADB_271	Number of different episodes - 12 mo	375
GADB_273	Month/year episode started	376
GADB_274	Length of episode	377
GADB_276	Episode ended/still going on	379
GADB_277	Length of first of these episodes	379
GADB_279	Most recent episode ended/still going on	381
GADB_27A	Occurrence of episode	375
GADB_27B	Number of months had such an episode	382
GADB_27C	Age - last time had one of these episodes	382
GADB_30	Last episode - length of episode	383
GADB_30A	Last episode - number of days	383
GADB_30B	Last episode - number of weeks	384
GADB_30C	Last episode - number of months	384
GADB_30D	Last episode - number of years	385
GADB_31	Length of longest episode	385
GADB_311	Longest episode - nbr of episodes brought on/stressful exp.	388
GADB_31A	Longest episode - number of days	386
GADB_31B	Longest episode - number of weeks	386
GADB_31C	Longest episode - number of months	387
GADB_31D	Longest episode - number of years	387
GADB_32	Number of different years had at least one episode	388
GADB_34	Longest number of years in a row/had at least one episode	389
GADB_36A	Frequency - felt tense/wound up	389
GADB_36B	Frequency - felt frightened/butterflies in stomach	390
GADB_36C	Frequency - felt restless/had to be on the move	390
GADB_36D	Frequency - got sudden feelings of panic	391
GADB_36E	Frequency - had worrying thoughts go through mind	391
GADB_36F	Frequency - sat at ease and felt relaxed	392
GADB_36G	Frequency - got frightened feeling/something awful to happen	392
GADB_37	Frightened feeling worried you	393
GADB_381	Level of interference - ability to attend school - 12 mo	394
GADB_382	Level of interference - ability to work at a job - 12 mo	395
GADB_38A	Level of interference - home responsibilities - 12 mo	393
GADB_38C	Level of interference - close relationships - 12 mo	396

Master File - Revised

JUNE 2004

Variable Name	Description	Page
GADB_38D	Level of interference - social life - 12 mo	397
GADB_40	Nbr of days/365 totally unable because of anxiety - 12 mo	397
GADB_44	Consulted on telephone with m.d./other prof. about anxiety	398
GADB_44A	Age - 1st time consulted with prof. about being anxious	398
GADB_56	Received treatment helpful/effective	399
GADB_56A	Age - 1st time got helpful treatment	399
GADB_56B	Number of prof. consulted before helpful treatment	400
GADB_56C	Total number of prof. ever consulted about anxiety	400
GADB_58	Receive prof. treatment for anxiety - 12 mo	401
GADB_59	Hospitalized overnight or longer for being anxious	401
GADB_591	Number of close relatives nervous/anxious people	402
GADB_59A	Age - 1st time hospitalized overnight or longer for anxiety	402
GADB_73A	Year episode started	376
GADB_74A	First episode - number of days	377
GADB_74B	First episode - number of weeks	378
GADB_74C	First episode - number of months	378
GADB_74D	First episode - number of years	378
GADB_77A	First episode - number of days	380
GADB_77B	First episode - number of weeks	380
GADB_77C	First episode - number of months	380
GADB_77D	First episode - number of years	381
GADB_8CA	Causes - Exhaustion	363
GADB_8CB	Causes - Hyperventilation	364
GADB_8CC	Causes - Hypochondria	364
GADB_8CD	Causes - Menstrual cycle	364
GADB_8CE	Causes - Pregnancy/postpartum	365
GADB_8CF	Causes - Thyroid disease	365
GADB_8CG	Causes - Cancer	366
GADB_8CH	Causes - Overweight	366
GADB_8CI	Causes - Medication (excluding illicit drugs)	367
GADB_8CJ	Causes - Illicit drugs	367
GADB_8CK	Causes - Alcohol	368
GADB_8CL	Causes - Chemical imbalance/serotonin imbalance	368
GADB_8CM	Causes - Chronic pain	369
GADB_8CN	Causes - Caffeine	369
GADB_8CO	Causes - No specific diagnosis	370

Master File - Revised

JUNE 2004

Variable Name	Description	Page
GADB_8CP	Causes - Other	370
GADB_8CQ	Causes - other - physical causes	371
GABBD05Y	Length of longest episode (years) - (D)	405
GABBD30Y	Length of only episode (years) - (D)	404
GABBD31Y	Length of longest episode (years)(more than 1 episode) - (D)	404
GABBD384	Criterion E, Part 2 - (D)	409
GABBD74Y	Length of only 12 month episode - (D)	403
GABBD77Y	Length of first of two 12 month episodes - (D)	403
GABBD7BY	Number of months in episode - 12 months - (D)	405
GABBDA	Criterion A, Part 1, 2 and 3 - (D)	407
GABBDA1	Criterion A, Part 1 - (D)	405
GABBDA2	Criterion A, Part 2 - (D)	406
GABBDA3	Criterion A, Part 3 - (D)	406
GABDBB	Criterion B - (D)	407
GABDBC	Criterion C - (D)	407
GABDD	Criterion D - (D)	408
GABDDY	GAD Algorithm - 12 month - (D)	413
GABDE	Criterion E, Part 1 and 2 - (D)	409
GABDE1	Criterion E, Part 1 - (D)	408
GABDE2	Criterion E, Part 2 - (D)	409
GABDGD	GAD Algorithm - Life - (D)	410
GABDINT	Generalized Anxiety Disorder Interference - Mean - (D)	413
GABDON	Age of Onset - (D)	411
GABDPER	Persistence - (D)	411
GABDREC	Age when most recent episode - (D)	411
GABDYA	Criterion A - 12 month - (D)	412
GABDYB	Criterion B - 12 month - (D)	412
GABDYC	Criterion C - 12 month - (D)	412
GABDFINT	Generalized Anxiety Disorder Interference - (F)	414
GEN : General Health		
GENB_01	Self-perceived health	10
GENB_02	Self-perceived health compared to one year ago	10
GENB_03	Number of hours spent sleeping per night	11
GENB_04	Frequency - trouble sleeping	11
GENB_05	Frequency - find sleep refreshing	12
GENB_06	Frequency - find it difficult to stay awake	12

Master File - Revised

JUNE 2004

Variable Name	Description	Page
GENB_07	Self-perceived stress	13
GENB_09	Self-perceived work stress	13
GENB_10	Sense of belonging to local community	14
GENBDHDI	Health description index - (D)	14
INC : Income		
INCB_1A	Source of household income - wages and salaries	958
INCB_1B	Source of household income - self-employment	958
INCB_1C	Source of household income - dividends and interest	959
INCB_1D	Source of household income - employment insurance	959
INCB_1E	Source of household income - worker's compensation	960
INCB_1F	Source of hh income - benefits from Can. / Que. Pension Plan	960
INCB_1G	Source of hh income - pensions, superannuation and annuities	961
INCB_1H	Source of household income - Old Age Security / G.I.S.	961
INCB_1I	Source of household income - child tax benefit	962
INCB_1J	Source of household income - social assistance / welfare	962
INCB_1K	Source of household income - child support	963
INCB_1L	Source of household income - alimony	963
INCB_1M	Source of household income - other	964
INCB_1N	Source of household income - none	964
INCB_2	Total household income - main source	965
INCB_3	Total household income - best estimate	966
INCB_3A	Total household income - < \$20,000 or >= \$20,000	966
INCB_3B	Total household income - < \$10,000 or >= \$10,000	967
INCB_3C	Total household income - < \$5,000 or >= \$5,000	967
INCB_3D	Total household income - < \$15,000 or >= \$15,000	968
INCB_3E	Total household income - < \$40,000 or >= \$40,000	968
INCB_3F	Total household income - < \$30,000 or >= \$30,000	969
INCB_3G	Total household income - < \$50,000 to >= \$80,000	969
INCB_4	Total personal income - best estimate	970
INCB_4A	Total personal income - < \$20,000 or >= \$20,000	970
INCB_4B	Total personal income - < \$10,000 or >= \$10,000	971
INCB_4C	Total personal income - < \$5,000 or >= \$5,000	971
INCB_4D	Total personal income - < \$15,000 or >= \$15,000	972
INCB_4E	Total personal income - < \$40,000 or >= \$40,000	972
INCB_4F	Total personal income - < \$30,000 or >= \$30,000	973
INCB_4G	Total personal income < \$50,000 to >= \$80,000	973

CCHS Cycle 1.2 - Canadian Forces: Topical Index

Master File - Revised

Page 23

JUNE 2004

Variable Name	Description	Page
INCBDDHH	Total household income from all sources - (D)	975
INCBDDIA2	Income adequacy - 2 groups - (D)	974
INCBDDIA4	Income adequacy - 4 groups - (D)	974
INCBDDIA5	Income adequacy - 5 groups - (D)	975
INCBDDPER	Total personal income from all sources - (D)	976
MED : Medication Use		
MEDB_11A	Took medication to help sleep - 12 mo	790
MEDB_11B	Took diet pills - 12 mo	790
MEDB_11C	Took medication to reduce anxiety - 12 mo	791
MEDB_11D	Took mood stabilizers - 12 mo	791
MEDB_11E	Took anti-depressants - 12 mo	791
MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	792
MEDB_11G	Took stimulants - 12 mo	792
MEDB_4	Insurance that covers all/part of cost of prescription	845
MEDB_5	Used other health products for mental health - 12 mo	845
MEDB_6A	Health product used - St. John's Wort	846
MEDB_6B	Health product used - valerian	846
MEDB_6C	Health product used - chamomile	847
MEDB_6D	Health product used - ginseng	847
MEDB_6E	Health product used - kava kava	848
MEDB_6F	Health product used - lavender	848
MEDB_6G	Health product used - chasteberry	849
MEDB_6H	Health product used - black cohosh	849
MEDB_6I	Health product used - ginkgo biloba	850
MEDB_6J	Health product used - NeuRocover-DA	850
MEDB_6K	Health product used - vitamins	851
MEDB_6L	Health product used - other	851
MEDB_7	Health product recommended by a professional	852
MEDB_8A	Health product recommended by a psychiatrist	852
MEDB_8B	Health product recommended by a family doctor/GP	853
MEDB_8C	Health product recommended by an other medical doctor	853
MEDB_8D	Health product recommended by a psychologist	854
MEDB_8E	Health product recommended by a chiropractor	854
MEDB_8F	Health product recommended by a nurse	855
MEDB_8G	Health product recommended by a social worker	855
MEDB_8H	Health product recommended by a homeopath/naturopath	856

Master File - Revised

JUNE 2004

Variable Name	Description	Page
MEDB_8I	Health product recommended by an herbalist	856
MEDB_8J	Health product recommended by a relaxation therapist	857
MEDB_8K	Health product recommended by a biofeedback teacher	857
MEDB_8L	Health product recommended by other	858
MEDB_A1	Sleep medication under professional supervision	793
MEDB_A2A	Sleep medication prescribed by a psychiatrist	793
MEDB_A2B	Sleep medication prescribed by family doctor / GP	794
MEDB_A2C	Sleep medication prescribed by other medical doctor	794
MEDB_A2D	Sleep medication prescribed by other professional	795
MEDB_A3	Days forgot to take/took less sleep medication	795
MEDB_A4A	Reason no/less med - Forgot	796
MEDB_A4B	Reason no/less med - Felt better	796
MEDB_A4C	Reason no/less med - Medicine was not helping	797
MEDB_A4D	Reason no/less med - Thought problem would get better	797
MEDB_A4E	Reason no/less med - Couldn't afford to pay	798
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	798
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	799
MEDB_A4H	Reason no/less med - Side-effects	799
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	800
MEDB_A4J	Reason no/less med - Other reason	800
MEDB_B1	Diet pills under professional supervision	801
MEDB_B2A	Diet pills prescribed by a psychiatrist	801
MEDB_B2B	Diet pills prescribed by family doctor / GP	802
MEDB_B2C	Diet pills prescribed by other medical doctor	802
MEDB_B2D	Diet pills prescribed by other professional	803
MEDB_B3	Days forgot to take/took less diet pills	803
MEDB_B4A	Reason no/less med - Forgot	804
MEDB_B4B	Reason no/less med - Felt better	804
MEDB_B4C	Reason no/less med - Medicine was not helping	805
MEDB_B4D	Reason no/less med - Thought problem would get better	805
MEDB_B4E	Reason no/less med - Couldn't afford to pay	805
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	806
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	806
MEDB_B4H	Reason no/less med - Side-effects	807
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	807
MEDB_B4J	Reason no/less med - Other reason	808

Master File - Revised

JUNE 2004

Variable Name	Description	Page
MEDB_C1	Med. against anxiety under professional supervision	808
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	809
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	809
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	810
MEDB_C2D	Med. against anxiety prescribed by other professional	810
MEDB_C3	Days forgot to take/took less med. against anxiety	811
MEDB_C4A	Reason no/less med - Forgot	811
MEDB_C4B	Reason no/less med - Felt better	812
MEDB_C4C	Reason no/less med - Medicine was not helping	812
MEDB_C4D	Reason no/less med - Thought problem would get better	813
MEDB_C4E	Reason no/less med - Couldn't afford to pay	813
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	813
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	814
MEDB_C4H	Reason no/less med - Side-effects	814
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	815
MEDB_C4J	Reason no/less med - Other reason	815
MEDB_D1	Mood stabilizers under professional supervision	816
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	816
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	817
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	817
MEDB_D2D	Mood stabilizers prescribed by other professional	818
MEDB_D3	Days forgot to take/took less mood stabilizers	818
MEDB_D4A	Reason no/less med - Forgot	819
MEDB_D4B	Reason no/less med - Felt better	819
MEDB_D4C	Reason no/less med - Medicine was not helping	820
MEDB_D4D	Reason no/less med - Thought problem would get better	820
MEDB_D4E	Reason no/less med - Couldn't afford to pay	820
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	821
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	821
MEDB_D4H	Reason no/less med - Side-effects	822
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	822
MEDB_D4J	Reason no/less med - Other reason	823
MEDB_E1	Antidepressants under professional supervision	823
MEDB_E2A	Antidepressants prescribed by a psychiatrist	824
MEDB_E2B	Antidepressants prescribed by family doctor / GP	824
MEDB_E2C	Antidepressants prescribed by other medical doctor	825

Master File - Revised

JUNE 2004

Variable Name	Description	Page
MEDB_E2D	Antidepressants prescribed by other professional	825
MEDB_E3	Days forgot to take/took less antidepressants	826
MEDB_E4A	Reason no/less med - Forgot	826
MEDB_E4B	Reason no/less med - Felt better	827
MEDB_E4C	Reason no/less med - Medicine was not helping	827
MEDB_E4D	Reason no/less med - Thought problem would get better	828
MEDB_E4E	Reason no/less med - Couldn't afford to pay	828
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	829
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	829
MEDB_E4H	Reason no/less med - Side-effects	830
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	830
MEDB_E4J	Reason no/less med - Other reason	831
MEDB_F1	Antipsychotic drugs under professional supervision	831
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	831
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	832
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	832
MEDB_F2D	Antipsychotic drugs prescribed by other professional	832
MEDB_F3	Days forgot to take/took less antipsychotic drugs	833
MEDB_F4A	Reason no/less med - Forgot	833
MEDB_F4B	Reason no/less med - Felt better	834
MEDB_F4C	Reason no/less med - Medicine was not helping	834
MEDB_F4D	Reason no/less med - Thought problem would get better	835
MEDB_F4E	Reason no/less med - Couldn't afford to pay	835
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	835
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	836
MEDB_F4H	Reason no/less med - Side-effects	836
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	837
MEDB_F4J	Reason no/less med - Other reason	837
MEDB_G1	Stimulants under professional supervision	838
MEDB_G2A	Stimulants prescribed by a psychiatrist	838
MEDB_G2B	Stimulants prescribed by family doctor / GP	839
MEDB_G2C	Stimulants prescribed by other medical doctor	839
MEDB_G2D	Stimulants prescribed by other professional	840
MEDB_G3	Days forgot to take/took less stimulants	840
MEDB_G4A	Reason no/less med - Forgot	841
MEDB_G4B	Reason no/less med - Felt better	841

Master File - Revised

JUNE 2004

Variable Name	Description	Page
MEDB_G4C	Reason no/less med - Medicine was not helping	842
MEDB_G4D	Reason no/less med - Thought problem would get better	842
MEDB_G4E	Reason no/less med - Couldn't afford to pay	842
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	843
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	843
MEDB_G4H	Reason no/less med - Side-effects	843
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	844
MEDB_G4J	Reason no/less med - Other reason	844
MHP : Mental health profile		
MHPBDCON	Age of onset - Selected disorders - (D)	507
MHPBFCFI	Reported interference - (F)	506
MHPBFCL	Selected disorders/substance dependence - life - (F)	505
MHPBFCLA	Selected anxiety disorders - life - (F)	505
MHPBFCY	Selected disorders/substance dependence - 12 mo - (F)	505
MHPBFCYA	Selected anxiety disorder - 12 mo - (F)	506
PAD : Panic Disorder		
PADB_01A	Symptom - had heart pounding / racing	216
PADB_01B	Symptom - was short of breath	217
PADB_01C	Symptom - was nauseous / sick to stomach	217
PADB_01D	Symptom - felt dizzy / faint	218
PADB_01E	Symptom - was sweating	218
PADB_01F	Symptom - was trembling / shaking	219
PADB_01G	Symptom - had a dry mouth	219
PADB_01H	Symptom - felt like was choking	220
PADB_01I	Symptom - had chest pain / discomfort	220
PADB_01J	Symptom - was afraid might lose control / go crazy	221
PADB_01K	Symptom - felt like was not really there	221
PADB_01L	Symptom - felt things were not real	222
PADB_01M	Symptom - was afraid might pass out	222
PADB_01N	Symptom - was afraid might die	223
PADB_01O	Symptom - had hot flushes / chills	223
PADB_01P	Symptom - felt numbness / tingling sensations	224
PADB_03	Problems began suddenly and peaked <= 10 mins	224
PADB_04	Number of sudden attacks - life	225
PADB_06	Past 12 Months occurrence of single panic attack	225

CCHS Cycle 1.2 - Canadian Forces: Topical Index
 Master File - Revised

JUNE 2004

Variable Name	Description	Page
PADB_07	Remembered exactly age when single attack occurred	226
PADB_071	Life period when single attack occurred	227
PADB_07A	Age - exactly when single attack occurred	226
PADB_07B	Age - approximately when single attack occurred	227
PADB_08	Type of situations under which attack occurred	228
PADB_09	Remembered exactly age very first panic attack	228
PADB_091	Life period when very first attack occurred	230
PADB_09A	Age - exactly when very first panic attack occurred	229
PADB_09B	Age - approximately when very first attack occurred	229
PADB_10	Had panic attack - 12 mo	230
PADB_10A	Reference period of panic attack - 12 mo	231
PADB_10B	Number of weeks had at least one attack - 12 mo	231
PADB_10C	Total number of attacks - 12 mo	232
PADB_10D	Age - last time had panic attack	232
PADB_11	Greatest number of attacks in any single year - life	233
PADB_12	Number of different years had at least one attack - life	233
PADB_13A	1 Month or longer - worried might have another attack	234
PADB_13B	1 Month or longer - worried something terrible might happen	234
PADB_13C	1 Month or longer - changed everyday activities	235
PADB_13D	1 Month or longer - avoided situation for fear of attack	235
PADB_15	Age - first time had 1 month being worried / avoided	236
PADB_16	Had 1 month of worry / change in activity - 12 mo	236
PADB_16A	Reference period of 1 month disturbance - 12 mo	237
PADB_16B	Number of months of worry/change in activity - 12 mo	237
PADB_16C	Frequency - worried about having another attack - 12 mo	238
PADB_16D	Severity of worry of having another attack - 12 mo	238
PADB_16E	Age - approx. last time 1 month of worry of having attack	239
PADB_17	Had unexpected attack - life	239
PADB_17A	Number of unexpected attacks - life	240
PADB_18	Number of "not in real danger" attacks - life	240
PADB_19	Number of "real danger" attacks - life	241
PADB_21	Age - first time had an unexpected attack	241
PADB_21A	Life period when first unexpected attack occurred	242
PADB_22	Unexpected attack interfere with work/social/relationships	242
PADB_24	Unexpected attack occurred while sleeping - life	243
PADB_24A	Nmbr. unexpected attacks occr.while asleep - life	243

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PADB_25A	Panic attack due to physical causes	244
PADB_25B	Physical causes always caused panic attacks	244
PADB_2CA	Physical exclusion - exhaustion	245
PADB_2CB	Physical exclusion - hyperventilation	245
PADB_2CC	Physical exclusion - hypochondria	246
PADB_2CD	Physical exclusion - menstrual cycle	246
PADB_2CE	Physical exclusion - pregnancy / postpartum	247
PADB_2CF	Physical exclusion - thyroid disease	247
PADB_2CG	Physical exclusion - cancer	248
PADB_2CH	Physical exclusion - overweight	248
PADB_2CI	Physical exclusion - medication (excluding illicit drugs)	249
PADB_2CJ	Physical exclusion - illicit drugs	249
PADB_2CK	Physical exclusion - alcohol	250
PADB_2CL	Physical exclusion - chemical / serotonin imbalance	250
PADB_2CM	Physical exclusion - chronic pain	251
PADB_2CN	Physical exclusion - caffeine	251
PADB_2CO	Physical exclusion - no specific diagnosis	252
PADB_2CP	Physical exclusion - other	252
PADB_2CQ	Physical exclusion - other - physical causes	253
PADB_36	Number of unexpected attacks - 12 mo	253
PADB_37A	Age - last time had unexpected attack	254
PADB_37B	Number of weeks had at least one attack - 12 mo	254
PADB_38	Reference period of most recent attack - 12 mo	255
PADB_40	Amount of emotional distress during attack - 12 mo	255
PADB_41	Upset by physical sensation reminding of attack - 12 mo	256
PADB_41A	Degree of discomfort due to physical sensations - 12 mo	256
PADB_42	Frequency - avoided situations causing sensations - 12 mo	257
PADB_43	Avoidance interfered with work/social/relationships	257
PADB_441	Level of int. - ability to attend school - 12 mo	259
PADB_442	Level of int. - ability to work at a job - 12 mo	260
PADB_44A	Level of interference - home respons. - 12 mo	258
PADB_44C	Level of int. - close relationships - 12 mo	261
PADB_44D	Level of interference - social life - 12 mo	262
PADB_46	Nbr of days/365 totally unable due to attacks	262
PADB_50	Consulted MD/other prof. about attacks	263
PADB_50A	Age - first time consulted prof. about attacks	263

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PADB_62	Received helpful/effective treatment for attacks	264
PADB_62A	Age - first time got helpful treatment for attacks	264
PADB_62B	Number of prof. consulted before helpful treatment	265
PADB_62C	Total nbr of prof. consulted about attacks - life	265
PADB_64	Received prof. treatment for attacks - 12 mo	266
PADB_65	Hospitalized overnight for attacks - life	266
PADB_651	Number of relatives with attacks	267
PADB_65A	Age - first time hospitalized overnight for attacks	267
PADBDA	Panic Attack - Criterion A - (D)	268
PADBDA1	Panic Attack Algorithm - Life - (D)	273
PADBDA2	Panic Attack Algorithm - 12 month - (D)	278
PADBDB	Panic Attack - Criterion B - (D)	273
PADBDB01	Criterion B - Symptom 1 - (D)	268
PADBDB02	Criterion B - Symptom 2 - (D)	268
PADBDB03	Criterion B - Symptom 3 - (D)	269
PADBDB04	Criterion B - Symptom 4 - (D)	269
PADBDB05	Criterion B - Symptom 5 - (D)	269
PADBDB06	Criterion B - Symptom 6 - (D)	270
PADBDB07	Criterion B - Symptom 7 - (D)	270
PADBDB08	Criterion B - Symptom 8 - (D)	270
PADBDB09	Criterion B - Symptom 9 - (D)	271
PADBDB10	Criterion B - Symptom 10 - (D)	271
PADBDB11	Criterion B - Symptom 11 - (D)	271
PADBDB12	Criterion B - Symptom 12 - (D)	272
PADBDB13	Criterion B - Symptom 13 - (D)	272
PADBDB14	Criterion B - Symptom 14 - (D)	272
PADBDC	Panic Attack - Criterion C - (D)	273
PADBDDA	Panic Disorder - Criterion A Part 1 and 2(D)	275
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	274
PADBDDA2	Panic Disorder - Criterion A Part 2 - (D)	275
PADBDDAA	Panic Disorder - Criterion A Part 2 - Symptom 1(D)	274
PADBDDAB	Panic Disorder - Criterion A Part 2 - Symptom 2(D)	274
PADBDDAC	Panic Disorder - Criterion A Part 2 - Symptom 3(D)	275
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	279
PADBDDINT	Panic Disorder Interference - Mean - (D)	279
PADBDDON	Age of panic disorder onset - (D)	277

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PADBDONA	Age of first panic attack	276
PADBDPDS	Panic Disorder Algorithm - Life - (D)	276
PADBDPER	Nbr of years of persistence of panic disorder - (D)	277
PADBDREC	Age when most recent panic attack - (D)	277
PADBDYA	Panic Disorder - Criterion A - 12 month - (D)	278
PADBDYB	Panic Disorder - Criterion B - 12 month - (D)	278
PADBDYC	Panic Disorder - Criterion C - 12 month - (D)	279
PADBFINT	Flag: Panic Disorder Interference	280
PTS : Post Traumatic Stress Disorder		
PTSB_01	Any events happened - life	414
PTSB_02	Number of different events experienced - life	415
PTSB_03	Identification numbers corresponding to event	416
PTSB_040	Event 27 - Saw atrocities	430
PTSB_041	Event 28 - Other	430
PTSB_04A	Event 1 - Combat experience	417
PTSB_04B	Event 2 - Relief worker in war zone	417
PTSB_04C	Event 3 - Civilian in a war zone	418
PTSB_04D	Event 4 - Civilian in region of terror	418
PTSB_04E	Event 5 - Refugee	419
PTSB_04F	Event 6 - Kidnapped	419
PTSB_04G	Event 7 - Toxic chemical exposure	420
PTSB_04H	Event 8 - Automobile accident	420
PTSB_04I	Event 9 - Life-threatening accident	421
PTSB_04J	Event 10 - Natural disaster	421
PTSB_04K	Event 11 - Man-made disaster	422
PTSB_04L	Event 12 - Life-threatening illness	422
PTSB_04M	Event 13 - Beaten up as a child by caregiver	423
PTSB_04N	Event 14 - Beaten up by spouse or romantic partner	423
PTSB_04O	Event 15 - Beaten up by somebody else	424
PTSB_04P	Event 16 - Mugged or threatened with a weapon	424
PTSB_04Q	Event 17 - Raped	425
PTSB_04R	Event 18 - Sexually assaulted	425
PTSB_04S	Event 19 - Stalked	426
PTSB_04T	Event 20 - Unexpected death of a loved one	426
PTSB_04U	Event 21 - Child's serious illness	427
PTSB_04V	Event 22 - Traumatic event to love one	427

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PTSB_04W	Event 23 - Witness physical fights at home	428
PTSB_04X	Event 24 - Witnessed death or dead body	428
PTSB_04Y	Event 25 - Accidentally caused serious injury, death	429
PTSB_04Z	Event 26 - Purposely injured, tortured or killed	429
PTSB_05	Experience any reactions after traumatic event	431
PTSB_06	Reactions once a week for one month or longer	431
PTSB_07	Reactions related to a deployment	432
PTSB_70	Past 30 days felt emotionally distant from people - 12 mo	482
PTSB_71	Past 30 days had trouble feeling normal feelings - 12 mo	482
PTSB_72	Past 30 days felt had no reason to plan for future - 12 mo	483
PTSB_73	Past 30 days had trouble falling asleep - 12 mo	483
PTSB_74	Past 30 days was more jumpy - 12 mo	484
PTSB_75	Past 30 days stayed away from places - 12 mo	484
PTSB_781	Level of interference - ability to attend school - 12 mo	486
PTSB_782	Level of interference - ability to work at a job - 12 mo	487
PTSB_78A	Level of interference - home responsibilities - 12 mo	485
PTSB_78C	Level of interference - close relationships - 12 mo	488
PTSB_78D	Level of interference - social life - 12 mo	489
PTSB_80	Nbr of days/365 totally unable because of reactions - 12 mo	489
PTSB_81	Received professional treatment/reactions - 12 mo	490
PTSB_82	Consulted MD/other prof about reactions	490
PTSB_83	Age - first time consulted with prof. about reactions	491
PTSB_84	Received helpful/effective treatment for reactions	491
PTSB_85	Age - first time got helpful treatment for reactions	492
PTSB_86	Number of prof. consulted before helpful treatment	492
PTSB_87	Total nber of prof. consulted about reactions - life	493
PTSB_88	Received prof. treatment for reactions - 12 mo	493
PTSB_89	Hospitalized overnight for reactions - life	494
PTSB_90	Age - first time hospitalized overnight for reactions	494
PTSB_F4	Event that caused the most reactions	433
PTSB_F4A	Traumatic event that happened the most recently	434
PTSB_F4B	Traumatic event happen more than once	434
PTSB_F4C	Number of times event happened - life	435
PTSB_F4D	Age - first time traumatic event happened	435
PTSB_F4E	Age - traumatic event stopped happening	436
PTSB_F4F	Time caused the most reactions - first/second/later	436

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PTSB_F5	Worst event occurred during deployment	437
PTSB_F7	Felt terrified/very frightened during worst event	437
PTSB_F7A	Felt helpless - worst event	438
PTSB_F7B	Felt shocked or horrified - worst event	438
PTSB_F7C	Felt numb - worst event	439
PTSB_F8	Tried not to think about what happened - worst event	439
PTSB_F9	Purposely stayed away - worst event	440
PTSB_G0	Unable to remember some important parts of what happened	440
PTSB_G1	Lost interest in doing things used to enjoy	441
PTSB_G2	Felt emotionally distant/cut off from people	441
PTSB_G3	Had trouble feeling normal feelings	442
PTSB_G4	Felt had no reason to plan for the future	442
PTSB_H6	Had repeated unwanted memories - worst event	443
PTSB_H7	Had repeated unpleasant dreams - worst event	443
PTSB_H8	Had flashbacks - worst event	444
PTSB_H9	Got very upset when reminded - worst event	444
PTSB_I0	Physical reactions of recall - worst event	445
PTSB_J2	Had trouble falling or staying asleep - worst event	445
PTSB_J3	Was more irritable or short-tempered than usual	446
PTSB_J4	Had trouble concentrating	446
PTSB_J5	Was much more alert/watchful when no real need to be	447
PTSB_J6	Was more jumpy/easily startled by ordinary noises	447
PTSB_KA1	Length of first reactions to worst event - life	448
PTSB_KA2	First reactions worst event - Number of days	448
PTSB_KA3	First reactions worst event - Number of weeks	449
PTSB_KA4	First reactions worst event - Number of months	449
PTSB_KA5	First reactions worst event - Number of years	450
PTSB_KB1	Length of continuous reactions - worst event	450
PTSB_KB2	Continuous reactions worst event - Number of days	451
PTSB_KB3	Continuous reactions worst event - Number of weeks	451
PTSB_KB4	Continuous reactions worst event - Number of months	452
PTSB_KB5	Continuous reactions worst event - Number of years	452
PTSB_L1	Reactions lasted at least one month - worst event	453
PTSB_L3	Frequency reactions occur - life	453
PTSB_L4	Level of distress caused by reactions - life	454
PTSB_L5	Level reactions disrupted/interfered with normal life - life	454

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PTSB_Z0	Reactions memories/dreams - 12 mo	455
PTSB_Z1A	Tried not to think about what happened - 12 mo	455
PTSB_Z1B	Stayed away from traumatic events - 12 mo	456
PTSB_Z1C	Was unable to remember important parts - 12 mo	456
PTSB_Z1D	Lost interest in doing things used to enjoy - 12 mo	457
PTSB_Z1E	Felt emotionally distant/cut off - 12 mo	457
PTSB_Z1F	Had trouble feeling normal feelings - 12 mo	458
PTSB_Z1G	Felt had no reason to plan for future - 12 mo	458
PTSB_Z1H	Repeated unwanted memories traumatic event - 12 mo	459
PTSB_Z1I	Repeated unpleasant dreams traumatic event - 12 mo	459
PTSB_Z1J	Had flashbacks traumatic event - 12 mo	460
PTSB_Z1K	Got upset when reminded of traumatic events - 12 mo	460
PTSB_Z1L	Had physical reaction when reminded traumatic event - 12 mo	461
PTSB_Z1M	Had trouble falling/staying asleep - 12 mo	461
PTSB_Z1N	Was more irritable/short-tempered - 12 mo	462
PTSB_Z1O	Had more trouble concentrating - 12 mo	462
PTSB_Z1P	Was more alert or watchful - 12 mo	463
PTSB_Z1Q	Was more jumpy/easily startled - 12 mo	463
PTSB_Z2	Last time had any of these reactions - 12 mo	464
PTSB_Z3	Total number of weeks had any reactions - 12 mo	464
PTSB_Z50	Reaction - Saw atrocities	478
PTSB_Z51	Reaction - Other	478
PTSB_Z5A	Reaction - Combat experience	465
PTSB_Z5B	Reaction - Relief worker in war zone	465
PTSB_Z5C	Reaction - Civilian in a war zone	466
PTSB_Z5D	Reaction - Civilian in region of terror	466
PTSB_Z5E	Reaction - Refugee	467
PTSB_Z5F	Reaction - Kidnapped	467
PTSB_Z5G	Reaction - Toxic chemical exposure	468
PTSB_Z5H	Reaction - Automobile accident	468
PTSB_Z5I	Reaction - Life-threatening accident	469
PTSB_Z5J	Reaction - Natural disaster	469
PTSB_Z5K	Reaction - Man-made disaster	470
PTSB_Z5L	Reaction - Life-threatening illness	470
PTSB_Z5M	Reaction - Beaten up as a child by caregiver	471
PTSB_Z5N	Reaction - Beaten up by spouse or romantic partner	471

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PTSB_Z5O	Reaction - Beaten up by somebody else	472
PTSB_Z5P	Reaction - Mugged or threatened with a weapon	472
PTSB_Z5Q	Reaction - Raped	473
PTSB_Z5R	Reaction - Sexually assaulted	473
PTSB_Z5S	Reaction - Stalked	474
PTSB_Z5T	Reaction - Unexpected death of a loved one	474
PTSB_Z5U	Reaction - Child's serious illness	475
PTSB_Z5V	Reaction - Traumatic event to love one	475
PTSB_Z5W	Reaction - Witness physical fights at home	476
PTSB_Z5X	Reaction - Witnessed death or dead body	476
PTSB_Z5Y	Reaction - Accidentally caused serious injury, death	477
PTSB_Z5Z	Reaction - Purposely injured, tortured or killed	477
PTSB_Z6	Reactions related to an event/deployment - 12 mo	479
PTSB_Z7	Event caused most upsetting - 12 mo	479
PTSB_Z8	Identification - event most upsetting - 12 mo	480
PTSB_Z8B	Event most upsetting during deployment - 12 mo	481
PTSB_Z9	Past 30 days lost interest in doing things - 12 mo	481
PTSBDA	Criterion A, Part 1 and 2 - (D)	496
PTSBDA1	Criterion A, Part 1 - (D)	496
PTSBDA2	Criterion A, Part 2 - (D)	496
PTSBDB	Criterion B, Part 1 and 2 - (D)	497
PTSBDB1	Criterion B, Part 1 - (D)	497
PTSBDB2	Criterion B, Part 2 - (D)	497
PTSBDC	Criterion C, Part 1 and 2 - (D)	498
PTSBDC1	Criterion C, Part 1 - (D)	498
PTSBDC2	Criterion C, Part 2 - (D)	498
PTSBDD	Criterion D, Part 1 and 2 - (D)	499
PTSBDD1	Criterion D, Part 1 - (D)	499
PTSBDD2	Criterion D, Part 2 - (D)	499
PTSBDDY	PTSD Algorithm - 12 Month - (D)	503
PTSBDE	Criterion E - Duration of the disturbance - (D)	500
PTSBDF	Criterion F - (D)	500
PTSDINT	Interference - Mean - (D)	504
PTSBDKAY	Duration between worst event and first reaction - (D)	495
PTSBDKBY	Duration of reaction to worst event - (D)	495
PTSBDPDS	PTSD Algorithm - Life - (D)	500

Master File - Revised

JUNE 2004

Variable Name	Description	Page
PTSBDPER	Persistence: Calculating duration of reactions (years) - (D)	501
PTSBDYA	Criterion A - 12 month - (D)	501
PTSBDYB	Criterion B - 12 month - (D)	501
PTSBDYC	Criterion C - 12 month - (D)	502
PTSBDYD	Criterion D - 12 month - (D)	502
PTSBDYE	Criterion E - 12 month - (D)	503
PTSBFINT	Interference - (F)	504
RAC : Restriction of Activities		
RACB_1	Has difficulty with activities	566
RACB_2A	Reduction in kind or amount activities - at home	566
RACB_2B1	Reduction in kind or amount activities - at school	567
RACB_2B2	Reduction in kind or amount activities - at work	567
RACB_2C	Reduction in kind or amount activities - other activities	568
RACB_5	Cause of health problem	569
RACB_5A1	Embarrassment due to condition/health problem - life	570
RACB_5A2	Embarrassment due to condition/health problem - 12 mo	570
RACB_5B1	Discrimination due to condition/health problem - life	571
RACB_5B2	Discrimination due to condition/health problem - 12 mo	571
RACB_6A	Needs help - preparing meals	572
RACB_6B1	Needs help - getting to appointments / running errands	572
RACB_6C	Needs help - doing housework	573
RACB_6D	Needs help - heavy household chores	573
RACB_6E	Needs help - personal care	574
RACB_6F	Needs help - moving about inside the house	574
RACB_6G	Needs help - looking after personal finances	575
RACB_7A	Difficulty - making new friends	575
RACB_7B	Difficulty - dealing with unknown people	576
RACB_7C	Difficulty - starting / maintaining a conversation	576
RACB_8A	Cause of difficulties - physical health	577
RACB_8B	Cause of difficulties - emotional or mental health	577
RACB_8C	Cause of difficulties - use of alcohol or drugs	578
RACB_8D	Cause of difficulties - other reason	578
RACBDIMP	Impact of health problems - (D)	579
RACBDPAL	Participation and Activity Limitation - (D)	579
RACBF6R	Flag: Help needed for series of tasks	580
RACBF7	Flag: Difficulty with social situations	580

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SAM : Sample Identifiers		
SAMB_ACP	Actual collection period	5
SAMB_OCP	Original collection period	5
SAMPTYPE	Sample type	5
SCR : Screener Mental Disorders		
SCRB_01	Satisfaction with life in general	15
SCRB_081	Self-perceived physical health	15
SCRB_082	Self-perceived mental health	16
SCRB_20	Screener: had fear or panic attack - life	16
SCRB_20A	Screener: had attack when suddenly very uncomfortable - life	17
SCRB_21	Screener: felt sad/empty/depressed for several days - life	17
SCRB_21A	Periode 2 years or longer - felt sad or depressed	18
SCRB_22	Screener: was very discouraged several days or longer - life	18
SCRB_22A	Period 2 years/longer - very discouraged	19
SCRB_23	Screener: lost interest in things for several days - life	19
SCRB_24	Screener: had mania-like period lasting several days - life	20
SCRB_25	Screener: very irritable/grumpy/ for several days - life	20
SCRB_25A	Screener: so irritable started arguments/shouted/... - life	21
SCRB_26	Screener: worried about things more than most people - life	21
SCRB_26A	Screener: more nervous/anxious than most people - life	22
SCRB_26B	Screener: 6 months when anxious/worried most days - life	22
SCRB_29	Screener: felt very afraid or really shy with people - life	22
SCRB_291	Screener: very upset/nervous in social situation - life	23
SCRB_292	Screener: stayed away from social situations - life	24
SCRB_293	Screener: social fear stronger than should have been - life	24
SCRB_29A	Screener: very afraid/uncomfortable before group - life	23
SCRB_30	Screener: very uncomfortable/afraid in crowds/etc. - life	25
SCRB_301	Screener: became very upset/nervous in crowds/etc. - life	25
SCRB_302	Screener: stayed away from situations whenever could - life	26
SCRB_303	Screener: fear stronger than should have been - life	26
SCRBDMEN	Self-rated mental health - (D)	28
SCRBDPHY	Self-rated physical health - (D)	27
SCRBDSAT	Life satisfaction - (D)	27
SCRBFAGP	Flag: Respondent screened in agoraphobia module	30
SCRBFDEP	Flag: Respondent screened in depression module	28

CCHS Cycle 1.2 - Canadian Forces: Topical Index

Master File - Revised

Page 38

JUNE 2004

Variable Name	Description	Page
SCRBFAD	Flag: Respondent screened in GAD module	30
SCRBFMIA	Flag: Respondent screened in the mania module	29
SCRBFPAD	Flag: Respondent screened in the panic module	29
SCRBFSOP	Flag: Respondent screened in social phobia module	29
SDC : Socio-Demographics Characteristics		
SDCB_1	Country of birth	874
SDCB_2	Canadian citizen by birth	875
SDCB_3	Year of immigration to Canada	875
SDCB_4A	Ethnic origin - Canadian	876
SDCB_4B	Ethnic origin - French	876
SDCB_4C	Ethnic origin - English	877
SDCB_4D	Ethnic origin - German	877
SDCB_4E	Ethnic origin - Scottish	878
SDCB_4F	Ethnic origin - Irish	878
SDCB_4G	Ethnic origin - Italian	879
SDCB_4H	Ethnic origin - Ukrainian	879
SDCB_4I	Ethnic origin - Dutch (Netherlands)	880
SDCB_4J	Ethnic origin - Chinese	880
SDCB_4K	Ethnic origin - Jewish	881
SDCB_4L	Ethnic origin - Polish	881
SDCB_4M	Ethnic origin - Portuguese	882
SDCB_4N	Ethnic origin - South Asian	882
SDCB_4O	Ethnic origin - Norwegian	883
SDCB_4P	Ethnic origin - Welsh	883
SDCB_4Q	Ethnic origin - Swedish	884
SDCB_4R	Ethnic origin - Aboriginal	884
SDCB_4S	Ethnic origin - other	885
SDCB_5A	Can converse - English	885
SDCB_5B	Can converse - French	886
SDCB_5C	Can converse - Arabic	886
SDCB_5D	Can converse - Chinese	886
SDCB_5E	Can converse - Cree	887
SDCB_5F	Can converse - German	887
SDCB_5G	Can converse - Greek	887
SDCB_5H	Can converse - Hungarian	888
SDCB_5I	Can converse - Italian	888

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SDCB_5J	Can converse - Korean	888
SDCB_5K	Can converse - Persian (Farsi)	889
SDCB_5L	Can converse - Polish	889
SDCB_5M	Can converse - Portuguese	889
SDCB_5N	Can converse - Punjabi	890
SDCB_5O	Can converse - Spanish	890
SDCB_5P	Can converse - Tagalog (Pilipino)	890
SDCB_5Q	Can converse - Ukrainian	891
SDCB_5R	Can converse - Vietnamese	891
SDCB_5S	Can converse - other language	893
SDCB_5T	Can converse - Dutch	891
SDCB_5U	Can converse - Hindi	892
SDCB_5V	Can converse - Russian	892
SDCB_5W	Can converse - Tamil	892
SDCB_6A	First language learned and still understood - English	893
SDCB_6B	First language learned and still understood - French	893
SDCB_6C	First language learned and still understood - Arabic	894
SDCB_6D	First language learned and still understood - Chinese	894
SDCB_6E	First language learned and still understood - Cree	894
SDCB_6F	First language learned and still understood - German	895
SDCB_6G	First language learned and still understood - Greek	895
SDCB_6H	First language learned and still understood - Hungarian	895
SDCB_6I	First language learned and still understood - Italian	896
SDCB_6J	First language learned and still understood - Korean	896
SDCB_6K	First language learned / still understood - Persian (Farsi)	896
SDCB_6L	First language learned and still understood - Polish	897
SDCB_6M	First language learned and still understood - Portuguese	897
SDCB_6N	First language learned and still understood - Punjabi	897
SDCB_6O	First language learned and still understood - Spanish	898
SDCB_6P	First lang. learned / still understood - Tagalog (Pilipino)	898
SDCB_6Q	First language learned and still understood - Ukrainian	898
SDCB_6R	First language learned and still understood - Vietnamese	899
SDCB_6S	First language learned and still understood - other	900
SDCB_6T	First language learned and still understood - Dutch	899
SDCB_6U	First language learned and still understood - Hindi	899
SDCB_6V	First language learned and still understood - Russian	900

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SDCB_6W	First language learned and still understood - Tamil	900
SDCB_7A	Cultural / racial origin - White	901
SDCB_7B	Cultural / racial origin - Chinese	901
SDCB_7C	Cultural / racial origin - South Asian	902
SDCB_7D	Cultural / racial origin - Black	902
SDCB_7E	Cultural / racial origin - Filipino	903
SDCB_7F	Cultural / racial origin - Latin American	903
SDCB_7G	Cultural / racial origin - South East Asian	904
SDCB_7H	Cultural / racial origin - Arab	904
SDCB_7I	Cultural / racial origin - West Asian	905
SDCB_7J	Cultural / racial origin - Japanese	905
SDCB_7K	Cultural / racial origin - Korean	906
SDCB_7L	Cultural / racial origin - Aboriginal	906
SDCB_7M	Cultural / racial origin - Other	907
SDCB_8	Currently attending a school, college or university	907
SDCB_9	Full-time student or part-time student	908
SDCBCCB	Country of birth - (C)	908
SDCBDAIM	Age at time of immigration - (D)	909
SDCBDFL1	First official language learned and still understood	913
SDCBDLNG	Languages in which respondent can converse - (D)	911
SDCBDRAC	Cultural / racial origin - (D)	912
SDCBDRES	Length of time in Canada since immigration - (D)	910
SDCBFIMM	Immigrant status	910
SDCBGCB	Country of birth - (G)	909
SOP : Social Phobia		
SOPB_01A	Uneasy - meeting new people	280
SOPB_01B	Uneasy - talking to people in authority	281
SOPB_01C	Uneasy - speaking up in a meeting / class	281
SOPB_01D	Uneasy - going to parties / other social gatherings	282
SOPB_01E	Uneasy - performing / giving a talk	282
SOPB_01F	Uneasy - taking exam / interviewing for job	283
SOPB_01G	Uneasy - working while someone watches you	283
SOPB_01H	Uneasy - entering room when others already present	284
SOPB_01I	Uneasy - talking with people who don't know well	284
SOPB_01J	Uneasy - expressing disagreement to people don't know well	285
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	285

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SOPB_01L	Uneasy - using public bathroom	286
SOPB_01M	Uneasy - going on a date	286
SOPB_01N	Uneasy - other social situation where centre of attention	287
SOPB_031	Remembered exactly age of very first social fear	287
SOPB_032	Remembered exactly age of very first social fear	288
SOPB_03A	Age - exactly first time had social fear	288
SOPB_03B	Age - approximately first time had social fear	289
SOPB_06A	Age - when first started avoiding social situation	290
SOPB_08A	Symptom - was blushing or shaking	291
SOPB_08B	Symptom - feared losing bowel / bladder control	291
SOPB_08C	Symptom - feared might vomit	292
SOPB_09A	Symptom - had heart pounding / racing	292
SOPB_09B	Symptom - was sweating	293
SOPB_09C	Symptom - was trembling	293
SOPB_09D	Symptom - felt sick to stomach	294
SOPB_09E	Symptom - had dry mouth	294
SOPB_09F	Symptom - had hot flushes or chills	295
SOPB_09G	Symptom - felt numbness / tingling sensations	295
SOPB_09H	Symptom - had trouble breathing normally	296
SOPB_09I	Symptom - felt like was choking	296
SOPB_09J	Symptom - had pain / discomfort in chest	297
SOPB_09K	Symptom - felt dizzy / faint	297
SOPB_09L	Symptom - was afraid might die	298
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	298
SOPB_09N	Symptom - felt like "not really there"	299
SOPB_09O	Symptom - felt things were not real	299
SOPB_10	Symptom - was afraid might have a panic attack	300
SOPB_10A	Symptom - had a panic attack in this situation	300
SOPB_11	Symptom - was afraid might be trapped / unable to escape	301
SOPB_12	Symptom - was afraid might do something embarrassing	301
SOPB_12A	Symptom - was afraid might embarrass other people	302
SOPB_13	Symptom - was afraid people might think negatively	302
SOPB_14	Symptom - was afraid to be focus of attention	303
SOPB_14A	Reason associated with social fear	303
SOPB_15	Fear related to embarrassment about physical/mental problem	304
SOPB_15A	Problem - emotional or mental health condition	304

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SOPB_15B	Problem - alcohol or drug	305
SOPB_15C	Problem - speech, vision or hearing	305
SOPB_15D	Problem - movement or coordination	306
SOPB_15E	Problem - facial/body disfigurement, weight/body image	306
SOPB_15F	Problem - bad odour/sweating	307
SOPB_15G	Problem - other physical health problem	307
SOPB_15H	Problem - pregnancy	308
SOPB_16	Social fear interfered with work/social/relationships	308
SOPB_17	Felt upset / worried / disappointed because of social fear	309
SOPB_18	Last time feared / avoided social situation	309
SOPB_18A	Age - last time feared / avoided social situation	310
SOPB_19	Severity of fear if had to face situation today	310
SOPB_20	Frequency - avoided feared social situation - 12 mo	311
SOPB_211	Level of interference - ability to attend school - 12 mo	313
SOPB_212	Level of interference - ability to work at a job - 12 mo	314
SOPB_21A	Level of interference - home responsibilities - 12 mo	312
SOPB_21C	Level of interference - close relationships - 12 mo	315
SOPB_21D	Level of interference - social life - 12 mo	316
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	317
SOPB_25	Consulted MD / other prof. about social fear	317
SOPB_25A	Age - first time consulted prof. about social fear	318
SOPB_36	Received helpful / effective treatment for social fear	318
SOPB_36A	Age - first time got helpful treatment for social fear	319
SOPB_36B	Number of prof. consulted before helpful treatment	319
SOPB_36C	Total nbr of prof. consulted about social fear - life	319
SOPB_38	Received prof. treatment for social fear - 12 mo	320
SOPB_39	Hospitalized overnight for social fear - life	320
SOPB_391	Number of relatives with strong social fear	321
SOPB_39A	Age - first time hospitalized overnight for social fear	321
SOPB_3B1	Life period when first time had social fear	289
SOPB_6A1	Life period when started avoiding social situation	290
SOPBD09	Criterion D, Part 2B - (D)	324
SOPBD215	Criterion E, Part 1A - (D)	325
SOPBDA	Criterion A, Part 1 and 2 - (D)	322
SOPBDA1	Criterion A, Part 1 - (D)	322
SOPBDA2	Criterion A, Part 2 - (D)	322

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SOPBDB	Criterion B - (D)	323
SOPBDC	Criterion C - (D)	323
SOPBDD	Criterion D, Part 1 and 2 - (D)	324
SOPBDD1	Criterion D, Part 1 - (D)	323
SOPBDD2	Criterion D, Part 2 - (D)	324
SOPBDE	Criterion E, Part 1 and 2 - (D)	325
SOPBDF	Criterion F, Part 1 and 2 - (D)	326
SOPBDF1	Criterion F, Part 1 - (D)	325
SOPBDF2	Criterion F, Part 2 - (D)	326
SOPBDINT	Social Phobia Interference - Mean - (D)	329
SOPBDON	Age at social phobia onset - (D)	327
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	329
SOPBDREC	Age at most recent social phobia episode - (D)	327
SOPBDSP	Social Phobia Algorithm - Life - (D)	327
SOPBDYA	Criterion A - 12 month - (D)	328
SOPBDYB	Criterion B - 12 month - (D)	328
SOPBDYC	Criterion C - Interference - (D)	328
SOPBFINT	Flag: Social Phobia Interference	330
SPV : Spiritual Values		
SPVB_1	Spiritual values - playing important role in life	926
SPVB_2	Spiritual values - helping to find meaning to life	927
SPVB_3	Spiritual values - strength for everyday difficulties	927
SPVB_4	Spiritual values - understanding difficulties of life	928
SPVB_5	Respondent's religion	929
SPVB_6	Frequency - Attends religious services or meetings	930
SPVB_7	Self-perception - being religious	930
SR1 : Mental Health Services Utilisation		
SR1B_02	Hospitalized for mental health/alcohol/drug - life	595
SR1B_03	Nbr of times hosp. for mental health/alcohol/drug - life	595
SR1B_05A	Reference period for single lifetime hospitalization	596
SR1B_05B	Age - for single hospitalization dating more than a year ago	596
SR1B_05C	Number of nights for lifetime single hospitalization	597
SR1B_05D	Lifetime unique hospitalization - Number of nights	597
SR1B_05E	Lifetime unique hospitalization - Number of weeks	598
SR1B_05F	Lifetime unique hospitalization - Number of months	598

CCHS Cycle 1.2 - Canadian Forces: Topical Index
 Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_05G	Lifetime unique hospitalization - Number of years	598
SR1B_06	Age - at time of first admission for mental health	599
SR1B_07	Total time spent in hospital due to mental health	599
SR1B_07A	Total lifetime hospitalization - Number of days	600
SR1B_07B	Total lifetime hospitalization - Number of weeks	600
SR1B_07C	Total lifetime hospitalization - Number of months	600
SR1B_07D	Total lifetime hospitalization - Number of years	601
SR1B_08	Hospitalized for mental health/alcohol/drug - 12 mo	601
SR1B_08A	Age - last time hospitalized	601
SR1B_09	Total time spent in hospital due to mental health - 12 mo	602
SR1B_09A	Total past 12 months hospitalization - Number of days	602
SR1B_09B	Total past 12 months hospitalization - Number of weeks	603
SR1B_09C	Total past 12 months hospitalization - Number of months	603
SR1B_0A	Age - first time consulted psychiatrist	609
SR1B_0B	Age - first time consulted family doctor/G.P.	623
SR1B_0C	Age - first time consulted other medical doctor	637
SR1B_0D	Age - first time consulted psychologist	650
SR1B_0E	Age - first time consulted nurse	664
SR1B_0F	Age - first time consulted social worker/counsellor	678
SR1B_0G	Age - first time consulted religious/spiritual advisor	692
SR1B_10A	Ever saw/talked to prof. - psychiatrist	604
SR1B_10B	Ever saw/talked to prof. - family doctor or G.P.	604
SR1B_10C	Ever saw/talked to prof. - other medical doctor	605
SR1B_10D	Ever saw/talked to prof. - psychologist	605
SR1B_10E	Ever saw/talked to prof. - nurse	606
SR1B_10F	Ever saw/talked to prof. - social worker/counsellor/etc	606
SR1B_10G	Ever saw/talked to prof. - religious/spiritual advisor	607
SR1B_10H	Ever saw/talked to prof. - other professional	607
SR1B_10I	Ever saw/talked to prof. - none	608
SR1B_12	Had session of counselling/therapy of 15 minutes or longer	608
SR1B_13	Age - first time had session of counselling/therapy	609
SR1B_1A	Last time consulted psychiatrist	610
SR1B_1B	Last time consulted family doctor/ G.P.	624
SR1B_1C	Last time consulted other medical doctor	638
SR1B_1D	Last time consulted psychologist	651
SR1B_1E	Last time consulted nurse	665

CCHS Cycle 1.2 - Canadian Forces: Topical Index

Master File - Revised

Page 45

JUNE 2004

Variable Name	Description	Page
SR1B_1F	Last time consulted social worker/counsellor	678
SR1B_1G	Last time consulted religious/spiritual advisor	692
SR1B_2A	Age - last time consulted psychiatrist	610
SR1B_2B	Age - last time consulted family doctor/G.P.	624
SR1B_2C	Age - last time consulted other medical doctor	638
SR1B_2D	Age - last time consulted psychologist	651
SR1B_2E	Age - last time consulted nurse	665
SR1B_2F	Age - last time consulted social worker/counsellor	679
SR1B_2G	Age - last time consulted religious/spiritual advisor	693
SR1B_3A	Number of times consulted psychiatrist - 12 mo	611
SR1B_3B	Number of times consulted family doctor - 12 mo	625
SR1B_3C	Number of times consulted other type medical doctor - 12 mo	639
SR1B_3D	Number of times consulted psychologist - 12 mo	652
SR1B_3E	Number of times consulted nurse - 12 mo	666
SR1B_3F	Number of times consulted psychotherapist - 12 mo	679
SR1B_3G	Number of times consulted spiritual advisor - 12 mo	693
SR1B_4AA	Contact psychiatrist - hospitalized as an overnight patient	611
SR1B_4AB	Contact psychiatrist - medical inspection room	612
SR1B_4AC	Contact psychiatrist - at work excluding MIR	612
SR1B_4AD	Contact psychiatrist - civilian doctor's office	613
SR1B_4AE	Contact psychiatrist - psychiatric outpatient clinic	613
SR1B_4AF	Contact psychiatrist - drug or alcohol outpatient clinic	614
SR1B_4AG	Contact psychiatrist - hospital emergency room	614
SR1B_4AH	Contact psychiatrist - other hospital outpatient clinic	615
SR1B_4AI	Contact psychiatrist - walk-in clinic/CLSC	615
SR1B_4AJ	Contact psychiatrist - at home	616
SR1B_4AK	Contact psychiatrist - telephone consultation	616
SR1B_4AL	Contact psychiatrist - other	617
SR1B_4BA	Contact family doctor - hospitalized as an overnight patient	625
SR1B_4BB	Contact family doctor - medical inspection room	626
SR1B_4BC	Contact family doctor - at work excluding MIR	626
SR1B_4BD	Contact family doctor - civilian doctor's office	627
SR1B_4BE	Contact family doctor - psychiatric outpatient clinic	627
SR1B_4BF	Contact family doctor - drug or alcohol outpatient clinic	628
SR1B_4BG	Contact family doctor - hospital emergency room	628
SR1B_4BH	Contact family doctor - other hospital outpatient clinic	629

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_4BI	Contact family doctor - walk-in clinic/CLSC	629
SR1B_4BJ	Contact family doctor - at home	630
SR1B_4BK	Contact family doctor - telephone consultation	630
SR1B_4BL	Contact family doctor - other	631
SR1B_4CA	Contact other doctor - hospitalized as an overnight patient	639
SR1B_4CB	Contact other doctor - medical inspection room	640
SR1B_4CC	Contact other doctor - at work excluding MIR	640
SR1B_4CD	Contact other doctor - civilian doctor's office	641
SR1B_4CE	Contact other doctor - psychiatric outpatient clinic	641
SR1B_4CF	Contact other doctor - drug or alcohol outpatient clinic	642
SR1B_4CG	Contact other doctor - hospital emergency room	642
SR1B_4CH	Contact other doctor - other hospital outpatient clinic	643
SR1B_4CI	Contact other doctor - walk-in clinic/CLSC	643
SR1B_4CJ	Contact other doctor - at home	644
SR1B_4CK	Contact other doctor - telephone consultation	644
SR1B_4CL	Contact other doctor - other	645
SR1B_4DA	Contact psychologist - hospitalized as an overnight patient	652
SR1B_4DB	Contact psychologist - medical inspection room	653
SR1B_4DC	Contact psychologist - at work excluding MIR	653
SR1B_4DD	Contact psychologist - civilian doctor's office	654
SR1B_4DE	Contact psychologist - psychiatric outpatient clinic	654
SR1B_4DF	Contact psychologist - drug or alcohol outpatient clinic	655
SR1B_4DG	Contact psychologist - hospital emergency room	655
SR1B_4DH	Contact psychologist - other hospital outpatient clinic	656
SR1B_4DI	Contact psychologist - walk-in clinic/CLSC	656
SR1B_4DJ	Contact psychologist - at home	657
SR1B_4DK	Contact psychologist - telephone consultation	657
SR1B_4DL	Contact psychologist - other	658
SR1B_4EA	Contact nurse - hospitalized as an overnight patient	666
SR1B_4EB	Contact nurse - medical inspection room	667
SR1B_4EC	Contact nurse - at work excluding MIR	667
SR1B_4ED	Contact nurse - civilian doctor's office	668
SR1B_4EE	Contact nurse - psychiatric outpatient clinic	668
SR1B_4EF	Contact nurse - drug or alcohol outpatient clinic	668
SR1B_4EG	Contact nurse - hospital emergency room	669
SR1B_4EH	Contact nurse - other hospital outpatient clinic	669

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_4EI	Contact nurse - walk-in clinic/CLSC	670
SR1B_4EJ	Contact nurse - at home	670
SR1B_4EK	Contact nurse - telephone consultation	671
SR1B_4EL	Contact nurse - other	671
SR1B_4FA	Contact social worker - hospitalized as an overnight patient	680
SR1B_4FB	Contact social worker - medical inspection room	680
SR1B_4FC	Contact social worker - at work excluding MIR	681
SR1B_4FD	Contact social worker - civilian doctor's office	681
SR1B_4FE	Contact social worker - psychiatric outpatient clinic	682
SR1B_4FF	Contact social worker - drug or alcohol outpatient clinic	682
SR1B_4FG	Contact social worker - hospital emergency room	683
SR1B_4FH	Contact social worker - other hospital outpatient clinic	683
SR1B_4FI	Contact social worker - walk-in clinic/CLSC	684
SR1B_4FJ	Contact social worker - at home	684
SR1B_4FK	Contact social worker - telephone consultation	685
SR1B_4FL	Contact social worker - other	685
SR1B_4GA	Contact religious advisor - hospitalized overnight patient	694
SR1B_4GB	Contact religious advisor - medical inspection room	694
SR1B_4GC	Contact religious advisor - at work excluding MIR	695
SR1B_4GD	Contact religious advisor - civilian doctor's office	695
SR1B_4GE	Contact religious advisor - psychiatric outpatient clinic	696
SR1B_4GF	Contact religious advisor - drug/alcohol outpatient clinic	696
SR1B_4GG	Contact religious advisor - hospital emergency room	697
SR1B_4GH	Contact religious advisor - other hospital outpatient clinic	697
SR1B_4GI	Contact religious advisor - walk-in clinic/CLSC	698
SR1B_4GJ	Contact religious advisor - at home	698
SR1B_4GK	Contact religious advisor - telephone consultation	699
SR1B_4GL	Contact religious advisor - other	699
SR1B_7A	Psychiatrist - stopped seeing this professional	617
SR1B_7B	Family doctor/G.P. - stopped seeing this professional	631
SR1B_7C	Other type of doctor - stopped seeing this professional	645
SR1B_7D	Psychologist - stopped seeing this professional	658
SR1B_7E	Nurse - stopped seeing this professional	672
SR1B_7F	Social worker/counsellor - stopped seeing this professional	686
SR1B_7G	Religious advisor - stopped seeing this professional	700
SR1B_8AA	Reason stopped - felt better	618

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_8AB	Reason stopped - completed the recommended treatment	618
SR1B_8AC	Reason stopped - thought it was not helping	619
SR1B_8AD	Reason stopped - problem would get better without more help	619
SR1B_8AE	Reason stopped - couldn't afford to pay	620
SR1B_8AF	Reason stopped - too embarrassed to see professional	620
SR1B_8AG	Reason stopped - wanted to solve the prob without prof. help	621
SR1B_8AH	Reason stopped - problems like transportation/childcare	621
SR1B_8AI	Reason stopped - service/program no longer available	622
SR1B_8AJ	Reason stopped - not comfortable with prof. approach	622
SR1B_8AK	Reason stopped - other reason	623
SR1B_8BA	Reason stopped - felt better	632
SR1B_8BB	Reason stopped - completed the recommended treatment	632
SR1B_8BC	Reason stopped - thought it was not helping	633
SR1B_8BD	Reason stopped - problem would get better without help	633
SR1B_8BE	Reason stopped - couldn't afford to pay	634
SR1B_8BF	Reason stopped - too embarrassed to see professional	634
SR1B_8BG	Reason stopped - wanted to solve the prob without prof. help	635
SR1B_8BH	Reason stopped - problems like transportation/childcare	635
SR1B_8BI	Reason stopped - service/program no longer available	636
SR1B_8BJ	Reason stopped - not comfortable with prof. approach	636
SR1B_8BK	Reason stopped - other reason	637
SR1B_8CA	Reason stopped - felt better	646
SR1B_8CB	Reason stopped - completed the recommended treatment	646
SR1B_8CC	Reason stopped - thought it was not helping	647
SR1B_8CD	Reason stopped - problem would get better without help	647
SR1B_8CE	Reason stopped - couldn't afford to pay	647
SR1B_8CF	Reason stopped - too embarrassed to see professional	648
SR1B_8CG	Reason stopped - wanted to solve the prob without prof. help	648
SR1B_8CH	Reason stopped - problems like transportation/childcare	648
SR1B_8CI	Reason stopped - service/program no longer available	649
SR1B_8CJ	Reason stopped - not comfortable with professional approach	649
SR1B_8CK	Reason stopped - other reason	650
SR1B_8DA	Reason stopped - felt better	659
SR1B_8DB	Reason stopped - completed the recommended treatment	659
SR1B_8DC	Reason stopped - thought it was not helping	660
SR1B_8DD	Reason stopped - problem would get better without help	660

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_8DE	Reason stopped - couldn't afford to pay	661
SR1B_8DF	Reason stopped - too embarrassed to see professional	661
SR1B_8DG	Reason stopped - wanted to solve the prob without prof. help	662
SR1B_8DH	Reason stopped - problems like transportation/childcare	662
SR1B_8DI	Reason stopped - service/program no longer available	663
SR1B_8DJ	Reason stopped - not comfortable with professional approach	663
SR1B_8DK	Reason stopped - other reason	664
SR1B_8EA	Reason stopped - felt better	672
SR1B_8EB	Reason stopped - completed the recommended treatment	673
SR1B_8EC	Reason stopped - thought it was not helping	673
SR1B_8ED	Reason stopped - problem would get better without help	674
SR1B_8EE	Reason stopped - couldn't afford to pay	674
SR1B_8EF	Reason stopped - too embarrassed to see professional	675
SR1B_8EG	Reason stopped - wanted to solve the prob without prof. help	675
SR1B_8EH	Reason stopped - problems like transportation/childcare	676
SR1B_8EI	Reason stopped - service/program no longer available	676
SR1B_8EJ	Reason stopped - not comfortable with professional approach	677
SR1B_8EK	Reason stopped - other reason	677
SR1B_8FA	Reason stopped - felt better	686
SR1B_8FB	Reason stopped - completed the recommended treatment	687
SR1B_8FC	Reason stopped - thought it was not helping	687
SR1B_8FD	Reason stopped - problem would get better without help	688
SR1B_8FE	Reason stopped - couldn't afford to pay	688
SR1B_8FF	Reason stopped - too embarrassed to see professional	689
SR1B_8FG	Reason stopped - wanted to solve the prob without prof. help	689
SR1B_8FH	Reason stopped - problems like transportation/childcare	690
SR1B_8FI	Reason stopped - service/program no longer available	690
SR1B_8FJ	Reason stopped - not comfortable with professional approach	691
SR1B_8FK	Reason stopped - other reason	691
SR1B_8GA	Reason stopped - felt better	700
SR1B_8GB	Reason stopped - completed the recommended treatment	701
SR1B_8GC	Reason stopped - thought it was not helping	701
SR1B_8GD	Reason stopped - problem would get better without help	702
SR1B_8GE	Reason stopped - couldn't afford to pay	702
SR1B_8GF	Reason stopped - too embarrassed to see professional	703
SR1B_8GG	Reason stopped - wanted to solve the prob without prof. help	703

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_8GH	Reason stopped - problems like transportation/childcare	704
SR1B_8GI	Reason stopped - service/program no longer available	704
SR1B_8GJ	Reason stopped - not comfortable with professional approach	705
SR1B_8GK	Reason stopped - other reason	705
SR1B_90A	Other professional - Acupuncturist	706
SR1B_90B	Other professional - Biofeedback teacher	706
SR1B_90C	Other professional - Chiropractor	707
SR1B_90D	Other professional - Energy healing specialist	707
SR1B_90E	Other professional - Exercise/movement therapist	708
SR1B_90F	Other professional - Herbalist	708
SR1B_90G	Other professional - Homeopath or naturopath	709
SR1B_90H	Other professional - Hypnotist	709
SR1B_90I	Other professional - Guided imagery specialist	710
SR1B_90J	Other professional - Massage therapist	710
SR1B_90K	Other professional - Relaxation/yoga/meditation	711
SR1B_90L	Other professional - Dietician	711
SR1B_90M	Other professional - Other	712
SR1B_91	Other professional consulted most often - 12 mo	712
SR1B_A0A	Used an internet support group/chat room - life	713
SR1B_A0B	Last time used internet support group/chat room	713
SR1B_A0C	Nbr of times internet support group/chat room - 12 mo	714
SR1B_A1A	Self-help group for help with emotions - life	714
SR1B_A1B	Age - first time went to self-help group	715
SR1B_A1C	Last time went to self-help group	715
SR1B_A1D	Nbr of time went to meeting of self-help group - 12 mo	716
SR1B_A2A	Used telephone helpline for mental health - life	716
SR1B_A2B	Age - first time used telephone helpline	717
SR1B_A2C	Last time used telephone helpline	717
SR1B_A2D	Number of times used telephone helpline - 12 mo	718
SR1B_A3A	Had been in contact with MFRC - 12 mo	718
SR1B_A3B	Had been in contact with CFMAP - 12 mo	719
SR1B_A3C	Has used or been in contact with CFMAP - 12 mo	719
SR1B_A3D	Has used or been in contact with Health info. line - 12 mo	720
SR1B_A3E	Has used or been in contact with CF Harassment Line - 12 mo	720
SR1B_A3F	Has used or been in contact with Ombudsman - 12 mo	721
SR1B_A3G	Has used or been in contact with other resources - 12 mo	721

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR1B_A3H	Has used or been in contact with no resources - 12 mo	722
SR1BDNMD	Number of consultations with medical doctor - 12 mo - (D)	722
SR1BDRCT	Number of types of resources used for problems - life - (D)	723
SR1BDYCT	Number of types of resources used for problems - 12 mo - (D)	724
SR1BFLAP	Consultations with any professional - life - (F)	723
SR1BFLMD	Consultations with medical doctor - life - (F)	722
SR1BFLRU	Use of any resources - life - (F)	723
SR1BFYRU	Resources utilized - 12 mo - (F)	724
SR2 : Mental Health Services Utilisation		
SR2B_1A	Received help - information about health problems/treatments	725
SR2B_1B	Received help - medication	725
SR2B_1C	Received help - counselling or therapy	726
SR2B_1D	Received help - financial or housing problems	726
SR2B_1E	Received help - problems with personal relationships	727
SR2B_1F	Received help - employment status or work situation	727
SR2B_1G	Received help - other	728
SR2B_1H	Received help - none	728
SR2B_2A	Information received - as much as needed	729
SR2B_2AA	Reason not more help - didn't know where to get it	729
SR2B_2AB	Reason not more help - language problems	730
SR2B_2AC	Reason not more help - couldn't afford to pay	730
SR2B_2AD	Reason not more help - job interfered	731
SR2B_2AE	Reason not more help - have not gotten around to it	731
SR2B_2AF	Reason not more help - afraid of what others would think	732
SR2B_2AG	Reason not more help - help not readily available	732
SR2B_2AH	Reason not more help - no confidence in social services	733
SR2B_2AI	Reason not more help - other	733
SR2B_2B	Needed to receive information	734
SR2B_2BA	Reason no help - didn't know where to get it	734
SR2B_2BB	Reason no help - language problems	735
SR2B_2BC	Reason no help - couldn't afford to pay	735
SR2B_2BD	Reason no help - job interfered	736
SR2B_2BE	Reason no help - have not gotten around to it	736
SR2B_2BF	Reason no help - afraid of what others would think	737
SR2B_2BG	Reason no help - help not readily available	737
SR2B_2BH	Reason no help - no confidence in social services	738

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR2B_2BI	Reason no help - other	738
SR2B_3A	Medication received - as much as needed	739
SR2B_3AA	Reason not more med. - didn't know where to get it	739
SR2B_3AB	Reason not more med. - language problems	740
SR2B_3AC	Reason not more med. - couldn't afford to pay	740
SR2B_3AD	Reason not more med. - job interfered	741
SR2B_3AE	Reason not more med. - have not gotten around to it	741
SR2B_3AF	Reason not more med. - afraid of what others thought	742
SR2B_3AG	Reason not more med. - help not readily available	742
SR2B_3AH	Reason not more med. - no confidence in social services	743
SR2B_3AI	Reason not more med. - other	743
SR2B_3B	Needed to receive medication	744
SR2B_3BA	Reason no medication - didn't know where to get it	744
SR2B_3BB	Reason no medication - language problems	745
SR2B_3BC	Reason no medication - couldn't afford to pay	745
SR2B_3BD	Reason no medication - job interfered	746
SR2B_3BE	Reason no medication - have not gotten around to it	746
SR2B_3BF	Reason no medication - afraid of what others would think	747
SR2B_3BG	Reason no medication - help not readily available	747
SR2B_3BH	Reason no medication - no confidence in social services	748
SR2B_3BI	Reason no medication - other	748
SR2B_4A	Therapy received - as much as needed	749
SR2B_4AA	Reason not more help - didn't know where to get it	749
SR2B_4AB	Reason not more help - language problems	750
SR2B_4AC	Reason not more help - couldn't afford to pay	750
SR2B_4AD	Reason not more help - job interfered	751
SR2B_4AE	Reason not more help - have not gotten around to it	751
SR2B_4AF	Reason not more help - afraid of what others would think	752
SR2B_4AG	Reason not more help - help not readily available	752
SR2B_4AH	Reason not more help - no confidence in social services	753
SR2B_4AI	Reason not more help - other	753
SR2B_4B	Needed to receive counselling/therapy	754
SR2B_4BA	Reason no help - didn't know where to get it	754
SR2B_4BB	Reason no help - language problems	755
SR2B_4BC	Reason no help - couldn't afford to pay	755
SR2B_4BD	Reason no help - job interfered	756

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR2B_4BE	Raison no help - have not gotten around to it	756
SR2B_4BF	Reason no help - afraid of what others would think	757
SR2B_4BG	Reason no help - help not readily available	757
SR2B_4BH	Reason no help - no confidence in social services	758
SR2B_4BI	Reason no help - other	758
SR2B_5A	Financial help - as much as needed	759
SR2B_5AA	Reason not more help - didn't know where to get it	759
SR2B_5AB	Reason not more help - language problems	760
SR2B_5AC	Reason not more help - couldn't afford to pay	760
SR2B_5AD	Reason not more help - job interfered	761
SR2B_5AE	Reason not more help - have not gotten around to it	761
SR2B_5AF	Reason not more help - afraid of what others would think	762
SR2B_5AG	Reason not more help - help not readily available	762
SR2B_5AH	Reason not more help - no confidence in social services	763
SR2B_5AI	Reason not more help - other	763
SR2B_5B	Needed to receive financial help	764
SR2B_5BA	Reason no help received - didn't know where to get it	764
SR2B_5BB	Reason no help - language problems	765
SR2B_5BC	Reason no help - couldn't afford to pay	765
SR2B_5BD	Reason no help - job interfered	766
SR2B_5BE	Reason no help - have not gotten around to it	766
SR2B_5BF	Reason no help - afraid of what others would think	767
SR2B_5BG	Reason no help - help not readily available	767
SR2B_5BH	Reason no help - no confidence in social services	768
SR2B_5BI	Reason no help - other	768
SR2B_6A	Personal relationships help received - as much as needed	769
SR2B_6AA	Reason not more help - didn't know where to get it	769
SR2B_6AB	Reason not more help - language problems	770
SR2B_6AC	Reason not more help - couldn't afford to pay	770
SR2B_6AD	Reason not more help - job interfered	771
SR2B_6AE	Reason not more help - have not gotten around to it	771
SR2B_6AF	Reason not more help - afraid of what others would think	772
SR2B_6AG	Reason not more help - help not readily available	772
SR2B_6AH	Reason not more help - no confidence in social services	773
SR2B_6AI	Reason not more help - other	773
SR2B_6B	Needed to receive help with personal relationships	774

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SR2B_6BA	Reason no help - didn't know where to get it	774
SR2B_6BB	Reason no help - language problems	775
SR2B_6BC	Reason no help - couldn't afford to pay	775
SR2B_6BD	Reason no help - job interfered	776
SR2B_6BE	Reason no help - have not gotten around to it	776
SR2B_6BF	Reason no help - afraid of what others would think	777
SR2B_6BG	Reason no help - help not readily available	777
SR2B_6BH	Reason no help - no confidence in social services	778
SR2B_6BI	Reason no help - other	778
SR2B_7A	Help for employment status - as much as needed	779
SR2B_7AA	Reason not more help - didn't know where to get it	779
SR2B_7AB	Reason not more help - language problems	780
SR2B_7AC	Reason not more help - couldn't afford to pay	780
SR2B_7AD	Reason not more help - job interfered	781
SR2B_7AE	Reason not more help - have not gotten around to it	781
SR2B_7AF	Reason not more help - afraid of what others would think	782
SR2B_7AG	Reason not more help - help not readily available	782
SR2B_7AH	Reason not more help - no confidence in social services	783
SR2B_7AI	Reason not more help - other	783
SR2B_7B	Needed to receive help for employment status	784
SR2B_7BA	Reason no help - didn't know where to get it	784
SR2B_7BB	Reason no help - language problems	785
SR2B_7BC	Reason no help - couldn't afford to pay	785
SR2B_7BD	Reason no help - job interfered	786
SR2B_7BE	Reason no help - have not gotten around to it	786
SR2B_7BF	Reason no help - afraid of what others would think	787
SR2B_7BG	Reason no help - help not readily available	787
SR2B_7BH	Reason no help - no confidence in social services	788
SR2B_7BI	Reason no help - other	788
SR2BDHCT	Number of types of help received - 12 mo - (D)	789
SR2BFH12	Help received - 12 mo	789
SR2BFHAN	Help received but not as much as needed - 12 mo	790
SR2BFHUN	Help needed but not received - 12 mo	789
SSM : Social Support		
SSMB_01	Number of close friends and relatives	858
SSMB_02	Has someone to give help if confined to bed	859

Master File - Revised

JUNE 2004

Variable Name	Description	Page
SSMB_03	Has someone to listen	859
SSMB_04	Has someone to give advice about a crisis	860
SSMB_05	Has someone to take to doctor	860
SSMB_06	Has someone who shows love and affection	861
SSMB_07	Has someone to have a good time with	861
SSMB_08	Has someone who gives information to understand a situation	862
SSMB_09	Has someone to confide in	862
SSMB_10	Has someone who gives hugs	863
SSMB_11	Has someone to get together with for relaxation	863
SSMB_12	Has someone to prepare meals	864
SSMB_13	Has someone to give advice	864
SSMB_14	Has someone to do things to get mind off things	865
SSMB_15	Has someone to help with daily chores if sick	865
SSMB_16	Has someone to share most private worries and fears with	866
SSMB_17	Has someone to turn to for suggestions for personal problems	866
SSMB_18	Has someone to do something enjoyable with	867
SSMB_19	Has someone who understands problems	867
SSMB_20	Has someone who loves and makes feel wanted	868
SSMB_21A	Received tangible social support - 12 mo	868
SSMB_21B	Frequency of tangible social support - 12 mo	869
SSMB_22A	Received affective support - 12 mo	869
SSMB_22B	Frequency of affective support - 12 mo	870
SSMB_23A	Received positive social interactive support - 12 mo	870
SSMB_23B	Frequency of positive social interactive support - 12 mo	871
SSMB_24A	Received emotional/informational support - 12 mo	871
SSMB_24B	Frequency of emtional/informational support - 12 mo	872
SSMBDAFF	Affection - MOS subscale - (D)	873
SSMBDEMO	Emotional or informational support - MOS subscale - (D)	873
SSMBDSOC	Positive social interaction - MOS subscale - (D)	873
SSMBDTNG	Tangible social support - MOS subscale - (D)	872
STR : Stress		
STRB_1	Self-perceived ability to handle unexpected problem	46
STRB_2	Self-perceived ability to handle day-to-day demands	47
STRB_3	Most important source of feelings of stress	48
STRB_61	Frequency - coping - problem solving	49
STRB_610	Frequency - coping - blaming oneself	55

Master File - Revised

JUNE 2004

Variable Name	Description	Page
STRB_611	Frequency - coping - wishing situation would go away	55
STRB_62	Frequency - coping - talking to others	49
STRB_63	Frequency - coping - avoiding being with people	50
STRB_64	Frequency - coping - sleeping more than usual	50
STRB_65A	Frequency - coping - eating more or less than usual	51
STRB_65B	Frequency - coping - smoking more cigarettes than usual	51
STRB_65C	Frequency - coping - drinking alcohol	52
STRB_65D	Frequency - coping - using drugs or medication	52
STRB_66	Frequency - coping - jogging or other exercise	53
STRB_67	Frequency - coping - praying or seeking spiritual help	53
STRB_68	Frequency - coping - doing something enjoyable	54
STRB_69	Frequency - coping - looking on the bright side of things	54
TWD : Two-Week Disability		
TWDB_1	Stayed in bed - because of illness or injury	580
TWDB_2	Stayed in bed - number of days	581
TWDB_2A	Single day when stayed in bed is due to mental health	581
TWDB_2B	Number of days when stayed in bed is due to mental health	582
TWDB_3	Reduced activities - because of illness or injury	582
TWDB_4	Reduced activities - number of days	583
TWDB_4A	Single day when reduced activities is due to mental health	584
TWDB_4B	Nber of days when reduced activities is due to mental health	585
TWDB_5A	Took extra effort - because of illness or injury	586
TWDB_6	Number of days requiring extra effort	587
TWDB_6A	Single day when extra effort is due to mental health	588
TWDB_6B	Number of days when extra effort is due to mental health	589
TWDBDDDY	Total number of disability days in past 14 days - (D)	590
TWDBDMH	Total number of disability days due to mental health - (D)	594
TWDBDMQ2	Number of days spent in bed due to mental health - (D)	591
TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	592
TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	593
WST : Work Stress		
WSTB_401	Work stress - must learn new things	946
WSTB_402	Work stress - high level of skill	947
WSTB_403	Work stress - freedom to decide	947
WSTB_404	Work stress - repetitive tasks	948

Master File - Revised

JUNE 2004

Variable Name	Description	Page
WSTB_405	Work stress - job hectic	948
WSTB_406	Work stress - free from conflicting demands	949
WSTB_407	Work stress - good job security	949
WSTB_408	Work stress - required a lot of physical effort	950
WSTB_409	Work stress - had own job input	950
WSTB_410	Work stress - hostility or conflict with others	951
WSTB_411	Work stress - supervisor helpful	951
WSTB_412	Work stress - co-workers helpful	952
WSTB_413	Work stress - job satisfaction	952
WSTBDAUT	Work stress - decision latitude / authority - (D)	954
WSTBDJIN	Work stress - job insecurity - (D)	955
WSTBDPHY	Work stress - physical exertion - (D)	956
WSTBDPSY	Work stress - psychological demands - (D)	955
WSTBDSKI	Work stress - decision latitude / discretion - (D)	953
WSTBDSOC	Work stress - social support - (D)	957
WTS : Weights		
WTSB_M	Sampling weight - master weight	976