

Canadian Community Health Survey (CCHS) – Nutrition, 2015

First interview



INFORMATION COPY
DO NOT USE TO REPORT

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Table of Contents

Recall	1
Proxy interview (GR)	2
Survey Introduction (INT)	5
Age of respondent (ANC)	6
Automated Multiple Pass Method (AMPM)	9
AMPM Trailing Questions (TRL)	11
Health	13
Proxy interview (GR)	14
Nutritional Supplements (First recall) (NSP)	17
Nutritional Supplements Detail (NSD)	19
General Health (GEN)	24
Health Minimum Block (HM)	25
Measured Height and Weight (MHW)	26
Self-reported Height and Weight (HWT)	33
Physical Activity - Short Form (PHS)	38
Physical Activity of Children and Youth (CPA)	40
Women's Health (WHC)	44
Chronic Conditions (CCC)	46
Smoking (SMK)	48
Socio-Demographic Characteristics (SDC)	49
Aboriginal Minimum (AMB)	52
Population group (PG)	54
Language Minimum (LAN)	57
Selection of Second Recall Respondent (SEL2)	60
Education (EDU)	61
Education - School Attendance v.1 (ESC1)	62
Education Minimum Block with concept (EDM)	63
Labour Market Activities Minimal (LMAM)	67
Person most knowledgeable about household situation (PMK)	69
Food Security (FSC)	76
Income (INC)	81
Administration (ADM)	86
Health Number Validation (HN)	92
Topical Index	93

INFORMATION COPY
DO NOT USE TO REPORT

Recall

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Proxy interview (GR)

GR_BEG

Content block

External variables required:

MEMBERLIST:

AGE: age of each household member from Roster

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

PE_Q01: first name of household member from USU block

PE_Q02: last name of household member from USU block

Screen display:

Display on header bar FNAME and LNAME separated by a space.

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

GR_N01

INTERVIEWER: Select the person who is providing the information for this component. For parent-assisted interviews (for children aged 6 to 11), select the child as the person providing the information.

- 01 MEMBER1
 - 02 MEMBER2
 - 03 MEMBER3
 - 04 MEMBER4
 - 05 MEMBER5
 - 06 MEMBER6
 - 07 MEMBER7
 - 08 MEMBER8
 - 09 MEMBER9
 - 10 MEMBER10
 - 11 MEMBER11
 - 12 MEMBER12
 - 13 MEMBER13
 - 14 MEMBER14
 - 15 MEMBER15
 - 16 MEMBER16
 - 17 MEMBER17
 - 18 MEMBER18
 - 19 MEMBER19
 - 20 MEMBER20
- (DK, RF not allowed)

Help text:

Purpose:

To identify the person who is providing, or who provided, the data for the survey component.

Appropriate question wording is generated using proxy status and the sex of the individual for whom the component is being completed. The quality of the collected data is evaluated using proxy status.

Definition:

Non-proxy: the respondent is providing information about him or herself.

Proxy: the respondent is providing information about someone else.

CCHS Nutrition proxy interview types:

Selected respondent ages 1 to 5: Proxy only

* The parent or guardian is asked to provide the child's information.

(but children aged 2 and older have to be present for the measurement of height and weight)

Selected respondent ages 6 to 11: Parent-assisted

* The child is asked to provide his/her information with the help of his/her parent or guardian.

(at least for Dietary Recall, the measurement of height and weight, and the Physical Activity of Children and Youth module)

Selected respondent ages 12 and up: Non-proxy only

* The respondent is asked to provide his/her own information.

(except for reasons of physical or mental health)

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Training:

*** For respondents aged 2 to 5, the interview is proxy with a parent or guardian but it is critical that the child is present for height and weight measurements.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

GR_C01 If AGE < 6 {of selected respondent}, go to GR_D04.
Otherwise, go to GR_N02.

GR_N02 INTERVIEWER: Do you want to complete this interview by proxy?

- 1 Yes (Go to GR_N03)
 - 2 No
- (DK, RF not allowed)

Go to GR_D04

GR_E02 **You may not proceed with the rest of the questionnaire. Please return to either GR_N01 or GR_N02 and update the response. If neither choice is applicable, please select <CLOSE> then press <F10> to exit the application and assign an appropriate outcome code.**

Rule : *Trigger hard edit if GR_N02 = 2 and GR_N01 is not the selected respondent.*

GR_N03 INTERVIEWER: Record the reason why this component is being completed by proxy. Proxy interviews for respondents aged 6 and older are to occur only if the mental or physical health of the selected member makes it impossible to complete the interview during the collection period. If the reason for the proxy interview is neither of these choices, please press <F10> to exit the application and assign an appropriate outcome code.

- 1 Physical health condition
 - 2 Mental health condition
- (DK, RF not allowed)

GR_N04 INTERVIEWER: enter the condition.

(80 spaces)

(DK, RF not allowed)

GR_END

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Survey Introduction (INT)

CAI standard block

Overview:	This block contains the introduction of the survey to the respondent.
INT_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block Screen display: Display on header bar FNAME and LNAME separated by a space.
INT_R01	This survey collects information on the nutrition of people in Canada. It includes questions on eating habits and other factors that may relate to health and nutritional well-being. <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i><u>Purpose:</u></i> To introduce the survey to respondents so that they are aware of its nature and purposes. <i><u>Functionality:</u></i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_R02	Your answers are collected under the authority of the <i>Statistics Act</i> and will be kept strictly confidential. <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i><u>Purpose:</u></i> To affirm that respondents' information is confidential. The registration number can be provided to respondents for survey verification purposes. <i><u>Functionality:</u></i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Source:	Directive on Informing Survey Respondents, Appendix B, Section 4.
INT_R03	Although your participation in this survey is voluntary, your cooperation is important so that the information collected will be as accurate and complete as possible. <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i><u>Purpose:</u></i> To affirm that respondents' participation is important for the accuracy of the data. <i><u>Functionality:</u></i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_END	

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Age of respondent (ANC)

Core content

ANC_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

DOANC: do block flag, from the sample file.

SEX_Q01: Sex of respondent (1=male, 2 = female) from Sex Block

PROXY: proxy interview status from the PNP block (1= non-proxy; 2 = proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

CURRDATE: Current date from the operating system

SPECRESPAGE: Age of specific respondent

Screen display:

Display on header bar FNAME and LNAME separated by a space.

ANC_C01A

If DOANC = 1, go to ANC_Q01.

Otherwise, go to ANC_END.

ANC_R01

For some of the questions I'll be asking, I need to know your exact date of birth.

INTERVIEWER: Press <1> to continue.

ANC_N01A

INTERVIEWER: Enter the day. If necessary, ask (What is the day?)

[1-31]

(MIN: 1)

(MAX: 31)

DK, RF

Processing:

ANC_N01A is known as DHH_DOB

ANC_N01B

INTERVIEWER: Enter the month. If necessary, ask (What is the month?)

01 January

02 February

03 March

04 April

05 May

06 June

07 July

08 August

09 September

10 October

11 November

12 December

DK, RF

Processing:

ANC_N01B is known as DHH_MOB

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Automated Multiple Pass Method (AMPM)

AMPM_BEG

AMPM_R1

The 24-Hour Dietary Recall interview is composed of 5 Steps:

1. Quick List: The Quick List step is designed to get a quick collection of easily remembered foods, including snacks and water. In this step, respondent reports a listing of all foods and beverages consumed in a 24-hour period during the day before the interview in any order he/she wishes (without being interrupted by the interviewer). That is, the respondent is free of the burden of reporting the foods in a chronological order, so his/her mind can be free to reflect on the foods actually eaten.

INTERVIEWER: Press <1> to continue.

AMPM_R2

2. Forgotten Foods: This step is designed to collect foods that may have been forgotten during the "Quick List" step. The respondent answers a series of questions probing for forgotten foods from various categories: non-alcoholic beverages, alcoholic beverages, sweets, savoury snacks, fruits, vegetables, cheese, breads and rolls, and any other types of foods.

INTERVIEWER: Press <1> to continue.

AMPM_R3

3. Time and Occasion: The respondent reports the time he/she began eating or drinking each of the reported foods and what he/she would call the eating occasion (e.g. breakfast, lunch) - as defined by the respondent - for this food. These questions are designed to help the respondent remember and report his/her eating patterns over the 24-hour period of the previous day, as well as to group together the foods eaten at the same time.

INTERVIEWER: Press <1> to continue.

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015 First Interview

AMPM_R4

4. Detail Cycle: This step is reserved for more detail oriented questions, executed by the interviewer after having developed a rapport. Respondent answers standardized questions to probe for detailed information about each food and beverage reported in the Quick List step. The questions include probes for: food descriptions, food amounts, additions to the foods, and preparation methods.

A "Food Model Booklet" is used as the main measuring guide to help the respondent describe the size or amount of the food consumed. The booklet contains pictures of various sizes of glasses, mugs, bowls, mounds/pats/spreads, and circles. In addition, it includes a grid, two wedges, and a page of shapes and chicken pieces.

Reviews of eating occasions and times between occasions are also included in this step to elicit forgotten foods. Once information about the eating occasion is complete, then the respondent is asked where the meal was eaten. The application flows in a chronological order.

INTERVIEWER: Press <1> to continue.

AMPM_R5

5. Final Probe: A final probe is asked to collect additional foods that may have been consumed, but not remembered or mentioned earlier during the interview.

INTERVIEWER: Press <1> to continue.

AMPM_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

AMPM Trailing Questions (TRL)

Overview:	These questions are asked once at the end of first food recall.
TRL_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block PROXY: proxy interview status from the PNP block (1= non-proxy; 2 = proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) Screen display: Display on header bar FNAME and LNAME separated by a space.
TRL_Q01	Now I'll be asking some questions about your use of table salt. What type of salt do you usually add to your food <u>at the table</u>? Would you say it is ordinary salt, seasoned salt, sea salt, half salt or a salt substitute? 1 Ordinary salt 2 Seasoned or other flavoured salt 3 Sea salt or gourmet salt 4 Half salt or lite salt 5 Salt substitute (Go to TRL_S01) 6 None (Go to TRL_Q03) DK, RF (Go to TRL_Q03) Go to TRL_Q02
TRL_S01	INTERVIEWER: Specify the type of salt substitute. (What type of salt do you usually add to your food <u>at the table</u>? Would you say it is ordinary salt, seasoned salt, sea salt, half salt or a salt substitute?) _____ (80 spaces) DK, RF
TRL_Q02	How often do you add TRL_Q01 to your food <u>at the table</u>? Is it rarely, occasionally or very often? 1 Rarely 2 Occasionally 3 Very often DK, RF

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

TRL_Q03

How often is ordinary salt added in cooking or preparing foods in your household? Is it rarely, occasionally, very often, or never?

INTERVIEWER: This question applies only to the use of ordinary salt and not to seasoned salt, sea salt, half salt or salt substitute.

- 1 Rarely
 - 2 Occasionally
 - 3 Very often
 - 4 Never
- DK, RF

TRL_Q04

Do you completely exclude any of the following foods from your diet? By 'completely exclude', we mean you never eat it on its own, or as part of a prepared dish.

INTERVIEWER: Read categories to respondent.
Mark all that apply.

- 1 Meat (beef, pork, lamb, etc.)
 - 2 Poultry (chicken, turkey, duck, etc.)
 - 3 Fish and shellfish
 - 4 Eggs
 - 5 Dairy products (milk, cheese, etc.)
 - 6 Grain sources (wheat, barley, rye, triticale, etc.)
 - 7 None
- DK, RF

TRL_E04

You cannot select "None" and another category. Please return and correct.

Rule :

Trigger hard edit if TRL_Q04 = 7 (None) and any other response selected in TRL_Q04.

TRL_END

INFORMATION COPY
DO NOT USE TO REPORT

Health

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Proxy interview (GR)

GR_BEG

Content block

External variables required:

MEMBERLIST:

AGE: age of each household member from Roster

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

PE_Q01: first name of household member from USU block

PE_Q02: last name of household member from USU block

Screen display:

Display on header bar FNAME and LNAME separated by a space.

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

GR_N01

INTERVIEWER: Select the person who is providing the information for this component. For parent-assisted interviews (for children aged 6 to 11), select the child as the person providing the information.

- 01 MEMBER1
 - 02 MEMBER2
 - 03 MEMBER3
 - 04 MEMBER4
 - 05 MEMBER5
 - 06 MEMBER6
 - 07 MEMBER7
 - 08 MEMBER8
 - 09 MEMBER9
 - 10 MEMBER10
 - 11 MEMBER11
 - 12 MEMBER12
 - 13 MEMBER13
 - 14 MEMBER14
 - 15 MEMBER15
 - 16 MEMBER16
 - 17 MEMBER17
 - 18 MEMBER18
 - 19 MEMBER19
 - 20 MEMBER20
- (DK, RF not allowed)

Help text:

Purpose:

To identify the person who is providing, or who provided, the data for the survey component.

Appropriate question wording is generated using proxy status and the sex of the individual for whom the component is being completed. The quality of the collected data is evaluated using proxy status.

Definition:

Non-proxy: the respondent is providing information about him or herself.

Proxy: the respondent is providing information about someone else.

CCHS Nutrition proxy interview types:

Selected respondent ages 1 to 5: Proxy only

* The parent or guardian is asked to provide the child's information.

(but children aged 2 and older have to be present for the measurement of height and weight)

Selected respondent ages 6 to 11: Parent-assisted

* The child is asked to provide his/her information with the help of his/her parent or guardian.

(at least for Dietary Recall, the measurement of height and weight, and the Physical Activity of Children and Youth module)

Selected respondent ages 12 and up: Non-proxy only

* The respondent is asked to provide his/her own information.

(except for reasons of physical or mental health)

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Training:

*** For respondents aged 2 to 5, the interview is proxy with a parent or guardian but it is critical that the child is present for height and weight measurements.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

GR_C01 If AGE < 6 {of selected respondent}, go to GR_D04.
Otherwise, go to GR_N02.

GR_N02 INTERVIEWER: Do you want to complete this interview by proxy?

- 1 Yes (Go to GR_N03)
2 No
(DK, RF not allowed)

Go to GR_D04

GR_E02 **You may not proceed with the rest of the questionnaire. Please return to either GR_N01 or GR_N02 and update the response. If neither choice is applicable, please select <CLOSE> then press <F10> to exit the application and assign an appropriate outcome code.**

Rule : Trigger hard edit if GR_N02 = 2 and GR_N01 is not the selected respondent.

GR_N03 INTERVIEWER: Record the reason why this component is being completed by proxy. Proxy interviews for respondents aged 6 and older are to occur only if the mental or physical health of the selected member makes it impossible to complete the interview during the collection period. If the reason for the proxy interview is neither of these choices, please press <F10> to exit the application and assign an appropriate outcome code.

- 1 Physical health condition
2 Mental health condition
(DK, RF not allowed)

GR_N04 INTERVIEWER: enter the condition.

(80 spaces)

(DK, RF not allowed)

GR_END

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Nutritional Supplements (First recall) (NSP)

NSP_BEG External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: sex of specific respondent from the USU block
DONSP: Do block flag, from the sample file
CURRDATE: Current date from the operating system

Screen display:
Display on header bar FNAME and LNAME separated by a space.

NSP_C01 If DONSP = 1, go to NSP_R01.
Otherwise, go to NSP_END.

NSP_R01 **Many people use nutritional supplements such as vitamins, minerals, fibre supplements, antacids, fish oils and other oils to improve their diet. The next questions will deal with any supplements that you may have taken recently.**

INTERVIEWER: Press <1> to continue.

NSP_Q01 **In the past month, that is, from ^ONEMONTHAGO to yesterday, did you take any vitamins, minerals, fibre supplements, antacids, fish oils or other oils?**

1 Yes
2 No (Go to NSP_END)
DK, RF (Go to NSP_END)

NSP_Q02 **In the past month, how many different vitamins, minerals, fibre supplements, antacids, fish oils or other oils did you take?**

|_|_| Numbre
(MIN: 1)
(MAX: 40)

DK, RF (Go to NSP_END)

NSP_E02 An unusual number of nutritional supplements has been entered.
Please confirm.

Rule : Trigger soft edit if NSP_Q02 > 10

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

NSP_Q03	<p>I would like to record the details of those nutritional supplements to add to your food intake. Do you have the bottle(s), tube(s) or box(es) available?</p> <p><u>INTERVIEWER:</u> Ask respondent to get the bottle(s), tube(s) or boxes.</p> <p>1 Yes 2 No (DK, RF not allowed)</p>
NSP_B03	<p>Call sub block "Nutritional Supplements Detail" (NSD) up to 10 times.</p>
NSP_END	<p>Go to next module.</p>

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Nutritional Supplements Detail (NSD)

NSD_BEG External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)
CURRDATE: Current date from the operating system
SUPPID: Flag indicating whether first or second recall

NSP_Q02: from NSP block
NSP_Q03: from NSP block

Screen display:
Display on header bar FNAME and LNAME separated by a space.

NSD_C1A If SUPPID = 2, go to NSD_D8
Otherwise, go to NSD_C1B

NSD_C1B If NSP_Q03 = 2, go to NSD_D2A.
Otherwise, go to NSD_D1A.

NSD_Q1A **Is a Natural Product Number (NPN) available for [this/the first/the next] product?**

INTERVIEWER: If necessary, help the respondent to find the NPN on the bottle, tube, or box.

- 1 Yes
2 No (Go to NSD_D2A)
(DK, RF not allowed)

NSD_Q1B **What is the NPN (Natural Product Number) of [this/the first/the next] nutritional supplement?**

INTERVIEWER: Be sure to use eight digits (use leading zeros to fill the field if necessary e.g. 00012345). If respondent took more than 1 supplement, enter NPNs starting with the one taken most often.

(8 spaces)

(DK, RF not allowed)

NSD_E1B_1 **The NPN contains invalid characters. The number should only be composed of numeric values 0 through 9.**

Rule : Trigger hard edit if NSD_Q1B is not solely comprised of 0,1,2,3,4,5,6,7,8,9.

NSD_E1B_2 No match found. Confirm NPN.

Rule : Trigger soft edit if NSP_Q1B <> (match in NPN table)

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

NSD_C2A If NSD_Q1B = (Match in NPN table), go to NSD_N2.
Otherwise, go to NSD_Q2A.

NSD_N2 INTERVIEWER: Supplement name for NPN [Answer at NSD_Q1B] is
[Answer in lookup table]. Please confirm.

- 1 Yes
 - 2 No
- (DK, RF not allowed)

NSD_C2B If NSD_N2 = 1, go to NSD_Q3.
Otherwise, go to NSD_D2A.

NSD_Q2A **What is the name of [this/the first/the next] product?**

(100 spaces)

DK, RF (Go to NSD_END)

Go to NSD_Q2C

NSD_Q2C **What is the concentration (strength) of the main ingredient(s)?**

INTERVIEWER: Enter the name and concentration (strength) of the
main ingredient(s). Do not list more than two ingredients.
Example: Calcium 633mg, Vitamin D 1000 IU.

(100 spaces)

DK, RF

NSD_Q3 **In the past month, on how many days did you take this supplement?**

|_|_|
(MIN: 1)
(MAX: 30)

DK, RF (Go to NSD_END)

NSD_Q5 **On the days that you took this supplement, how much did you usually
take?**

(MIN: 0.1)
(MAX: 40.0)

DK, RF (Go to NSD_END)

NSD_E5 An unusual number has been entered. Please confirm.

Rule : Trigger soft edit if NSD_Q5 > 10

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

NSD_N6

INTERVIEWER: Select reporting unit.

- 01 Tablets
- 02 Capsules
- 03 Pills, caplets, softgels,
gelcaps, vegicaps,
chewable tablets
- 04 Droppers
- 05 Teaspoons
- 06 Tablespoons
- 07 Drops
- 08 Injections/shots
- 09 Lozenges/Cough drops
- 10 Millilitres
- 11 Wafers
- 12 Cans
- 13 Grams
- 14 Dots
- 15 Cups
- 16 Sprays/Squirts
- 17 Chews/Gummies
- 18 Scoops
- 19 Capfuls
- 20 Ounces
- 21 Packages/Packets
- 22 Vials
- 23 Gun balls
- 91 Other - Specify
(DK, RF not allowed)

NSD_C6A

If NSD_N6 IN (1, 6, 10, 12, 13, 15, 18, 19, 20), go to NSD_Q7.
Otherwise, go to NSD_C6B.

NSD_C6B

If NSD_N6 = 91, go to NSD_S6.
Otherwise, go to NSD_D8.

NSD_S6

INTERVIEWER: Specify the reporting unit.

(80 spaces)

(DK, RF not allowed)

Go to NSD_D8

NSD_Q7

Was that a liquid or a powder?

- 1 Liquid
- 2 Powder
- DK, RF

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

NSD_Q8 [During the last interview it was reported that you took ^SUPPNAME.].
Did you take this supplement yesterday?

- 1 Yes
- 2 No (Go to NSD_END)
- DK, RF (Go to NSD_END)

NSD_Q9 How much of this supplement did you take yesterday?

(MIN: 0.1)
(MAX: 40.0)

DK, RF (Go to NSD_END)

NSD_E9 An unusual number has been entered. Please confirm.

Rule : Trigger soft edit if NSD_Q9 > 10

NSD_N9A INTERVIEWER: Select the reporting unit.

- 01 Tablets
- 02 Capsules
- 03 Pills, caplets, softgels,
gelcaps, vegicaps,
chewable tablets
- 04 Droppers
- 05 Teaspoons
- 06 Tablespoons
- 07 Drops
- 08 Injections/shots
- 09 Lozenges/Cough drops
- 10 Millilitres
- 11 Waters
- 12 Cans
- 13 Grams
- 14 Dots
- 15 Cups
- 16 Sprays/Squirts
- 17 Chews/Gummies
- 18 Scoops
- 19 Capfuls
- 20 Ounces
- 21 Packages/Packets
- 22 Vials
- 23 Gumballs
- 91 Other - Specify
- DK, RF

NSD_C9A If NSD_N9A IN (5, 6, 10, 12, 13, 15, 18, 19, 20), go to NSD_Q10.
Otherwise, go to NSD_C9B.

NSD_C9B If NSD_N9A = 91, go to NSD_S9.
Otherwise, go to NSD_END.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

NSD_S9

INTERVIEWER: Specify the reporting unit.

(80 spaces)

(DK, RF not allowed)

Go to NSD_C11

NSD_Q10

Was that a liquid or a powder?

1 Liquid
2 Powder
DK, RF

NSD_C11

If SUPPID = 2 and more supplements, go to NSD_D8.
Otherwise, go to NSD_C12.

NSD_C12

If more supplements, go to NSD_Q1A.
Otherwise, go to NSD_END.

NSD_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

General Health (GEN)

GEN_BEG

External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
DOGEN: Do block flag, from the sample file

DVAGE: Age of respondent from the ANC Block (if age reconfirmed)
SEX_Q01: Sex of respondent (1=male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

Screen display:
Display on header bar FNAME and LNAME separated by a space.

GEN_C01A

If DOGEN = 1, go to GEN_C01B.
Otherwise, go to GEN_END.

GEN_C01B

If DVAGE >= 12, go to GEN_B01.
Otherwise, go to GEN_END.

GEN_B01

Call sub block "Health Minimum Block" (HM)

GEN_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Health Minimum Block (HM)

Harmonized content

Overview: This is minimum CATI-CAPI version of the Health - Perceived Block.

HM_BEG External variables required:

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)FNAME
Import: YOUR2

HM_R01 **The next question is about your health. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.**

INTERVIEWER: Press <1> to continue

HM_Q01 **In general, would you say your health is... ?**

INTERVIEWER: Read categories to respondent.

- 1 **Excellent**
 - 2 **Very good**
 - 3 **Good**
 - 4 **Fair**
 - 5 **Poor**
- DK, RF

Help text: *Tag: Perceived health*

Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well being.

HM_END

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Measured Height and Weight (MHW)

MHW_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block DOMHW: Do block flag, from the sample file SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) DVAGE: Age of respondent from the ANC Block Screen display: Display on header bar FNAME and LNAME separated by a space.
MHW_C01A	If DOMHW block = 1, go to MHW_C01B. Otherwise, go to MHW_END.
MHW_C01B	If DV_AGE < 2, go to MHW_END. Otherwise, go to MHW_C01C.
MHW_C01C	If DV_AGE < 12, go to MHW_N1A. Otherwise, go to MHW_N1B.
MHW_N1A	<u>INTERVIEWER</u> : Is respondent available to have measurements taken? 1 Yes 2 No (Go to MHW_END) (DK, RF not allowed)
MHW_N1B	<u>INTERVIEWER</u> : Are there any reasons that make it impossible to measure the respondent's <u>weight</u> ? 1 Yes 2 No (Go to MHW_D2) (DK, RF not allowed)

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

MHW_N1C

INTERVIEWER: Select reasons why it is impossible to measure the respondent's weight.

Mark all that apply.

- 01 Unable to stand unassisted (Go to MHW_END)
- 02 In a wheel chair (Go to MHW_END)
- 03 Bedridden (Go to MHW_END)
- 04 Telephone interview (Go to MHW_END)
- 05 Interview setting (e.g., interview outdoors or in a public place)
- 06 Safety concerns
- 07 Has already refused to have weight measured
- 08 Equipment (e.g., unavailable or not working)
- 09 Respondent too heavy
- 10 Other - Specify (Go to MHW_S1C)
(DK, RF not allowed)

Go to MHW_N5A

MHW_S1C

(Select reasons why it is impossible to measure the respondent's weight.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

Go to MHW_N5A

MHW_R2

Health and nutritional requirements are affected by a person's size. Because of this, I would like to measure your weight and height. The measurements taken will not require any touching.

INTERVIEWER: Press < 1 > to continue.

MHW_Q2A

Do I have your permission to weigh you?

- 1 Yes
 - 2 No (Go to MHW_N5A)
- (DK, RF not allowed)

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

MHW_N2B

INTERVIEWER: Record weight to the nearest 0.01 kg. If the scale does not work, or if for some other reason you cannot weigh the respondent, enter DK.

(MIN: 1)
(MAX: 150)

DK
(RF is not allowed)

(Go to MHW_N4)

Help text:

<i>Metric</i>	<i>Imperial</i>
1 kg	2 lbs
5 kg	11 lbs
10 kg	22 lbs
15 kg	33 lbs
20 kg	44 lbs
25 kg	55 lbs
30 kg	66 lbs
35 kg	77 lbs
40 kg	88 lbs
45 kg	99 lbs
50 kg	110 lbs
55 kg	121 lbs
60 kg	132 lbs
65 kg	143 lbs
70 kg	154 lbs
75 kg	165 lbs
80 kg	176 lbs
85 kg	187 lbs
90 kg	198 lbs
95 kg	209 lbs
100 kg	220 lbs
105 kg	231 lbs
110 kg	243 lbs
115 kg	254 lbs
120 kg	265 lbs
125 kg	276 lbs
130 kg	287 lbs
135 kg	298 lbs
140 kg	309 lbs
145 kg	320 lbs
150 kg	331 lbs

INFORMATION COPY
DO NOT USE TO REPORT

MHW_N3A

INTERVIEWER: Were there any articles of clothing or physical characteristics which affected the accuracy of this measurement?

1 Yes
2 No
(DK, RF not allowed)

(Go to MHW_N5A)

MHW_N3B

INTERVIEWER: Select reasons affecting accuracy.

Mark all that apply.

1 Shoes or boots
2 Heavy sweater or jacket
3 Jewellery
4 Other - Specify
(DK, RF not allowed)

(Go to MHW_S3B)

Go to MHW_N5A

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

MHW_S3B (Select reasons affecting accuracy.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

Go to MHW_N5A

MHW_N4

INTERVIEWER: Select the reason for not weighing the respondent.

- 1 Scale not functioning properly
 - 2 Respondent too heavy
 - 3 Other - Specify (Go to MHW_S4)
- (DK, RF not allowed)

Go to MHW_N5A

MHW_S4

(Select the reason for not weighing the respondent.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

MHW_N5A

INTERVIEWER: Are there any reasons that make it impossible to measure the respondent's height?

- 1 Yes
 - 2 No (Go to MHW_C6)
- (DK, RF not allowed)

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

MHW_N5B

INTERVIEWER: Select reasons why it is impossible to measure the respondent's height.

Mark all that apply.

- 1 Too tall
- 2 Interview setting (e.g., interview outdoors or in a public place)
- 3 Safety concerns
- 4 Has already refused to have height measured
- 5 Other - Specify (Go to MHW_S5B)
(DK, RF not allowed)

Go to MHW_END

MHW_S5B

(Select reasons why it is impossible to measure the respondent's height.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

Go to MHW_END

MHW_E5B

An unusual answer has been entered. Please confirm.

Rule :

Trigger soft edit if MHW_N5B = 1 and DVAGE < 12 ("too tall" is selected for children aged less than 12 years).

MHW_C6

If MHW_N1B=2, go to MHW_Q6A.
Otherwise, go to MHW_R6.

MHW_R6

Health and nutritional requirements are affected by a person's size. Because of this, I would like to measure your height. The measurement will not require any touching.

INTERVIEWER: Press < 1 > to continue.

MHW_Q6A

Do I have your permission to measure your height?

- 1 Yes
- 2 No (Go to MHW_END)
(DK, RF not allowed)

**Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview**

MHW_N6B

INTERVIEWER: Enter height to nearest 0.5 cm.

(MIN: 30)
(MAX: 250)

DK, RF

(Go to MHW_END)

Help text:

<i>Metric</i>	<i>Imperial</i>
30 cm	1 foot
35 cm	1 foot 2 inches
40 cm	1 foot 4 inches
45 cm	1 foot 6 inches
50 cm	1 foot 8 inches
55 cm	1 foot 10 inches
60 cm	2 foot
65 cm	2 foot 2 inches
70 cm	2 foot 4 inches
75 cm	2 foot 6 inches
80 cm	2 foot 7 inches
85 cm	2 foot 9 inches
90 cm	2 foot 11 inches
95 cm	3 foot 1 inch
100 cm	3 foot 3 inches
105 cm	3 foot 5 inches
110 cm	3 foot 7 inches
115 cm	3 foot 9 inches
120 cm	3 foot 11 inches
125 cm	4 foot 1 inch
130 cm	4 foot 3 inches
135 cm	4 foot 5 inches
140 cm	4 foot 7 inches
145 cm	4 foot 9 inches
150 cm	4 foot 11 inches
155 cm	5 foot 1 inch
160 cm	5 foot 3 inches
165 cm	5 foot 5 inches
170 cm	5 foot 7 inches
175 cm	5 foot 9 inches
180 cm	5 foot 11 inches
185 cm	6 foot 1 inch
190 cm	6 foot 3 inches
195 cm	6 foot 5 inches
200 cm	6 foot 7 inches
205 cm	6 foot 9 inches
210 cm	6 foot 11 inches

**INFORMATION COPY
DO NOT USE TO REPORT**

MHW_N7A

INTERVIEWER: Were there any articles of clothing or physical characteristics which affected the accuracy of this measurement?

1 Yes
2 No
(DK, RF not allowed)

(Go to MHW_END)

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

MHW_N7B

INTERVIEWER: Select reasons affecting accuracy.

Mark all that apply.

- 1 Shoes or boots
 - 2 Hairstyle
 - 3 Hat
 - 4 Other - Specify (Go to MHW_S7B)
- (DK, RF not allowed)

Go to MHW_END

MHW_S7B

(Select reasons affecting accuracy.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

MHW_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Self-reported Height and Weight (HWT)

HWT_BEG External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
DOHWT: Do block flag, from the sample file

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)
DVAGE: Age of respondent from the ANC Block

MHW_N2B: from MHW block
MHW_N6B: from MHW block

Screen display:
Display on header bar FNAME and LNAME separated by a space.

HWT_C01A If DOHWT = 1, go to HWT_Q01B.
Otherwise, go to HWT_END.

HWT_C01B If DVAGE > 1, go to HWT_D01A.
Otherwise, go to HWT_END.

HWT_C01C If DV_MHEIGHT = 1 and DV_MWEIGHT = 1, go to HWT_END.
Otherwise, go to HWT_D01C.

HWT_R01 **To understand health, it is important to know the size of a person.
Because of this I would like to ask your ["height"/"weight"/"height and weight"].**
INTERVIEWER: Press <1> to continue.

HWT_Q01 **Are you willing to tell me your ["height"/"weight"/"height and weight"]?**
1 Yes
2 No (Go to HWT_END)
(DK, RF not allowed)

HWT_C02 If DV_MHEIGHT = 1, go to HWT_C03.
Otherwise, go to HWT_Q02.

INFORMATION COPY
DO NOT USE TO REPORT

**Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview**

HWT_Q02

How tall are you without shoes on?

- 0 Less than 1' / 12" (less than 29.2 cm.) (Go to HWT_C03)
- 1 1'0" to 1'11" / 12" to 23" (29.2 to 59.6 cm.) (Go to HWT_N02A)
- 2 2'0" to 2'11" / 24" to 35" (59.7 to 90.1 cm.) (Go to HWT_N02B)
- 3 3'0" to 3'11" / 36" to 47" (90.2 to 120.6 cm.) (Go to HWT_N02C)
- 4 4'0" to 4'11" / 48" to 59" (120.7 to 151.0 cm.) (Go to HWT_N02D)
- 5 5'0" to 5'11" (151.1 to 181.5 cm.) (Go to HWT_N02E)
- 6 6'0" to 6'11" (181.6 to 212.0 cm.) (Go to HWT_N02F)
- 7 7'0" and over (212.1 cm. and over) (Go to HWT_C03)
- DK, RF (Go to HWT_C03)

HWT_E02

The selected height is short for a ^DVA GE year old respondent. Please confirm.

Rule :

Trigger soft edit if HWT_Q02 < 3 and DVA GE > 11.

HWT_N02A

INTERVIEWER Select the exact height.

- 00 1'0" / 12" (29.2 to 31.7 cm.)
- 01 1'1" / 13" (31.8 to 34.2 cm.)
- 02 1'2" / 14" (34.3 to 36.7 cm.)
- 03 1'3" / 15" (36.8 to 39.3 cm.)
- 04 1'4" / 16" (39.4 to 41.8 cm.)
- 05 1'5" / 17" (41.9 to 44.4 cm.)
- 06 1'6" / 18" (44.5 to 46.9 cm.)
- 07 1'7" / 19" (47.0 to 49.4 cm.)
- 08 1'8" / 20" (49.5 to 52.0 cm.)
- 09 1'9" / 21" (52.1 to 54.5 cm.)
- 10 1'10" / 22" (54.6 to 57.1 cm.)
- 11 1'11" / 23" (57.2 to 59.6 cm.)
- DK, RF

Go to HWT_C03

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

HWT_N02B

INTERVIEWER: Select the exact height.

- 00 2'0" / 24" (59.7 to 62.1 cm.)
 - 01 2'1" / 25" (62.2 to 64.7 cm.)
 - 02 2'2" / 26" (64.8 to 67.2 cm.)
 - 03 2'3" / 27" (67.3 to 69.8 cm.)
 - 04 2'4" / 28" (69.9 to 72.3 cm.)
 - 05 2'5" / 29" (72.4 to 74.8 cm.)
 - 06 2'6" / 30" (74.9 to 77.4 cm.)
 - 07 2'7" / 31" (77.5 to 79.9 cm.)
 - 08 2'8" / 32" (80.0 to 82.5 cm.)
 - 09 2'9" / 33" (82.6 to 85.0 cm.)
 - 10 2'10" / 34" (85.1 to 87.5 cm.)
 - 11 2'11" / 35" (87.6 to 90.1 cm.)
- DK, RF

Go to HWT_C03

HWT_N02C

INTERVIEWER: Select the exact height.

- 00 3'0" / 36" (90.2 to 92.7 cm.)
 - 01 3'1" / 37" (92.7 to 95.2 cm.)
 - 02 3'2" / 38" (95.3 to 97.7 cm.)
 - 03 3'3" / 39" (97.8 to 100.2 cm.)
 - 04 3'4" / 40" (100.3 to 102.8 cm.)
 - 05 3'5" / 41" (102.9 to 105.3 cm.)
 - 06 3'6" / 42" (105.4 to 107.9 cm.)
 - 07 3'7" / 43" (108.0 to 110.4 cm.)
 - 08 3'8" / 44" (110.5 to 112.9 cm.)
 - 09 3'9" / 45" (113.0 to 115.5 cm.)
 - 10 3'10" / 46" (115.6 to 118.0 cm.)
 - 11 3'11" / 47" (118.1 to 120.6 cm.)
- DK, RF

Go to HWT_C03

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

HWT_N02D

INTERVIEWER: Select the exact height.

- 00 4'0" / 48" (120.7 to 123.1 cm.)
- 01 4'1" / 49" (123.2 to 125.6 cm.)
- 02 4'2" / 50" (125.7 to 128.2 cm.)
- 03 4'3" / 51" (128.3 to 130.7 cm.)
- 04 4'4" / 52" (130.8 to 133.3 cm.)
- 05 4'5" / 53" (133.4 to 135.8 cm.)
- 06 4'6" / 54" (135.9 to 138.3 cm.)
- 07 4'7" / 55" (138.4 to 140.9 cm.)
- 08 4'8" / 56" (141.0 to 143.4 cm.)
- 09 4'9" / 57" (143.5 to 146.0 cm.)
- 10 4'10" / 58" (146.1 to 148.5 cm.)
- 11 4'11" / 59" (148.6 to 151.0 cm.)

DK, RF

Go to HWT_C03

HWT_N02E

INTERVIEWER: Select the exact height.

- 00 5'0" (151.1 to 153.6 cm.)
- 01 5'1" (153.7 to 156.1 cm.)
- 02 5'2" (156.2 to 158.7 cm.)
- 03 5'3" (158.8 to 161.2 cm.)
- 04 5'4" (161.3 to 163.7 cm.)
- 05 5'5" (163.8 to 166.3 cm.)
- 06 5'6" (166.4 to 168.8 cm.)
- 07 5'7" (168.9 to 171.4 cm.)
- 08 5'8" (171.5 to 173.9 cm.)
- 09 5'9" (174.0 to 176.4 cm.)
- 10 5'10" (176.5 to 179.0 cm.)
- 11 5'11" (179.1 to 181.5 cm.)

DK, RF

Go to HWT_C03

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

HWT_N02F

INTERVIEWER: Select the exact height.

- 00 6'0" (181.6 to 184.1 cm.)
 - 01 6'1" (184.2 to 186.6 cm.)
 - 02 6'2" (186.7 to 189.1 cm.)
 - 03 6'3" (189.2 to 191.7 cm.)
 - 04 6'4" (191.8 to 194.2 cm.)
 - 05 6'5" (194.3 to 196.8 cm.)
 - 06 6'6" (196.9 to 199.3 cm.)
 - 07 6'7" (199.4 to 201.8 cm.)
 - 08 6'8" (201.9 to 204.4 cm.)
 - 09 6'9" (204.5 to 206.9 cm.)
 - 10 6'10" (207.0 to 209.5 cm.)
 - 11 6'11" (209.6 to 212.0 cm.)
- DK, RF

HWT_C03

If DV_MWEIGHT = 2, go to HWT_Q03.
Otherwise, go to HWT_END.

HWT_Q03

How much do you weigh?

INTERVIEWER: Enter amount only.

|_|_|_|
(MIN: 1)
(MAX: 575)

DK, RF (Go to HWT_END)

HWT_N04

INTERVIEWER: Was that in pounds or kilograms?

- 1 Pounds
 - 2 Kilograms
- (DK, RF not allowed)

HWT_E04

An unusual value has been entered. Please confirm.

Rule :

Trigger soft edit if If DVAGE > 11 and (((HWT_Q03 > 300 and HWT_N04 = 1) or
(HWT_Q03 > 136 and HWT_N04 = 2)) or ((HWT_Q03 < 60 and HWT_N04 = 1) or
(HWT_Q03 < 27 and HWT_N04 = 2))).

HWT_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Physical Activity - Short Form (PHS)

Core content

PHS_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block DOPHS: Do block flag, from the sample file SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) DVAGE: Age of respondent from the ANC Block Screen display: Display on header bar FNAME and LNAME separated by a space.
PHS_C01A	If DOPHS = 1, go to PHS_C01B. Otherwise, go to PHS_END.
PHS_C01B	If DVAGE >= 18, go to PHS_R01. Otherwise, go to PHS_END.
PHS_R01	The next questions are about physical activity done for leisure, work, housework, or for transportation. INTERVIEWER: Press <1> to continue.
PHS_Q01	In the past 7 days, how many times did you participate in <u>moderate or vigorous</u> physical activity? INTERVIEWER: Moderate physical activity causes an increase in breathing and heart rate. Physical activity related to transportation includes brisk walking, cycling, etc. _ _ (MIN: 0) (MAX: 42) DK, RF (Go to PHS_END)
PHS_C02	If PHS_Q01 = 0, go to PHS_END. Otherwise, go to PHS_Q02.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PHS_Q02

About how much time did you spend on each occasion?

INTERVIEWER: Read categories to respondent.

- 1 0 to 15 minutes
 - 2 16 to 30 minutes
 - 3 31 to 60 minutes
 - 4 61 minutes to 2 hours
 - 5 More than 2 hours
- DK, RF

PHS_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Physical Activity of Children and Youth (CPA)

CPA_BEG	<p>External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block SEX_Q01: sex of respondent (1 = male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1 = proxy; 2 = non-proxy) PROXYSEX: (1 = male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) DVAGE: Age of respondent from the ANC Block</p> <p>DOCPA: Do block flag, from the sample file</p> <p>Screen display: Display on header bar FNAME and LNAME separated by a space.</p>
CPA_C01A	<p>If DOCPA = 1, go to CPA_C01B. Otherwise, go to CPA_END.</p>
CPA_C01B	<p>If DVAGE >= 6 and DVAGE <= 17, go to CPA_D01. Otherwise, go to CPA_END.</p>
CPA_R01A	<p>The next questions are about your physical activity. Physical activity is any activity that increases the heart rate and causes someone to be out of breath some of the time. Physical activity can take place while playing sports, doing school activities, [playing with friends/working or helping family with chores], or walking to school.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
CPA_R01B	<p>Some examples of physical activity are running, brisk walking, dancing, swimming, rollerblading, skateboarding, biking, soccer, basketball and football.</p> <p>For these next two questions, add up all the time you spend in physical activity each day.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
CPA_Q01	<p>Over the <u>past 7 days</u>, on how many days were you physically active for a total of at least <u>60 minutes</u> per day?</p> <p><u>INTERVIEWER</u>: Enter the number of days.</p> <p> _ Days (MIN: 0) (MAX: 7)</p> <p>DK, RF</p>

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

CPA_Q02

Over a typical or usual week, on how many days are you physically active for a total of at least 60 minutes per day?

INTERVIEWER: Enter the number of days.

|_| Days
(MIN: 0)
(MAX: 7)

DK, RF

CPA_Q03

About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual:

... in your free time at school, for example, at lunch?

INTERVIEWER: Read categories to respondent.

- 1 Never
 - 2 Less than 2 hours per week
 - 3 2 to less than 4 hours per week
 - 4 4 to less than 7 hours per week
 - 5 7 or more hours per week
- DK, RF

CPA_Q04

(About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual:)

... in your class time at school?

INTERVIEWER: Class time includes gym / phys. ed. classes.

- 1 Never
 - 2 Less than 2 hours per week
 - 3 2 to less than 4 hours per week
 - 4 4 to less than 7 hours per week
 - 5 7 or more hours per week
- DK, RF

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

CPA_Q05

About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual:

... outside of school while participating in lessons or league or team sports?

INTERVIEWER: Read categories to respondent. Include organized lessons for team or individual sports, dance, and other physical activities such as aerobics.

- 1 Never
 - 2 Less than 2 hours per week
 - 3 2 to less than 4 hours per week
 - 4 4 to less than 7 hours per week
 - 5 7 or more hours per week
- DK, RF

CPA_Q06

(About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual:)

... outside of school while participating in unorganized activities, either on your own or with friends?

- 1 Never
 - 2 Less than 2 hours per week
 - 3 2 to less than 4 hours per week
 - 4 4 to less than 7 hours per week
 - 5 7 or more hours per week
- DK, RF

CPA_C07

If DVAGE >= 12 and DVAGE <= 17, go to CPA_Q07.
Otherwise, go to CPA_Q08.

CPA_Q07

(About how many hours a week do you usually take part in physical activity that makes you out of breath or warmer than usual:)

... outside of school while doing paid or unpaid work or while helping family with chores?

- 1 Never
 - 2 Less than 2 hours per week
 - 3 2 to less than 4 hours per week
 - 4 4 to less than 7 hours per week
 - 5 7 or more hours per week
- DK, RF

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

CPA_Q08

On average, about how many hours a day do you spend watching TV, using a game console, computer, tablet or hand-held electronic device? Include time spent playing games, watching videos or movies, doing homework, e-mailing, chatting and surfing the Internet.

INTERVIEWER: Game consoles include XBOX, Nintendo, and PlayStation® consoles. Hand-held electronic devices include Nintendo DS, PSP®, iPad, iPod touch and smartphones. Do not include time spent talking on the phone.

Enter time in hours to the nearest half hour.

|_|_| hours
(MIN: 0)
(MAX: 24; Warning Value: 12)

DK, RF

CPA_E08

An unusual number of hours has been entered. Please confirm.

Rule :

Trigger soft edit if CPA_Q08 >= 12

CPA_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Women's Health (WHC)

WHC_BEG External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
DOWHC: Do block flag, from the sample file

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)
DVAGE: Age of respondent from the ANC Block

Screen display:
Display on header bar FNAME and LNAME separated by a space.

WHC_C01A If DOWHC block = 1, go to WHC_C01B.
Otherwise, go to WHC_END.

WHC_C01B If SEX_Q01 = 1 (male) or DVAGE < 9, go to WHC_END.
Otherwise, go to WHC_R01.

WHC_R01 **Girls and women have different nutritional needs at different points in their lives, such as when pregnant or after menopause. For that reason, we need to ask some questions about women's health.**

INTERVIEWER: Press <1> to continue.

WHC_C01C If DVAGE < 15, go to WHC_D01.
Otherwise, go to WHC_D02.

WHC_Q01 **Have you begun having menstrual cycles (periods) yet?**

1 Yes
2 No
DK, RF

Go to WHC_END

WHC_Q02 **At what age did you have your first period?**

INTERVIEWER: Minimum is 0; maximum is ^DV_MAXAGE.
If respondent has never had a period, enter "0".

|_|_|
(MIN: 0)
(MAX: 30)

DK, RF (Go to WHC_END)

WHC_E02A An unusual value has been entered. Please confirm.

Rule : Trigger soft edit if WHC_Q02 > 19

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

WHC_E02B	An impossible value has been entered. Please return and correct.
<i>Rule :</i>	<i>Trigger hard edit if DV_MAXAGE < WHC_Q02</i>
WHC_C03A	If WHC_Q02 = 0, go to WHC_END. Otherwise, go to WHC_C03B.
WHC_C03B	If DVAGE > 49, go to WHC_C04. Otherwise, go to WHC_Q03.
WHC_Q03	Are you currently pregnant? 1 Yes (Go to WHC_END) 2 No DK, RF
WHC_C04	If DVAGE > 55, go to WHC_Q06. Otherwise, go to WHC_Q04.
WHC_Q04	Have you given birth in the past 5 years? <u>INTERVIEWER:</u> Do not include stillbirths. 1 Yes 2 No (Go to WHC_Q06) DK, RF (Go to WHC_Q06)
WHC_Q05	Are you currently breastfeeding? 1 Yes (Go to WHC_Q08) 2 No DK, RF
WHC_Q06	Have your periods stopped? 1 Yes 2 No 3 Not sure, cycle irregular DK, RF
WHC_C08	If DVAGE > 50, go to WHC_END. Otherwise, go to WHC_Q08.
WHC_Q08	In the past month, did you take birth control pills, including for reasons other than birth control? 1 Yes 2 No DK, RF
WHC_END	

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Chronic Conditions (CCC)

CCC_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block DOCCC: Do block flag, from the sample file DVAGE: Age of respondent from the ANC Block SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) Screen display: Display on header bar FNAME and LNAME separated by a space.
CCC_C01A	If DOCCC = 1, go to CCC_C01B. Otherwise, go to CCC_END.
CCC_C01B	If DVAGE < 19, go to CCC_END. Otherwise, go to CCC_R01.
CCC_R01	Now I'd like to ask about certain long-term health conditions which you may have. We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional. <u>INTERVIEWER</u> : Press <1> to continue.
CCC_Q071	Do you have high blood pressure? 1 Yes 2 No DK, RF
CCC_Q101	Do you have diabetes? <u>INTERVIEWER</u> : Exclude respondents who have been told they have prediabetes. Only respondents with type 1, type 2 or gestational diabetes should answer "yes" to this question. 1 Yes 2 No (Go to CCC_Q121) DK, RF (Go to CCC_Q121)
CCC_Q102	How old were you when this was first diagnosed? <u>INTERVIEWER</u> : Maximum is ^DVAGE. _ _ _ Age in years (MIN: 1) (MAX: 121) DK, RF

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Smoking (SMK)

SMK_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

DOSMK: Do block flag, from the sample file

SEX_Q01: Sex of respondent (1=male, 2 = female) from Sex Block

DVAGE: Age of respondent from the ANC Block

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block

PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

Screen display:

Display on header bar FNAME and LNAME separated by a space.

SMK_C01A

If DOSMK = 1, go to SMK_C01B.

Otherwise, go to SMK_END.

SMK_C01B

If DVAGE < 12, go to SMK_END.

Otherwise, go to SMK_Q01.

SMK_R01

The next questions are about smoking.

INTERVIEWER: Press <1> to continue.

SMK_Q01

In your lifetime, have you smoked a total of 100 or more cigarettes (about 4 packs)?

1 Yes

2 No

DK, RF

SMK_C02

If SMK_Q01 = RF, go to SMK_END.

Otherwise, go to SMK_Q02.

SMK_Q02

At the present time, do you smoke cigarettes daily, occasionally or not at all?

1 Daily

2 Occasionally

3 Not at all

DK, RF

SMK_END

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Socio-Demographic Characteristics (SDC)

SDC_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

DOSDC: Do block flag, from the sample file

SEX_Q01: Sex of respondent (1=male, 2 = female) from Sex Block

DVAGE: Age of respondent from the ANC Block

CURRYEAR: Current year from the operating system

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block

PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

Screen display:

Display on header bar FNAME and LNAME separated by a space.

SDC_C01A

If DOSDC = 1, go to SDC_R01.

Otherwise, go to SDC_END.

SDC_R01

Now some general background questions which will help us compare the health of people in Canada.

INTERVIEWER: Press < 1 > to continue.

Go to SDC_Q01

SDC_Q01

In what country were you born?

INTERVIEWER: Ask the respondent to specify country of birth according to current boundaries.

Start typing the name of the country to activate function.

Enter "CAN" to select Canada.

Enter "Other - Specify" if the country is not part of the list.

1 Search

2 Other - Specify (Go to SDC_S01)

DK, RF

Go to SDC_C01B

SDC_C01B

If DV_CNTRYCODE = 90000 (Other-Specify), go to SDC_S01.

Otherwise, go to SDC_C02.

**Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview**

SDC_S01	<p>(In what country were you born?)</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p> <p>Go to SDC_Q02</p>
SDC_C02	<p>If DV_CNTRYCODE = 11124 (Canada), go to SDC_C04. Otherwise, go to SDC_Q02.</p>
SDC_Q02	<p>Are you now, or have you ever been a landed immigrant in Canada?</p> <p><u>INTERVIEWER</u>: A landed immigrant, or permanent resident, is a person who has been granted the right to live in Canada permanently by immigration authorities.</p> <p>1 Yes (Go to SDC_Q03) 2 No DK, RF</p> <p>Go to SDC_C04</p>
SDC_Q03	<p>In what year did you first become a landed immigrant in Canada?</p> <p><u>INTERVIEWER</u>: If respondent cannot give exact year of immigration, ask for a best estimate of the year.</p> <p> _ _ _ _ Year (MIN: 1,870) (MAX: 2,100)</p> <p>DK, RF</p>
SDC_E03A	<p>The year that the respondent first became a landed immigrant or permanent resident to Canada is in the future. Please return and correct.</p> <p><i>Rule :</i> <i>Trigger hard edit if SDC_Q03 > CURRYEAR</i></p>
SDC_E03B	<p>The year that the respondent first became a landed immigrant or permanent resident to Canada is before the year of birth. Please return and correct.</p> <p><i>Rule :</i> <i>Trigger hard edit if SDC_Q03 < ((CURRYEAR - DVAGE) - 1)</i></p>
SDC_C04	<p>If SDC_Q01 or DV_CNTRYCODE = Canada, United States, Germany or Greenland, go to SDC_B04. Otherwise, go to SDC_B05.</p>
SDC_B04	<p>Call sub block "Aboriginal Minimum" (AMB)</p>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

SDC_C05	If AMB_Q01 = 1, go to SDC_B06. Otherwise, go to SDC_B05.
SDC_B05	Call sub-block "Population Group" (PG)
SDC_B06	Call sub-block "Language Minimum" (LAN)
SDC_END	

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Aboriginal Minimum (AMB)

Harmonized content

Overview: This is the CATI-CAPI version of the minimal Aboriginal Group block.

Please note that the skip for Country of birth should be done outside this block

If General population target and Place of birth of respondent is Canada, USA, Germany or Greenland, then call the AMB block otherwise, skip this block.

AMB_BEG External variables required:

FNAME: first name of respondent
SEX_Q01: sex of respondent (1 = male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1 = proxy; 2 = non-proxy)
PROXYSEX: (1 = male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) Import: ARE_C, YOU2, YOU1

AMB_Q01 **Are you an Aboriginal person, that is, First Nations, Métis or Inuk (Inuit)?**
First Nations includes Status and Non-Status Indians.

INTERVIEWER: the terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

"Inuit" is the plural form of "Inuk".

- 1 Yes (Go to AMB_Q02)
2 No
DK, RF

Go to AMB_END

Help text: *Tag: Aboriginal group*

This question should be answered regardless of whether or not this person is an Aboriginal person of North America.

Aboriginal people are usually those with ancestors who resided in North America prior to European contact and who identify with one of the three Aboriginal groups listed on the questionnaire: First Nations (North American Indian), Métis and Inuk.

Persons who consider themselves to be East Indian or Asian Indian, or who have ethnic roots on the subcontinent of India, should respond "No, not an Aboriginal person" to this question.

Individuals who refer to themselves as Métis in the context of mixed ancestry, but who do not have North American Aboriginal ancestry—for example, those from Africa, the Caribbean and South America—should respond "No, not an Aboriginal person".

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

AMB_Q02

INTERVIEWER: If the respondent has already specified the Aboriginal group(s), select the group(s) from the list below; if not, ask:

Are you First Nations, Métis or Inuk (Inuit)?

INTERVIEWER: Mark all that apply.

First Nations (North American Indian) includes Status and Non-Status Indians.

The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

"Inuit" is the plural form of "Inuk".

- 1 First Nations (North American Indian)
 - 2 Métis
 - 3 Inuk (Inuit)
- DK, RF

AMB_E02

You have entered "Don't know" or "Refusal" for AMB_Q02. Respondents sometimes get confused with the terminology used to describe different Aboriginal groups. If you wish to change the entry, return to AMB_Q02 and enter the appropriate answer. Otherwise, please confirm.

Rule :

Trigger soft edit if AMB_Q02 = DK or RF

AMB_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Population group (PG)

Harmonized content

Overview: This is the CATI-CAPI version of the Population group Block.

Surveys with a preceding aboriginal question block, will skip the Population Group question if the respondent answered "Yes" to being an aboriginal person.

PG_BEG

External variables required:

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block

PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

Import: YOU2_C, ARE_C, YOU1

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PG_Q01

You may belong to one or more racial or cultural groups on the following list.

Are you... ?

INTERVIEWER: Read categories to respondent and mark up to 4 responses that apply.

If respondent answers "mixed", "bi-racial" or "multi-racial", etc., probe for specific groups and mark each one separately (e.g., White, Black, Chinese).

Aboriginal people or First Nations are not included in the list of response categories because the *Employment Equity Act* defines visible minorities as "persons, other than Aboriginal persons, who are non-Caucasian in race or non-white in colour". Guidelines state that "Due to their status as First Nation people, Aboriginal peoples are specifically excluded from the definition".

Under the *Employment Equity Act*, Aboriginal Peoples are considered to be a separate designated group.

- 01 White
02 South Asian (e.g., East Indian, Pakistani, Sri Lankan)
03 Chinese
04 Black
05 Filipino
06 Latin American
07 Arab
08 Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)
09 West Asian (e.g., Iranian, Afghan)
10 Korean
11 Japanese
12 Other - Specify (Go to PG_S01)
DK, RF

Go to PG_END

Help text:

Tag: Racial or cultural group

All response categories and examples must be read aloud, even if the respondent has already given a response.

If the respondent provides a response that is not on the list, do not reclassify it into one of the given categories. For example, do not select "White" if the respondent says "Caucasian". Instead, record "Caucasian" in the "Other - Specify" category.

If no preceding aboriginal question block is on the survey, and an aboriginal respondent answers that they are First Nations, Métis or Inuk (Inuit), select <12 Other - Specify> and enter "NA".

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PG_S01

(You may belong to one or more racial or cultural groups on the following list.

Are you... ?)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

PG_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Language Minimum (LAN)

Harmonized content

Overview:	This is the minimum CATI-CAPI version of: -Knowledge of Official Languages (English and French) -Home Language spoken: most often -Mother tongue
LAN_BEG	External variables required: SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) FNAME Import: DOVERB, YOU2, YOU1, S
LAN_Q01	Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it... <u>INTERVIEWER</u> : Read categories to respondent. 1 English only 2 French only 3 Both English and French 4 Neither English nor French DK, RF
Help text:	<i>Tag: Knowledge of official languages</i> <i>For a child who has not yet learned to speak: Report the language(s) that the child is learning to speak at home: English, French, both or neither.</i>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

LAN_B02	Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances LAN_B02.LangCode is a response other than 90000000 (No more languages).
Help text:	<p><i>Tag: Home language spoken most often</i></p> <p><i>For a child who has not yet learned to speak: Report the language spoken most often to this child at home. If two languages are spoken, report the language spoken most often. If both languages are used equally often, report both languages.</i></p> <p><i>For a person who lives alone, report the language in which the respondent feels most comfortable (this can be the language the respondent would use to talk on the telephone, entertain friends at home, etc.).</i></p> <p><i>Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</i></p>
Programmer:	<p><i>Pass via parameter (question text, interviewer instruction, instance number):</i></p> <p><i>QTEXT = What language do you speak most often at home?</i></p> <p><i>ITEXT = Mark up to three responses. Multiple responses are accepted only if languages are spoken equally often at home.</i></p> <p><i>INSTNUM = (min: 1, max: 3)</i></p>
LAN_E02A	The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.
Rule :	<i>Trigger hard edit if on the first iteration of the question, the interviewer selects "111 - No more languages." DV_LANGCODE = 90000000.</i>
LAN_E02B	The same language has been selected a second time. Please return and correct.
Rule :	<i>Trigger hard edit if any two language codes (LAN_B02.LangCode) are equal. DV_LANGCODE = 22240000 (Other-Specify) is an exception to this edit: multiple other-specify responses are acceptable.</i>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

LAN_B03	Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances LAN_B03.LangCode is a response other than 90000000 (No more languages).
Help text:	<p><i>Tag: Mother tongue</i></p> <p><i>This question should be asked of children between the ages of 0-5 years where their main introduction to the first language learned at home would be through their parents and siblings.</i></p> <p><i>For a child who has not yet learned to speak: Report the language spoken most often to this child at home. Report two languages only if both languages are spoken equally often so that the child learns both languages at the same time.</i></p> <p><i>Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</i></p>
Programmer:	<p><i>Pass via parameter (question text, interviewer instruction, instance number):</i></p> <p><i>QTEXT = What is the language that you first learned at home in childhood and still understand?</i></p> <p><i>ITEXT = Mark up to three responses. If the respondent no longer understands the first language learned, indicate the second language learned. Accept multiple responses only if languages were learned at the same time.</i></p> <p><i>INSTNUM = (min: 1 - max: 3)</i></p>
LAN_E03A	<p>The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.</p>
Rule :	<p><i>Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more languages" DV_LANGCODE = 90000000.</i></p>
LAN_E03B	<p>The same language has been selected a second time. Please return and correct.</p>
Rule :	<p><i>Trigger hard edit if any two language codes (LAN_B03.LangCode) are equal. DV_LANGCODE = 22240000 (Other-Specify) is an exception to this edit: multiple other-specify responses are acceptable.</i></p>
LAN_END	

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Selection of Second Recall Respondent (SEL2)

SEL2_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

DOSEL2: Do block flag, from the sample file

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block

PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

DVAGE: Age of respondent from the ANC Block

PROVINCE

Screen display:

Display on header bar FNAME and LNAME separated by a space.

SEL2_C01

If DOSEL2 = 1, go to SEL2_D1.

Otherwise, go to SEL2_END

SEL2_B1

Call selection algorithm

SEL2_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Education (EDU)

EDU_BEG External variables required:
FNAME: first name of specific respondent from USU block
LNAME: last name of specific respondent from USU block
DOEDU: do block flag, from the sample file.

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)
DVAGE: Age of respondent from the ANC Block (if age reconfirmed)

Screen display:
Display on header bar FNAME and LNAME separated by a space.

EDU_C01A If DOEDU = 1, go to EDU_C01B.
Otherwise, go to EDU_END.

EDU_C01B If DVAGE >= 14, go to EDU_R01.
Otherwise, go to EDU_END.

EDU_R01 **The following questions are about education.**
INTERVIEWER: Press <1> to continue.

EDU_B01 Call sub-block "Education Minimum Block with concept" (EDM)

EDU_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Education - School Attendance v.1 (ESC1)

Harmonized content

Overview:	This is the CATI/CAPI version one of the School attendance.
ESC1_BEG	SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) FNAME Import: ARE_C, YOU1
ESC1_Q01	Are you <u>currently</u> attending school, college, CEGEP or university? <u>INTERVIEWER:</u> Ask respondent to include attendance only for courses that can be used as credit towards a certificate, diploma or degree. 1 Yes 2 No DK, RF
ESC1_END	

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015

First Interview

Education Minimum Block with concept (EDM)

Harmonized content

Overview:	This is the CATI/CAPI version of the School attendance, Type of educational institution, Full-time/Part-time status, Educational Attainment or Highest certificate, diploma or degree block.
EDM_BEG	<p>Import the following:</p> <p>FROMYEAR: from the sample file, start of reference period (i.e. 1995) FROMMONTH: from the sample file, start of reference period (January..December) TOYEAR: from the sample file, end of reference period (i.e. 2001) TOMONTH: from the sample file, end of reference period (January..December)</p> <p>ESC_FLAG: (0..3) Flag indicating which question will be asked on School attendance. Survey manager will provide this information. (1 = ESC1 called), (2 - ESC2 called), (3 - ESC3 called) (0- ESC4 called)</p> <p>EHG_FLAG: (1..2) Flag indicating which series of questions on Highest certificate or Educational Attainment will be asked to the respondent. Survey manager will provide this information. (1 = EHG1 called), (2 = EHG2 called).</p> <p>(The client will select which types of question School attendance question and Highest certificate, diploma or degree question that will be used for the block. There are four types of questions (ESC1, ESC2, ESC3 and ESC4) for School attendance and two types of question for Highest certificate or Educational Attainment (EHG1 and EHG2). Specific Blaise specifications have been created for each of the question types.)</p> <p>SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) FNAME Import: ARE, YOU1, ARE_C, WERE_C, HAVE, HAVE_C</p>
EDM_C01A	If ESC_FLAG = 1, go to EDM_B01A. Otherwise, go to EDM_C01B.
EDM_C01B	If ESC_FLAG = 2, go to EDM_B01B. Otherwise, go to EDM_C01C.
EDM_C01C	If ESC_FLAG = 3, go to EDM_B01C. Otherwise, go to EDM_B01D.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

EDM_B01A	Call block ESC1
EDM_B01B	Call block ESC2
EDM_B01C	Call block ESC3
EDM_B01D	Call block ESC4
EDM_C01D	If ESC1_Q01 = 1 (Yes) or ESC2_Q01 = 1 (Yes) or ESC3_Q01 = 1 (Yes) or ESC4_Q01 = 1 (Yes), go to EDM_D01. Otherwise, go to EDM_C03A.

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

EDM_Q01

What type of educational institution [are you attending/did you attend]?

INTERVIEWER: Mark all that apply.

- 1 Elementary, junior high school or high school
 - 2 Trade school, college, CEGEP or other non-university institution
 - 3 University
- DK, RF

Help text:

Tag: Type of educational institution

Elementary school is also referred to as primary school. Schools are classified as elementary if they provide instruction to Grades 6 and under.

Junior high school is also referred to as middle school and usually represents Grade 7 and 8, although this can differ among provinces in Canada and other countries.

High School usually represents Grade 9 to 12 including high school equivalency certificates such as the General Educational Development (GED) certificate and the Adult Basic Education (ABE) certificate.

Trade/vocational certificate or diploma is a term used to classify skill courses that prepare trainees for occupations not at the professional or semi-professional levels. A trade-vocational school is a public or private educational institution, which offers courses to prepare people for employment in a specific occupation such as heavy equipment operator, automotive mechanic, secretarial and upholstery. Many community colleges or technical institutes offer certificates or diplomas at the trade level.

Apprenticeship certificate is a program that combines on-the-job training (by observation and practice) with short periods of related in-class technical training to produce a fully qualified journeyman tradesperson. The employer undertakes, by contract, to employ and train an apprentice under the supervision of a qualified journeyman. To become an apprentice, usually there is a formal registration process with a provincial ministry or department. Examples of occupations for which apprenticeship will lead to a journeyman certificate include cooking, masonry, finishing carpentry, plumbing, and machinist.

CEGEP is a French acronym for "Collège d'enseignement général et professionnel." These institutions are classified at a postsecondary level (students enter CEGEP after completing six years of elementary school and five years of secondary school) and offer Diploma of College Studies (DCS/DEC) as a two-year pre-university program or as a three-year technical program leading to employment. There are also shorter technical programs leading to an Attestation of College Studies (ACS). A two-year Diploma of Vocational Studies (DVS/DEP) is required prior to entering into an apprenticeship in Québec. Pre-university programs lead to university, whereas technical programs generally lead to the labour market, but can, under certain conditions, also lead to university.

Other non-university institutions include seminaries, schools of nursing, private business schools, police or fire-fighting academies and flight schools which upon completion of a prescribed program of study offer a certificate or diploma.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

EDM_Q02	[Are you enrolled/Were you enrolled] as... ? <u>INTERVIEWER</u> : Read categories to respondent. 1 A full-time student 2 A part-time student 3 Both full-time and part-time student DK, RF
EDM_C03A	If EHG_FLAG = 1, go to EDM_B03A. Otherwise, go to EDM_C03B.
EDM_C03B	If EHG_FLAG = 2, go to EDM_B03B. Otherwise, go to EDM_END.
EDM_B03A	Call block EHG1 (Highest certificate, diploma or degree - Short version)
EDM_B03B	Call block EHG2 (Educational Attainment)
EDM_END	

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Labour Market Activities Minimal (LMAM)

Harmonized content

Overview:	<p>This is the minimum content block for the Labour Market Activities Harmonized Content.</p> <p>It contains the questions required to establish whether a respondent is employed or not.</p>
LMAM_BEG	<p>External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block DOLMAM: Do block flag, from the sample file</p> <p>SEX_Q01: sex of respondent (1 = male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1 = proxy; 2 = non-proxy) PROXYSEX: (1 = male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) DVAGE: Age of respondent from the ANC Block</p> <p>CURRDATE: Current date from the operating system</p> <p>Screen display: Display on header bar FNAME and LNAME separated by a space.</p> <p>REFBEGE English date corresponding to the first day of reference week, e.g., Sunday, January 9; Wednesday, January 12 (maximum of 23 characters) It is based on the current system date so that it will correspond to the first day of the most recently completed seven-day period.</p>
LMAM_C01A	<p>If DOLMAM = 1, go to LMAM_C01B. Otherwise, go to LMAM_END.</p>
LMAM_C01B	<p>If DVAGE < 15 or DVAGE > 75, go to LMAM_END. Otherwise, go to LMAM_D01A.</p>
LMAM_Q01	<p>Many of the following questions concern your activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending yesterday.</p> <p>Last week, did you work at a job or business? (regardless of the number of hours)</p> <p>1 Yes 2 No (Go to LMAM_Q02) DK, RF</p> <p>Go to LMAM_END</p>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Person most knowledgeable about household situation (PMK)

Core content

PMK_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

PE_Q01: first name of household member from USU block

PE_Q02: last name of household member from USU block

DOPMK: do block flag, from the sample file.

SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block

PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)

PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)

DVAGE: Age of respondent from the ANC Block

AGE: Age of each household member from Roster

HHLDSIZE: Number of members of the household

PROV: Province from the sample file

DV_SEL2_D2: Selection for second recall from SEL2 block

SUPPID: Flag indicating whether first or second recall

Screen display:

Display on header bar FNAME and LNAME separated by a space.

PMK_C010A

If DOPMK = 1, go to PMK_C010B.

Otherwise, go to PMK_END.

PMK_C010B

If (SUPPID = 2 and DVAGE > 13), go to PMK_END.

Otherwise, go to PMK_C013A.

PMK_C013A

If PROXY = 1 {Proxy interview}, go to PMK_END.

Otherwise, go to PMK_C013B.

PMK_C013B

If HHLDSIZE = 1 {respondent lives alone} or DVAGE < 6 or DVAGE > 17 or all household members are aged <18 and the selected respondent is aged 14 to 17 years {based on DVAGE for respondent and AGE for other members}, go to PMK_END.

Otherwise, go to PMK_C013C.

PMK_C013C

If DVAGE < 14, go to PMK_C020.

Otherwise, go to PMK_D014.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_Q014

[Statistics Canada, your provincial ministry of health and the "Institut de la statistique du Québec"/Statistics Canada and your provincial ministry of health] may combine your responses from this survey with information from other surveys or from administrative data sources.

INTERVIEWER: Press <1>, unless respondent objects to combining responses with other data sources.

- 1 Continue
 - 2 Respondent does not want his/her responses combined with other sources (Go to PMK_C016)
 - 3 Other [e.g., respondent hung up, interview suspended/interrupted] (Go to PMK_END)
- (DK, RF not allowed)

Help text:

Purpose:

To inform respondents that Statistics Canada and their provincial ministry of health (and for Quebec, the Institut de la statistique du Québec) may link information collected during the interview to administrative data sources. With the link, there is no need to ask the questions of respondents, so respondent burden and the cost of collection are reduced.

Source:

Directive on Informing Survey Respondents, Appendix B, Section 5 "Record Linkage".

PMK_Q015A

Having a provincial (or territorial) health number will assist us in linking to this other information.

Do you have [an/a] [Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/Northwest Territories/Nunavut] health number?

- 1 Yes (Go to PMK_D015D)
- 2 No
- DK, RF (Go to PMK_C016)

PMK_Q015B

For which province (or territory) is your health number?

- 10 Newfoundland and Labrador
- 11 Prince Edward Island
- 12 Nova Scotia
- 13 New Brunswick
- 24 Quebec
- 35 Ontario
- 46 Manitoba
- 47 Saskatchewan
- 48 Alberta
- 59 British Columbia
- 60 Yukon
- 61 Northwest Territories
- 62 Nunavut
- 88 Does not have a Canadian health number (Go to PMK_C016)
- DK, RF (Go to PMK_C016)

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_B015 Call sub block "Health Number Sub Block" (HN)

PMK_C016 If province = 24 (Quebec), go to PMK_R016B.
Otherwise, go to PMK_R016A.

PMK_R016A **To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

Provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Go to PMK_Q016

Help text:

Purpose:

To introduce the request to share information collected during the interview with one or more other government departments.

With data sharing, there is no need for each department to collect its own information, so fewer surveys have to be conducted.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

PMK_R016B

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, the "Institut de la statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

The "Institut de la statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses or telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Help text:

Purpose:

To introduce the request to share information collected during the interview with one or more other government departments.

With data sharing, there is no need for each department to collect its own information, so fewer surveys have to be conducted.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_Q016	<p>These organizations have agreed to keep your information confidential and use it only for statistical purposes.</p> <p>Do you agree to share the information provided?</p> <p>1 Yes 2 No DK, RF</p>
PMK_C017	<p>If DV_SEL2_D2 = 1, go to PMK_Q017. Otherwise, go to PMK_C020.</p>
PMK_Q017	<p>As part of this survey, you have been selected to participate in a brief follow up interview. This will take place in the next 3 to 10 days and will be conducted over the telephone. Can we schedule an appointment?</p> <p><u>INTERVIEWER:</u> If necessary, add: (The interview will consist only of the 24-hour food recall and nutritional supplements. Your answers will be used to measure how much a person's intake changes from day to day.)</p> <p>1 Yes 2 No (Go to PMK_C020) DK, RF (Go to PMK_C020)</p>
PMK_N17	<p><u>INTERVIEWER:</u> Press <Shift + n1> to set an appointment with respondent. If the reference period was a weekday please try to schedule an appointment with a reference period being a weekend day and vice versa.</p> <p>Press <1> to continue. (DK, RF not allowed)</p>
Help text:	<p><i>If the first interview was done on a Tuesday, Wednesday, Thursday, Friday or Saturday (reference period = weekday = Monday to Friday), the second interview should be done on a Sunday or Monday (reference period = weekend = Saturday or Sunday).</i></p> <p><i>If the first interview was done on a Sunday or Monday (reference period = weekend = Saturday or Sunday), the second interview should be done on a Tuesday, Wednesday, Thursday, Friday or Saturday (reference period = weekday = Monday to Friday).</i></p>
PMK_N18	<p><u>INTERVIEWER:</u> Leave a Respondent Food Model Booklet and note the date and time of appointment, and the interviewer's name on the cover page.</p> <p>Press <1> to continue. (DK, RF not allowed)</p>
PMK_C020	<p>If all members of household are aged 15 and under, go to PMK_END. Otherwise, go to PMK_D020.</p>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_R020

For the last few questions, I would like to speak with someone who would be best able to answer questions [about the entire household such as household income and food purchases/on sharing and linking of data].

INTERVIEWER: Press <1> to continue.

PMK_Q020

Who would this person be?

INTERVIEWER: Select the person most knowledgeable from the household roster.

- 01 MEMBER1
 - 02 MEMBER2
 - 03 MEMBER3
 - 04 MEMBER4
 - 05 MEMBER5
 - 06 MEMBER6
 - 07 MEMBER7
 - 08 MEMBER8
 - 09 MEMBER9
 - 10 MEMBER10
 - 11 MEMBER11
 - 12 MEMBER12
 - 13 MEMBER13
 - 14 MEMBER14
 - 15 MEMBER15
 - 16 MEMBER16
 - 17 MEMBER17
 - 18 MEMBER18
 - 19 MEMBER19
 - 20 MEMBER20
- (DK, RF not allowed)

**INFORMATION COPY
DO NOT USE TO REPORT**

PMK_E020

The minimum age required to complete the remaining questions in the survey is 18 years of age or older. Please choose another household member as the person most knowledgeable (PMK).

Rule :

Trigger soft edit if (age of PMK_Q020 < 18 or PMK_Q020 is the respondent) and at least one member of the household is aged 18 or over.

PMK_C030A

If DV_PMKFLAG=2, go to PMK_D030C.
Otherwise, go to PMK_D030B.

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_Q030B	<p>Is [MEMBER1/MEMBER2/MEMBER3/MEMBER4/MEMBER5/MEMBER6/MEMBER7/MEMBER8/MEMBER9/MEMBER10/MEMBER11/MEMBER12/MEMBER13/MEMBER14/MEMBER15/MEMBER16/MEMBER17/MEMBER18/MEMBER19/MEMBER20] available?</p> <p>1 Yes 2 No 3 Person most knowledgeable about household refuses to participate (DK, RF not allowed)</p>
PMK_C040	<p>If DV_PMKProxy=1, go to PMK_R050. Otherwise, go to PMK_C041.</p>
PMK_C041	<p>If DV_PMKFLAG=2 or PMK_Q030B = 3, go to PMK_R042. Otherwise, go to PMK_C042.</p>
PMK_C042	<p>If DV_AGE = (14, 15, 16, 17), go to PMK_END. Otherwise, go to PMK_R042.</p>
PMK_R042	<p>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p> <p>Go to PMK_END</p>
PMK_R045	<p>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to know the best time to speak with [MEMBER1/MEMBER2/MEMBER3/MEMBER4/MEMBER5/MEMBER6/MEMBER7/MEMBER8/MEMBER9/MEMBER10/MEMBER11/MEMBER12/MEMBER13/MEMBER14/MEMBER15/MEMBER16/MEMBER17/MEMBER18/MEMBER19/MEMBER20].</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p> <p>Go to PMK_END</p>
PMK_R050	<p>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to speak with ^MEMBERNAME.</p> <p><u>INTERVIEWER</u>: You should continue with the person most knowledgeable about the household.</p> <p>Press < 1> to continue.</p>

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

PMK_R060

Hello, My name is... I've just completed the main portion of the interview with ^FNAME. At this point I need to finish the interview with a few [general questions on your household's situation/questions on sharing and linking of data]. ^FNAME said you would be the best person to answer these types of questions.

INTERVIEWER: Press <1> to continue.

PMK_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Food Security (FSC)

FSC_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

DOFSC: Do block flag, from the sample file

HHLDSIZE: household size from the Entry

YOUNGKIDS: number of persons in the household aged 0 to 15 years

OLDERKIDS: number of persons in the household aged 16 or 17 living with an older relative

YOUNGADULTS: number of persons in the household aged 16 or 17 not living with an older relative

ADULTS: number of persons in the household aged 18 years and older

CHILDFNAME: first name of child in single child households

PMKPROXY: PMK identifier from the PMK block

CURRENTMONTH: current month from the operating system

Screen display:

Display on header bar FNAME and LNAME separated by a space.

FSC_C01A

If DOFSC = 1, go to FSC_C01B.

Otherwise, go to FSC_END.

FSC_C01B

If PMKPROXY = 2, go to FSC_END.

Otherwise, go to FSC_D010.

FSC_R020

The following questions are about the food situation for your household in the past 12 months. I'm going to read you several statements that may be used to describe the food situation for a household. Please tell me if the statement was often true, sometimes true, or never true for [you/you and other household members] in the past 12 months.

INTERVIEWER: Press <1> to continue.

FSC_Q020

The first statement is: [You/You and other household members] worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?

1 Often true

2 Sometimes true

3 Never true

DK, RF

(Go to FSC_END)

FSC_Q030

The food that [you/you and other household members] bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?

1 Often true

2 Sometimes true

3 Never true

DK, RF

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

FSC_Q040	<p>[You/You and other household members] couldn't afford to eat balanced meals. In the past 12 months was that <u>often</u> true, <u>sometimes</u> true, or <u>never</u> true?</p> <p>1 Often true 2 Sometimes true 3 Never true DK, RF</p>
FSC_C050	<p>If (OLDERKIDS + YOUNGKIDS > 0), go to FSC_R050. Otherwise, go to FSC_C070A.</p>
FSC_R050	<p>Now I'm going to read a few statements that may describe the food situation for households with children.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
FSC_Q050	<p>[You/You or other adults in your household] relied on only a few kinds of low-cost food to feed [^CHILDFNAME/the children] because you were running out of money to buy food. Was that <u>often</u> true, <u>sometimes</u> true, or <u>never</u> true in the past 12 months?</p> <p>1 Often true 2 Sometimes true 3 Never true DK, RF</p>
FSC_Q060	<p>[You/You or other adults in your household] couldn't feed [^CHILDFNAME/the children] a balanced meal, because you couldn't afford it. Was that <u>often</u> true, <u>sometimes</u> true, or <u>never</u> true in the past 12 months?</p> <p>1 Often true 2 Sometimes true 3 Never true DK, RF</p>
FSC_C070A	<p>If [FSC_Q020 or FSC_Q030 or FSC_Q040 or FSC_Q050 or FSC_Q060 <= 2] and ((OLDERKIDS + YOUNGKIDS) > 0), go to FSC_Q070. Otherwise, go to FSC_C070B.</p>
FSC_C070B	<p>If ((FSC_Q020 or FSC_Q030 or FSC_Q040 or FSC_Q050 or FSC_Q060) <= 2)), go to FSC_R080. Otherwise, go to FSC_END.</p>

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

- FSC_Q070 [^CHILDNAME was/The children were] not eating enough because [you/you or other adults in your household] just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?
- 1 Often true
 - 2 Sometimes true
 - 3 Never true
- DK, RF
- FSC_R080 **The following few questions are about the food situation in the past 12 months for you or any other adults in your household.**
- INTERVIEWER: Press <1> to continue.
- FSC_Q080 **In the past 12 months, since last ^CURRENTMONTH, did [you/you or other adults in your household] ever cut the size of your meals or skip meals because there wasn't enough money for food?**
- 1 Yes
 - 2 No (Go to FSC_Q090)
- DK, RF (Go to FSC_Q090)
- FSC_Q081 **How often did this happen? Almost every month, some months but not every month or in only 1 or 2 months?**
- 1 Almost every month
 - 2 Some months but not every month
 - 3 Only 1 or 2 months
- DK, RF
- FSC_Q090 **In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?**
- 1 Yes
 - 2 No
- DK, RF
- FSC_Q100 **In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?**
- 1 Yes
 - 2 No
- DK, RF
- FSC_Q110 **In the past 12 months, did you (personally) ever lose weight because you didn't have enough money for food?**
- 1 Yes
 - 2 No
- DK, RF

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

FSC_C120	If (FSC_Q070 = 1 or 2) or (FSC_Q080 or FSC_Q090 or FSC_Q100 or FSC_Q110 = 1), go to FSC_Q120. Otherwise, go to FSC_END.
FSC_Q120	In the past 12 months, did [you/you or other adults in your household] ever not eat for a whole day because there wasn't enough money for food? 1 Yes 2 No (Go to FSC_C130) DK, RF (Go to FSC_C130)
FSC_Q121	How often did this happen? Almost every month, some months but not every month, or in only 1 or 2 months? 1 Almost every month 2 Some months but not every month 3 Only 1 or 2 months DK, RF
FSC_C130	If OLDERKIDS + YOUNGKIDS <> 0, go to FSC_R130. Otherwise, go to FSC_END.
FSC_R130	Now, a few questions on the food experiences for children in your household. <u>INTERVIEWER:</u> Press <1> to continue.
FSC_Q130	In the past 12 months, did [you/you or other adults in your household] ever cut the size of [^CHILDFNAME 's/any of the children's] meals because there wasn't enough money for food? 1 Yes 2 No DK, RF
FSC_Q140	In the past 12 months, did [^CHILDFNAME/any of the children] ever skip meals because there wasn't enough money for food? 1 Yes 2 No (Go to FSC_Q150) DK, RF (Go to FSC_Q150)
FSC_Q141	How often did this happen? Almost every month, some months but not every month, or in only 1 or 2 months? 1 Almost every month 2 Some months but not every month 3 Only 1 or 2 months DK, RF

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

FSC_Q150

In the past 12 months, [was ^CHILDNAME/were any of the children] ever hungry but you just couldn't afford more food?

- 1 Yes
- 2 No
- DK, RF

FSC_Q160

In the past 12 months, did [^CHILDNAME/any of the children] ever not eat for a whole day because there wasn't enough money for food?

- 1 Yes
- 2 No
- DK, RF

FSC_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Income (INC)

INC_BEG

External variables required:

FNAME: first name of specific respondent from USU block

LNAME: last name of specific respondent from USU block

LMAM_Q01: Worked last week

LMAM_Q02: Absent from work last week

DOINC: Do block flag, from the sample file

PMKPROXY: PMK identifier from the PMK block

Screen display:

Display on header bar FNAME and LNAME separated by a space.

INC_C01A

If DOINC = 1, go to INC_C01B.

Otherwise, go to INC_END.

INC_C01B

If PMKPROXY = 2, go to INC_END.

Otherwise, go to INC_R01.

INC_R01

There is a relationship between nutrition and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.

INTERVIEWER: Press <1> to continue.

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

INC_Q01

Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months?

INTERVIEWER: Read categories to respondent. Mark all that apply.

- 01 Wages and salaries
- 02 Income from self-employment
- 03 Dividends and interest (e.g., on bonds, savings)
- 04 Employment insurance
- 05 Worker's compensation
- 06 Benefits from Canada or Quebec Pension Plan (Go to INC_Q02)
- 07 Job related retirement pensions, superannuation and annuities
- 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
- 09 Old Age Security and Guaranteed Income Supplement
- 10 Provincial or municipal social assistance or welfare (Go to INC_Q02)
- 11 Child Tax Benefit or family allowances
- 12 Child support
- 13 Alimony
- 14 Other (e.g., rental income, scholarships)
- 15 None
- DK RF

Go to INC_C03

Training:

Child Assistance Payments in Quebec are included in the category "Child Tax Benefit or family allowances"

INC_E01A

You cannot select "None" and another category. Please return and correct.

Rule :

Trigger hard edit if INC_Q01 = 15 (None) and any other response selected in INC_Q01.

INC_E01B

Inconsistent answers have been entered. Please confirm.

Rule :

Trigger soft edit if (INC_Q01 <> 1 or 2) and (LMAM_Q01 = 1 or LMAM_Q02 = 1).

INC_Q02

Does this amount include a supplement for people with disabilities?

- 1 Yes
- 2 No
- DK, RF

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

INC_C03 If more than one source of income is indicated in INC_Q01, go to INC_Q03.
Otherwise, go to INC_Q04.

INC_Q03 **What was the main source of income?**

- 01 Wages and salaries
- 02 Income from self-employment
- 03 Dividends and interest (e.g., on bonds, savings)
- 04 Employment insurance
- 05 Worker's compensation
- 06 Benefits from Canada or Quebec Pension Plan
- 07 Job related retirement pensions, superannuation and annuities
- 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
- 09 Old Age Security and Guaranteed Income Supplement
- 10 Provincial or municipal social assistance or welfare
- 11 Child Tax Benefit or family allowances
- 12 Child support
- 13 Alimony
- 14 Other (e.g., rental income, scholarships)
- 15 None
- DK RF

INFORMATION COPY
DO NOT USE TO REPORT

Processing: *At the time of the data processing, if the respondent reported only one source of income in INC_Q01, the variable INC_Q03 will be given its value.*

INC_E03 **The main source of income is not selected as one of the sources of income. Please return and correct.**

Rule : *Trigger hard edit if the response in INC_Q03 (except DK, RF) was not selected in INC_Q01.*

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

INC_Q04

What is your best estimate of the total household income received by all household members, from all sources, before taxes and deductions, in the past 12 months?

INTERVIEWER: Capital gains should not be included in the household income. Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, spousal support (alimony) and rental income.

|_|_|_|_|_|_|_|_|_|
(MIN: -9,000,000)
(MAX: 90,000,000)

DK, RF (Go to INC_C05)

Go to INC_END

Processing:

At the time of the data processing, responses reported in INC_Q04 will also be recoded into the cascade categories of INC_Q06A, INC_Q06B and INC_Q06C.

INC_E04

An unusual value has been entered. Please confirm.

Rule :

Trigger soft edit if INC_Q04 > 150,000.

INC_C05

If INC_Q04 = DK, RF, go to INC_C06A.
Otherwise, go to INC_END

INC_Q06A

Can you estimate in which of the following groups your household income falls? Was the total household income in the past 12 months...?

INTERVIEWER: Read categories to respondent.

- 1 Less than \$50,000, including income loss (Go to INC_Q06B)
2 \$50,000 and more (Go to INC_Q06C)
DK, RF (Go to INC_END)

INC_Q06B

Please stop me when I have read the category which applies to your household. Was it...?

INTERVIEWER: Read categories to respondent.

- 1 Less than \$5,000
2 \$5,000 to less than \$10,000
3 \$10,000 to less than \$15,000
4 \$15,000 to less than \$20,000
5 \$20,000 to less than \$30,000
6 \$30,000 to less than \$40,000
7 \$40,000 to less than \$50,000

DK, RF

Go to INC_END

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

INC_Q06C

Please stop me when I have read the category which applies to your household. Was it...?

INTERVIEWER: Read categories to respondent.

- 1 \$50,000 to less than \$60,000
- 2 \$60,000 to less than \$70,000
- 3 \$70,000 to less than \$80,000
- 4 \$80,000 to less than \$90,000
- 5 \$90,000 to less than \$100,000
- 6 \$100,000 to less than
\$150,000
- 7 \$150,000 and over

DK, RF

INC_END

**INFORMATION COPY
DO NOT USE TO REPORT**

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Administration (ADM)

ADM_BEG	External variables required: FNAME: first name of specific respondent from USU block LNAME: last name of specific respondent from USU block DOADM: Do block flag, from the sample file PMKPROXY: PMK identifier from the PMK block PMK_Q017 SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy) PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy) PROV: province, from the sample file DVAGE: Age of respondent from the ANC Block DV_SEL2_D2: selection for second recall from SEL2 block SUPPID: Flag indicating whether first or second recall HN_GOOD: Yes/no flag create by HN validation algorithm Screen display: Display on header bar FNAME and LNAME separated by a space.
ADM_C01A	If DOADM = 1, go to ADM_C01B. Otherwise, go to ADM_END.
ADM_C01B	If PMKPROXY = 2, go to ADM_END. Otherwise, go to ADM_D01.
ADM_Q01	[Statistics Canada, your provincial ministry of health and the "Institut de la statistique du Québec"/Statistics Canada and your provincial ministry of health] may combine your responses from this survey with information from other surveys or from administrative data sources. <u>INTERVIEWER</u> : Press <1>, unless respondent objects to combining responses with other data sources. 1 Continue 2 Respondent does not want his/her responses combined with other sources (Go to ADM_C04) 3 Other [e.g. respondent hung up, interview suspended/interrupted] (Go to ADM_END) (DK, RF not allowed)
Help text:	<i><u>Purpose:</u> To inform respondents that Statistics Canada and their provincial ministry of health (and for Quebec, the Institut de la statistique du Québec) may link information collected during the interview to administrative data sources. With the link, there is no need to ask the questions of respondents, so respondent burden and the cost of collection are reduced.</i>
Source:	<i>Directive on Informing Survey Respondents, Appendix B, Section 5 "Record Linkage".</i>

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

ADM_C02	If HN_GOOD = 1, go to ADM_C04. Otherwise, go to ADM_D03A.
ADM_Q03A	Having a provincial (or territorial) health number will assist us in linking to this other information. Do you have [an/a] [Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/Northwest Territories/Nunavut] health number? 1 Yes (Go to ADM_D03D) 2 No DK, RF (Go to ADM_C04)
ADM_Q03B	For which province (or territory) is your health number? 10 Newfoundland and Labrador 11 Prince Edward Island 12 Nova Scotia 13 New Brunswick 24 Quebec 35 Ontario 46 Manitoba 47 Saskatchewan 48 Alberta 59 British Columbia 60 Yukon 61 Northwest Territories 62 Nunavut 88 Does not have a Canadian health number (Go to ADM_C04) DK, RF (Go to ADM_C04)
ADM_B03	Call sub block "Health Number Sub Block" (HN)
ADM_C04	If PROV = 24 (Québec), go to ADM_R04B. Otherwise, go to ADM_R04A.

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

ADM_R04A

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

Provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Go to ADM_Q04

Help text:

Purpose:

To introduce the request to share information collected during the interview with one or more other government departments.

With data sharing, there is no need for each department to collect its own information, so fewer surveys have to be conducted.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

ADM_R04B

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, the Institut de la statistique du Québec, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

The Institut de la statistique du Québec and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses or telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Help text:

Purpose:

To introduce the request to share information collected during the interview with one or more other government departments.

With data sharing, there is no need for each department to collect its own information, so fewer surveys have to be conducted.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

ADM_Q04

These organizations have agreed to keep your information confidential and use it only for statistical purposes.

Do you agree to share the information provided?

- 1 Yes
- 2 No
- DK, RF

ADM_N05

INTERVIEWER: Is this a fictitious name for the respondent?

- 1 Yes
- 2 No (Go to ADM_N09)
- DK (Go to ADM_N09)
- (RF is not allowed)

ADM_N06

INTERVIEWER: Remind respondent about the importance of getting correct names.

Do you want to make corrections to:

- 1 ... first name only?
- 2 ... last name only? (Go to ADM_N08)
- 3 ... both names?
- 4 ... no corrections? (Go to ADM_N09)
- (DK, RF not allowed)

ADM_N07

INTERVIEWER: Enter the first name only.

(25 spaces)

(DK, RF not allowed)

ADM_C08

If ADM_N06 <> 3 (both names), go to ADM_N09.
Otherwise, go to ADM_N08.

ADM_N08

INTERVIEWER: Enter the last name only.

(25 spaces)

(DK, RF not allowed)

ADM_N09

INTERVIEWER: Was this interview conducted on the telephone or in person?

- 1 On telephone
- 2 In person
- 3 Both
- (DK, RF not allowed)

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

ADM_C10	If DVAGE < 12, go to ADM_N12. Otherwise, go to ADM_N10.
ADM_N10	<u>INTERVIEWER</u> : Was the respondent alone when you asked this health questionnaire? 1 Yes (Go to ADM_N12) 2 No DK, RF (Go to ADM_N12)
ADM_N11	<u>INTERVIEWER</u> : Do you think that the answers of the respondent were affected by someone else being there? 1 Yes 2 No DK, RF
ADM_N12	<u>INTERVIEWER</u> : Record language of interview. 01 English 02 French 03 Chinese 04 Italian 05 Punjabi 06 Spanish 07 Portuguese 08 Polish 09 German 10 Vietnamese 11 Arabic 12 Tagalog (Filipino) 13 Greek 14 Tamil 15 Cree 16 Afghan 17 Cantonese 18 Hindi 19 Mandarin 20 Persian 21 Russian 22 Ukrainian 23 Urdu 24 Inuktitut 90 Other - Specify (Go to ADM_S12) DK, RF Go to ADM_C13
ADM_S12	(Record language of interview.) <u>INTERVIEWER</u> : Specify. <hr/> (80 spaces) (DK, RF not allowed)

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

ADM_C13	If 5 < DVAGE < 12, go to ADM_N13. Otherwise, go to ADM_C17A.
ADM_N13	INTERVIEWER: Was the child present and able to participate during most of the interview? 1 Yes 2 No DK, RF
ADM_C17A	If (DV_SEL2_D2 = 1 and SUPPID = 1), go to ADM_C17B. Otherwise, go to ADM_END.
ADM_C17B	If PMK_Q017 = (1, 2, RF), go to ADM_END. Otherwise, go to ADM_Q17.
ADM_Q17	As part of this survey, you have been selected to participate in a brief follow up interview. This will take place in the next 3 to 10 days and will be conducted over the telephone. Can we schedule an appointment? INTERVIEWER: If necessary, add: (The interview will consist only of the 24-hour food recall and nutritional supplements. Your answers will be used to measure how much a person's intake changes from day to day.) 1 Yes 2 No (Go to ADM_END) DK RF (Go to ADM_END)
ADM_N18	INTERVIEWER: Press <Shift + F11> to set an appointment with respondent. If the reference period was a weekday please try to schedule an appointment with a reference period being a weekend day and vice versa. When finished, press <1> to continue. (DK, RF not allowed)
Help text:	<i>If the first interview was done a Tuesday, Wednesday, Thursday, Friday or Saturday (reference period = weekday = Monday to Friday), the second interview should be done a Sunday or Monday (reference period = weekend = Saturday or Sunday). If the first interview was done a Sunday or Monday (reference period = weekend = Saturday or Sunday), the second interview should be done a Tuesday, Wednesday, Thursday, Friday or Saturday (reference period = weekday = Monday to Friday).</i>
ADM_N19	INTERVIEWER: Leave a Respondent Food Model Booklet and note the date and time of appointment, and the interviewer's name on the cover page. Press <1> to continue. (DK, RF not allowed)
ADM_END	

INFORMATION COPY
DO NOT USE TO REPORT

Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview

Health Number Validation (HN)

HN_BEG

External variables required:

DV_HNPROV: Province of respondent's health card
DV_HNSEX: Sex of respondent (needs to be derived before the HN block is called)
SEX_Q01: sex of respondent (1= male, 2 = female) from Sex Block
PROXY: proxy interview status from the GR block (1= proxy; 2 = non-proxy)
PROXYSEX: (1= male non-proxy; 2 = female non-proxy; 3 = male proxy; 4 = female proxy)
ASKTWICE : flag to indicate use of double-capture option (from sample)
HN_Good: Yes/no flag created by HN validation algorithm.

HN_Q01

What is your health number?

INTERVIEWER: Enter a health number for [Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/the Northwest Territories/Nunavut]. In [Newfoundland and Labrador/Prince Edward Island/Nova Scotia/New Brunswick/Quebec/Ontario/Manitoba/Saskatchewan/Alberta/British Columbia/Yukon/the Northwest Territories/Nunavut], the health number is made up of [twelve numbers/eight numbers/ten numbers/nine numbers/four letters followed by eight numbers/ten numbers]. Do not include the two letters at the end for green health cards/nine numbers, beginning with 002/one letter followed by seven numbers]. Do not insert blanks, hyphens or commas between the numbers.

[Note: In Manitoba, health numbers of families can be listed on the same card. Be sure to capture the intended respondent's health number if there is more than one on the card./Note: In British Columbia, residents may have a combined driver's license and health card. If the respondent has a combined card, the health number is on the back above the barcode./"]

(12 spaces)

DK, RF

Processing:

This is the variable associated with LNK_HN on release.

HN_END

**Canadian Community Health Survey (CCHS) – Nutrition, 2015
First Interview**

Topical Index

Aboriginal Minimum (AMB)	52
Administration (ADM)	86
Age of respondent (ANC)	6
AMPM Trailing Questions (TRL)	11
Automated Multiple Pass Method (AMPM)	9
Chronic Conditions (CCC)	46
Education (EDU)	61
Education - School Attendance v.1 (ESC1)	62
Education Minimum Block with concept (EDM)	63
Food Security (FSC)	76
General Health (GEN)	24
Health Minimum Block (HM)	25
Health Number Validation (HN)	92
Income (INC)	81
Labour Market Activities Minimal (LMAM)	67
Language Minimum (LAN)	57
Measured Height and Weight (MHW)	26
Nutritional Supplements (First recall) (NSP)	17
Nutritional Supplements Detail (NSD)	19
Person most knowledgeable about household situation (PMK)	69
Physical Activity - Short Form (PHS)	38
Physical Activity of Children and Youth (CPA)	40
Population group (PG)	54
Proxy interview (GR)	2, 14
Selection of Second Recall Respondent (SER2)	60
Self-reported Height and Weight (HWT)	33
Smoking (SMK)	48
Socio-Demographic Characteristics (SDC)	49
Survey Introduction (INT)	5
Women's Health (WHC)	44

INFORMATION COPY
DO NOT USE TO REPORT