Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|------------------------------|---|------|
| .CC: Access to health care s | ervices | |
| ACC_10 | Required visit to medical specialist | 805 |
| ACC_11 | Experienced difficulties getting specialist care | 805 |
| ACC_12A | Difficulty - getting a referral | 806 |
| ACC_12B | Difficulty - getting an appointment | 806 |
| ACC_12C | Difficulty - no specialists in area | 807 |
| ACC_12D | Difficulty - waited too long for an appointment | 807 |
| ACC_12E | Difficulty - waited too long to see doc. | 808 |
| ACC_12F | Difficulty - transportation | 808 |
| ACC_12G | Difficulty - language | 809 |
| ACC_12H | Difficulty - cost | 809 |
| ACC_12I | Difficulty - personal or family responsibilities | 810 |
| ACC_12J | Difficulty - general deterioration of health | 810 |
| ACC_12K | Difficulty - appointment cancelled/deferred | 811 |
| ACC_12L | Difficulty - still waiting for visit | 811 |
| ACC_12M | Difficulty - unable to leave house / health problem | 812 |
| ACC_12N | Difficulty - other | 812 |
| ACC_20 | Required non-emergency surgery | 813 |
| ACC_21 | Experienced difficulties getting non-emerg. surgery | 813 |
| ACC_22A | Difficulty - getting an appointment with a surgeon | 814 |
| ACC_22B | Difficulty - getting a diagnosis | 814 |
| ACC_22C | Difficulty - waited too long for a diagnostic test | 815 |
| ACC_22D | Difficulty - waited too long for a hospital bed | 815 |
| ACC_22E | Difficulty - waited too long for surgery | 816 |
| ACC_22F | Difficulty - service not available in area | 816 |
| ACC_22G | Difficulty - transportation | 817 |
| ACC_22H | Difficulty - language | 817 |
| ACC_22I | Difficulty - cost | 818 |
| ACC_22J | Difficulty - personal or family responsibilities | 818 |
| ACC_22K | Difficulty - general deterioration of health | 819 |
| ACC_22L | Difficulty - appointment cancelled/deferred | 819 |
| ACC_22M | Difficulty - still waiting for surgery | 820 |
| ACC_22N | Difficulty - unable to leave house / health problem | 820 |
| ACC_22O | Difficulty - other | 821 |
| ACC_30 | Required MRI, CT Scan, angiography | 821 |
| ACC_31 | Experienced difficulties getting test | 822 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| ACC_32A | Difficulty - getting a referral | 822 |
| ACC_32B | Difficulty - getting an appointment | 823 |
| ACC_32C | Difficulty - waited too long to get an appointment | 823 |
| ACC_32D | Difficulty - waited too long to get test | 824 |
| ACC_32E | Difficulty - service not available at time required | 824 |
| ACC_32F | Difficulty - service not available in the area | 825 |
| ACC_32G | Difficulty - transportation | 825 |
| ACC_32H | Difficulty - language | 826 |
| ACC_32I | Difficulty - cost | 826 |
| ACC_32J | Difficulty - general deterioration of health | 827 |
| ACC_32K | Difficulty - did not know where to go | 827 |
| ACC_32L | Difficulty - still waiting for test | 828 |
| ACC_32M | Difficulty - unable to leave house / health problem | 828 |
| ACC_32N | Difficulty - other | 829 |
| ACC_40 | Required health information for self or family member | 829 |
| ACC_40A | Contact for health information - doctor's office | 830 |
| ACC_40B | Contact for health information - community hlth ctr / CLSC | 830 |
| ACC_40C | Contact for health information - walk-in clinic | 831 |
| ACC_40D | Contact for health information - telephone health line | 831 |
| ACC_40E | Contact for health information - emergency room | 832 |
| ACC_40F | Contact for health information - other hospital service | 832 |
| ACC_40G | Contact for health information - other | 833 |
| ACC_41 | Experienced diff. getting health information - self/family | 833 |
| ACC_42 | Experienced difficulties during regular hours | 834 |
| ACC_43A | Difficulty - contacting a physician or nurse | 834 |
| ACC_43B | Difficulty - did not have a phone number | 835 |
| ACC_43C | Difficulty - could not get through | 835 |
| ACC_43D | Difficulty - waited too long to speak to someone | 836 |
| ACC_43E | Difficulty - did not get adequate info or advice | 836 |
| ACC_43F | Difficulty - language | 837 |
| ACC_43G | Difficulty - did not know where to go/call/uninformed | 837 |
| ACC_43H | Difficulty - unable to leave house / health problem | 838 |
| ACC_43I | Difficulty - other | 838 |
| ACC_44 | Experienced difficulties during evenings/weekends | 839 |
| ACC_45A | Difficulty - contacting a physican or nurse | 839 |
| ACC_45B | Difficulty - did not have a phone number | 840 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|---|------|
| ACC_45C | Difficulty - could not get through | 840 |
| ACC_45D | Difficulty - waited too long to speak to someone | 841 |
| ACC_45E | Difficulty - did not get adequate info or advice | 841 |
| ACC_45F | Difficulty - language | 842 |
| ACC_45G | Difficulty - did not know where to go/call/uninformed | 842 |
| ACC_45H | Difficulty - unable to leave house / health problem | 843 |
| ACC_45I | Difficulty - other | 843 |
| ACC_46 | Experienced difficulties during middle of night | 844 |
| ACC_47A | Difficulty - contacting a physican or nurse | 844 |
| ACC_47B | Difficulty - did not have a phone number | 845 |
| ACC_47C | Difficulty - could not get through | 845 |
| ACC_47D | Difficulty - waited too long to speak to someone | 846 |
| ACC_47E | Difficulty - did not get adequate info or advice | 846 |
| ACC_47F | Difficulty - language | 847 |
| ACC_47G | Difficulty - did not know where to go/call/uninformed | 847 |
| ACC_47H | Difficulty - unable to leave house / health problem | 848 |
| ACC_47I | Difficulty - other | 848 |
| ACC_50 | Required routine care for self/family | 849 |
| ACC_50A | Has a regular family doctor | 849 |
| ACC_51 | Experienced diff. getting routine/on-going care - self/fam. | 850 |
| ACC_52 | Experienced difficulties during regular hours | 850 |
| ACC_53A | Difficulty - contacting a physican | 851 |
| ACC_53B | Difficulty - getting an appointment | 851 |
| ACC_53C | Difficulty - do not have a family physician | 852 |
| ACC_53D | Difficulty - waited too long to get an appointment | 852 |
| ACC_53E | Difficulty - waited too long to see doc. | 853 |
| ACC_53F | Difficulty - service not available at time required | 853 |
| ACC_53G | Difficulty - service not available in the area | 854 |
| ACC_53H | Difficulty - transportation | 854 |
| ACC_53I | Difficulty - language | 855 |
| ACC_53J | Difficulty - cost | 855 |
| ACC_53K | Difficulty - did not know where to go | 856 |
| ACC_53L | Difficulty - unable to leave house / health problem | 856 |
| ACC_53M | Difficulty - other | 857 |
| ACC_54 | Experienced difficulties during evenings/weekends | 857 |
| ACC_55A | Difficulty - contacting a physican | 858 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|---|------|
| ACC_55B | Difficulty - getting an appointment | 858 |
| ACC_55C | Difficulty - do not have a family physician | 859 |
| ACC_55D | Difficulty - waited too long to get an appointment | 859 |
| ACC_55E | Difficulty - waited too long to see doc. | 860 |
| ACC_55F | Difficulty - service not available at time required | 860 |
| ACC_55G | Difficulty - service not available in the area | 861 |
| ACC_55H | Difficulty - transportation | 861 |
| ACC_55I | Difficulty - language | 862 |
| ACC_55J | Difficulty - cost | 862 |
| ACC_55K | Difficulty - did not know where to go | 863 |
| ACC_55L | Difficulty - unable to leave house / health problem | 863 |
| ACC_55M | Difficulty - other | 864 |
| ACC_60 | Required immediate care/minor health problem - self/family | 864 |
| ACC_61 | Experienced difficulties getting immediate care - self/fam. | 865 |
| ACC_62 | Experienced difficulties during regular hours | 865 |
| ACC_63A | Difficulty - contacting a physican | 866 |
| ACC_63B | Difficulty - getting an appointment | 866 |
| ACC_63C | Difficulty - do not have a family physician | 867 |
| ACC_63D | Difficulty - waited too long to get an appointment | 867 |
| ACC_63E | Difficulty - waited too long to see doc. | 868 |
| ACC_63F | Difficulty - service not available at time required | 868 |
| ACC_63G | Difficulty - service not available in the area | 869 |
| ACC_63H | Difficulty - transportation | 869 |
| ACC_63I | Difficulty - language | 870 |
| ACC_63J | Difficulty - cost | 870 |
| ACC_63K | Difficulty - did not know where to go | 871 |
| ACC_63L | Difficulty - unable to leave house / health problem | 871 |
| ACC_63M | Difficulty - other | 872 |
| ACC_64 | Experienced difficulties during evenings/weekends | 872 |
| ACC_65A | Difficulty - contacting a physican | 873 |
| ACC_65B | Difficulty - getting an appointment | 873 |
| ACC_65C | Difficulty - do not have a family physician | 874 |
| ACC_65D | Difficulty - waited too long to get an appointment | 874 |
| ACC_65E | Difficulty - waited too long to see doc. | 875 |
| ACC_65F | Difficulty - service not available at time required | 875 |
| ACC_65G | Difficulty - service not available in the area | 876 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|----------------------------|--|------|
| | ACC_65H | Difficulty - transportation | 876 |
| | ACC_65I | Difficulty - language | 877 |
| | ACC_65J | Difficulty - cost | 877 |
| | ACC_65K | Difficulty - did not know where to go | 878 |
| | ACC_65L | Difficulty - unable to leave house / health problem | 878 |
| | ACC_65M | Difficulty - other | 879 |
| | ACC_66 | Experienced difficulties during middle of night | 879 |
| | ACC_67A | Difficulty - contacting a physican | 880 |
| | ACC_67B | Difficulty - getting an appointment | 880 |
| | ACC_67C | Difficulty - do not have a family physician | 881 |
| | ACC_67D | Difficulty - waited too long to get an appointment | 881 |
| | ACC_67E | Difficulty - waited too long to see doc. | 882 |
| | ACC_67F | Difficulty - service not available at time required | 882 |
| | ACC_67G | Difficulty - service not available in the area | 883 |
| | ACC_67H | Difficulty - transportation | 883 |
| | ACC_67I | Difficulty - language | 884 |
| | ACC_67J | Difficulty - cost | 884 |
| | ACC_67K | Difficulty - did not know where to go | 885 |
| | ACC_67L | Difficulty - unable to leave house / health problem | 885 |
| | ACC_67M | Difficulty - other | 886 |
| | DOACC | Access to health care services - Inclusion flag - (F) | 804 |
| ADL : | Activities of Daily Living | | |
| | ADL_01 | Needs help - preparing meals | 206 |
| | ADL_02 | Needs help - getting to appointments / running errands | 207 |
| | ADL_03 | Needs help - doing housework | 207 |
| | ADL_04 | Needs help - personal care | 208 |
| | ADL_05 | Needs help - moving about inside the house | 208 |
| | ADL_06 | Needs help - looking after personal finances | 209 |
| | DOADL | Activities of daily living - Inclusion Flag - (F) | 206 |
| ADM: | Administration information | | |
| | ADM_DOI | Day of interview | 24 |
| | ADM_LHH | Language of preference - household interview | 28 |
| | ADM_MOI | Month of interview | 24 |
| | ADM_N09 | Interview by telephone or in person | 25 |
| | ADM_N10 | Respondent alone during interview | 25 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|---|------|
| | ADM_N11 | Answers affected by presence of another person | 26 |
| | ADM_N12 | Language of interview | 27 |
| | ADM_PRX | Health Component completed by proxy | 23 |
| | ADM_STA | Response status after processing | 22 |
| | ADM_YOI | Year of interview | 23 |
| | PMKPROXY | Person most knowledgeable | 1053 |
| ALC : | Alcohol use | | |
| | ALC_1 | Drank alcohol in past 12 months | 531 |
| | ALC_2 | Frequency of drinking alcohol | 532 |
| | ALC_3 | Frequency of having 5 or more drinks | 533 |
| | ALCDTTM | Type of drinker (12 months) - (D) | 533 |
| ALD : | Alcohol use - Dependence | | |
| | ALD_01 | Drunk - at work / school / takes care of child | 556 |
| | ALD_02 | Number of times - drunk / hung-over | 557 |
| | ALD_03 | Being drunk increased chances of getting hurt | 557 |
| | ALD_04 | Emotional or psychological problems due to alcohol | 558 |
| | ALD_05 | Strong desire or urge to drink | 558 |
| | ALD_06 | Spent lot of time getting drunk - one month or more | 559 |
| | ALD_07 | Drank much more than intended | 559 |
| | ALD_08 | Number of times - drank much more than intended | 560 |
| | ALD_09 | Had to drink more for the same effect | 560 |
| | ALD_10 | Had symptoms - stopped/cut down/went without | 561 |
| | ALD_11 | Drank alcohol - even though promised wouldn't | 561 |
| | ALD_12 | Drank alcohol - little time for anything else | 562 |
| | ALD_13 | Reduced important activities - because of alcohol | 562 |
| | ALD_14 | Continued despite health problems | 563 |
| | ALD_15A | Level of interference - home responsibilities | 563 |
| | ALD_15C | Level of interference - close relationships | 566 |
| | ALD_15D | Level of interference - social life | 567 |
| | ALD_5B1 | Level of interference - attend school | 564 |
| | ALD_5B2 | Level of interference - work at a job | 565 |
| | ALDDINT | Alcohol interference - mean - 12 mo - (D) | 569 |
| | ALDDPP | Probability of caseness to respondents - (D) | 568 |
| | ALDDSF | Alcohol dependence scale - short form score - (D) | 568 |
| | ALDFINT | Alcohol interference - 12 mo - (F) | 569 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|--|------|
| | DOALD | Alcohol use - Dependence - Inclusion Flag - (F) | 556 |
| ALW : | Alcohol use during the p | ast week | |
| | ALW_1 | Drank alcohol in past week | 534 |
| | ALW_2A1 | Number of drinks - Day1 | 535 |
| | ALW_2A2 | Number of drinks - Day 2 | 535 |
| | ALW_2A3 | Number of drinks - Day 3 | 536 |
| | ALW_2A4 | Number of drinks - Day 4 | 536 |
| | ALW_2A5 | Number of drinks - Day 5 | 537 |
| | ALW_2A6 | Number of drinks - Day 6 | 537 |
| | ALW_2A7 | Number of drinks - Day 7 | 538 |
| | ALWDDLY | Average daily alcohol consumption - (D) | 539 |
| | ALWDWKY | Weekly consumption - (D) | 538 |
| | DOALW | Alcohol use - past week - Inlusion Flag - (F) | 534 |
| BPC : | Blood pressure check | | |
| | BPC_010 | Ever had blood pressure taken | 230 |
| | BPC_012 | Last time blood pressure was taken | 231 |
| | BPC_013 | Pregnant - blood pressure taken | 231 |
| | BPC_16A | Blood pressure not taken - have not gotten around to it | 232 |
| | BPC_16B | Blood pressure not taken - respondent didn't think necessary | 232 |
| | BPC_16C | Blood pressure not taken - doctor didn't think necessary | 233 |
| | BPC_16D | Blood pressure not taken - personal / fam. responsibilities | 233 |
| | BPC_16E | Blood pressure not taken - not available when required | 234 |
| | BPC_16F | Blood pressure not taken - not available in area | 234 |
| | BPC_16G | Blood pressure not taken - waiting time too long | 235 |
| | BPC_16H | Blood pressure not taken - transportation problems | 235 |
| | BPC_16I | Blood pressure not taken - language problem | 236 |
| | BPC_16J | Blood pressure not taken - cost | 236 |
| | BPC_16K | Blood pressure not taken - did not know where to go | 237 |
| | BPC_16L | Blood pressure not taken - fear | 237 |
| | BPC_16M | Blood pressure not taken - other | 238 |
| | BPC_16N | Blood pressure not taken - unable to leave house/health prob | 238 |
| | DOBPC | Blood pressure check - Inclusion Flag - (F) | 230 |
| BRX : | Breast examinations | | |
| | BRX_110 | Had breasts examined by health professional | 262 |
| | BRX_112 | Last time breasts exam for lumps | 263 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| Variable | e Name Description | Page |
|-----------------|--|------|
| BRX_16A | No breast exam - have not gotten around to it | 263 |
| BRX_16B | No breast exam - respondent didn't think necessary | 264 |
| BRX_16C | No breast exam - doctor didn't think necessary | 264 |
| BRX_16D | No breast exam - personal / family responsibilities | 265 |
| BRX_16E | No breast exam - not available when required | 265 |
| BRX_16F | No breast exam - not available in area | 266 |
| BRX_16G | No breast exam - waiting time too long | 266 |
| BRX_16H | No breast exam - transportation problems | 267 |
| BRX_16I | No breast exam - language problem | 267 |
| BRX_16J | No breast exam - cost | 268 |
| BRX_16K | No breast exam - did not know where to go | 268 |
| BRX_16L | No breast exam - fear | 269 |
| BRX_16M | No breast exam - other | 270 |
| BRX_16N | No breast exam - unable to leave house / health problem | 269 |
| BRX_160 | No breast exam - breast removed / mastectomy | 270 |
| DOBRX | Breast examinations - Inclusion Flag - (F) | 262 |
| BSX : Breast se | If-examinations | |
| BSX_120 | Self-examined breasts for lumps | 271 |
| BSX_121 | Frequency - breast self-examination | 272 |
| BSX_22A | Breast self-exam learned from - doctor | 272 |
| BSX_22B | Breast self-exam learned from - nurse | 273 |
| BSX_22C | Breast self-exam learned from - book / magazine / pamphlet | 273 |
| BSX_22D | Breast self-exam learned from - TV / video / film | 274 |
| BSX_22G | Breast self-exam learned from - other | 275 |
| BSX_22H | Breast self-exam learned from - family member | 274 |
| DOBSX | Breast self examinations - Inclusion Flag - (F) | 271 |
| CCC : Chronic o | conditions | |
| CCC_031 | Has asthma | 76 |
| CCC_035 | Asthma - had symptoms or attacks | 77 |
| CCC_036 | Asthma - took medication | 77 |
| CCC_041 | Has fibromyalgia | 78 |
| CCC_051 | Has arthritis | 78 |
| CCC_061 | Has back problems excluding fibromyalgia and arthritis | 79 |
| CCC_071 | Has high blood pressure | 79 |
| CCC_072 | Ever diagnosed with high blood pressure | 80 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|------------------------------|--|------|
| CCC_073 | Medication - high blood pressure - past month | 80 |
| CCC_073A | Pregnant when first diagnosed with high blood pressure | 81 |
| CCC_073B | Other than during pregnancy - diag. with high blood pressure | 81 |
| CCC_081 | Has migraine headaches | 82 |
| CCC_091 | Has a COPD | 82 |
| CCC_101 | Has diabetes | 83 |
| CCC_102 | Diabetes - age first diagnosed | 83 |
| CCC_105 | Diabetes - currently takes insulin | 86 |
| CCC_106 | Diabetes - takes pills to control blood sugar | 86 |
| CCC_10A | Diabetes diagnosed - when pregnant | 84 |
| CCC_10B | Diabetes diagnosed - other than when pregnant | 84 |
| CCC_10C | Diabetes diagnosed - when started with insulin | 85 |
| CCC_121 | Has heart disease | 87 |
| CCC_131 | Has cancer | 87 |
| CCC_141 | Has stomach or intestinal ulcers | 88 |
| CCC_151 | Suffers from the effects of a stroke | 89 |
| CCC_161 | Has urinary incontinence | 89 |
| CCC_171 | Has a bowel disorder / Crohn's Disease or colitis | 90 |
| CCC_17A | Type of bowel disease | 90 |
| CCC_181 | Has Alzheimer's disease or other dementia | 91 |
| CCC_251 | Has chronic fatigue syndrome | 91 |
| CCC_261 | Suffers from multiple chemical sensitivities | 92 |
| CCC_280 | Has a mood disorder | 92 |
| CCC_290 | Has an anxiety disorder | 93 |
| CCC_31A | Ever had cancer | 88 |
| CCCDDIA | Diabetes type | 93 |
| CCS: Colorectal cancer scree | ening | |
| CCS_180 | Had an FOBT test | 282 |
| CCS_182 | Last time FOBT test done | 283 |
| CCS_184 | Had colonoscopy or sigmoidoscopy | 287 |
| CCS_185 | Last time had colonoscopy or sigmoidoscopy | 288 |
| CCS_187 | Colonoscopy or sigmoidoscopy followed FOBT test | 292 |
| CCS_83A | Had FOBT - family history | 284 |
| CCS_83B | Had FOBT - regular check-up | 284 |
| CCS_83C | Had FOBT - age | 285 |
| CCS_83D | Had FOBT - follow-up of problem | 286 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|--|------|
| | CCS_83E | Had FOBT - follow-up of treatment | 286 |
| | CCS_83F | Had FOBT - other | 287 |
| | CCS_83G | Had FOBT - race | 285 |
| | CCS_86A | Had colonoscopy/sigmoidoscopy - family history | 288 |
| | CCS_86B | Had colonoscopy/sigmoidoscopy - regular check-up | 289 |
| | CCS_86C | Had colonoscopy/sigmoidoscopy - age | 289 |
| | CCS_86D | Had colonoscopy/sigmoidoscopy - follow-up of problem | 290 |
| | CCS_86E | Had colonoscopy/sigmoidoscopy - follow-up of treatment | 291 |
| | CCS_86F | Had colonoscopy/sigmoidoscopy - other | 291 |
| | CCS_86G | Had colonoscopy/sigmoidoscopy - race | 290 |
| | DOCCS | Colorectal cancer screening - Inclusion Flag - (F) | 281 |
| CHP : | Contacts with health pro | ofessionals | |
| | CHP_01 | Overnight patient | 133 |
| | CHP_02 | Number of nights as patient | 134 |
| | CHP_03 | Consulted with family doctor/general practitioner | 134 |
| | CHP_04 | Number of consultations - fam. doctor/general practitioner | 135 |
| | CHP_05 | Where the most recent contact took place | 136 |
| | CHP_06 | Consulted with eye specialist | 137 |
| | CHP_07 | Number of consultations - eye specialist | 137 |
| | CHP_08 | Consulted with other medical doctor | 138 |
| | CHP_09 | Number of consultations - other medical doctor | 138 |
| | CHP_10 | Where the most recent contact took place | 139 |
| | CHP_11 | Consulted with nurse | 140 |
| | CHP_12 | Number of consultations - nurse | 140 |
| | CHP_13 | Where the most recent contact took place | 141 |
| | CHP_14 | Consulted with dentist or orthodontist | 142 |
| | CHP_16 | Consulted with chiropractor | 143 |
| | CHP_17 | Number of consultations - chiropractor | 143 |
| | CHP_18 | Consulted with physiotherapist | 144 |
| | CHP_19 | Number of consultations - physiotherapist | 144 |
| | CHP_20 | Consulted with psychologist | 145 |
| | CHP_21 | Number of consultations - psychologist | 145 |
| | CHP_22 | Consulted with social worker or counsellor | 146 |
| | CHP_23 | Number of consultations - social worker or counsellor | 146 |
| | CHP_24 | Consulted with speech/audiology/occ. therapist | 147 |
| | CHP_25 | Number of consultations - speech/audiology/occ. therapist | 147 |

Master File - 12-Month (Rounded)

June 2011

| Variabl | e Name | Description | Page |
|----------------|-----------------|--|------|
| DOCHP | | Contact with health professional - Inclusion Flag - (F) | 133 |
| CIH: Changes | made to impro | ve health | |
| CIH_1 | | Did something to improve health | 46 |
| CIH_2 | | Most important change to improve health | 47 |
| CIH_3 | | Thinks should do something to improve health | 48 |
| CIH_4 | | Most important thing to improve health | 49 |
| CIH_5 | | Barrier to improving health | 50 |
| CIH_6A | | Barrier to improving health - lack of will power | 50 |
| CIH_6B | | Barrier to improving health - work schedule | 51 |
| CIH_6E | | Barrier to improving health - too costly | 54 |
| CIH_6F | | Barrier to improving health - too stressed | 53 |
| CIH_6G | | Barrier to improving health - disability / health problem | 53 |
| CIH_6H | | Barrier to improving health - other | 56 |
| CIH_6I | | Barrier to improving health - family responsabilities | 51 |
| CIH_6J | | Barrier to improving health - addiction to drugs / alcohol | 52 |
| CIH_6K | | Barrier to improving health - physical condition | 52 |
| CIH_6L | | Barrier to improving health - not available - in area | 54 |
| CIH_6M | | Barrier to improving health - transportation problems | 55 |
| CIH_6N | | Barrier to improving health - weather problems | 55 |
| CIH_7 | | Intending to improve health over next year | 56 |
| CIH_8A | | Health improvement - more exercise | 57 |
| CIH_8B | | Health improvement - lose weight | 57 |
| CIH_8C | | Health improvement - improve eating habits | 58 |
| CIH_8G | | Health improvement - reduce stress level | 59 |
| CIH_8H | | Health improvement - take vitamins | 60 |
| CIH_8I | | Health improvement - other | 61 |
| CIH_8J | | Health improvement - quit smoking | 58 |
| CIH_8K | | Health improvement - drink less alcohol | 59 |
| CIH_8L | | Health improvement - receive medical treatment | 60 |
| DOCIH | | Changes made to improve health module - Inclusion Flag - (F) | 45 |
| CMH : Consulta | ations about me | ntal health | |
| CMH_01 | K | Consulted mental health professional | 727 |
| CMH_01 | L | Consulted mental health professional - number of times | 727 |
| CMH_1N | 1A | Consulted mental health professional - family doctor | 728 |
| CMH_1M | 1B | Consulted mental health professional - psychiatrist | 728 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|------|------------------|--|------|
| | CMH_1MC | Consulted mental health professional - psychologist | 729 |
| | CMH_1MD | Consulted mental health professional - nurse | 729 |
| | CMH_1ME | Consulted mental hlth. professional - social worker | 730 |
| | CMH_1MF | Consulted mental health professional - other | 730 |
| | DOCMH | Consultations - mental health module - Inclusion Flag - (F) | 726 |
| CPG: | Problem gambling | | |
| | CPG_01A | Frequence - spending \$ on instant/daily win tickets - 12 mo | 621 |
| | CPG_01B | Frequency - spending money on lottery tickets | 622 |
| | CPG_01C | Frequency - spending money on bingo | 623 |
| | CPG_01D | Frequency - spending money on cards/boards games | 624 |
| | CPG_01E | Frequency - spending money on VLTs/outside casinos | 625 |
| | CPG_01F | Frequency - spending money on VLTs/at casinos | 626 |
| | CPG_01G | Frequency - spending money on other games/at casinos | 627 |
| | CPG_01H | Frequency - spending money on Internet/arcade gambling | 628 |
| | CPG_01I | Frequency - spending money on live horse racing | 629 |
| | CPG_01J | Frequency - spending money on sports lotteries | 630 |
| | CPG_01K | Frequency - spending money on speculative investments | 631 |
| | CPG_01L | Frequency - spending money on games of skill | 632 |
| | CPG_01M | Frequency - spending money on other forms of gambling | 633 |
| | CPG_01N | Amount of money spent on gambling activities | 634 |
| | CPG_02 | Frequency - spent more than wanted on gambling | 635 |
| | CPG_03 | Frequency - gambled more money for same feeling | 636 |
| | CPG_04 | Frequency - returned to try to win back money lost | 637 |
| | CPG_05 | Frequency - borrowed money/sold to get \$ for gambling | 638 |
| | CPG_06 | Frequency - felt might have a problem with gambling | 639 |
| | CPG_07 | Frequency - gambling caused any health problems | 640 |
| | CPG_08 | Frequency - people criticized respondent's betting | 641 |
| | CPG_09 | Frequency - gambling caused financial problems | 642 |
| | CPG_10 | Frequency - felt guilty about gambling | 643 |
| | CPG_11 | Frequency - lied to hide gambling | 644 |
| | CPG_12 | Frequency - wanted to stop betting but thought could not | 645 |
| | CPG_13 | Frequency - bet more than could afford to lose | 646 |
| | CPG_14 | Frequency - tried to quit/cut down; but unable | 647 |
| | CPG_15 | Frequency - gambled to forget problems/feel better | 648 |
| | CPG_16 | Frequency - gambling caused problem with family/friends | 649 |
| | CPG_17 | Other family member with gambling problems | 649 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|------------------------|--|------|
| | CPG_18 | Used alcohol or drugs while gambling | 650 |
| | CPG_19A | Level of interference - home responsibilities - 12 mo | 651 |
| | CPG_19C | Level of interference - close relationships - 12 mo | 654 |
| | CPG_19D | Level of interference - social life -12 mo | 655 |
| | CPG_9B1 | Level of interference - ability to attend school - 12 mo | 652 |
| | CPG_9B2 | Level of interference - ability to work at a job - 12 mo | 653 |
| | CPGDACT | Number of different types of gambling activities - (D) | 657 |
| | CPGDINT | Gambling interference - Mean - (D) | 658 |
| | CPGDSEV | Problem gambling severity index - (D) | 656 |
| | CPGDTYP | Type of gambler - (D) | 657 |
| | CPGFGAM | Gambling activity - gambler vs. non-gambler - (F) | 656 |
| | CPGFINT | Gambling Interference - (F) | 658 |
| | DOCPG | Problem gambling - Inclusion Flag - (F) | 620 |
| DEN: | Dental visits | | |
| | DEN_130 | Visited dentist | 302 |
| | DEN_132 | Last time visited dentist | 303 |
| | DEN_36A | No dental visit - have not gotten around to it | 304 |
| | DEN_36B | No dental visit - respondent didn't think necessary | 304 |
| | DEN_36C | No dental visit - dentist didn't think necessary | 305 |
| | DEN_36D | No dental visit - personal / family responsibilities | 305 |
| | DEN_36E | No dental visit - not available when required | 306 |
| | DEN_36F | No dental visit - not available in area | 306 |
| | DEN_36G | No dental visit - waiting time too long | 307 |
| | DEN_36H | No dental visit - transportation problems | 307 |
| | DEN_36I | No dental visit - language problem | 308 |
| | DEN_36J | No dental visit - cost | 308 |
| | DEN_36K | No dental visit - did not know where to go | 309 |
| | DEN_36L | No dental visit - fear | 309 |
| | DEN_36M | No dental visit - wears dentures | 310 |
| | DEN_36N | No dental visit - other | 311 |
| | DEN_36O | No dental visit - unable to leave house / health problem | 310 |
| | DODEN | Dental visits - Inclusion Flag - (F) | 302 |
| DHH : | Dwelling and household | i variables | |
| | DHH_AGE | Age | 28 |
| | DHH_DOB | Day of birth | 30 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|--------------------|---|------|
| DHH_MOB | Month of birth | 29 |
| DHH_MS | Marital Status | 31 |
| DHH_SEX | Sex | 30 |
| DHH_YOB | Year of birth | 29 |
| DHHD611 | Number of persons 6 to 11 years old in household - (D) | 33 |
| DHHDECF | Household type - (D) | 35 |
| DHHDHSZ | Household size - (D) | 36 |
| DHHDL12 | Number of persons less than 12 years old in household - (D) | 33 |
| DHHDL18 | Number of Persons in Household Less Than 18 Years of Age | 33 |
| DHHDLE5 | Number of persons 5 years old or less in household - (D) | 32 |
| DHHDLVG | Living arrangement of selected respondent - (D) | 34 |
| DHHDOKD | Number of dependents 16 or 17 years old in household - (D) | 32 |
| DHHDSAGE | Age of spouse | 31 |
| DHHDYKD | Number of persons 15 years old or less in household - (D) | 32 |
| PERSONID | Person identifier of respondent selected - health interview | 1 |
| DIA: Diabetes care | | |
| DIA_01 | Tested for "A-one-C" haemoglobin | 94 |
| DIA_02 | Number of times - tested for haemoglobin "A-one-C" | 95 |
| DIA_03 | Feet checked by health professional | 95 |
| DIA_04 | Number of times - feet checked by health professional | 96 |
| DIA_05 | Urine tested for protein by health professional | 96 |
| DIA_06 | Ever had eye exam with pupils dilated | 97 |
| DIA_07 | Eye exam with pupils dilated - last time | 97 |
| DIA_08 | Checks glucose level / self - reporting unit | 98 |
| DIA_09 | Checks feet / self - reporting unit | 100 |
| DIA_10 | Medication - ASA - past month | 103 |
| DIA_11 | Medication - blood cholesterol - past month | 103 |
| DIA_N8B | Checks glucose level/self - number of times per day | 98 |
| DIA_N8C | Checks glucose level/self - number of times per week | 99 |
| DIA_N8D | Checks glucose level/self - number of times per month | 99 |
| DIA_N8E | Checks glucose level/self - number of times per year | 100 |
| DIA_N9B | Checks feet / self - number of times per day | 101 |
| DIA_N9C | Checks feet / self - number of times per week | 101 |
| DIA_N9D | Checks feet / self - number of times per month | 102 |
| DIA_N9E | Checks feet / self - number of times per year | 102 |
| DODIA | Diabetes care - Inclusion Flag - (F) | 94 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|---------------|--|------|
| DIS : | Distress | | |
| | DIS_10A | Frequency - distress: felt tired out - past month | 731 |
| | DIS_10B | Frequency - distress: felt nervous - past month | 732 |
| | DIS_10C | Freq./-distress: so nervous nothing calms down - past month | 733 |
| | DIS_10D | Frequency - distress: felt hopeless - past month | 734 |
| | DIS_10E | Frequency - distress: felt restless - past month | 735 |
| | DIS_10F | Frequency - distress: could not sit still - past month | 736 |
| | DIS_10G | Frequency - distress: felt sad / depressed - past month | 737 |
| | DIS_10H | Frequency - distress: depressed/nothing cheers - past month | 738 |
| | DIS_10I | Freq distress: felt everything was an effort - past month | 739 |
| | DIS_10J | Frequency - distress: felt worthless - past month | 740 |
| | DIS_10K | Frequency of distress feelings - past month | 741 |
| | DIS_10L | Frequency of distress feelings (more often) | 742 |
| | DIS_10M | Frequency of distress feelings (less often) | 743 |
| | DIS_10N | Frequency of dist. feelings interfere with life - past month | 744 |
| | DISDCHR | Chronicity of distress/impairment scale - past month - (D) | 745 |
| | DISDDSX | Distress scale - K10 - past month - (D) | 745 |
| | DISDK6 | Distress scale - K6 - past month - (D) | 744 |
| | DODIS | Distress - Inclusion Flag - (F) | 731 |
| DPS: | Depression | | |
| | DODEP | Depression - Inclusion Flag - (F) | 746 |
| | DPS_02 | Felt sad/blue/depressed - 2 weeks or more - 12 mo | 746 |
| | DPS_03 | Sad/depressed - length feelings lasted - 2 wk | 747 |
| | DPS_04 | Sad/depressed - frequency - 2 wk | 747 |
| | DPS_05 | Sad/depressed - lose interest in things - 2 wk | 748 |
| | DPS_06 | Sad/depressed - felt tired out / low on energy - 2 wk | 748 |
| | DPS_07 | Sad/depressed - weight change - 2 wk | 749 |
| | DPS_08A | Sad/depressed - weight change (amount) - 2 wk | 749 |
| | DPS_08B | Sad/depressed - weight change (lb/kg) - 2 wk | 750 |
| | DPS_09 | Sad/depressed - trouble falling asleep - 2 wk | 750 |
| | DPS_10 | Sad/depressed trouble falling asleep - frequency - 2 wk | 751 |
| | DPS_11 | Sad/depressed - trouble concentrating - 2 wk | 751 |
| | DPS_12 | Sad/depressed - felt down on self - 2 wk | 752 |
| | DPS_13 | Sad/depressed - thought a lot about death - 2 wk | 752 |
| | DPS_14 | Sad/depressed - number of weeks - 12 mo | 753 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|------|--------------------|--|------|
| | DPS_15 | Sad/depressed - most recent month - 2 wk | 754 |
| | DPS_16 | Loss of interest - things that usually give pleasure - 12 mo | 755 |
| | DPS_17 | Loss of interest - frequency - 12 mo | 756 |
| | DPS_18 | Loss of interest - frequency - 2 wk | 757 |
| | DPS_19 | Loss of interest - felt tired all the time - 2 wk | 757 |
| | DPS_20 | Loss of interest - weight change - 2 wk | 758 |
| | DPS_21A | Loss of interest - weight change (amount) | 758 |
| | DPS_21B | Loss of interest - weight change (lb/kg) - 2 wk | 759 |
| | DPS_22 | Loss of interest - trouble falling asleep - 2 wk | 759 |
| | DPS_23 | Loss of interest - trouble falling asleep/frequency - 2 wk | 760 |
| | DPS_24 | Loss of interest - trouble concentrating - 2 wk | 760 |
| | DPS_25 | Loss of interest - felt down on self - 2 wk | 761 |
| | DPS_26 | Loss of interest - thought a lot about death - 2 wk | 761 |
| | DPS_27 | Loss of interest - number of weeks - 12 mo | 762 |
| | DPS_28 | Loss of interest - most recent month - 2 wk | 763 |
| | DPSDMT | Specific month last felt depressed - 2 weeks in a row - (D) | 766 |
| | DPSDPP | Depression scale - Predicted probability - (D) | 764 |
| | DPSDSF | Depression scale - short form score - (D) | 764 |
| | DPSDWK | Number of weeks felt depressed - (D) | 765 |
| DRV: | Driving and safety | | |
| | DODRV | Driving and safety - Inclusion Flag - (F) | 539 |
| | DRV_01A | Drove a motor vehicle | 540 |
| | DRV_01B | Drove a motorcycle | 540 |
| | DRV_02 | Frequency - used seat belt when driving | 541 |
| | DRV_03A | Use of a cell phone while driving | 542 |
| | DRV_03B | Use of a hands-free while driving | 543 |
| | DRV_04 | Frequency - felt tired when driving | 544 |
| | DRV_05 | Driving speed compared to others | 545 |
| | DRV_06 | Driving aggression compared to others | 546 |
| | DRV_07 | Drove a motor vehicle after 2 or more drinks | 547 |
| | DRV_07A | Number of times - drove after 2+ drinks | 547 |
| | DRV_08A | Frequency - uses seat belt - front seat passenger | 548 |
| | DRV_08B | Frequency - uses seat belt - back seat passenger | 549 |
| | DRV_09 | Frequency - uses seat belt - in taxi | 550 |
| | DRV_10 | Passenger/driver had 2+ drinks | 551 |
| | DRV_10A | No. of times - passenger/driver had 2+ drinks | 551 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| Vai | riable Name | Description | Page |
|------------|---------------------------|--|------|
| DR | V_11A | Driver or passenger - snowmobile, motor boat or seadoo | 552 |
| DR\ | V_11B | Driver or passenger - ATV | 552 |
| DR\ | V_12 | Frequency wears helmet - ATV | 553 |
| DR\ | V_13 | Passenger w/driver had 2+ drinks - ATV, snowmobile, etc. | 553 |
| DR\ | V_13A | No. of times - passenger/driver had 2+ drinks-ATV/snowmobile | 554 |
| DR\ | V_14 | Drove snowmobile/ATV, etc. after 2+ drinks | 554 |
| DR\ | V_14A | No. of times - drove snowmobile, ATV, etc after 2+ drinks | 555 |
| DR | VFSBU | Passenger seat belt use - motor vehicle - (F) | 555 |
| DSU : Diet | tary supplement use - Vit | amins and minerals | |
| DOI | DSU | Dietary Supplement module - Inclusion Flag - (F) | 331 |
| DSU | U_1A | Took vitamin or mineral supplements - past 4 weeks | 332 |
| DSU | U_1B | Took supplements - at least once a week | 332 |
| DSU | U_1C | Took supplements - number of days - last week | 333 |
| DSU | U_1D | Took supplements - number of days - past 4 weeks | 333 |
| DSU | UDCON | Freq. of consumption of vitamin/mineral supplements - (F) | 334 |
| EDU : Edu | ucation | | |
| EDU | U_1 | Highest grade of elementary or high school completed | 1065 |
| EDU | U_2 | Graduated from high school (2ndary school) | 1066 |
| EDU | U_3 | Received any other education | 1066 |
| EDU | U_4 | Highest degree, certificate or diploma obtained | 1067 |
| EDU | UDH04 | Highest level of education – household, 4 levels - (D) | 1069 |
| EDU | UDH10 | Highest level of education - household, 10 levels - (D) | 1070 |
| EDU | UDR04 | Highest level of education - respondent, 4 levels - (D) | 1071 |
| EDU | UDR10 | Highest level of education - respondent, 10 levels - (D) | 1072 |
| SDO | C_8 | Current student | 1068 |
| SDO | C_9 | Full-time student or part-time student | 1068 |
| ETS : Exp | oosure to second-hand sr | moke | |
| ETS | S_10 | Someone smokes inside home | 523 |
| ETS | S_11 | Number of people who smoke inside home | 524 |
| ETS | S_20 | Exposed to second-hand smoke in private vehicle | 524 |
| ETS | S_20B | Exposed to second-hand smoke in public places | 525 |
| ETS | S_35 | Smoking allowed - House | 525 |
| ETS | S_36 | Smoking restrictions | 526 |
| ETS | S_37A | Type of restrictions -certain rooms only | 526 |
| ETS | S_37B | Type of restrictions - young children | 527 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| ETS_37C Type of restrictions - windows open 527 ETS_37D Type of restrictions - Other 528 EYX: Eye examinations Eye examinations - Inclusion Flag - (F) 292 EYX_140 Visit eye doctor - 12 m 293 EYX_142 Last time eye examination 294 EYX_46A No eye exam - not gotten around to it - past 2 yrs 295 EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - respondent didn't think necessary 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46D No eye exam - not available when required 297 EYX_46F No eye exam - waiting time too long 298 EYX_46G No eye exam - waiting time too long 298 EYX_46I No eye exam - tanguage problem 299 EYX_46I No eye exam - cost 299 EYX_46A No eye exam - did not know where to go 300 EYX_46B No eye exam - tear 300 | | Variable Name | Description | Page |
|---|-------|------------------|---|------|
| EYX : Eye examinations DOEYX Eye examinations - Inclusion Flag - (F) 292 EYX_140 Visit eye doctor - 12 m 293 EYX_142 Last time eye examination 294 EYX_46A No eye exam - not gotten around to it - past 2 yrs 295 EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - bersonal or family responsibilities 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - cost 299 EYX_46I No eye exam - cost 299 EYX_46K No eye exam - fear 300 EYX_46B No eye exam - tear 300 EYX_46B No eye exam - tear 301 EYX_46B No eye exam - tear 300 EYX_4 | | ETS_37C | Type of restrictions - windows open | 527 |
| DOEYX Eye examinations - Inclusion Flag - (F) 292 EYX_140 Visit eye doctor - 12 m 293 EYX_142 Last time eye examination 294 EYX_46A No eye exam - not gotten around to it - past 2 yrs 295 EYX_46B No eye exam - respondent didn't think necessary 296 EYX_46C No eye exam - gersonal or family responsibilities 296 EYX_46D No eye exam - personal or family responsibilities 298 EYX_46F No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46B No eye exam - transportation problems 298 EYX_46B No eye exam - language problem 299 EYX_46B No eye exam - cost 299 EYX_46B No eye exam - fear 300 EYX_46K No eye exam - fear 300 EYX_46K No eye exam - fear 301 EYX_46M No eye exam - ther reason 301 EYX_46M No eye exam - fear | | ETS_37D | Type of restrictions - Other | 528 |
| EYX_140 Visit eye doctor - 12 m 293 EYX_142 Last time eye examination 294 EYX_46A No eye exam - not gotten around to it - past 2 yrs 295 EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - personal or family responsibilities 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - cost 299 EYX_46I No eye exam - cost 299 EYX_46I No eye exam - fear 300 EYX_46I No eye exam - fear 300 EYX_46I No eye exam - fear 300 EYX_46I No eye exam - health problem 301 EYX_46I No eye exam - health problem 301 EYX_46I No eye exam - health problem 301< | EYX: | Eye examinations | | |
| EYX_142 Last time eye examination 294 EYX_46A No eye exam - not gotten around to it - past 2 yrs 295 EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - doctor didn't think necessary 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46G No eye exam - waiting time too long 298 EYX_46G No eye exam - tanguage problem 299 EYX_46I No eye exam - cost 299 EYX_46J No eye exam - fear 300 EYX_46K No eye exam - fear 300 EYX_46N No eye exam - health problem 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight | | DOEYX | Eye examinations - Inclusion Flag - (F) | 292 |
| EYX_46A No eye exam - not gotten around to it - past 2 yrs EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - doctor didn't think necessary 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - did not know where to go 300 EYX_46L No eye exam - did not know where to go 300 EYX_46L No eye exam - did not know where to go 301 EYX_46M No eye exam - health problem 301 EYX_46M No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about bart disease 324 FDC_1C Chooses or avoids foods - concerned about setoporosis 325 FDC_1C Chooses or avoids foods - concerned about setoporosis 326 FDC_1C Reason to choose foods - lower fat content 327 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - fat content 328 FDC_3B Reason to avoid foods - type of fat 528 FDC_3C Reason to avoid foods - type of fat 528 | | EYX_140 | Visit eye doctor - 12 m | 293 |
| EYX_46B No eye exam - respondent didn't think necessary 295 EYX_46C No eye exam - doctor didn't think necessary 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available when required 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - fear 300 EYX_46M No eye exam - fear 300 EYX_46M No eye exam - health problem 301 EYX_46M No eye exam - health problem 301 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1B Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 | | EYX_142 | Last time eye examination | 294 |
| EYX_46C No eye exam - doctor didn't think necessary 296 EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - fear 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices FDC_1A DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_2A Reason to ch | | EYX_46A | No eye exam - not gotten around to it - past 2 yrs | 295 |
| EYX_46D No eye exam - personal or family responsibilities 296 EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 297 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 298 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46H No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices 301 FDC: Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about exacer 325 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_2D Reason to choose foods - lower fat content 326 FDC_2B Reaso | | EYX_46B | No eye exam - respondent didn't think necessary | 295 |
| EYX_46E No eye exam - not available when required 297 EYX_46F No eye exam - not available in area 298 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 299 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - did not know where to go 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about cancer 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_3A Reason to choose foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3B Reason to avoid foods - salt content 326 FDC_3B Reason to avoid foods - type of fat 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46C | No eye exam - doctor didn't think necessary | 296 |
| EYX_46F No eye exam - not available in area 298 EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 299 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 3000 EYX_46L No eye exam - fear 3000 EYX_46M No eye exam - other reason 3011 EYX_46M No eye exam - health problem 3011 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3B Reason to avoid foods - salt content 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3B Reason to avoid foods - salt content 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46D | No eye exam - personal or family responsibilities | 296 |
| EYX_46G No eye exam - waiting time too long 298 EYX_46H No eye exam - transportation problems 299 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46E | No eye exam - not available when required | 297 |
| EYX_46H No eye exam - transportation problems 299 EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - fat content 327 FDC_3A Reason to avoid foods - talcium content 327 FDC_3B Reason to avoid foods - talcium content 328 FDC_3C Reason to avoid foods - type of fat 328 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46F | No eye exam- not available in area | 297 |
| EYX_46I No eye exam - language problem 299 EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46G | No eye exam - waiting time too long | 298 |
| EYX_46J No eye exam - cost 299 EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46H | No eye exam - transportation problems | 298 |
| EYX_46K No eye exam - did not know where to go 300 EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46I | No eye exam - language problem | 299 |
| EYX_46L No eye exam - fear 300 EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46J | No eye exam - cost | 299 |
| EYX_46M No eye exam - other reason 301 EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46K | No eye exam - did not know where to go | 300 |
| EYX_46N No eye exam - health problem 301 FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 327 FDC_3A Reason to avoid foods - calcium content 327 FDC_3B Reason to avoid foods - fat content 328 FDC_3C Reason to avoid foods - salt content 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46L | No eye exam - fear | 300 |
| FDC: Food choices DOFDC Food choices - Inclusion Flag - (F) 323 FDC_1A Chooses or avoids foods - concerned about body weight 324 FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | EYX_46M | No eye exam - other reason | 301 |
| DOFDCFood choices - Inclusion Flag - (F)323FDC_1AChooses or avoids foods - concerned about body weight324FDC_1BChooses or avoids foods - concerned about heart disease324FDC_1CChooses or avoids foods - concerned about cancer325FDC_1DChooses or avoids foods - concerned about osteoporosis325FDC_2AReason to choose foods - lower fat content326FDC_2BReason to choose foods - fibre content326FDC_2CReason to choose foods - calcium content327FDC_3AReason to avoid foods - fat content327FDC_3BReason to avoid foods - type of fat328FDC_3CReason to avoid foods - salt content328 | | EYX_46N | No eye exam - health problem | 301 |
| FDC_1A Chooses or avoids foods - concerned about body weight FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | FDC : | Food choices | | |
| FDC_1B Chooses or avoids foods - concerned about heart disease 324 FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | DOFDC | Food choices - Inclusion Flag - (F) | 323 |
| FDC_1C Chooses or avoids foods - concerned about cancer 325 FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_1A | Chooses or avoids foods - concerned about body weight | 324 |
| FDC_1D Chooses or avoids foods - concerned about osteoporosis 325 FDC_2A Reason to choose foods - lower fat content 326 FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_1B | Chooses or avoids foods - concerned about heart disease | 324 |
| FDC_2AReason to choose foods - lower fat content326FDC_2BReason to choose foods - fibre content326FDC_2CReason to choose foods - calcium content327FDC_3AReason to avoid foods - fat content327FDC_3BReason to avoid foods - type of fat328FDC_3CReason to avoid foods - salt content328 | | FDC_1C | Chooses or avoids foods - concerned about cancer | 325 |
| FDC_2B Reason to choose foods - fibre content 326 FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_1D | Chooses or avoids foods - concerned about osteoporosis | 325 |
| FDC_2C Reason to choose foods - calcium content 327 FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_2A | Reason to choose foods - lower fat content | 326 |
| FDC_3A Reason to avoid foods - fat content 327 FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_2B | Reason to choose foods - fibre content | 326 |
| FDC_3B Reason to avoid foods - type of fat 328 FDC_3C Reason to avoid foods - salt content 328 | | FDC_2C | Reason to choose foods - calcium content | 327 |
| FDC_3C Reason to avoid foods - salt content 328 | | FDC_3A | Reason to avoid foods - fat content | 327 |
| _ | | FDC_3B | Reason to avoid foods - type of fat | 328 |
| FDC 3D Reason to avoid foods - cholesterol content 329 | | FDC_3C | Reason to avoid foods - salt content | 328 |
| Todacon to avoid 10000 of monotorial contents | | FDC_3D | Reason to avoid foods - cholesterol content | 329 |
| FDC_3E Reason to avoid foods - calorie content 329 | | FDC_3E | Reason to avoid foods - calorie content | 329 |
| FDCFAVD Avoids foods for content reasons - (F) 330 | | FDCFAVD | Avoids foods for content reasons - (F) | 330 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|---------------|--|------|
| | FDCFCAH | Chooses/avoids foods b/c of certain health concerns - (F) | 330 |
| | FDCFCHO | Chooses foods for content reasons - (F) | 331 |
| FLU : | Flu shots | | |
| | FLU_160 | Ever had a flu shot | 220 |
| | FLU_162 | Had flu shot - last time | 220 |
| | FLU_164 | Had flu shot - which month | 221 |
| | FLU_165 | Had flu shot - current/last year | 222 |
| | FLU_66A | No flu shot - have not gotten around to it | 222 |
| | FLU_66B | No flu shot - respondent didn't think it was necessary | 223 |
| | FLU_66C | No flu shot - doctor didn't think it was necessary | 223 |
| | FLU_66D | No flu shot - personal or family responsibilities | 224 |
| | FLU_66E | No flu shot - not available at time required | 224 |
| | FLU_66F | No flu shot - not available at all in area | 225 |
| | FLU_66G | No flu shot - waiting time was too long | 225 |
| | FLU_66H | No flu shot - transportation problems | 226 |
| | FLU_66I | No flu shot - language problem | 226 |
| | FLU_66J | No flu shot - cost | 227 |
| | FLU_66K | No flu shot - did not know where to go | 227 |
| | FLU_66L | No flu shot - fear | 228 |
| | FLU_66M | No flu shot - bad reaction to previous shot | 228 |
| | FLU_66N | No flu shot - other | 229 |
| | FLU_66O | No flu shot - unable to leave house / health problem | 229 |
| FSC : | Food security | | |
| | DOFSC | Food security - Inclusion Flag - (F) | 1072 |
| | FSC_010 | Food situation in household - 12 mo | 1073 |
| | FSC_020 | Worried food would run out - 12 mo | 1074 |
| | FSC_030 | Food bought just didn't last and no money to buy more -12 mo | 1075 |
| | FSC_040 | Could not afford to eat balanced meals - 12 mo | 1076 |
| | FSC_050 | Relied on few kinds of low-cost food for children - 12 mo | 1077 |
| | FSC_060 | Could not feed children a balanced meal - 12 mo | 1078 |
| | FSC_070 | Children were not eating enough - 12 mo | 1079 |
| | FSC_080 | Adults skipped or cut size of meals - 12 mo | 1080 |
| | FSC_081 | Adults skipped or cut size of meals - frequency - 12 mo | 1081 |
| | FSC_090 | Ate less than felt should - 12 mo | 1082 |
| | FSC_100 | Was hungry but could not afford to eat - 12 mo | 1082 |

Page 20

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|------------------------------|---|------|
| FSC_110 | Lost weight no money to buy food- 12 mo | 1083 |
| FSC_120 | Adults did not eat for whole day - 12 mo | 1084 |
| FSC_121 | Adults did not eat whole day - frequency - 12 mo | 1085 |
| FSC_130 | Adults cut size of children's meals - 12 mo | 1086 |
| FSC_140 | Children skipped meals - 12 mo | 1087 |
| FSC_141 | Children skipped meals - frequency - 12 mo | 1088 |
| FSC_150 | Children were hungry - 12 mo | 1089 |
| FSC_160 | Children did not eat for whole day - 12 mo | 1090 |
| FSCDAFS2 | Food Security - Adult Status (D) | 1091 |
| FSCDCFS2 | Food Security - Child Status (D) | 1091 |
| FSD: Food summary detail | | |
| FSCDHFS2 | Household Food Security Status - Modified version - (D) | 1090 |
| FVC: Fruit and vegetable con | sumption | |
| FVC_1A | Drinks fruit juices - reporting unit | 335 |
| FVC_1B | Drinks fruit juices - number of times per day | 335 |
| FVC_1C | Drinks fruit juices - number of times per week | 336 |
| FVC_1D | Drinks fruit juices - number of times per month | 336 |
| FVC_1E | Drinks fruit juices - number of times per year | 337 |
| FVC_2A | Eats fruit - reporting unit | 337 |
| FVC_2B | Eats fruit - number of times per day | 338 |
| FVC_2C | Eats fruit - number of times per week | 338 |
| FVC_2D | Eats fruit - number of times per month | 339 |
| FVC_2E | Eats fruit - number of times per year | 339 |
| FVC_3A | Eats green salad - reporting unit | 340 |
| FVC_3B | Eats green salad - number of times per day | 340 |
| FVC_3C | Eats green salad - number of times per week | 341 |
| FVC_3D | Eats green salad - number of times per month | 341 |
| FVC_3E | Eats green salad - number of times per year | 342 |
| FVC_4A | Eats potatoes - reporting unit | 342 |
| FVC_4B | Eats potatoes - number of times per day | 343 |
| FVC_4C | Eats potatoes - number of times per week | 343 |
| FVC_4D | Eats potatoes - number of times per month | 344 |
| FVC_4E | Eats potatoes - number of times per year | 344 |
| FVC_5A | Eats carrots - reporting unit | 345 |
| FVC_5B | Eats carrots - number of times per day | 345 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|--------------------------|--|------|
| FVC_5C | Eats carrots - number of times per week | 346 |
| FVC_5D | Eats carrots - number of times per month | 346 |
| FVC_5E | Eats carrots - number of times per year | 347 |
| FVC_6A | Eats other vegetables - reporting unit | 347 |
| FVC_6B | Eats other vegetables - number of servings per day | 348 |
| FVC_6C | Eats other vegetables - number of servings per week | 348 |
| FVC_6D | Eats other vegetables - number of servings per month | 349 |
| FVC_6E | Eats other vegetables - number of servings per year | 349 |
| FVCDCAR | Daily consumption - carrots - (D) | 352 |
| FVCDFRU | Daily consumption - fruit - (D) | 350 |
| FVCDJUI | Daily consumption - fruit juice - (D) | 350 |
| FVCDPOT | Daily consumption - potatoes - (D) | 351 |
| FVCDSAL | Daily consumption - green salad - (D) | 351 |
| FVCDTOT | Daily consumption - total fruits and vegetables - (D) | 353 |
| FVCDVEG | Daily consumption - other vegetables - (D) | 352 |
| FVCGTOT | Daily consumption - total fruits and vegetables - (D, G) | 353 |
| GEN: General health | | |
| GEN_01 | Self-perceived health | 36 |
| GEN_02 | Self-perceived health compared to one year ago | 37 |
| GEN_02A2 | Satisfaction with life in general | 38 |
| GEN_02B | Self-perceived mental health | 39 |
| GEN_07 | Perceived life stress | 40 |
| GEN_08 | Worked at job or business | 40 |
| GEN_09 | Self-perceived work stress | 41 |
| GEN_10 | Sense of belonging to local community | 42 |
| GENDHDI | Perceived Health | 42 |
| GENDMHI | Perceived Mental Health | 43 |
| GENGSWL | Satisfaction with life in general | 43 |
| GEO: Geography variables | | |
| GEO_PRV | Province of residence of respondent | 2 |
| GEODBCHA | British Columbia Health Authority (BCHA) - (D) | 7 |
| GEODCD | Census Division - (D) | 15 |
| GEODCMA6 | 2006 Census Metropolitan Area (CMA) - (D) | 17 |
| GEODCSD | Census Sub-Division - (D) | 15 |
| GEODDA06 | 2006 Census Dissemination Area - (D) | 14 |
| | ` ' | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|--|------|
| | GEODDHA | Nova Scotia District Health Authority (DHA) | 9 |
| | GEODFED | Federal Electoral District - (D) | 15 |
| | GEODHR4 | Health Region of residence of respondent - (D) | 3 |
| | GEODLHA | British Columbia Local Health Authority (LHA) - (D) | 11 |
| | GEODLHN | Local Health Integrated Networks (LHIN) - Ontario - (D) | 14 |
| | GEODPC | Postal code - (D) | 2 |
| | GEODPG09 | Health Region Peer Group - (D) | 18 |
| | GEODPSZ | Population size group - (D) | 20 |
| | GEODRHA | Regional Health Authority (RHA) - Alberta (D) | 10 |
| | GEODSAT | Statistical area classification type - (D) | 16 |
| | GEODSHR | Sub-Health Region (Québec only) - (D) | 8 |
| | GEODUR | Urban and Rural Areas | 19 |
| | GEODUR2 | Urban and Rural Areas - 2 levels - (D) | 19 |
| H1N : | H1N1 Flu shot | | |
| | DOH1N | H1N1 - Inclusion Flag - (F) | 210 |
| | H1N_160 | Ever had a H1N1 flu shot | 210 |
| | H1N_164 | Had H1N1 flu shot - which month | 211 |
| | H1N_165 | Had H1N1 flu shot - current/last year | 212 |
| | H1N_66A | No H1N1 flu shot - have not gotten around to it | 212 |
| | H1N_66B | No H1N1 flu shot - respondent didn't think it was necessary | 213 |
| | H1N_66C | No H1N1 flu shot - doctor didn't think it was necessary | 213 |
| | H1N_66D | No H1N1 flu shot- personal or family responsibilities | 214 |
| | H1N_66E | No H1N1 flu shot - not available at time required | 214 |
| | H1N_66F | No H1N1 flu shot - not available at all in area | 215 |
| | H1N_66G | No H1N1 flu shot - waiting time was too long | 215 |
| | H1N_66H | No H1N1 flu shot - transportation problems | 216 |
| | H1N_66I | No H1N1 flu shot - language problem | 216 |
| | H1N_66J | No H1N1 flu shot - cost | 217 |
| | H1N_66K | No H1N1 flu shot - did not know where to go | 217 |
| | H1N_66L | No H1N1 flu shot - fear | 218 |
| | H1N_66M | No H1N1 flu shot - bad reaction to previous shot | 218 |
| | H1N_66N | No H1N1 flu shot - other | 219 |
| | H1N_66O | No H1N1 flu shot - unable to leave house / health problems | 219 |
| HCS : | Health care system satis | sfaction | |
| | DOHCS | Health care system satisfaction module- Inclusion Flag - (F) | 61 |
| | | , | - |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|-------------------------|--|------|
| | HCS_1 | Rating of availability of health care - province | 62 |
| | HCS_2 | Rating of quality of health care - province | 63 |
| | HCS_3 | Rating of availability of health care - community | 64 |
| | HCS_4 | Rating of quality of health care - community | 65 |
| HCU : | Health care utilization | | |
| | CHP_15 | Number of consultations - dentist or orthodontist | 142 |
| | CHPDMDC | Number of consultations with medical doctor - (D) | 148 |
| | CHPFCOP | Consultations with health professionals - (F) | 148 |
| | HCU_1A1 | Has a usual place to go when sick/needs health advice | 130 |
| | HCU_1A2 | Kind of place | 131 |
| | HCU_1AA | Has regular medical doctor | 127 |
| | HCU_1AC | Language spoken to doctor | 132 |
| | HCU_1BA | Reason has no regular doctor - no one available in area | 127 |
| | HCU_1BB | Reason has no regular doctor - none taking new patients | 128 |
| | HCU_1BC | Reason has no regular doctor - not tried to contact one | 128 |
| | HCU_1BD | Reason has no regular doctor - has left or retired | 129 |
| | HCU_1BE | Reason has no regular doctor - other | 129 |
| HMC : | Home care services | | |
| | DOHMC | Home care services - Inclusion Flag - (F) | 161 |
| | HMC_09 | Received home care services - cost covered by government | 161 |
| | HMC_10A | Type of govt. home care rec'd - nursing care | 162 |
| | HMC_10B | Type of govt. home care rec'd - health services | 162 |
| | HMC_10C | Type of govt. home care rec'd - personal care | 163 |
| | HMC_10D | Type of govt. home care rec'd - housework | 164 |
| | HMC_10E | Type of govt. home care rec'd - meals | 164 |
| | HMC_10F | Type of govt. home care rec'd - shopping | 165 |
| | HMC_10G | Type of govt. home care rec'd - respite care | 165 |
| | HMC_10H | Type of govt. home care rec'd - other | 166 |
| | HMC_10I | Type of govt. home care rec'd - Medical equipment | 163 |
| | HMC_11 | Received home care services - cost not covered by government | 166 |
| | HMC_12A | Non govt. home care - provided by nurse from private agency | 167 |
| | HMC_12B | Non govt. home care - provided by homemaker | 167 |
| | HMC_12C | Non govt. home care - provided by neighbour or friend | 168 |
| | HMC_12D | Non govt. home care - provided by family member | 169 |
| | HMC_12E | Non govt. home care - provided by volunteer | 169 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|---|------|
| HMC_12F | Non govt. home care - provided by other | 170 |
| HMC_12G | Non govt. home care - physiotherapist | 168 |
| HMC_13A | Received other home care services - Nursing care | 170 |
| HMC_13B | Received home care servphysio,occupational,speech therapy | 171 |
| HMC_13C | Received other home care services - Personal care | 172 |
| HMC_13D | Received other home care services - Housework | 172 |
| HMC_13E | Received home care services - Meal preparation or delivery | 173 |
| HMC_13F | Received other home care services - Shopping | 173 |
| HMC_13G | Received other home care services - Respite care | 174 |
| HMC_13H | Received other home care services - Other | 174 |
| HMC_13I | Received other home care services - Med. equipment/supplies | 171 |
| HMC_14 | Self-perceived unmet home care needs | 175 |
| HMC_15A | Home care not received - not available / area | 175 |
| HMC_15B | Home care not received - not available at time required | 176 |
| HMC_15C | Home care not received - waiting time too long | 176 |
| HMC_15D | Home care not received - felt would be inadequate | 177 |
| HMC_15E | Home care not received - cost | 177 |
| HMC_15F | Home care not received - too busy | 178 |
| HMC_15G | Home care not received - didn't get around to it | 178 |
| HMC_15H | Home care not received - didn't know where to go | 179 |
| HMC_15I | Home care not received - language problems | 179 |
| HMC_15J | Home care not received - family responsibilities | 180 |
| HMC_15K | Home care not received - decided not to seek services | 180 |
| HMC_15L | Home care not received - doctor didn't think necessary | 181 |
| HMC_15M | Home care not received - other | 182 |
| HMC_15N | Home care not received - Did not qualify | 181 |
| HMC_15O | Home care not received - Still waiting for homecare | 182 |
| HMC_16A | Type of home care needed - nursing care | 183 |
| HMC_16B | Type of home care needed - health services | 183 |
| HMC_16C | Type of home care needed - personal care | 184 |
| HMC_16D | Type of home care needed - housework | 185 |
| HMC_16E | Type of home care needed - meals | 185 |
| HMC_16F | Type of home care needed - shopping | 186 |
| HMC_16G | Type of home care needed - respite care | 186 |
| HMC_16H | Type of home care needed - other | 187 |
| HMC_16I | Type of home care needed - Medical equipment or supplies | 184 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|------------------------|--|------|
| | HMC_17A | Who contacted for home care - government sponsored program | 187 |
| | HMC_17B | Who contacted for home care - private agency | 188 |
| | HMC_17C | Who contacted for home care - family member or friend | 188 |
| | HMC_17D | Who contacted for home care - volunteer organization | 189 |
| | HMC_17E | Who contacted for home care - other | 189 |
| | HMCFRHC | Received home care - (F) | 190 |
| HMS : | Home safety | | |
| | DOHMS | Home safety - Inclusion Flag - (F) | 1053 |
| | HMS_1 | Working smoke detector in home | 1054 |
| | HMS_2 | Smoke detectors on every level | 1054 |
| | HMS_3 | Smoke detectors tested each month | 1055 |
| | HMS_4 | Frequency - changed batteries in smoke detector | 1055 |
| | HMS_5 | Escape plan to get out of home | 1056 |
| | HMS_6 | Members of household discussed escape plan | 1056 |
| HUI : | Health utilities index | | |
| | DOHUI | Health utility index - Inclusion Flag - (F) | 104 |
| | HUI_01 | Vision - read newsprint without glasses / contacts | 104 |
| | HUI_02 | Vision - read newsprint with glasses / contacts | 105 |
| | HUI_03 | Vision - able to see | 105 |
| | HUI_04 | Vision - recognize a friend without glasses / contacts | 106 |
| | HUI_05 | Vision - recognize a friend with glasses / contacts | 106 |
| | HUI_06 | Hearing - in group without hearing aid | 107 |
| | HUI_07 | Hearing - in group with hearing aid | 107 |
| | HUI_07A | Hearing - able to hear | 108 |
| | HUI_08 | Hearing - in quiet room without hearing aid | 108 |
| | HUI_09 | Hearing - in quiet room with hearing aid | 109 |
| | HUI_10 | Speech - completely understood by strangers | 109 |
| | HUI_11 | Speech - partially understood by strangers | 110 |
| | HUI_12 | Speech - completely understood by non-strangers | 110 |
| | HUI_13 | Speech - partially understood by non-strangers | 111 |
| | HUI_14 | Mobility - walk without difficulty and without support | 111 |
| | HUI_15 | Mobility - able to walk | 112 |
| | HUI_16 | Mobility - requires support to walk | 112 |
| | HUI_17 | Mobility - requires help of person to walk | 113 |
| | HUI_18 | Mobility - requires a wheelchair | 113 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|-------------------------------|--|------|
| HUI_19 | Mobility - frequency of wheelchair use | 114 |
| HUI_20 | Mobility - requires help to move in wheelchair | 114 |
| HUI_21 | Dexterity - able to grasp and handle small objects | 115 |
| HUI_22 | Dexterity - requires help due to limitation in hands | 115 |
| HUI_23 | Dexterity - requires help with tasks | 116 |
| HUI_24 | Dexterity - requires special equipment / hand limitation | 116 |
| HUI_25 | Emotion - self evaluation | 117 |
| HUI_26 | Cognition - ability to remember things | 118 |
| HUI_27 | Cognition - ability to think and solve problems | 119 |
| HUIDCOG | Cognition problems - function code - (D) | 124 |
| HUIDDEX | Dexterity (function code) - (D) | 123 |
| HUIDEMO | Emotion (function code) - (D) | 123 |
| HUIDHER | Hearing (function code) - (D) | 121 |
| HUIDHSI | Health utilities index - (D) | 124 |
| HUIDMOB | Ambulation (mobility) (function code) - (D) | 122 |
| HUIDSPE | Speech (function code) - (D) | 121 |
| HUIDVIS | Vision (function code) - (D) | 120 |
| HUPDPAD | Pain (function code) - (D) | 126 |
| HUP: Health utilities index - | Pain and discomfort | |
| HUP_01 | Usually free of pain or discomfort | 125 |
| HUP_02 | Pain and discomfort - usual intensity | 125 |
| HUP_03 | Pain and discomfort - number of activities prevented | 126 |
| HWT: Height and weight - Se | elf-reported | |
| HWT_2 | Height / self-reported | 66 |
| HWT_2A | Height - exact height from 1'0" to 1'11" / self-reported | 66 |
| HWT_2B | Height - exact height from 2'0" to 2'11" / self-reported | 67 |
| HWT_2C | Height - exact height from 3'0" to 3'11" / self-reported | 67 |
| HWT_2D | Height - exact height from 4'0" to 4'11" / self-reported | 68 |
| HWT_2E | Height - exact height from 5'0" to 5'11" / self-reported | 69 |
| HWT_2F | Height - exact height from 6'0" to 6'11" / self-reported | 70 |
| HWT_3 | Weight / self-reported | 71 |
| HWT_4 | Respondent's opinion of own weight - self-reported | 72 |
| HWT_N4 | Weight - unit of measure in pounds/kilograms / self-reported | 71 |
| - HWTDBMI | Body Mass Index (BMI) / self-report - (D) | 75 |
| HWTDCOL | BMI class. (12 to 17) / self-report - Cole system - (D) | 76 |
| | , | • |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|-----------------------|--|------|
| HWTDHTM | Height (metres) / self-reported - (D) | 73 |
| HWTDISW | BMI class. (18 +) / self-report - Intern. standard - (D) | 75 |
| HWTDWTK | Weight (kilograms) / self-reported - (D) | 74 |
| MAM_037 | Currently pregnant | 65 |
| IDG: Illicit drug use | | |
| DODRG | Illicit drugs use - Inclusion Flag - (F) | 587 |
| IDG_01 | Used - marijuana, cannabis, hashish - life | 587 |
| IDG_02 | Used - marijuana, cannabis, hashish - 12 mo | 588 |
| IDG_03 | Frequency - marijuana, cannabis, hashish - 12 mo | 589 |
| IDG_04 | Used - cocaine, crack - life | 590 |
| IDG_05 | Used - cocaine, crack - 12 mo | 590 |
| IDG_06 | Frequency - cocaine, crack - 12 mo | 591 |
| IDG_07 | Used - speed (amphetamines) - life | 592 |
| IDG_08 | Used - speed (amphetamines) - 12 mo | 592 |
| IDG_09 | Frequency - speed (amphetamines) - 12 mo | 593 |
| IDG_10 | Used - ecstasy (MDMA) - life | 594 |
| IDG_11 | Used - ecstasy (MDMA) - 12 mo | 594 |
| IDG_12 | Frequency - ecstacy (MDMA) - 12 mo | 595 |
| IDG_13 | Used - hallucinogens, PCP, LSD - life | 596 |
| IDG_14 | Used - hallucinogens, PCP, LSD - 12 mo | 596 |
| IDG_15 | Frequency - hallucinogens, PCP, LSD - 12 mo | 597 |
| IDG_16 | Sniffed - glue, gasoline, other solvents - life | 597 |
| IDG_17 | Sniffed - glue, gasoline, other solvents - 12 mo | 598 |
| IDG_18 | Frequency - glue, gasoline, other solvents - 12 mo | 598 |
| IDG_19 | Used - heroin - life | 599 |
| IDG_20 | Used - heroin - 12 mo | 599 |
| IDG_21 | Frequency - heroin - 12 mo | 600 |
| IDG_22 | Used - steroids - life | 601 |
| IDG_23 | Used - steroids - 12 mo | 601 |
| IDG_24 | Frequency - steroids - 12 mo | 602 |
| IDG_25A | Needed more drugs than usual to get high - 12 mo | 603 |
| IDG_25B | Had symptom during period of cut down/no drugs - 12 mo | 603 |
| IDG_25C | Used drugs - prevent having symptoms - 12 mo | 604 |
| IDG_25D | Used drugs - even though promised wouldn't - 12 mo | 604 |
| IDG_25E | Used drugs - more frequently than intended - 12 mo | 605 |
| IDG_25F | Used drugs - little time for anything else 12 mo | 605 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|---------|---------------|--|------|
| II | DG_25G | Reduced important activities - because of drugs - 12 mo | 606 |
| I | DG_25H | Continued taking drugs despite health problems - 12 mo | 606 |
| 11 | DG_26A | Level of interference - home responsibilities - 12 mo | 607 |
| 11 | DG_26C | Level of interference - close relationships - 12 mo | 610 |
| 11 | DG_26D | Level of interference - social life - 12 mo | 611 |
| 11 | DG_6B1 | Level of interference - attend school - 12 mo | 608 |
| 11 | DG_6B2 | Level of interference - work at a job - 12 mo | 609 |
| 11 | DGDINT | Illicit drug interference - mean - 12 mo - (D) | 619 |
| 11 | DGFINT | Illicit drug interference - 12 mo - (F) | 619 |
| II. | DGFLA | Illicit drug use - including one time cannabis - life - (F) | 617 |
| II. | DGFLAC | Illicit drug use - excluding one time cannabis - life - (F) | 617 |
| 11 | DGFLAM | Amphetamine (speed) drug use - life - (F) | 614 |
| 11 | DGFLCA | Cannabis drug use - including one time only - life - (F) | 612 |
| 11 | DGFLCM | Cannabis drug use - excluding one time only - life - (F) | 612 |
| II. | DGFLCO | Cocaine / crack drug use - life - (F) | 613 |
| 11 | DGFLEX | MDMA (ecstasy) drug use - life - (F) | 614 |
| II. | DGFLGL | Glue, gasoline or other solvent use - life - (F) | 615 |
| II. | DGFLHA | Hallucinogens, PCP or LSD drug use - life - (F) | 615 |
| II. | DGFLHE | Heroin drug use - life - (F) | 616 |
| 11 | DGFLST | Steroid use - life - (F) | 616 |
| II. | DGFYA | Illicit drug use - including one time cannabis - 12 mo - (F) | 618 |
| II. | DGFYAC | Illicit drug use - excluding one time cannabis - 12 mo - (F) | 618 |
| II. | DGFYCM | Cannabis drug use - excluding one time only - 12 mo - (F) | 613 |
| INC : I | Income | | |
| 10 | NC_1A | Source of household income - wages and salaries | 1111 |
| II. | NC_1B | Source of household income - self-employment | 1112 |
| II. | NC_1C | Source of household income - dividends and interest | 1112 |
| 11 | NC_1D | Source of household income - employment insurance | 1113 |
| II. | NC_1E | Source of household income - worker's compensation | 1113 |
| II. | NC_1F | Source of hh income - benefits from Can. / Que. Pension Plan | 1114 |
| 11 | NC_1G | Srce of hh income - pensions, superan. and annuities | 1114 |
| 11 | NC_1H | Source of household income - Old Age Security / G.I.S. | 1115 |
| II. | NC_1I | Source of household income - child tax benefit | 1116 |
| If | NC_1J | Source of household income - social assistance / welfare | 1116 |
| II. | NC_1K | Source of household income - child support | 1117 |
| 11 | NC_1L | Source of household income - alimony | 1117 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|----------------|--|------|
| INC_1M | Source of household income - other | 1118 |
| INC_1N | Source of household income - none | 1118 |
| INC_1O | Source of household income - RRSP/RRIF | 1115 |
| INC_2 | Total household income - main source | 1119 |
| INC_3 | Total household income - best estimate | 1120 |
| INC_5A | Total household income - Ranges | 1120 |
| INC_5B | Household income - Range 1 | 1121 |
| INC_5C | Household income - Range 2 | 1122 |
| INC_6A | Sources personal income: Wages and salaries | 1123 |
| INC_6B | Sources personal income: Income from self-employment | 1123 |
| INC_6C | Sources personal income: Dividends and interest | 1124 |
| INC_6D | Sources personal income: Employment insurance | 1124 |
| INC_6E | Sources personal income: Worker's compensation | 1125 |
| INC_6F | Sources personal income: Canada or Quebec Pension Plan | 1125 |
| INC_6G | Sources personal income: Job related retirement pensions | 1126 |
| INC_6H | Sources personal income: RRSP/RRIF | 1126 |
| INC_6I | Sources personal income: Old Age Security and Guaranteed Inc | 1127 |
| INC_6J | Sources personal income: social assistance or welfare | 1128 |
| INC_6K | Sources personal income: Child tax benefits | 1127 |
| INC_6L | Sources personal income: Child support | 1128 |
| INC_6M | Sources personal income: Alimony | 1129 |
| INC_6N | Sources personal income: Other | 1129 |
| INC_6O | Sources personal income: None | 1130 |
| INC_7 | Main source of personal income | 1131 |
| INC_8A | Total personal income | 1132 |
| INC_8B | Total personal income: Ranges | 1132 |
| INC_8C | Total personal income: Range 1 | 1133 |
| INC_8D | Total personal income: Range 2 | 1134 |
| INCDADR | Adjusted household income ratio - (D) | 1137 |
| INCDHH | Total household income from all sources - (D) | 1135 |
| INCDPER | Total personal income from all sources - (D) | 1136 |
| INCDRCA | Household income distribution - (D) | 1138 |
| INCDRPR | Household income distribution - provincial level - (D) | 1139 |
| INCDRRS | Household income distribution - health region level - (D) | 1140 |
| INJ : Injuries | | |
| DOINJ | Injuries - Inclusion Flag - (F) | 425 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| INJ_01 | Injured in past 12 months | 433 |
| INJ_02 | Number of injuries in past 12 months | 433 |
| INJ_03 | Most serious injury - month of occurrence | 434 |
| INJ_04 | Most serious injury - year of occurrence | 435 |
| INJ_05 | Most serious injury - type | 436 |
| INJ_06 | Most serious injury - body part affected | 437 |
| INJ_07 | Internal organs - body part affected | 438 |
| INJ_08 | Most serious injury - place of occurrence | 439 |
| INJ_09 | Most serious injury - activity when injured | 440 |
| INJ_10 | Most serious injury - result of a fall | 446 |
| INJ_11A | How did you fall | 447 |
| INJ_12 | Most serious injury - cause | 448 |
| INJ_12A | Time of injury | 449 |
| INJ_13 | Most serious injury - received treatment within 48 hours | 449 |
| INJ_14A | Treated doctor's office | 450 |
| INJ_14B | Treated emergency room | 450 |
| INJ_14C | Treated hospital outpatient | 451 |
| INJ_14F | Treated comm. health centre | 452 |
| | Traitée centre communautaire | |
| INJ_14K | Treated - Other | 454 |
| INJ_14L | Treated other clinic | 451 |
| INJ_14M | Treated physio/massage therap. | 452 |
| INJ_14N | Treated chiropractor | 453 |
| INJ_140 | Treated where injury happened | 453 |
| INJ_15 | Most serious injury - admitted to hospital | 454 |
| INJ_15A | Follow-up care because of injury | 455 |
| INJ_16 | Other injuries - treated but did not limit normal activities | 455 |
| INJ_17 | Other injuries - number | 456 |
| INJDCAU | Cause of injury - (D) | 457 |
| INJDCBP | Cause of injury by place of occurrence - (D) | 458 |
| INJDSTT | Injury Status - (D) | 458 |
| INJDTBS | Type of injury by body site - (D) | 456 |
| REP_1A | Repetitive strain injury | 425 |
| REP_2 | Limit your normal activities | 426 |
| REP_3 | Repetitive strain - body part affected | 427 |
| REP_3A | Repetitive strain- activity causing injury | 428 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|----------------------------|---|------|
| | REP_4 | Repetitive strain- working at a job or business | 428 |
| | REP_5A | Activity - Walking | 429 |
| | REP_5B | Activity - Sports | 429 |
| | REP_5C | Activity - Leisure | 430 |
| | REP_5D | Activity - Household chores | 430 |
| | REP_5F | Activity - Computer | 431 |
| | REP_5G | Activity - Driving a motor vehicle | 431 |
| | REP_5H | Activity - Lifting or carrying | 432 |
| | REP_5I | Activity - Other | 432 |
| INS : | Insurance coverage | | |
| | DOINS | Insurance coverage - Inclusion Flag - (F) | 1057 |
| | INS_1 | Insurance - prescription medications | 1057 |
| | INS_1A | Type of health insurance plan - government-sponsored | 1058 |
| | INS_1B | Type of health insurance plan - employer-sponsored | 1058 |
| | INS_1C | Type of health insurance plan - private | 1059 |
| | INS_2 | Insurance - dental expenses | 1059 |
| | INS_2A | Type of health insurance plan - government-sponsored | 1060 |
| | INS_2B | Type of health insurance plan - employer-sponsored | 1060 |
| | INS_2C | Type of health insurance plan - private | 1061 |
| | INS_3 | Insurance - eye glasses / contact lenses | 1061 |
| | INS_3A | Type of health insurance plan - government-sponsored | 1062 |
| | INS_3B | Type of health insurance plan - employer-sponsored | 1062 |
| | INS_3C | Type of health insurance plan - private | 1063 |
| | INS_4 | Insurance - hospital charges | 1063 |
| | INS_4A | Type of health insurance plan - government-sponsored | 1064 |
| | INS_4B | Type of health insurance plan - employer-sponsored | 1064 |
| | INS_4C | Type of health insurance plan - private | 1065 |
| INW: | Workplace injury | | |
| | INW_01 | Injury occured in current job | 441 |
| | INWF02 | Response entered - kind of business - (F) | 441 |
| | INWF03 | Response entered - kind of work - (F) | 442 |
| | INWF04 | Response entered - most important duties at work - (F) | 444 |
| LBF: | Labour force - Extended ve | rsion | |
| | INWF03S | Response entered - other - kind of work - (F) | 443 |
| | LBSF32 | Response entered-name of business (self-employed) - (F) | 959 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------------------|---|------|
| LBSF33 | Response entered - whom you work for - (F) | 960 |
| LBSF34 | Response entered - kind of business - (F) | 960 |
| LBSF35 | Response entered - kind of work - (F) | 961 |
| LBSF35S | Response entered - other - kind of work - (F) | 962 |
| LBSF36 | Response entered - most important duties at work - (F) | 963 |
| LBS: Labour force | | |
| INWCSIC | N. American Industry Classification System (NAICS) 2007 | 442 |
| INWCSOC | Natl. Occupation Classification for Statistics (NOC-S) 2006 | 443 |
| INWDING | Industry group - (D) | 445 |
| INWDOCG | Occupation group (SOC) where injury occurred | 444 |
| LBS_01 | Worked at job or business last week | 957 |
| LBS_02 | Absent from job or business last week | 957 |
| LBS_03 | Had more than one job or business last week | 958 |
| LBS_11 | Looked for work in past 4 weeks | 958 |
| LBS_31 | Employee or self-employed | 959 |
| LBS_42 | Usual number of hours worked - current main job | 963 |
| LBS_53 | Usual number of hours worked - current other job | 964 |
| LBSCSIC | N. American Industry Classification System (NAICS) 2007 | 961 |
| LBSCSOC | Natl. Occupation Classification for Statistics (NOC-S) 2006 | 962 |
| LBSDHPW | Total usual hours worked - current jobs - (D) | 964 |
| LBSDING | Industry group - (D) | 966 |
| LBSDOCG | Occupation group - (D) | 967 |
| LBSDPFT | Current - full-time / part-time status - (D) | 965 |
| LBSDWSS | Working status last week - 4 groups - (D) | 965 |
| LOP: Loss of productivity | | |
| DOLOP | Loss of production - Inclusion Flag - (F) | 967 |
| LOP_015 | Were you employed in past three months? | 968 |
| LOP_020 | Reason for not working | 969 |
| LOP_030 | Couldn't work due to chronic condition | 970 |
| LOP_040 | Number of work days lost due to chronic condition | 970 |
| LOP_050 | Chronic condition | 971 |
| LOP_060 | Missed work due to injury | 972 |
| LOP_070 | Number of work days missed due to injury | 972 |
| LOP_080 | Missed work due to infectious disease | 973 |
| LOP_082 | Number of work days missed due to cold | 976 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|-------------------|--|------|
| LOP_083 | Number of work days missed due to flu or influenza | 976 |
| LOP_084 | Number of work days missed due to stomach flu | 977 |
| LOP_085 | Number of work days missed due to respiratory infection | 977 |
| LOP_086 | Number of work days missed due to other infectious disease | 978 |
| LOP_090 | Missed work for any other reason related to ph. or m. health | 978 |
| LOP_100 | Nbr of work days missed related to physical or mental health | 979 |
| LOP_81A | Had a cold | 973 |
| LOP_81B | Had the flu or influenze | 974 |
| LOP_81C | Stomach Flu | 974 |
| LOP_81D | Respiratory Flu | 975 |
| LOP_81E | Other | 975 |
| MAM : Mammography | | |
| DOMAM | Mammography - Inclusion Flag - (F) | 248 |
| MAM_030 | Ever had mammogram | 249 |
| MAM_032 | Last time mammogram was done | 253 |
| MAM_038 | Had a hysterectomy | 261 |
| MAM_31A | Had mammogram - family history | 249 |
| MAM_31B | Had mammogram - regular check-up | 250 |
| MAM_31C | Had mammogram - age | 250 |
| MAM_31D | Had mammogram - previously detected lump | 251 |
| MAM_31E | Had mammogram - follow-up of treatment | 251 |
| MAM_31F | Had mammogram - on hormone replacement therapy | 252 |
| MAM_31G | Had mammogram - breast problem | 252 |
| MAM_31H | Had mammogram - other | 253 |
| MAM_36A | No mammogram - have not gotten around to it - past 2 yrs | 254 |
| MAM_36B | No mammogram - resp. did not think necessary - past 2 yrs | 254 |
| MAM_36C | No mammogram - doctor did not think necessary - past 2 yrs | 255 |
| MAM_36D | No mammogram - personal/family responsibilities - past 2 yrs | 255 |
| MAM_36E | No mammogram - not available when required - past 2 yrs | 256 |
| MAM_36F | No mammogram - not available in the area - past 2 yrs | 256 |
| MAM_36G | No mammogram - waiting time too long - past 2 yrs | 257 |
| MAM_36H | No mammogram - transportation problems - past 2 yrs | 257 |
| MAM_36I | No mammogram - language problem - past 2 yrs | 258 |
| MAM_36J | No mammogram - cost - past 2 yrs | 258 |
| MAM_36K | No mammogram - did not know where to go - past 2 yrs | 259 |
| MAM_36L | No mammogram - fear - past 2 yrs | 259 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|---|------|
| | MAM_36M | No mammogram - other - past 2 yrs | 261 |
| | MAM_36N | No mammogram - unable to leave house/hlth prob - past 2 yrs | 260 |
| | MAM_36O | No mammogram - Breasts removed / Mastectomy | 260 |
| MAS : | Mastery | | |
| | DOMAS | Mastery - Inclusion Flag - (F) | 485 |
| | MAS_601 | Mastery - lack of control | 485 |
| | MAS_602 | Mastery - cannot solve problems | 486 |
| | MAS_603 | Mastery - cannot change things | 487 |
| | MAS_604 | Mastery - helpless | 488 |
| | MAS_605 | Mastery - pushed around | 489 |
| | MAS_606 | Mastery - fate depends upon self | 490 |
| | MAS_607 | Mastery - can do anything | 491 |
| | MASDM1 | Mastery scale - (D) | 491 |
| MEX : | Maternal experiences - I | Breastfeeding | |
| | MEX_01 | Has given birth in the past 5 years | 570 |
| | MEX_01A | Year of birth of last baby | 570 |
| | MEX_02 | Took folic acid - before last pregnancy | 571 |
| | MEX_03 | Breastfed or tried to breastfeed last child | 571 |
| | MEX_04 | Main reason did not breastfeed last child | 572 |
| | MEX_05 | Still breastfeeding last child | 573 |
| | MEX_06 | Duration of breastfeeding last child | 574 |
| | MEX_07 | Age of last baby - other foods added | 575 |
| | MEX_08 | Main reason - other foods added | 576 |
| | MEX_09 | Gave vitamin D - when breast milk only | 577 |
| | MEX_10 | Main reason why stopped breastfeeding | 578 |
| | MEXDEBF2 | Duration of exclusive breastfeeding - (D) | 579 |
| | MEXFEB6 | Exclusively breastfed for 6 months or more | 580 |
| MXA : | Maternal experiences - | Alcohol use during pregnancy | |
| | DOMXA | Maternal exp Alcohol during preg Inclusion Flag - (F) | 580 |
| | MXA_01 | Drank alcohol - last pregnancy | 581 |
| | MXA_02 | Frequency of drinking - last pregnancy | 581 |
| | MXA_03 | Drank alcohol - while breastfeeding last baby | 582 |
| | _ MXA_04 | Frequency of drinking - while breastfeeding last baby | 582 |
| MXS : | Maternal experiences - | Smoking during pregnancy | |
| | DOMXS | Maternal exp Smoking during preg Inclusion Flag - (F) | 583 |
| | DOWNO | material exp. Sitioning during preg inclusion riag - (i) | 505 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|------------------------------|--|------|
| MXS_01 | Type of smoker - last pregnancy | 583 |
| MXS_02 | No. of cigarettes daily - last pregnancy (daily smoker) | 584 |
| MXS_03 | No. of cigarettes daily - last pregnancy (occasional smoker) | 584 |
| MXS_04 | Smoked while breastfeeding last baby (occasional smoker) | 585 |
| MXS_05 | No. of cigarettes daily - while breastfeeding (daily smoker) | 585 |
| MXS_06 | No. of cigarettes daily - while breastfeeding (occ. smoker) | 586 |
| MXS_07 | Second-hand smoke - during or after last pregnancy | 586 |
| NEU: Neurological conditions | s | |
| DONEU | Neurological Conditions - Inclusion Flag - (F) | 1092 |
| NEUDADH | Number of persons in hhld with Alzheimer's/other dementia | 1110 |
| NEUDADR | Has Alzheimer's disease or other dementia - sel. respondent | 1109 |
| NEUDALH | Number of persons in hhld with ALS (Lou Gehrig's disease) | 1103 |
| NEUDALR | Has ALS (Lou Gehrig's disease) - sel. respondent | 1102 |
| NEUDBIH | Num. persons in hhld w/ neuro. cond caused by brain injury | 1106 |
| NEUDBIR | Has a neuro. cond. caused by a brain injury - sel. resp. | 1105 |
| NEUDBTH | Num. of persons in hhld w/ neuro. cond. caused by brain tum. | 1107 |
| NEUDBTR | Has a neuro. cond. caused by a brain tumour - sel. resp. | 1106 |
| NEUDCPH | Number of persons in household with cerebral palsy | 1096 |
| NEUDCPR | Has cerebral palsy - sel. respondent | 1095 |
| NEUDDYH | Number of persons in household with dystonia | 1100 |
| NEUDDYR | Has dystonia - sel. respondent | 1099 |
| NEUDEPH | Number of persons in household with epilepsy | 1095 |
| NEUDEPR | Has epilepsy - sel. respondent | 1094 |
| NEUDHCH | Number of persons in household with hydrocephalus | 1098 |
| NEUDHCR | Has hydrocephalus - sel. respondent | 1097 |
| NEUDHDH | Number of persons in household with Huntington's disease | 1104 |
| NEUDHDR | Has Huntington's disease - sel. respondent | 1103 |
| NEUDMDH | Number of persons in household with muscular dystrophy | 1099 |
| NEUDMDR | Has muscular dystrophy - sel. respondent | 1098 |
| NEUDMHH | Number of persons in household with migraine headaches | 1094 |
| NEUDMHR | Has migraine headaches - sel. respondent | 1093 |
| NEUDMSH | Number of persons in household with multiple sclerosis | 1110 |
| NEUDMSR | Has multiple sclerosis - sel. respondent | 1111 |
| NEUDNCH | Presence of neurological condition in the household | 1093 |
| NEUDNCR | Has a neurological condition - sel. respondent | 1092 |
| NEUDPDH | Number of persons in household with Parkinson's disease | 1102 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|--------------------|--|------|
| NEUDPDR | Has Parkinson's disease - sel. respondent | 1101 |
| NEUDSBH | Number of persons in household with spina bifida | 1097 |
| NEUDSBR | Has spina bifida - sel. respondent | 1096 |
| NEUDSCH | Num. persons in hhld w/ neuro. cond. caused spinal cord tum. | 1109 |
| NEUDSCR | Has a neuro. cond. caused by spinal cord tumour - sel. resp. | 1108 |
| NEUDSIH | Num. persons in hhld w/ neuro. cond. caused spinal cord inj. | 1108 |
| NEUDSIR | Has a neuro. cond. caused by spinal cord injury - sel. resp. | 1107 |
| NEUDSTH | Num. persons in hhld that suffer from the effects of stroke | 1105 |
| NEUDSTR | Suffers from the effects of a stroke - sel. respondent | 1104 |
| NEUDTSH | Number of persons in household with Tourette's syndrome | 1101 |
| NEUDTSR | Has Tourette's syndrome - sel. respondent | 1100 |
| OH2: Oral health 2 | | |
| DOOH2 | Oral health 2 - Inclusion Flag - (F) | 311 |
| OH2_10 | Frequency usually visits the dentist | 312 |
| OH2_11 | Insurance for dental expenses | 312 |
| OH2_11A | Type of dental insurance plan - government-sponsored | 313 |
| OH2_11B | Type of dental insurance plan - employer-sponsored | 313 |
| OH2_11C | Type of dental insurance plan - private | 314 |
| OH2_12 | Teeth removed by dentist - 12 mo | 314 |
| OH2_13 | Teeth removed - decay or gum disease - 12 mo | 315 |
| OH2_20 | Has one or more of own teeth | 315 |
| OH2_21 | Wears dentures | 316 |
| OH2_22 | Condition of teeth/mouth - difficulty speaking clearly | 316 |
| OH2_23 | Condition of teeth/mouth - avoided conversation - 12 mo | 317 |
| OH2_24 | Condition of teeth/mouth - avoided laughing/smiling - 12 mo | 318 |
| OH2_25A | Had a toothache - past mo. | 318 |
| OH2_25B | Teeth sensitive to hot or cold - past mo. | 319 |
| OH2_25C | Had pain - jaw joints - past mo. | 319 |
| OH2_25D | Had pain - mouth or face - past mo. | 320 |
| OH2_25E | Had bleeding gums - past mo. | 320 |
| OH2_25F | Had dry mouth - past mo. | 321 |
| OH2_25G | Had bad breath - past mo. | 321 |
| OH2_30 | Frequency of brushing teeth | 322 |
| OH2FLIM | Limited socially due to oral health status - 12 mo - (F) | 322 |
| OH2FOFP | Oral or facial pain - past mo (F) | 323 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable N | Name Desc | ription | Page |
|---------------------|-------------------------|--|------|
| ORG: Voluntary or | ganizations - Participa | ition | |
| DOORG | Volun | tary organization - Participate - Inclusion Flag - (F) | 44 |
| ORG_1 | Memb | per of a voluntary organization | 44 |
| ORG_2 | Frequ | ency - participate in activities | 45 |
| PAC : Physical acti | ivities | | |
| PAC_1A | | ty / last 3 months - walking | 354 |
| PAC_1B | Activi | ty / last 3 months - gardening or yard work | 354 |
| PAC_1C | Activi | ty / last 3 months - swimming | 355 |
| PAC_1D | Activi | ty / last 3 months - bicycling | 355 |
| PAC_1E | Activi | ty / last 3 months - popular or social dance | 356 |
| PAC_1F | Activi | ty / last 3 months - home exercises | 356 |
| PAC_1G | Activi | ty / last 3 months - ice hockey | 357 |
| PAC_1H | Activi | ty / last 3 months - ice skating | 357 |
| PAC_1I | Activi | ty / last 3 months - in-line skating or rollerblading | 358 |
| PAC_1J | Activi | ty / last 3 months - jogging or running | 358 |
| PAC_1K | Activi | ty / last 3 months - golfing | 359 |
| PAC_1L | Activi | ty / last 3 months - exercise class or aerobics | 359 |
| PAC_1M | Activi | ty / last 3 months - downhill skiing or snowboarding | 360 |
| PAC_1N | Activi | ty / last 3 months - bowling | 360 |
| PAC_10 | Activi | ty / last 3 months - baseball or softball | 361 |
| PAC_1P | Activi | ty / last 3 months - tennis | 361 |
| PAC_1Q | Activi | ty / last 3 months - weight-training | 362 |
| PAC_1R | Activi | ty / last 3 months - fishing | 362 |
| PAC_1S | Activi | ty / last 3 months - volleyball | 363 |
| PAC_1T | Activi | ty / last 3 months - basketball | 363 |
| PAC_1U | Activi | ty / last 3 months - Any other | 364 |
| PAC_1V | Activi | ty / last 3 months - No physical activity | 365 |
| PAC_1W | Activi | ty / last 3 months - other (#2) | 365 |
| PAC_1X | Activi | ty / last 3 months - other (#3) | 366 |
| PAC_1Z | Activi | ty / last 3 months - Soccer | 364 |
| PAC_2A | Numb | per of times / 3 months - walking for exercise | 366 |
| PAC_2B | Numb | er of times / 3 months - gardening/yard work | 367 |
| PAC_2C | Numb | per of times / 3 months - swimming | 368 |
| PAC_2D | Numb | er of times / 3 months - bicycling | 369 |
| PAC_2E | Numb | er of times / 3 months - popular or social dance | 370 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| PAC_2F | Number of times / 3 months - home exercises | 371 |
| PAC_2G | Number of times / 3 months - ice hockey | 372 |
| PAC_2H | Number of times / 3 months - ice skating | 373 |
| PAC_2I | Number of times / 3 months- in-line skating or rollerblading | 374 |
| PAC_2J | Number of times / 3 months - jogging or running | 375 |
| PAC_2K | Number of times / 3 months - golfing | 376 |
| PAC_2L | Number of times / 3 months - exercise class or aerobics | 377 |
| PAC_2M | Number of times / 3 months - downhill skiing or snowboarding | 378 |
| PAC_2N | Number of times / 3 months - bowling | 379 |
| PAC_2O | Number of times / 3 months - baseball or softball | 380 |
| PAC_2P | Number of times / 3 months - tennis | 381 |
| PAC_2Q | Number of times / 3 months - weight-training | 382 |
| PAC_2R | Number of times / 3 months - fishing | 383 |
| PAC_2S | Number of times / 3 months - volleyball | 384 |
| PAC_2T | Number of times / 3 months - basketball | 385 |
| PAC_2U | Number of times / 3 months - other activity (#1) | 387 |
| PAC_2W | Number of times / 3 months - other activity (#2) | 388 |
| PAC_2X | Number of times - other activity (#3) | 389 |
| PAC_2Z | Number of times / 3 months - soccer | 386 |
| PAC_3A | Time spent - walking for exercise | 367 |
| PAC_3B | Time spent - gardening or yard work | 368 |
| PAC_3C | Time spent - swimming | 369 |
| PAC_3D | Time spent - bicycling | 370 |
| PAC_3E | Time spent - popular or social dance | 371 |
| PAC_3F | Time spent - home exercises | 372 |
| PAC_3G | Time spent - ice hockey | 373 |
| PAC_3H | Time spent - ice skating | 374 |
| PAC_3I | Time spent - in-line skating or rollerblading | 375 |
| PAC_3J | Time spent - jogging or running | 376 |
| PAC_3K | Time spent - golfing | 377 |
| PAC_3L | Time spent - exercise class or aerobics | 378 |
| PAC_3M | Time spent - downhill skiing or snowboarding | 379 |
| PAC_3N | Time spent - bowling | 380 |
| PAC_3O | Time spent - baseball or softball | 381 |
| PAC_3P | Time spent - tennis | 382 |
| PAC_3Q | Time spent - weight-training | 383 |

Master File - 12-Month (Rounded)

June 2011

| \ | Variable Name | Description | Page |
|---------|---------------------------------|--|------|
| F | PAC_3R | Time spent - fishing | 384 |
| F | PAC_3S | Time spent - volleyball | 385 |
| F | PAC_3T | Time spent - basketball | 386 |
| F | PAC_3U | Time spent - other activity (#1) | 388 |
| F | PAC_3W | Time spent - other activity (#2) | 389 |
| F | PAC_3X | Time spent - other activity (#3) | 390 |
| F | PAC_3Z | Time spent - soccer | 387 |
| F | PAC_7 | Walked to work or school / last 3 months | 390 |
| F | PAC_7A | Number of times / 3 months - walking to go work or school | 391 |
| F | PAC_7B | Time spent - walking to go work or school | 391 |
| F | PAC_8 | Bicycled to work or school / last 3 months | 392 |
| F | PAC_8A | Number of times / 3 months - bicycling to go work or school | 392 |
| F | PAC_8B | Time spent - bicycling to go work or school | 393 |
| F | PACDEE | Daily energy expenditure - Leisure physical activities - (D) | 393 |
| F | PACDFM | Month. freq Leisure phys. activity lasting >15 min (D) | 394 |
| F | PACDFR | Frequency of all leisure physical activity > 15 min (D) | 395 |
| F | PACDLTI | Leisure and transportation physical activity index - (D) | 396 |
| F | PACDPAI | Leisure physical activity index - (D) | 396 |
| F | PACDTLE | Daily ener. expend Transport. and leisure phy. act (D) | 397 |
| F | PACFD | Participant in daily leisure phys. activity > 15 min (F) | 395 |
| F | PACFLEI | Participant in leisure physical activity - (F) | 394 |
| F | PACFLTI | Participant in leisure or transportation phys. activ (F) | 397 |
| PAF : F | Physical activities - Facilitie | s at work | |
| | DOPAF | Phy. act Facility at work - Inclusion Flag - (F) | 979 |
| F | PAF_01 | Work at home | 980 |
| F | PAF_02 | At work - Access to a pleasant place to walk | 980 |
| F | PAF_03 | At work - Access to playing fields | 981 |
| F | PAF_04 | At work - Access to a gym | 981 |
| F | PAF_05 | At work - Access to fitness classes | 982 |
| F | PAF_06 | At work - Access to any organized sport teams | 982 |
| F | PAF_07 | At work - Access to showers / change rooms | 983 |
| F | PAF_08 | At work - Access to programs to improve health | 983 |
| F | PAFFACC | Access to physical activity facilities at work - (F) | 984 |
| PAP : F | PAP smear test | | |
| С | DOPAP | PAP smear test module - Inclusion Flag - (F) | 239 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------------------------|---|------|
| PAP_020 | Ever had PAP smear test | 239 |
| PAP_022 | Last time had PAP smear test | 240 |
| PAP_26A | No PAP smear - have not gotten around to it | 240 |
| PAP_26B | No PAP smear - respondent didn't think necessary | 241 |
| PAP_26C | No PAP smear - doctor didn't think necessary | 241 |
| PAP_26D | No PAP smear - personal / family responsibilities | 242 |
| PAP_26E | No PAP smear - not available when required | 242 |
| PAP_26F | No PAP smear - not available in area | 243 |
| PAP_26G | No PAP smear - waiting time too long | 243 |
| PAP_26H | No PAP smear - transportation problems | 244 |
| PAP_26I | No PAP smear - language problem | 244 |
| PAP_26J | No PAP smear - cost | 245 |
| PAP_26K | No PAP smear - did not know where to go | 245 |
| PAP_26L | No PAP smear - fear | 246 |
| PAP_26M | No PAP smear - hysterectomy | 246 |
| PAP_26N | No PAP smear - hate / dislike having one done | 247 |
| PAP_26O | No PAP smear - other | 248 |
| PAP_26P | No PAP smear - unable to leave house / health problem | 247 |
| PAS : Patient satisfaction - Ho | ealth care services | |
| DOPAS | Patient sat Health care service - Inclusion Flag -(F) | 190 |
| PAS_11 | Received health care services | 191 |
| PAS_12 | Rating of quality of care received | 192 |
| PAS_13 | Satisfaction with way care provided | 193 |
| PAS_21A | Received health care services at hospital | 194 |
| PAS_21B | Type of patient - most recent visit | 194 |
| PAS_22 | Rating of quality of care received - hospital | 195 |
| PAS_23 | Satisfaction with way care provided - hospital | 196 |
| PAS_31A | Received physician care | 197 |
| PAS_31B | Type of physician - most recent care | 197 |
| PAS_32 | Rating of quality of care received - physician | 198 |
| PAS_33 | Satisfaction with way care provided - physician | 199 |
| PSA: Prostate cancer screen | ing | |
| DOPSA | Prostate cancer screening - Inclusion Flag - (F) | 275 |
| PSA_170 | Ever had a PSA blood test (prostate cancer) | 276 |
| PSA_172 | Last time had PSA blood test | 276 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|----------------------------|--|------|
| | PSA_174 | Had a digital rectal exam | 280 |
| | PSA_175 | Last time had digital rectal exam | 281 |
| | PSA_73A | Had PSA test - family history of prostate cancer | 277 |
| | PSA_73B | Had PSA test - regular check-up | 277 |
| | PSA_73C | Had PSA test - age | 278 |
| | PSA_73D | Had PSA test - follow-up of problem | 279 |
| | PSA_73E | Had PSA test - follow-up of prostate cancer treatment | 279 |
| | PSA_73F | Had PSA test - other | 280 |
| | PSA_73G | Had PSA test - race | 278 |
| PSC : | Patient satisfaction - Com | munity-based care | |
| | DOPSC | Patient sat Community-based care - Inclusion Flag - (F) | 199 |
| | PSC_1 | Received any community-based care | 200 |
| | PSC_2 | How rate quality of the community-based received | 200 |
| | PSC_3 | How satisfied with the way community-based care provided | 201 |
| PWB: | Psychological well-being | | |
| | DOPWB | Psychological well-being module - (F) | 672 |
| | PWB_01 | Frequency - felt self-confident - past month | 672 |
| | PWB_02 | Frequency - satisfied with accomplishments - past month | 673 |
| | PWB_03 | Frequency - took on lots of projects - past month | 674 |
| | PWB_04 | Frequency - felt emotionally balanced - past month | 675 |
| | PWB_05 | Frequency - felt loved and appreciated - past month | 676 |
| | PWB_06 | Frequency - had goals and ambitions - past month | 677 |
| | PWB_07 | Frequency - felt like having fun - past month | 678 |
| | PWB_08 | Frequency - felt useful - past month | 679 |
| | PWB_09 | Frequency - smiled easily - past month | 680 |
| | PWB_10 | Frequency - was true to self - past month | 681 |
| | PWB_11 | Frequency - did good job listening to friends - past month | 682 |
| | PWB_12 | Frequency - was curious and interested - past month | 683 |
| | PWB_13 | Frequency - was able to clearly sort things out - past month | 684 |
| | PWB_14 | Frequency - found life exciting - past month | 685 |
| | PWB_15 | Frequency - life was well-balanced - past month | 686 |
| | PWB_16 | Frequency - was calm and level-headed - past month | 687 |
| | PWB_17 | Frequency - easily found answers - past month | 688 |
| | PWB_18 | Frequency - got along well with others - past month | 689 |
| | PWB_19 | Frequency - lived at normal pace - past month | 690 |

Master File - 12-Month (Rounded)

June 2011

| Varial | ole Name | Description | Page |
|---------------|--------------------|---|------|
| PWB_2 | 20 | Frequency - impression of enjoying life - past month | 691 |
| PWB_2 | 21 | Frequency - had good sense of humour - past month | 692 |
| PWB_2 | 22 | Frequency - was at peace with self - past month | 693 |
| PWB_2 | 23 | Frequency - felt healthy/in good shape - past month | 694 |
| PWB_2 | 24 | Frequency - face situations positively - past month | 695 |
| PWB_2 | 25 | Frequency - had good morale - past month | 696 |
| PWBDI | PWB | Psychological well-being scale - past month - (D) | 696 |
| RAC : Restric | tion of activities | | |
| ADLF6 | R | Help needed for tasks - (F) | 209 |
| RAC_1 | | Has dificulty with activities | 201 |
| RAC_2 | A | Reduction in kind/amount of activities - at home | 202 |
| RAC_2 | B1 | Reduction in kind/amount of activities - at school | 202 |
| RAC_2 | B2 | Reduction in kind/amount of activities - at work | 203 |
| RAC_2 | С | Reduction in kind/amount of activities - other activities | 203 |
| RAC_5 | | Cause of health problem | 204 |
| RACDII | MP | Impact of health problems - (D) | 205 |
| RACDF | PAL | Participation and activity limitation - (D) | 205 |
| SAC : Sedent | ary activities | | |
| DOSAC | | Sedentary activities module - Inclusion Flag - (F) | 398 |
| SAC_1 | | Number of hours - on a computer - past 3 mo | 398 |
| SAC_2 | | Number of hours - playing video games - past 3 mo | 399 |
| SAC_3 | | Number of hours - watching television or videos - past 3 mo | 399 |
| SAC_4 | | Number of hours - reading - past 3 mo | 400 |
| SACDT | ER | Total no. hrs / week (excl. reading) - sedentary act (D) | 402 |
| SACDT | ОТ | Total number hours - sedentary activities - past 3 mo - (D) | 401 |
| SAM : Sample | e variables | | |
| REFPE | R | Reference period | 1 |
| SAM_C | P | Sampled collection period | 20 |
| SAM_T | ΥP | Sample type | 21 |
| SAMDL | NK | Permission to link data - (D) | 22 |
| SAMDS | SHR | Permission to share data - (D) | 21 |
| SAMPL | .EID | Household identifier | 1 |
| VERDA | TE | Date of file creation | 1 |
| SCA : Smokii | ng cessation meth | hods | |
| DOSCA | ŭ | Smoking cessation methods - Inclusion Flag - (F) | 510 |
| 2000, | | | 0.0 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|--------------------------|--|------|
| SCA_10 | Has used nicotine patch | 510 |
| SCA_10A | Usefulness of nicotine patch | 511 |
| SCA_11 | Has used nicotine gum or candy | 511 |
| SCA_11A | Usefulness of nicotine gum or candy | 512 |
| SCA_12 | Has used medication such as Zyban | 512 |
| SCA_12A | Usefulness of medication such as Zyban | 513 |
| SCA_50 | Stopped smoking for at least 24 hours | 513 |
| SCA_60 | Tried to quit smoking - nicotine patch | 514 |
| SCA_61 | Tried to quit smoking - nicotine gum or candy - past 12 mo | 514 |
| SCA_62 | Tried to quit smoking - medication such as Zyban | 515 |
| SCADQUI | Attempted to stop smoking - (D) | 515 |
| SCH: Smoking - Stages of | change | |
| DOSCH | Smoking - stages of change - Inclusion Flag - (F) | 507 |
| SCH_1 | Quitting smoking - next 6 months | 507 |
| SCH_2 | Quitting smoking - next 30 days | 508 |
| SCH_3 | Stopped smoking for at least 24 hours - 12 mo | 508 |
| SCH_4 | Number of times stopped for at least 24 hours - 12 mo | 509 |
| SCHDSTG | Smoking stages of change - (D) | 509 |
| SDC : Socio-demographic | characteristics | |
| DHH_OWN | Dwelling - owned by a member of household | 1040 |
| SDC_1 | Country of birth | 985 |
| SDC_2 | Canadian citizen by birth | 986 |
| SDC_3 | Year of immigration to Canada | 986 |
| SDC_41 | Aboriginal - North American Indian, Métis, Inuit | 997 |
| SDC_42A | Aboriginal person(s) - North American Indian | 998 |
| SDC_42B | Aboriginal person(s) - Métis | 998 |
| SDC_42C | Aboriginal person(s) - Inuit | 999 |
| SDC_43A | Cultural / racial origin - White | 999 |
| SDC_43B | Cultural/racial origin - Chinese | 1000 |
| SDC_43C | Cultural/racial origin - South Asian | 1000 |
| SDC_43D | Cultural/racial origin - Black | 1001 |
| SDC_43E | Cultural/racial origin - Filipino | 1001 |
| SDC_43F | Cultural/racial origin - Latin American | 1002 |
| SDC_43G | Cultural/racial origin - South East Asian | 1002 |
| SDC_43H | Cultural/racial origin - Arab | 1003 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| SDC_43I | Cultural/racial origin - West Asian | 1003 |
| SDC_43J | Cultural/racial origin - Japanese | 1004 |
| SDC_43K | Ethnic origin - Korean | 1004 |
| SDC_43M | Cultural/racial origin - other | 1005 |
| SDC_4A | Ethnic origin - Canadian | 987 |
| SDC_4B | Ethnic origin - French | 987 |
| SDC_4C | Ethnic origin - English | 988 |
| SDC_4D | Ethnic origin - German | 988 |
| SDC_4E | Ethnic origin - Scottish | 989 |
| SDC_4F | Ethnic origin - Irish | 989 |
| SDC_4G | Ethnic origin - Italian | 990 |
| SDC_4H | Ethnic origin - Ukrainian | 990 |
| SDC_4I | Ethnic origin - Dutch (Netherlands) | 991 |
| SDC_4J | Ethnic origin - Chinese | 991 |
| SDC_4K | Ethnic origin - Jewish | 992 |
| SDC_4L | Ethnic origin - Polish | 992 |
| SDC_4M | Ethnic origin - Portuguese | 993 |
| SDC_4N | Ethnic origin - South Asian | 993 |
| SDC_4P | Ethnic origin - North American Indian | 995 |
| SDC_4Q | Ethnic origin - Métis | 996 |
| SDC_4R | Ethnic origin - Inuit | 996 |
| SDC_4S | Ethnic origin - other | 997 |
| SDC_4T | Ethnic origin - Norwegian | 994 |
| SDC_4U | Ethnic origin - Welsh | 994 |
| SDC_4V | Ethnic origin - Swedish | 995 |
| SDC_5A | Can converse - English | 1005 |
| SDC_5AA | Language spoken most often at home - English | 1017 |
| SDC_5AB | Language spoken most often at home - French | 1017 |
| SDC_5AC | Language spoken most often at home - Arabic | 1018 |
| SDC_5AD | Language spoken most often at home - Chinese | 1018 |
| SDC_5AE | Language spoken most often at home - Cree | 1019 |
| SDC_5AF | Language spoken most often at home - German | 1019 |
| SDC_5AG | Language spoken most often at home - Greek | 1020 |
| SDC_5AH | Language spoken most often at home - Hungarian | 1020 |
| SDC_5AI | Language spoken most often at home - Italian | 1021 |
| SDC_5AJ | Language spoken most often at home - Korean | 1021 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable | Name | Description | Page |
|----------|------|---|------|
| SDC_5AK | | Language spoken most often at home - Persian (Farsi) | 1022 |
| SDC_5AL | | Language spoken most often at home - Polish | 1022 |
| SDC_5AM | | Language spoken most often at home - Portuguese | 1023 |
| SDC_5AN | | Language spoken most often at home - Punjabi | 1023 |
| SDC_5AO | | Language spoken most often at home - Spanish | 1024 |
| SDC_5AP | | Language spoken most often at home - Tagalog (Filipino) | 1024 |
| SDC_5AQ | | Language spoken most often at home - Ukrainian | 1025 |
| SDC_5AR | | Language spoken most often at home - Vietnamese | 1025 |
| SDC_5AS | | Language spoken most often at home - Other | 1028 |
| SDC_5AT | | Language spoken most often at home - Dutch | 1026 |
| SDC_5AU | | Language spoken most often at home - Hindi | 1026 |
| SDC_5AV | | Language spoken most often at home - Russian | 1027 |
| SDC_5AW | | Language spoken most often at home - Tamil | 1027 |
| SDC_5B | | Can converse - French | 1006 |
| SDC_5C | | Can converse - Arabic | 1006 |
| SDC_5D | | Can converse - Chinese | 1007 |
| SDC_5E | | Can converse - Cree | 1007 |
| SDC_5F | | Can converse - German | 1008 |
| SDC_5G | | Can converse - Greek | 1008 |
| SDC_5H | | Can converse - Hungarian | 1009 |
| SDC_5I | | Can converse - Italian | 1009 |
| SDC_5J | | Can converse - Korean | 1010 |
| SDC_5K | | Can converse - Persian (Farsi) | 1010 |
| SDC_5L | | Can converse - Polish | 1011 |
| SDC_5M | | Can converse - Portuguese | 1011 |
| SDC_5N | | Can converse - Punjabi | 1012 |
| SDC_5O | | Can converse - Spanish | 1012 |
| SDC_5P | | Can converse - Tagalog (Filipino) | 1013 |
| SDC_5Q | | Can converse - Ukrainian | 1013 |
| SDC_5R | | Can converse - Vietnamese | 1014 |
| SDC_5S | | Can converse - other language | 1016 |
| SDC_5T | | Can converse - Dutch | 1014 |
| SDC_5U | | Can converse - Hindi | 1015 |
| SDC_5V | | Can converse - Russian | 1015 |
| SDC_5W | | Can converse - Tamil | 1016 |
| SDC_6A | | First language learned and still understood - English | 1028 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|-------------------|---|------|
| SDC_6B | First language learned and still understood - French | 1029 |
| SDC_6C | First language learned and still understood - Arabic | 1029 |
| SDC_6D | First language learned and still understood - Chinese | 1030 |
| SDC_6E | First language learned and still understood - Cree | 1030 |
| SDC_6F | First language learned and still understood - German | 1031 |
| SDC_6G | First language learned and still understood - Greek | 1031 |
| SDC_6H | First language learned and still understood - Hungarian | 1032 |
| SDC_6I | First language learned and still understood - Italian | 1032 |
| SDC_6J | First language learned and still understood - Korean | 1033 |
| SDC_6K | First language learned / still understood - Persian (Farsi) | 1033 |
| SDC_6L | First language learned and still understood - Polish | 1034 |
| SDC_6M | First language learned and still understood - Portuguese | 1034 |
| SDC_6N | First language learned and still understood - Punjabi | 1035 |
| SDC_6O | First language learned and still understood - Spanish | 1035 |
| SDC_6P | First lang. learned / still understood - Tagalog (Filipino) | 1036 |
| SDC_6Q | First language learned and still understood - Ukrainian | 1036 |
| SDC_6R | First language learned and still understood - Vietnamese | 1037 |
| SDC_6S | First language learned and still understood - other | 1039 |
| SDC_6T | First language learned and still understood - Dutch | 1037 |
| SDC_6U | First language learned and still understood - Hindi | 1038 |
| SDC_6V | First language learned and still understood - Russian | 1038 |
| SDC_6W | First language learned and still understood - Tamil | 1039 |
| SDC_7AA | Considers self heterosexual, homosexual or bisexual | 1040 |
| SDCCCB | Country of birth - (C) | 1041 |
| SDCDABT | Aboriginal identity - (D) | 1051 |
| SDCDAIM | Age at time of immigration - (D) | 1048 |
| SDCDCGT | Cultural / racial background - (D) | 1052 |
| SDCDFL1 | First official language learned and still understood - (D) | 1051 |
| SDCDLHM | Language(s) spoken at home - (D) | 1048 |
| SDCDLNG | Languages - can converse - (D) | 1050 |
| SDCDRES | Length of time in Canada since immigration - (D) | 1049 |
| SDCFIMM | Immigrant - (F) | 1049 |
| SDCGCB | Country of birth - (G) | 1047 |
| SFE : Self-esteem | | |
| DOSFE | Self-esteem module - Inclusion Flag - (F) | 478 |
| SFE_501 | Self-esteem - has good qualities | 479 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|------|-----------------------|--|------|
| | SFE_502 | Self-esteem - is person of worth | 480 |
| | SFE_503 | Self-esteem - is able to do things well | 481 |
| | SFE_504 | Self-esteem - takes positive attitude towards self | 482 |
| | SFE_505 | Self-esteem - satisfied with self | 483 |
| | SFE_506 | Self-esteem - feels is a failure | 484 |
| | SFEDE1 | Self-esteem scale - (D) | 484 |
| SFR: | Health status (SF-36) | | |
| | DOSFR | Health status (SF-36) module - Inclusion Flag - (F) | 774 |
| | SFR_03 | Health status - limits vigorous activities | 774 |
| | SFR_04 | Health status - limits moderate activities | 775 |
| | SFR_05 | Health status - limits lifting and carrying groceries | 775 |
| | SFR_06 | Health status - limits climbing several flights of stairs | 776 |
| | SFR_07 | Health status - limits climbing one flight of stairs | 776 |
| | SFR_08 | Health status - limits bending, kneeling, stooping | 777 |
| | SFR_09 | Health status - limits walking more than one km | 777 |
| | SFR_10 | Health status - limits walking several blocks | 778 |
| | SFR_11 | Health status - limits walking one block | 778 |
| | SFR_12 | Health status - limits bathing and dressing self | 779 |
| | SFR_13 | Physical hlth - cut down time work/activities - past 4 wks | 779 |
| | SFR_14 | Physcial htlh - accomplished less - past 4 wks | 780 |
| | SFR_15 | Physical hlth - limited type of work/activity - past 4 wks | 780 |
| | SFR_16 | Phys. hlth - difficulty performing work/activities - 4 wks | 781 |
| | SFR_17 | Emotion prob less time spent/work/activities - past 4 wks | 781 |
| | SFR_18 | Emotional problems - accomplished less - past 4 wks | 782 |
| | SFR_19 | Emotional prob not as careful at work/act past 4 wks | 782 |
| | SFR_20 | Phys./emo. prob. interfered with social act past 4 wks | 783 |
| | SFR_21 | Level of bodily pain - past 4 wks | 784 |
| | SFR_22 | Pain interfered with normal work - past 4 wks | 785 |
| | SFR_23 | Feeling full of pep - past 4 wks | 786 |
| | SFR_24 | Feeling nervous - past 4 wks | 787 |
| | SFR_25 | Feeling down and can't be cheered up - past 4 wks | 788 |
| | SFR_26 | Feeling calm and peaceful - past 4 wks | 789 |
| | SFR_27 | Have lots of energy - past 4 wks | 790 |
| | SFR_28 | Feeling downhearted and blue - past 4 wks | 791 |
| | SFR_29 | Feeling worn out - past 4 wks | 792 |
| | SFR_30 | Feeling happy - past 4 wks | 793 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| SFR_31 | Feeling tired - past 4 wks | 794 |
| SFR_32 | Health limited social activities - past 4 wks | 795 |
| SFR_33 | Seem to get sick easier than others | 796 |
| SFR_34 | Sees self as healthy as others | 797 |
| SFR_35 | Expects health to worsen | 798 |
| SFR_36 | Views own health as excellent | 799 |
| SFRDBPS | Bodily pain scale - (D) | 802 |
| SFRDGHP | General health perceptions scale - (D) | 803 |
| SFRDGMH | General mental health scale - (D) | 801 |
| SFRDMCS | Summary measure of mental health - (D) | 804 |
| SFRDMRF | Role functioning (mental) scale - (D) | 801 |
| SFRDPCS | Summary measure of physical health - (D) | 803 |
| SFRDPFS | Physical functioning scale - (D) | 799 |
| SFRDPRF | Role functioning (physical) scale - (D) | 800 |
| SFRDSFS | Social functioning scale - (D) | 800 |
| SFRDVTS | Vitality scale - (D) | 802 |
| SMK: Smoking | | |
| SMK_01A | Smoked 100 or more cigarettes - life | 492 |
| SMK_01B | Ever smoked whole cigarette | 492 |
| SMK_01C | Age - smoked first whole cigarette | 493 |
| SMK_05B | Number of cigarettes smoked per day (occasional smoker) | 495 |
| SMK_05C | Number of days - smoked 1 cigarette or more (occ. smoker) | 495 |
| SMK_05D | Ever smoked cigarettes daily | 496 |
| SMK_06A | Stopped smoking - when (was never a daily smoker) | 497 |
| SMK_06B | Stopped smoking - month (never daily smoker) | 498 |
| SMK_06C | Number of years since stopped smoking | 499 |
| SMK_09A | Stopped smoking daily - when stopped (former daily smoker) | 500 |
| SMK_09B | Stopped smoking daily - month (former daily smoker) | 501 |
| SMK_09C | No. of yrs since stopped smoking daily (former daily smoker) | 502 |
| SMK_10 | Quit smoking completely (former daily smoker) | 502 |
| SMK_10A | Stopped smoking completely - when (former daily smoker) | 503 |
| SMK_10B | Stopped smoking completely - month (former daily smoker) | 504 |
| SMK_10C | Number of years since stopped smoking (daily) | 505 |
| SMK_202 | Type of smoker | 493 |
| SMK_203 | Age - started smoking daily (daily smoker) | 494 |
| SMK_204 | Number of cigarettes smoked per day (daily smoker) | 494 |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|----------------------------|---|------|
| SMK_207 | Age - started smoking daily (former daily smoker) | 499 |
| SMK_208 | Number of cigarettes smoked per day (former daily smoker) | 500 |
| SMKDSTP | Number of years since stopped smoking completely - (D) | 506 |
| SMKDSTY | Type of smoker - (D) | 505 |
| SMKDYCS | Number of years smoked (current daily smokers) - (D) | 506 |
| SPC : Smoking - Physician | counselling | |
| DOSPC | Smoking - physician counselling - Inclusion Flag - (F) | 516 |
| SPC_10 | Visited regular medical doctor | 516 |
| SPC_11 | Doctor - knows smokes/smoked | 517 |
| SPC_12 | Doctor - advised to quit | 517 |
| SPC_13 | Doctor - gave specific help | 518 |
| SPC_14A | Type of help - referral to one-on-one program | 518 |
| SPC_14B | Type of help - referral to group program | 519 |
| SPC_14C | Type of help - recommended nicotine patch or gum | 519 |
| SPC_14D | Type of help - recommended Zyban or other medication | 520 |
| SPC_14E | Type of help - provided self-help information | 520 |
| SPC_14F | Type of help - doctor offered counselling | 521 |
| SPC_14G | Type of help - other | 521 |
| SPC_20 | Visited dentist | 522 |
| SPC_21 | Dentist/hygienist - knows smokes/smoked | 522 |
| SPC_22 | Dentist/hygienist - advised to quit | 523 |
| SSA: Social support - Avai | lability | |
| DOSSA | Social support -availability - Inclusion Flag - (F) | 697 |
| SSA_01 | Number of close friends and relatives | 697 |
| SSA_02 | Has someone to give help if confined to bed | 698 |
| SSA_03 | Has someone to listen | 699 |
| SSA_04 | Has someone to provide/give advice about a crisis. | 700 |
| SSA_05 | Has someone to take to doctor | 701 |
| SSA_06 | Has someone who shows love and affection | 702 |
| SSA_07 | Has someone to have a good time with | 703 |
| SSA_08 | Has someone to give info to help understand a situation | 704 |
| SSA_09 | Has someone to confide in | 705 |
| SSA_10 | Has someone who gives hugs | 706 |
| SSA_11 | Has someone to get together with for relaxation | 707 |
| SSA_12 | Has someone to prepare meals | 708 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|------------------------------|--|------|
| | SSA_13 | Has someone to give advice | 709 |
| | SSA_14 | Has someone to do things to get mind off things | 710 |
| | SSA_15 | Has someone to help with daily chores if sick | 711 |
| | SSA_16 | Has someone to share most private worries and fears with | 712 |
| | SSA_17 | Has someone to turn to for suggestions for personal problems | 713 |
| | SSA_18 | Has someone to do something enjoyable with | 714 |
| | SSA_19 | Has someone who understands problems | 715 |
| | SSA_20 | Has someone who loves and makes feel wanted | 716 |
| | SSADAFF | Affection - MOS subscale - (D) | 717 |
| | SSADEMO | Emotional or informational support - MOS subscale - (D) | 718 |
| | SSADSOC | Positive social interaction - MOS subscale - (D) | 717 |
| | SSADTNG | Tangible social support - MOS subscale - (D) | 716 |
| SSB: | Sun safety behaviours | | |
| | DOSSB | Sun safety behaviours - Inclusion Flag - (F) | 414 |
| | SSB_01 | Been surnburnt - past 12 months | 414 |
| | SSB_02 | Sunburn involved blistering | 415 |
| | SSB_03 | Sunburns involved pain - lasting more than 1 day | 415 |
| | SSB_06 | Amount of time in the sun - 11 am to 4 pm | 416 |
| | SSB_07 | Frequency - seek shade | 417 |
| | SSB_08 | Frequency - wear hat in the sun | 418 |
| | SSB_09A | Frequency - wear long pants or skirt in the sun | 419 |
| | SSB_09B | Frequency - use sunscreen on your face | 420 |
| | SSB_10 | Sun Proctection factor (SPF) usually use - face | 421 |
| | SSB_11 | Frequency - use sunscreen on your body | 422 |
| | SSB_12 | Sun Proctection factor (SPF) usually use on body | 423 |
| | SSB_13 | Skin cancer | 423 |
| | SSB_14 | Skin cancer - diagnostic | 424 |
| | SSB_15 | Skin cancer - type of cancer | 424 |
| SSU : | Social support - Utilization | | |
| | DOSSU | Social Support - utilization - Inclusion Flag - (F) | 718 |
| | SSU_21A | Received tangible social support | 719 |
| | SSU_21B | Frequency of tangible social support | 720 |
| | SSU_22A | Received affective support | 721 |
| | SSU_22B | Frequency of affective support | 722 |
| | SSU_23A | Received positive social interactive support | 723 |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|----------------------------|---|------|
| | SSU_23B | Frequency of positive social interactive support | 724 |
| | SSU_24A | Received emotional/informational support | 725 |
| | SSU_24B | Frequency of emotional/informational support | 726 |
| STC : | Stress - Coping with stres | s | |
| | DOSTC | Stress - Coping with stress - Inclusion Flag - (F) | 471 |
| | STC_61 | Frequency - coping - problem solving | 471 |
| | STC_610 | Frequency - coping - blaming oneself | 477 |
| | STC_611 | Frequency - coping - wishing situation would go away | 478 |
| | STC_62 | Frequency - coping - talking to others | 472 |
| | STC_63 | Frequency - coping - avoiding being with people | 472 |
| | STC_64 | Frequency - coping - sleeping more than usual | 473 |
| | STC_65A | Frequency - coping - eating more or less than usual | 473 |
| | STC_65B | Frequency - coping - smoking more cigarettes than usual | 474 |
| | STC_65C | Frequency - coping - drinking alcohol | 474 |
| | STC_65D | Frequency - coping - using drugs or medication | 475 |
| | STC_66 | Frequency - coping - jogging or other exercise | 475 |
| | STC_67 | Frequency - coping - praying or seeking spiritual help | 476 |
| | STC_68 | Frequency - coping - doing something enjoyable | 476 |
| | STC_69 | Frequency - coping - looking on the bright side of things | 477 |
| STS : | Stress - Sources | | |
| | DOSTS | Stress - sources - Inclusion Flag - (F) | 467 |
| | STS_1 | Self-perceived ability to handle unexpected problem | 468 |
| | STS_2 | Self-perceived ability to handle day-to-day demands | 469 |
| | STS_3 | Most important source of feelings of stress | 470 |
| SUI : | Suicidal thoughts and atte | empts | |
| | DOSUI | Suicidal thoughts & attempts - Inclusion Flag - (F) | 767 |
| | SUI_1 | Seriously considered suicide - lifetime | 767 |
| | SUI_2 | Seriously considered suicide - past 12 months | 768 |
| | SUI_3 | Attempted suicide - lifetime | 768 |
| | SUI_4 | Attempted suicide - past 12 months | 769 |
| | SUI_5 | Consulted health professional following suicide attempt | 769 |
| | SUI_6A | Suicide attempt - consulted family doctor or g.p. | 770 |
| | SUI_6B | Suicide attempt - consulted psychiatrist | 770 |
| | SUI_6C | Suicide attempt - consulted psychologist | 771 |
| | SUI_6D | Suicide attempt - consulted nurse | 771 |
| | | - | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|------------------------|--|------|
| | SUI_6E | Suicide attempt - consulted social worker or counsellor | 772 |
| | SUI_6F | Suicide attempt - consulted other health professional | 773 |
| | SUI_6G | Suicide attempt - consulted religious or spiritual advisor | 772 |
| | SUI_6H | Suicide attempt - consulted a teacher or guidance counsellor | 773 |
| SWL : | Satisfaction with life | | |
| | DOSWL | Satisfaction with life - Inclusion Flag - (F) | 459 |
| | SWL_02 | Satisfaction - job | 459 |
| | SWL_03 | Satisfaction - leisure activities | 460 |
| | SWL_04 | Satisfaction - financial situation | 461 |
| | SWL_05 | Satisfaction - with self | 462 |
| | SWL_06 | Satisfaction - way body looks | 463 |
| | SWL_07 | Satisfaction - relationships with other family members | 464 |
| | SWL_08 | Satisfaction - relationships with friends | 465 |
| | SWL_09 | Satisfaction - housing | 466 |
| | SWL_10 | Satisfaction - neighbourhood | 467 |
| SXB: | Sexual behaviours | | |
| | DOSXB | Sexual behaviours - Inclusion Flag - (F) | 659 |
| | SXB_07 | Ever diagnosed with STD | 661 |
| | SXB_09 | Important to avoid getting pregnant | 663 |
| | SXB_1 | Ever had sexual intercourse | 659 |
| | SXB_10 | Important to avoid getting partner pregnant | 664 |
| | SXB_11 | Usually use birth control - past 12 months | 665 |
| | SXB_12A | Usual birth control method - condom | 665 |
| | SXB_12B | Usual birth control method - Birth control pill | 666 |
| | SXB_12C | Usual birth control method - diaphragm | 666 |
| | SXB_12D | Usual birth control method - spermicide | 667 |
| | SXB_12E | Usual birth control method - other | 668 |
| | SXB_12F | Usual birth control method - birth control injection | 667 |
| | SXB_13A | Birth control method used last time - condom | 668 |
| | SXB_13B | Birth control method used last time - birth control pill | 669 |
| | SXB_13C | Birth control method used last time - diaphragm | 669 |
| | SXB_13D | Birth control method used last time - spermicide | 670 |
| | SXB_13E | Birth control method used last time - other | 671 |
| | SXB_13F | Birth cntrl. method used last time - birth control injection | 670 |
| | SXB_13G | Method used last time - nothing | 671 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|-------------------------|--|------|
| | SXB_2 | Age - first sexual intercourse | 660 |
| | SXB_3 | Had sexual intercourse - past 12 months | 660 |
| | SXB_4 | Number of different partners - past 12 months | 661 |
| | SXB_7A | Condom use - last time | 662 |
| TAL : | Smoking - Other tobacco | products | |
| | DOTAL | Smoking - Other tobacco products - Inclusion Flag - (F) | 528 |
| | TAL_1 | Smoked cigars - last month | 529 |
| | TAL_2 | Smoked a pipe - last month | 529 |
| | TAL_3 | Used snuff - last month | 530 |
| | TAL_4 | Used chewing tobacco - last month | 530 |
| UCN : | Unmet health care needs | | |
| | DOUCN | Unmet health care needs - Inclusion Flag - (F) | 149 |
| | UCN_010 | Unmet health care needs - self-perceived | 149 |
| | UCN_020A | Care not received - not available in area | 150 |
| | UCN_020B | Care not received - not available at time required | 150 |
| | UCN_020C | Care not received - waiting time too long | 151 |
| | UCN_020D | Care not received - felt would be inadequate | 151 |
| | UCN_020E | Care not received - cost | 152 |
| | UCN_020F | Care not received - too busy | 152 |
| | UCN_020G | Care not received - didn't get around to it | 153 |
| | UCN_020H | Care not received - decided not to seek care | 153 |
| | UCN_020I | Care not received - dr didn't think it was necessary | 154 |
| | UCN_020J | Care not received - other | 154 |
| | UCN_030A | Type of care not received - treatment phys. health problem | 155 |
| | UCN_030B | Type of care not received - treatment emotional problem | 155 |
| | UCN_030C | Type of care not received - regular check-up | 156 |
| | UCN_030D | Type of care not received - care of injury | 156 |
| | UCN_030E | Type of care not received - other | 157 |
| | UCN_040A | Location tried to get service - doctor's office | 157 |
| | UCN_040B | Location tried to get service - community health centre/CLSC | 158 |
| | UCN_040C | Location tried to get service - walk-in clinic | 158 |
| | UCN_040D | Location tried to get service - appointment clinic | 159 |
| | UCN_040E | Location tried to get service - hospital emergency room | 159 |
| | UCN_040F | Location tried to get service - hosp. outpatient clinic | 160 |
| | UCN_040G | Location tried to get service - other | 160 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| | Variable Name | Description | Page |
|-------|--------------------------|---|------|
| UPE : | Use of protective equipm | ent | |
| V | DOUPE | Use of protective equipment - Inclusion Flag - (F) | 402 |
| | UPE_01 | Frequency - wears helmet - bicycling | 403 |
| | UPE_01A | Done any bicycling in past 12 months | 403 |
| | UPE_02 | Done any in-line skating in past 12 months | 404 |
| | UPE_02A | Frequency - wears helmet - in-line skating | 404 |
| | UPE_02B | Frequency - wears wrist guards - in-line skating | 405 |
| | UPE_02C | Frequency - wears elbow pads - in-line skating | 405 |
| | UPE_02D | Wear knee pads | 406 |
| | UPE_03A | Downhill skiing or snowboarding - past 3 mo. | 406 |
| | UPE_03B | Downhill skiing or snowboarding - past 12 mo | 407 |
| | UPE_04A | Frequency - wears helmet - downhill skiing | 408 |
| | UPE_05A | Frequency - wears helmet - snowboarding | 408 |
| | UPE_05B | Frequency - wears wrist guards - snowboarding | 409 |
| | _ UPE_06 | Has done skateboarding - past 12 mo | 409 |
| | UPE_06A | Frequency - wears helmet - skateboarding | 410 |
| | UPE_06B | Frequency - wears wrist guards/protectors - skateboarding | 410 |
| | UPE_06C | Frequency - wears elbow pads - skateboarding | 411 |
| | UPE_07 | Played ice hockey past 12 months | 411 |
| | UPE_07A | Wear a mouth guard | 412 |
| | UPEFILS | Wears all protective equipment - in-line skating - (F) | 412 |
| | UPEFSKB | Wears all protective equipment - skateboarding - (F) | 413 |
| | UPEFSNB | Wears all protective equipment - snowboarding - (F) | 413 |
| WTM : | Waiting times | | |
| | DOWTM | Waiting times - Inclusion Flag - (F) | 886 |
| | WTM_01 | Required visit to medical specialist | 887 |
| | WTM_02 | Required visit to medical specialist - type of condition | 888 |
| | WTM_03 | Person who referred respondent to medical specialist | 889 |
| | WTM_04 | Already visited the medical specialist | 889 |
| | WTM_05 | Had difficulties seeing the medical specialist | 890 |
| | WTM_06A | Difficulty - getting a referral | 890 |
| | WTM_06B | Difficulty - getting an appointment | 891 |
| | WTM_06C | Difficulty - no specialists in area | 891 |
| | WTM_06D | Difficulty - waited too long for an appointment | 892 |
| | WTM_06E | Difficulty - waited too long to see doctor | 892 |
| | | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| WTM_06F | Difficulty - transportation | 893 |
| WTM_06G | Difficulty - language | 893 |
| WTM_06H | Difficulty - cost | 894 |
| WTM_06I | Difficulty - personal or family responsibilities | 894 |
| WTM_06J | Difficulty - general deterioration of health | 895 |
| WTM_06K | Difficulty - appointment cancelled/deferred | 895 |
| WTM_06L | Difficulty - unable to leave house/health problem | 896 |
| WTM_06M | Difficulty - other | 896 |
| WTM_07A | Length of wait to see specialist | 897 |
| WTM_07B | Length of wait to see specialist - reporting unit | 897 |
| WTM_08A | Length of time been waiting to see specialist | 898 |
| WTM_08B | Length of time been waiting to see specialist - report. unit | 898 |
| WTM_10 | Respondent's opinion of waiting time | 899 |
| WTM_11A | Acceptable waiting time | 899 |
| WTM_11B | Acceptable waiting time - reporting unit | 900 |
| WTM_12 | Visit to specialist cancelled or postponed | 900 |
| WTM_13A | Visit cancelled/postponed - by respondent | 901 |
| WTM_13B | Visit cancelled/postponed - by specialist | 901 |
| WTM_13C | Visit cancelled/postponed - by other | 902 |
| WTM_14 | Life affected by wait for visit to specialist | 902 |
| WTM_15A | Life affected by wait - worry | 903 |
| WTM_15B | Life affected by wait - worry for family | 903 |
| WTM_15C | Life affected by wait - pain | 904 |
| WTM_15D | Life affected by wait - prob. with activities/daily living | 904 |
| WTM_15E | Life affected by wait - loss of work | 905 |
| WTM_15F | Life affected by wait - loss of income | 905 |
| WTM_15G | Life affected by wait - increased dependence | 906 |
| WTM_15H | Life affected by wait - increased use medications | 906 |
| WTM_15I | Life affected by wait - health deteriorated | 907 |
| WTM_15J | Life affected by wait - health problem improved | 907 |
| WTM_15K | Life affected by wait - pers. relationships suffered | 908 |
| WTM_15L | Life affected by wait - other | 908 |
| WTM_16 | Type of surgery required | 909 |
| WTM_17 | Already had the surgery | 910 |
| WTM_18 | Surgery required overnight hospital stay | 910 |
| WTM_19 | Experienced difficulties getting this surgery | 911 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|---|------|
| WTM_20A | Difficulty - getting an appointment | 911 |
| WTM_20B | Difficulty - getting a diagnosis | 912 |
| WTM_20C | Difficulty - waited too long for a diagnostic test | 912 |
| WTM_20D | Difficulty - waited too long for a hospital bed | 913 |
| WTM_20E | Difficulty - waited too long for surgery | 913 |
| WTM_20F | Difficulty - service not available in area | 914 |
| WTM_20G | Difficulty - transportation | 914 |
| WTM_20H | Difficulty - language | 915 |
| WTM_20I | Difficulty - cost | 915 |
| WTM_20J | Difficulty - personal or family responsibilities | 916 |
| WTM_20K | Difficulty - general deterioration of health | 916 |
| WTM_20L | Difficulty - appointment cancelled/deferred | 917 |
| WTM_20M | Difficulty - unable to leave house/health problem | 917 |
| WTM_20N | Difficulty - other | 918 |
| WTM_21A | Length of wait between decision and surgery | 918 |
| WTM_21B | Length of wait between decision and surgery - reported unit | 919 |
| WTM_22 | Surgery will require overnight hospital stay | 919 |
| WTM_23A | Time since decision to have surgery | 920 |
| WTM_23B | Time since decision to have surgery - reported unit | 920 |
| WTM_24 | Respondent's opinion of waiting time | 921 |
| WTM_25A | Acceptable waiting time | 921 |
| WTM_25B | Acceptable waiting time - reported unit | 922 |
| WTM_26 | Surgery cancelled or postponed | 922 |
| WTM_27A | Surgery cancelled/postponed - by respondent | 923 |
| WTM_27B | Surgery cancelled/postponed - by surgeon | 923 |
| WTM_27C | Surgery cancelled/postponed - by hospital | 924 |
| WTM_27D | Surgery cancelled/postponed - other | 924 |
| WTM_28 | Life affected by wait for surgery | 925 |
| WTM_29A | Life affected by wait - worry | 925 |
| WTM_29B | Life affected by wait - worry for family | 926 |
| WTM_29C | Life affected by wait - pain | 926 |
| WTM_29D | Life affected by wait - prob. with activities/daily living | 927 |
| WTM_29E | Life affected by wait - loss of work | 927 |
| WTM_29F | Life affected by wait - loss of income | 928 |
| WTM_29G | Life affected by wait - increased dependence | 928 |
| WTM_29H | Life affected by wait - increased used of medication | 929 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|---|------|
| WTM_29I | Life affected by wait - health deteriorated | 929 |
| WTM_29J | Life affected by wait - health problem improved | 930 |
| WTM_29K | Life affected by wait - personal relationships suffered | 930 |
| WTM_29L | Life affected by wait - other | 931 |
| WTM_30 | Type of diagnostic test required | 931 |
| WTM_31 | Required diagnostic test - type of condition | 932 |
| WTM_32 | Already had diagnostic test | 932 |
| WTM_33 | Location of test | 933 |
| WTM_34 | Location of clinic | 933 |
| WTM_35 | Patient in hospital at time of test | 934 |
| WTM_36 | Had difficulties getting the diagnostic test | 934 |
| WTM_37A | Difficulty - getting a referral | 935 |
| WTM_37B | Difficulty - getting an appointment | 935 |
| WTM_37C | Difficulty - waited too long to get an appointment | 936 |
| WTM_37D | Difficulty - waited long to get test | 936 |
| WTM_37E | Difficulty - service not available at time required | 937 |
| WTM_37F | Difficulty - service not available in area | 937 |
| WTM_37G | Difficulty - transportation | 938 |
| WTM_37H | Difficulty - language | 938 |
| WTM_37I | Difficulty - cost | 939 |
| WTM_37J | Difficulty - general deterioration of health | 939 |
| WTM_37K | Difficulty - did not know where to get information | 940 |
| WTM_37L | Difficulty - unable to leave house/health problem | 940 |
| WTM_37M | Difficulty - other | 941 |
| WTM_38A | Length of wait between decision and test | 941 |
| WTM_38B | Length of wait between decision and test - reporting unit | 942 |
| WTM_39A | Length of time been waiting for diagnostic test | 942 |
| WTM_39B | Length of time been waiting for diagnostic test - unit | 943 |
| WTM_40 | Respondent's opinion of waiting time | 943 |
| WTM_41A | Acceptable waiting time | 944 |
| WTM_41B | Acceptable waiting time - unit | 944 |
| WTM_42 | Test cancelled or postponed | 945 |
| WTM_43 | Test cancelled or postponed by | 945 |
| WTM_44 | Life affected by wait for test | 946 |
| WTM_45A | Life affected by wait - worry | 946 |
| WTM_45B | Life affected by wait - worry for family | 947 |
| | | |

Master File - 12-Month (Rounded)

June 2011

| Variable Name | Description | Page |
|---------------|--|------|
| WTM_45C | Life affected by wait - pain | 947 |
| WTM_45D | Life affected by wait - prob. with activities/daily living | 948 |
| WTM_45E | Life affected by wait - loss of work | 948 |
| WTM_45F | Life affected by wait - loss of income | 949 |
| WTM_45G | Life affected by wait - increased dependence | 949 |
| WTM_45H | Life affected by wait - increased use medications | 950 |
| WTM_45I | Life affected by wait - health deteriorated | 950 |
| WTM_45J | Life affected by wait - health problem improved | 951 |
| WTM_45K | Life affected by wait - personal relationships suffered | 951 |
| WTM_45L | Life affected by wait - other | 952 |
| WTMDCA | Number of days acceptable wait - non emergency surgery - (D) | 955 |
| WTMDCN | Number of days wait - non-urgent surgery - not done - (D) | 954 |
| WTMDCO | Number of days wait - non-urgent surgery - surgery done - (D | 954 |
| WTMDSA | Number of days acceptable wait - med. specialist - (D) | 953 |
| WTMDSN | Number/days wait/medical specialist - not seen spec (D) | 953 |
| WTMDSO | Number/days wait/medical specialist - seen specialist - (D) | 952 |
| WTMDTA | Number of days acceptable wait - diagnostic test - (D) | 956 |
| WTMDTN | Number of days wait - diagnostic test - not done - (D) | 956 |
| WTMDTO | Number of days wait - diagnostic test - done - (D) | 955 |
| WTS: Weights | | |
| WTS_M | Weights - Master | 1140 |
| WTS_S | Weights - Share | 1141 |
| | | |