

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
ACC_10	Required visit to medical specialist	ACC	831
ACC_11	Experienced difficulties getting specialist care	ACC	831
ACC_12A	Difficulty - getting a referral	ACC	832
ACC_12B	Difficulty - getting an appointment	ACC	832
ACC_12C	Difficulty - no specialists in area	ACC	833
ACC_12D	Difficulty - waited too long for an appointment	ACC	833
ACC_12E	Difficulty - waited too long to see doc.	ACC	834
ACC_12F	Difficulty - transportation	ACC	834
ACC_12G	Difficulty - language	ACC	835
ACC_12H	Difficulty - cost	ACC	835
ACC_12I	Difficulty - personal or family responsibilities	ACC	836
ACC_12J	Difficulty - general deterioration of health	ACC	836
ACC_12K	Difficulty - appointment cancelled/deferred	ACC	837
ACC_12L	Difficulty - still waiting for visit	ACC	837
ACC_12M	Difficulty - unable to leave house / health problem	ACC	838
ACC_12N	Difficulty - other	ACC	838
ACC_20	Required non-emergency surgery	ACC	839
ACC_21	Experienced difficulties getting non-emerg. surgery	ACC	839
ACC_22A	Difficulty - getting an appointment with a surgeon	ACC	840
ACC_22B	Difficulty - getting a diagnosis	ACC	840
ACC_22C	Difficulty - waited too long for a diagnostic test	ACC	841
ACC_22D	Difficulty - waited too long for a hospital bed	ACC	841
ACC_22E	Difficulty - waited too long for surgery	ACC	842
ACC_22F	Difficulty - service not available in area	ACC	842
ACC_22G	Difficulty - transportation	ACC	843
ACC_22H	Difficulty - language	ACC	843
ACC_22I	Difficulty - cost	ACC	844
ACC_22J	Difficulty - personal or family responsibilities	ACC	844
ACC_22K	Difficulty - general deterioration of health	ACC	845
ACC_22L	Difficulty - appointment cancelled/deferred	ACC	845
ACC_22M	Difficulty - still waiting for surgery	ACC	846
ACC_22N	Difficulty - unable to leave house / health problem	ACC	846
ACC_22O	Difficulty - other	ACC	847
ACC_30	Required MRI, CT Scan, angiography	ACC	847
ACC_31	Experienced difficulties getting test	ACC	848
ACC_32A	Difficulty - getting a referral	ACC	848
ACC_32B	Difficulty - getting an appointment	ACC	849

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
ACC_32C	Difficulty - waited too long to get an appointment	ACC	849
ACC_32D	Difficulty - waited too long to get test	ACC	850
ACC_32E	Difficulty - service not available at time required	ACC	850
ACC_32F	Difficulty - service not available in the area	ACC	851
ACC_32G	Difficulty - transportation	ACC	851
ACC_32H	Difficulty - language	ACC	852
ACC_32I	Difficulty - cost	ACC	852
ACC_32J	Difficulty - general deterioration of health	ACC	853
ACC_32K	Difficulty - did not know where to go	ACC	853
ACC_32L	Difficulty - still waiting for test	ACC	854
ACC_32M	Difficulty - unable to leave house / health problem	ACC	854
ACC_32N	Difficulty - other	ACC	855
ACC_40	Required health information for self or family member	ACC	855
ACC_40A	Contact for health information - doctor's office	ACC	856
ACC_40B	Contact for health information - community hlth ctr / CLSC	ACC	856
ACC_40C	Contact for health information - walk-in clinic	ACC	857
ACC_40D	Contact for health information - telephone health line	ACC	857
ACC_40E	Contact for health information - emergency room	ACC	858
ACC_40F	Contact for health information - other hospital service	ACC	858
ACC_40G	Contact for health information - other	ACC	859
ACC_41	Experienced diff. getting health information - self/family	ACC	859
ACC_42	Experienced difficulties during regular hours	ACC	860
ACC_43A	Difficulty - contacting a physician or nurse	ACC	860
ACC_43B	Difficulty - did not have a phone number	ACC	861
ACC_43C	Difficulty - could not get through	ACC	861
ACC_43D	Difficulty - waited too long to speak to someone	ACC	862
ACC_43E	Difficulty - did not get adequate info or advice	ACC	862
ACC_43F	Difficulty - language	ACC	863
ACC_43G	Difficulty - did not know where to go/call/uninformed	ACC	863
ACC_43H	Difficulty - unable to leave house / health problem	ACC	864
ACC_43I	Difficulty - other	ACC	864
ACC_44	Experienced difficulties during evenings/weekends	ACC	865
ACC_45A	Difficulty - contacting a physican or nurse	ACC	865
ACC_45B	Difficulty - did not have a phone number	ACC	866
ACC_45C	Difficulty - could not get through	ACC	866
ACC_45D	Difficulty - waited too long to speak to someone	ACC	867
ACC_45E	Difficulty - did not get adequate info or advice	ACC	867

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)

Page 3

June 2008

Variable Name	Description	Section	Page
ACC_45F	Difficulty - language	ACC	868
ACC_45G	Difficulty - did not know where to go/call/uninformed	ACC	868
ACC_45H	Difficulty - unable to leave house / health problem	ACC	869
ACC_45I	Difficulty - other	ACC	869
ACC_46	Experienced difficulties during middle of night	ACC	870
ACC_47A	Difficulty - contacting a physican or nurse	ACC	870
ACC_47B	Difficulty - did not have a phone number	ACC	871
ACC_47C	Difficulty - could not get through	ACC	871
ACC_47D	Difficulty - waited too long to speak to someone	ACC	872
ACC_47E	Difficulty - did not get adequate info or advice	ACC	872
ACC_47F	Difficulty - language	ACC	873
ACC_47G	Difficulty - did not know where to go/call/uninformed	ACC	873
ACC_47H	Difficulty - unable to leave house / health problem	ACC	874
ACC_47I	Difficulty - other	ACC	874
ACC_50	Required routine care for self/family	ACC	875
ACC_50A	Has a regular family doctor	ACC	875
ACC_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	876
ACC_52	Experienced difficulties during regular hours	ACC	876
ACC_53A	Difficulty - contacting a physican	ACC	877
ACC_53B	Difficulty - getting an appointment	ACC	877
ACC_53C	Difficulty - do not have a family physician	ACC	878
ACC_53D	Difficulty - waited too long to get an appointment	ACC	878
ACC_53E	Difficulty - waited too long to see doc.	ACC	879
ACC_53F	Difficulty - service not available at time required	ACC	879
ACC_53G	Difficulty - service not available in the area	ACC	880
ACC_53H	Difficulty - transportation	ACC	880
ACC_53I	Difficulty - language	ACC	881
ACC_53J	Difficulty - cost	ACC	881
ACC_53K	Difficulty - did not know where to go	ACC	882
ACC_53L	Difficulty - unable to leave house / health problem	ACC	882
ACC_53M	Difficulty - other	ACC	883
ACC_54	Experienced difficulties during evenings/weekends	ACC	883
ACC_55A	Difficulty - contacting a physican	ACC	884
ACC_55B	Difficulty - getting an appointment	ACC	884
ACC_55C	Difficulty - do not have a family physician	ACC	885
ACC_55D	Difficulty - waited too long to get an appointment	ACC	885
ACC_55E	Difficulty - waited too long to see doc.	ACC	886

CCHS 2007: Alphabetic Index

Master File - 12-Month (Rounded)

Page 4

June 2008

Variable Name	Description	Section	Page
ACC_55F	Difficulty - service not available at time required	ACC	886
ACC_55G	Difficulty - service not available in the area	ACC	887
ACC_55H	Difficulty - transportation	ACC	887
ACC_55I	Difficulty - language	ACC	888
ACC_55J	Difficulty - cost	ACC	888
ACC_55K	Difficulty - did not know where to go	ACC	889
ACC_55L	Difficulty - unable to leave house / health problem	ACC	889
ACC_55M	Difficulty - other	ACC	890
ACC_60	Required immediate care/minor health problem - self/family	ACC	890
ACC_61	Experienced difficulties getting immediate care - self/fam.	ACC	891
ACC_62	Experienced difficulties during regular hours	ACC	891
ACC_63A	Difficulty - contacting a physician	ACC	892
ACC_63B	Difficulty - getting an appointment	ACC	892
ACC_63C	Difficulty - do not have a family physician	ACC	893
ACC_63D	Difficulty - waited too long to get an appointment	ACC	893
ACC_63E	Difficulty - waited too long to see doc.	ACC	894
ACC_63F	Difficulty - service not available at time required	ACC	894
ACC_63G	Difficulty - service not available in the area	ACC	895
ACC_63H	Difficulty - transportation	ACC	895
ACC_63I	Difficulty - language	ACC	896
ACC_63J	Difficulty - cost	ACC	896
ACC_63K	Difficulty - did not know where to go	ACC	897
ACC_63L	Difficulty - unable to leave house / health problem	ACC	897
ACC_63M	Difficulty - other	ACC	898
ACC_64	Experienced difficulties during evenings/weekends	ACC	898
ACC_65A	Difficulty - contacting a physician	ACC	899
ACC_65B	Difficulty - getting an appointment	ACC	899
ACC_65C	Difficulty - do not have a family physician	ACC	900
ACC_65D	Difficulty - waited too long to get an appointment	ACC	900
ACC_65E	Difficulty - waited too long to see doc.	ACC	901
ACC_65F	Difficulty - service not available at time required	ACC	901
ACC_65G	Difficulty - service not available in the area	ACC	902
ACC_65H	Difficulty - transportation	ACC	902
ACC_65I	Difficulty - language	ACC	903
ACC_65J	Difficulty - cost	ACC	903
ACC_65K	Difficulty - did not know where to go	ACC	904
ACC_65L	Difficulty - unable to leave house / health problem	ACC	904

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
ACC_65M	Difficulty - other	ACC	905
ACC_66	Experienced difficulties during middle of night	ACC	905
ACC_67A	Difficulty - contacting a physican	ACC	906
ACC_67B	Difficulty - getting an appointment	ACC	906
ACC_67C	Difficulty - do not have a family physician	ACC	907
ACC_67D	Difficulty - waited too long to get an appointment	ACC	907
ACC_67E	Difficulty - waited too long to see doc.	ACC	908
ACC_67F	Difficulty - service not available at time required	ACC	908
ACC_67G	Difficulty - service not available in the area	ACC	909
ACC_67H	Difficulty - transportation	ACC	909
ACC_67I	Difficulty - language	ACC	910
ACC_67J	Difficulty - cost	ACC	910
ACC_67K	Difficulty - did not know where to go	ACC	911
ACC_67L	Difficulty - unable to leave house / health problem	ACC	911
ACC_67M	Difficulty - other	ACC	912
ACCFOPT	Optional module: Access to health care services - (F)	ACC	830
ADM_DOI	Day of interview	ADM	19
ADM_LHH	Language of preference - household interview	ADM	23
ADM_MOI	Month of interview	ADM	19
ADM_N09	Interview by telephone or in person	ADM	20
ADM_N10	Respondent alone during interview	ADM	20
ADM_N11	Answers affected by presence of another person	ADM	21
ADM_N12	Language of interview	ADM	22
ADM_PRX	Health Component completed by proxy	ADM	18
ADM_STA	Response status after processing	ADM	17
ADM_YOI	Year of interview	ADM	18
ALC_1	Drank alcohol in past 12 months	ALC	549
ALC_2	Frequency of drinking alcohol	ALC	550
ALC_3	Frequency of having 5 or more drinks	ALC	551
ALCDTTM	Type of drinker (12 months) - (D)	ALC	551
ALD_01	Drunk - at work / school / takes care of child	ALD	581
ALD_02	Number of times - drunk / hung-over	ALD	581
ALD_03	Being drunk increased chances of getting hurt	ALD	582
ALD_04	Emotional or psychological problems due to alcohol	ALD	582
ALD_05	Strong desire or urge to drink	ALD	583
ALD_06	Spent lot of time getting drunk - one month or more	ALD	583
ALD_07	Drank much more than intended	ALD	584

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
ALD_08	Number of times - drank much more than intended	ALD	584
ALD_09	Had to drink more for the same effect	ALD	585
ALD_10	Had symptoms - stopped/cut down/went without	ALD	585
ALD_11	Drank alcohol - even though promised wouldn't	ALD	586
ALD_12	Drank alcohol - little time for anything else	ALD	586
ALD_13	Reduced important activities - because of alcohol	ALD	587
ALD_14	Continued despite health problems	ALD	587
ALD_15A	Level of interference - home responsibilities	ALD	588
ALD_15C	Level of interference - close relationships	ALD	591
ALD_15D	Level of interference - social life	ALD	592
ALD_5B1	Level of interference - attend school	ALD	589
ALD_5B2	Level of interference - work at a job	ALD	590
ALDDINT	Alcohol interference - mean - 12 mo - (D)	ALD	593
ALDDPP	Probability of caseness to respondents - (D)	ALD	594
ALDDSF	Alcohol dependence scale - short form score - (D)	ALD	593
ALDFINT	Alcohol interference - 12 mo - (F)	ALD	594
ALDFOPT	Optional module: Alcohol use - Dependence - (F)	ALD	580
ALN_1	Ever had a drink	ALN	558
ALN_2	Regularly drank more than 12 drinks a week	ALN	558
ALN_3A	Reason reduced drinking - dieting	ALN	559
ALN_3B	Reason reduced drinking - athletic training	ALN	559
ALN_3C	Reason reduced drinking - pregnancy	ALN	560
ALN_3D	Reason reduced drinking - getting older	ALN	560
ALN_3E	Reason reduced drinking - drinking too much	ALN	561
ALN_3F	Reason reduced drinking - affected work / studies	ALN	561
ALN_3G	Reason reduced drinking - interfered with life	ALN	562
ALN_3H	Reason reduced drinking - affected physical health	ALN	562
ALN_3I	Reason reduced drinking - affected social relationships	ALN	563
ALN_3J	Reason reduced drinking - affected financial position	ALN	563
ALN_3K	Reason reduced drinking - affected happiness	ALN	564
ALN_3L	Reason reduced drinking - influence of family / friends	ALN	564
ALN_3M	Reason reduced drinking - other	ALN	565
ALN_3N	Reason reduced drinking - life change	ALC	565
ALNDTYP	Type of drinker (lifetime) - (D)	ALN	566
ALNFOPT	Optional module: Alcohol use - Former drinkers - (F)	ALN	557
ALW_1	Drank alcohol in past week	ALW	552
ALW_2A1	Number of drinks - Sunday	ALW	553

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
ALW_2A2	Number of drinks - Monday	ALW	553
ALW_2A3	Number of drinks - Tuesday	ALW	554
ALW_2A4	Number of drinks - Wednesday	ALW	554
ALW_2A5	Number of drinks - Thursday	ALW	555
ALW_2A6	Number of drinks - Friday	ALW	555
ALW_2A7	Number of drinks - Saturday	ALW	556
ALWDDLY	Average daily alcohol consumption - (D)	ALW	556
ALWDWKY	Weekly consumption - (D)	ALW	557
ALWFOPT	Optional module: Alcohol use during the past week - (F)	ALW	552
BPC_010	Ever had blood pressure taken	BPC	231
BPC_012	Last time blood pressure was taken	BPC	232
BPC_16A	Blood pressure not taken - have not gotten around to it	BPC	232
BPC_16B	Blood pressure not taken - respondent didn't think necessary	BPC	233
BPC_16C	Blood pressure not taken - doctor didn't think necessary	BPC	233
BPC_16D	Blood pressure not taken - personal / fam. responsibilities	BPC	234
BPC_16E	Blood pressure not taken - not available when required	BPC	234
BPC_16F	Blood pressure not taken - not available in area	BPC	235
BPC_16G	Blood pressure not taken - waiting time too long	BPC	235
BPC_16H	Blood pressure not taken - transportation problems	BPC	236
BPC_16I	Blood pressure not taken - language problem	BPC	236
BPC_16J	Blood pressure not taken - cost	BPC	237
BPC_16K	Blood pressure not taken - did not know where to go	BPC	237
BPC_16L	Blood pressure not taken - fear	BPC	238
BPC_16M	Blood pressure not taken - other	BPC	239
BPC_16N	Blood pressure not taken - unable to leave house/health prob	BPC	238
BPCFOPT	Optional module: Blood pressure check - (F)	BPC	231
BRX_110	Had breasts examined by health professional	BRX	263
BRX_112	Last time breasts exam for lumps	BRX	263
BRX_16A	No breast exam - have not gotten around to it	BRX	264
BRX_16B	No breast exam - respondent didn't think necessary	BRX	264
BRX_16C	No breast exam - doctor didn't think necessary	BRX	265
BRX_16D	No breast exam - personal / family responsibilities	BRX	265
BRX_16E	No breast exam - not available when required	BRX	266
BRX_16F	No breast exam - not available in area	BRX	266
BRX_16G	No breast exam - waiting time too long	BRX	267
BRX_16H	No breast exam - transportation problems	BRX	267
BRX_16I	No breast exam - language problem	BRX	268

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
BRX_16J	No breast exam - cost	BRX	268
BRX_16K	No breast exam - did not know where to go	BRX	269
BRX_16L	No breast exam - fear	BRX	269
BRX_16M	No breast exam - other	BRX	271
BRX_16N	No breast exam - unable to leave house / health problem	BRX	270
BRX_16O	No breast exam - breast removed / mastectomy	BRX	270
BRXFOPT	Optional module: Breast examinations - (F)	BRX	262
BSX_120	Self-examined breasts for lumps	BSX	272
BSX_121	Frequency - breast self-examination	BSX	272
BSX_22A	Breast self-exam learned from - doctor	BSX	273
BSX_22B	Breast self-exam learned from - nurse	BSX	273
BSX_22C	Breast self-exam learned from - book / magazine / pamphlet	BSX	274
BSX_22D	Breast self-exam learned from - TV / video / film	BSX	274
BSX_22G	Breast self-exam learned from - other	BSX	275
BSX_22H	Breast self-exam learned from - family member	BSX	275
BSXFOPT	Optional module: Breast self examinations - (F)	BSX	271
CCC_031	Has asthma	CCC	74
CCC_035	Asthma - had symptoms or attacks	CCC	75
CCC_036	Asthma - took medication	CCC	75
CCC_051	Has arthritis or rheumatism	CCC	76
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	76
CCC_071	Has high blood pressure	CCC	77
CCC_072	Ever diagnosed with high blood pressure	CCC	77
CCC_073	Medication - high blood pressure - past month	CCC	78
CCC_081	Has migraine headaches	CCC	78
CCC_101	Has diabetes	CCC	80
CCC_102	Diabetes - age first diagnosed	CCC	80
CCC_105	Diabetes - currently takes insulin	CCC	83
CCC_106	Diabetes - takes pills to control blood sugar	CCC	83
CCC_10A	Diabetes diagnosed - when pregnant	CCC	81
CCC_10B	Diabetes diagnosed - other than when pregnant	CCC	81
CCC_10C	Diabetes diagnosed - when started with insulin	CCC	82
CCC_121	Has heart disease	CCC	84
CCC_131	Has cancer	CCC	84
CCC_141	Has stomach or intestinal ulcers	CCC	85
CCC_151	Suffers from the effects of a stroke	CCC	86
CCC_161	Has urinary incontinence	CCC	86

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
CCC_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	87
CCC_17A	Type of bowel disease	CCC	87
CCC_181	Has Alzheimer's disease or other dementia	CCC	88
CCC_280	Has a mood disorder	CCC	88
CCC_290	Has an anxiety disorder	CCC	89
CCC_31A	Ever had cancer	CCC	85
CCC_91E	Has emphysema	CCC	79
CCC_91F	Has chronic obstructive pulmonary disease	CCC	79
CCS_180	Had an FOBT test	CCS	291
CCS_182	Last time FOBT test done	CCS	291
CCS_184	Had colonoscopy or sigmoidoscopy	CCS	295
CCS_185	Last time had colonoscopy or sigmoidoscopy	CCS	296
CCS_187	Colonoscopy or sigmoidoscopy followed FOBT test	CCS	300
CCS_83A	Had FOBT - family history	CCS	292
CCS_83B	Had FOBT - regular check-up	CCS	292
CCS_83C	Had FOBT - age	CCS	293
CCS_83D	Had FOBT - follow-up of problem	CCS	294
CCS_83E	Had FOBT - follow-up of treatment	CCS	294
CCS_83F	Had FOBT - other	CCS	295
CCS_83G	Had FOBT - race	CCS	293
CCS_86A	Had colonoscopy/sigmoidoscopy - family history	CCS	296
CCS_86B	Had colonoscopy/sigmoidoscopy - regular check-up	CCS	297
CCS_86C	Had colonoscopy/sigmoidoscopy - age	CCS	297
CCS_86D	Had colonoscopy/sigmoidoscopy - follow-up of problem	CCS	298
CCS_86E	Had colonoscopy/sigmoidoscopy - follow-up of treatment	CCS	299
CCS_86F	Had colonoscopy/sigmoidoscopy - other	CCS	299
CCS_86G	Had colonoscopy/sigmoidoscopy - race	CCS	298
CCSF OPT	Optional module: Colorectal cancer exams - (F)	CCS	290
CIH_1	Did something to improve health	CIH	41
CIH_2	Most important change to improve health	CIH	42
CIH_3	Thinks should do something to improve health	CIH	43
CIH_4	Most important thing to improve health	CIH	44
CIH_5	Barrier to improving health	CIH	45
CIH_6A	Barrier to improving health - lack of will power	CIH	45
CIH_6B	Barrier to improving health - work schedule	CIH	46
CIH_6E	Barrier to improving health - too costly	CIH	49
CIH_6F	Barrier to improving health - too stressed	CIH	48

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
CIH_6G	Barrier to improving health - disability / health problem	CIH	48
CIH_6H	Barrier to improving health - other	CIH	51
CIH_6I	Barrier to improving health - family responsibilities	CIH	46
CIH_6J	Barrier to improving health - addiction to drugs / alcohol	CIH	47
CIH_6K	Barrier to improving health - physical condition	CIH	47
CIH_6L	Barrier to improving health - not available - in area	CIH	49
CIH_6M	Barrier to improving health - transportation problems	CIH	50
CIH_6N	Barrier to improving health - weather problems	CIH	50
CIH_7	Intending to improve health over next year	CIH	51
CIH_8A	Health improvement - more exercise	CIH	52
CIH_8B	Health improvement - lose weight	CIH	52
CIH_8C	Health improvement - improve eating habits	CIH	53
CIH_8G	Health improvement - reduce stress level	CIH	54
CIH_8H	Health improvement - take vitamins	CIH	55
CIH_8I	Health improvement - other	CIH	56
CIH_8J	Health improvement - quit smoking	CIH	53
CIH_8K	Health improvement - drink less alcohol	CIH	54
CIH_8L	Health improvement - receive medical treatment	CIH	55
CIHFTH	Theme module: Changes made to improve health - (F)	CIH	40
CMH_01K	Consulted mental health professional	CMH	755
CMH_01L	Consulted mental health professional - number of times	CMH	755
CMH_1MA	Consulted mental health professional - family doctor	CMH	756
CMH_1MB	Consulted mental health professional - psychiatrist	CMH	756
CMH_1MC	Consulted mental health professional - psychologist	CMH	757
CMH_1MD	Consulted mental health professional - nurse	CMH	757
CMH_1ME	Consulted mental hlth. professional - social worker	CMH	758
CMH_1MF	Consulted mental health professional - other	CMH	758
CMHFOPT	Optional module: Consultations about mental health - (F)	CMH	754
CPG_01A	Frequency - spending \$ on instant/daily win tickets - 12 mo	CPG	644
CPG_01B	Frequency - spending money on lottery tickets	CPG	645
CPG_01C	Frequency - spending money on bingo	CPG	646
CPG_01D	Frequency - spending money on cards/boards games	CPG	647
CPG_01E	Frequency - spending money on VLTs/outside casinos	CPG	648
CPG_01F	Frequency - spending money on VLTs/at casinos	CPG	649
CPG_01G	Frequency - spending money on other games/at casinos	CPG	650
CPG_01H	Frequency - spending money on Internet/arcade gambling	CPG	651
CPG_01I	Frequency - spending money on live horse racing	CPG	652

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
CPG_01J	Frequency - spending money on sports lotteries	CPG	653
CPG_01K	Frequency - spending money on speculative investments	CPG	654
CPG_01L	Frequency - spending money on games of skill	CPG	655
CPG_01M	Frequency - spending money on other forms of gambling	CPG	656
CPG_01N	Amount of money spent on gambling activities	CPG	657
CPG_02	Frequency - spent more than wanted on gambling	CPG	658
CPG_03	Frequency - gambled more money for same feeling	CPG	659
CPG_04	Frequency - returned to try to win back money lost	CPG	660
CPG_05	Frequency - borrowed money/sold to get \$ for gambling	CPG	661
CPG_06	Frequency - felt might have a problem with gambling	CPG	662
CPG_07	Frequency - gambling caused any health problems	CPG	663
CPG_08	Frequency - people criticized respondent's betting	CPG	664
CPG_09	Frequency - gambling caused financial problems	CPG	665
CPG_10	Frequency - felt guilty about gambling	CPG	666
CPG_11	Frequency - lied to hide gambling	CPG	667
CPG_12	Frequency - wanted to stop betting but thought could not	CPG	668
CPG_13	Frequency - bet more than could afford to lose	CPG	669
CPG_14	Frequency - tried to quit/cut down; but unable	CPG	670
CPG_15	Frequency - gambled to forget problems/feel better	CPG	671
CPG_16	Frequency - gambling caused problem with family/friends	CPG	672
CPG_17	Other family member with gambling problems	CPG	673
CPG_18	Used alcohol or drugs while gambling	CPG	673
CPG_19A	Level of interference - home responsibilities - 12 mo	CPG	674
CPG_19C	Level of interference - close relationships - 12 mo	CPG	677
CPG_19D	Level of interference - social life -12 mo	CPG	678
CPG_9B1	Level of interference - ability to attend school - 12 mo	CPG	675
CPG_9B2	Level of interference - ability to work at a job - 12 mo	CPG	676
CPGDACT	Number of different types of gambling activities - (D)	CPG	680
CPGDINT	Gambling interference - Mean - (D)	CPG	681
CPGDSEV	Problem gambling severity index - (D)	CPG	679
CPGDTYP	Type of gambler - (D)	CPG	680
CPGFGAM	Gambling activity - gambler vs. non-gambler - (F)	CPG	679
CPGFINT	Gambling Interference - (F)	CPG	681
CPGFOPT	Optional module: Problem gambling - (F)	CPG	644
CST_1	Spent 2 weeks or more in the hospital	CST	473
CST_2	Parents divorced	CST	473
CST_3	Parents unemployed for a long time	CST	474

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
CST_4	Something happened that scared you	CST	474
CST_5	Sent away from home for doing something wrong	CST	475
CST_6	Family problems due to parents abusing alcohol or drugs	CST	475
CST_7	Physically abused by someone close to you	CST	476
CSTFOPT	Optional mod.: Stress - Childhood and adult stressors - (F)	CST	472
DEN_130	Visited dentist	DEN	301
DEN_132	Last time visited dentist	DEN	302
DEN_36A	No dental visit - have not gotten around to it	DEN	303
DEN_36B	No dental visit - respondent didn't think necessary	DEN	303
DEN_36C	No dental visit - dentist didn't think necessary	DEN	304
DEN_36D	No dental visit - personal / family responsibilities	DEN	304
DEN_36E	No dental visit - not available when required	DEN	305
DEN_36F	No dental visit - not available in area	DEN	305
DEN_36G	No dental visit - waiting time too long	DEN	306
DEN_36H	No dental visit - transportation problems	DEN	306
DEN_36I	No dental visit - language problem	DEN	307
DEN_36J	No dental visit - cost	DEN	307
DEN_36K	No dental visit - did not know where to go	DEN	308
DEN_36L	No dental visit - fear	DEN	308
DEN_36M	No dental visit - wears dentures	DEN	309
DEN_36N	No dental visit - other	DEN	310
DEN_36O	No dental visit - unable to leave house / health problem	DEN	309
DENFOPT	Optional module: Dental visits - (F)	DEN	300
DHH_AGE	Age	DHH	23
DHH_BED	Dwelling - number of bedrooms	DHH	1079
DHH_DOB	Day of birth	DHH	25
DHH_MOB	Month of birth	DHH	24
DHH_MS	Marital Status	DHH	26
DHH_OWN	Dwelling - owned by a member of household	DHH	1079
DHH_SEX	Sex	DHH	25
DHH_YOB	Year of birth	DHH	24
DHHD611	Number of persons 6 to 11 years old in household - (D)	DHH	1075
DHHDDWE	Type of dwelling - (D)	DHH	1078
DHHDECF	Household type - (D)	DHH	1076
DHHDHSZ	Household size - (D)	DHH	1074
DHHDL12	Number of persons less than 12 years old in household - (D)	DHH	1075
DHHLE5	Number of persons 5 years old or less in household - (D)	DHH	1075

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
DHHDLVG	Living arrangement of selected respondent - (D)	DHH	1077
DHHDOKD	Number of dependents 16 or 17 years old in household - (D)	DHH	27
DHHDYKD	Number of persons 15 years old or less in household - (D)	DHH	26
DIA_01	Tested for "A-one-C" haemoglobin	DIA	90
DIA_02	Number of times - tested for haemoglobin "A-one-C"	DIA	90
DIA_03	Feet checked by health professional	DIA	91
DIA_04	Number of times - feet checked by health professional	DIA	91
DIA_05	Urine tested for protein by health professional	DIA	92
DIA_06	Ever had eye exam with pupils dilated	DIA	92
DIA_07	Eye exam with pupils dilated - last time	DIA	93
DIA_08	Checks glucose level / self - reporting unit	DIA	94
DIA_09	Checks feet / self - reporting unit	DIA	96
DIA_10	Medication - ASA - past month	DIA	99
DIA_11	Medication - blood cholesterol - past month	DIA	99
DIA_N8B	Checks glucose level/self - number of times per day	DIA	94
DIA_N8C	Checks glucose level/self - number of times per week	DIA	95
DIA_N8D	Checks glucose level/self - number of times per month	DIA	95
DIA_N8E	Checks glucose level/self - number of times per year	DIA	96
DIA_N9B	Checks feet / self - number of times per day	DIA	97
DIA_N9C	Checks feet / self - number of times per week	DIA	97
DIA_N9D	Checks feet / self - number of times per month	DIA	98
DIA_N9E	Checks feet / self - number of times per year	DIA	98
DIAFOPT	Optional module: Diabetes care - (F)	DIA	89
DIS_10A	Frequency - distress: felt tired out - past month	DIS	759
DIS_10B	Frequency - distress: felt nervous - past month	DIS	760
DIS_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	761
DIS_10D	Frequency - distress: felt hopeless - past month	DIS	762
DIS_10E	Frequency - distress: felt restless - past month	DIS	763
DIS_10F	Frequency - distress: could not sit still - past month	DIS	764
DIS_10G	Frequency - distress: felt sad / depressed - past month	DIS	765
DIS_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	766
DIS_10I	Freq. - distress: felt everything was an effort - past month	DIS	767
DIS_10J	Frequency - distress: felt worthless - past month	DIS	768
DIS_10K	Frequency of distress feelings - past month	DIS	769
DIS_10L	Frequency of distress feelings (more often)	DIS	769
DIS_10M	Frequency of distress feelings (less often)	DIS	770
DIS_10N	Frequency of dist. feelings interfere with life - past month	DIS	771

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
DISDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	772
DISDDSX	Distress scale - K10 - past month - (D)	DIS	772
DISDK6	Distress scale - K6 - past month - (D)	DIS	771
DISFOPT	Optional module: Distress - (F)	DIS	759
DPS_02	Felt sad/blue/depressed - 2 weeks or more - 12 mo	DPS	773
DPS_03	Sad/depressed - length feelings lasted - 2 wk	DPS	774
DPS_04	Sad/depressed - frequency - 2 wk	DPS	774
DPS_05	Sad/depressed - lose interest in things - 2 wk	DPS	775
DPS_06	Sad/depressed - felt tired out / low on energy - 2 wk	DPS	775
DPS_07	Sad/depressed - weight change - 2 wk	DPS	776
DPS_08A	Sad/depressed - weight change (amount) - 2 wk	DPS	776
DPS_08B	Sad/depressed - weight change (lb/kg) - 2 wk	DPS	777
DPS_09	Sad/depressed - trouble falling asleep - 2 wk	DPS	777
DPS_10	Sad/depressed trouble falling asleep - frequency - 2 wk	DPS	778
DPS_11	Sad/depressed - trouble concentrating - 2 wk	DPS	778
DPS_12	Sad/depressed - felt down on self - 2 wk	DPS	779
DPS_13	Sad/depressed - thought a lot about death - 2 wk	DPS	779
DPS_14	Sad/depressed - number of weeks - 12 mo	DPS	780
DPS_15	Sad/depressed - most recent month - 2 wk	DPS	781
DPS_16	Loss of interest - things that usually give pleasure - 12 mo	DPS	782
DPS_17	Loss of interest - frequency - 12 mo	DPS	782
DPS_18	Loss of interest - frequency - 2 wk	DPS	783
DPS_19	Loss of interest - felt tired all the time - 2 wk	DPS	783
DPS_20	Loss of interest - weight change - 2 wk	DPS	784
DPS_21A	Loss of interest - weight change (amount)	DPS	784
DPS_21B	Loss of interest - weight change (lb/kg) - 2 wk	DPS	785
DPS_22	Loss of interest - trouble falling asleep - 2 wk	DPS	785
DPS_23	Loss of interest - trouble falling asleep/frequency - 2 wk	DPS	786
DPS_24	Loss of interest - trouble concentrating - 2 wk	DPS	786
DPS_25	Loss of interest - felt down on self - 2 wk	DPS	787
DPS_26	Loss of interest - thought a lot about death - 2 wk	DPS	787
DPS_27	Loss of interest - number of weeks - 12 mo	DPS	788
DPS_28	Loss of interest - most recent month - 2 wk	DPS	789
DPSDMT	Specific month last felt depressed - 2 weeks in a row - (D)	DPS	792
DPSDPP	Depression scale - Predicted probability - (D)	DPS	790
DPSDSF	Depression scale - short form score - (D)	DPS	790
DPSDWK	Number of weeks felt depressed - (D)	DPS	791

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
DPSFOPT	Optional module: Depression - (F)	DPS	773
DRV_01A	Drove a motor vehicle	DRV	567
DRV_01B	Drove a motorcycle	DRV	567
DRV_02	Frequency - used seat belt when driving	DRV	568
DRV_03	Frequency - used cell phone when driving	DRV	568
DRV_04	Frequency - felt tired when driving	DRV	569
DRV_05	Driving speed compared to others	DRV	570
DRV_06	Driving aggression compared to others	DRV	571
DRV_07	Drove a motor vehicle after 2 or more drinks	DRV	572
DRV_07A	Number of times - drove after 2+ drinks	DRV	572
DRV_08A	Frequency - uses seat belt - front seat passenger	DRV	573
DRV_08B	Frequency - uses seat belt - back seat passenger	DRV	574
DRV_09	Frequency - uses seat belt - in taxi	DRV	575
DRV_10	Passenger/driver had 2+ drinks	DRV	575
DRV_10A	No. of times - passenger/driver had 2+ drinks	DRV	576
DRV_11A	Driver or passenger - snowmobile, motor boat or seadoo	DRV	576
DRV_11B	Driver or passenger - ATV	DRV	577
DRV_12	Frequency wears helmet - ATV	DRV	577
DRV_13	Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.	DRV	578
DRV_13A	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	578
DRV_14	Drove snowmobile/ATV, etc. after 2+ drinks	DRV	579
DRV_14A	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	579
DRVFOPT	Optional module: Driving and safety - (F)	DRV	566
DRVFSBU	Passenger seat belt use - motor vehicle - (F)	DRV	580
DSU_1A	Took vitamin or mineral supplements - past 4 weeks	DSU	330
DSU_1B	Took supplements - at least once a week	DSU	331
DSU_1C	Took supplements - number of days - last week	DSU	331
DSU_1D	Took supplements - number of days - past 4 weeks	DSU	332
DSUDCON	Freq. of consumption of vitamin/mineral supplements - (F)	DSU	332
DSUFOPT	Optional module flag: Dietary Supplement - (F)	DSU	330
EDU_1	Highest grade of elementary or high school completed	EDU	1051
EDU_2	Graduated from high school (2ndary school)	EDU	1052
EDU_3	Received any other education	EDU	1052
EDU_4	Highest degree, certificate or diploma obtained	EDU	1053
EDUDH04	Highest level of education – household, 4 levels - (D)	EDU	1055
EDUDH10	Highest level of education - household, 10 levels - (D)	EDU	1056
EDUDR04	Highest level of education - respondent, 4 levels - (D)	EDU	1057

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
EDUDR10	Highest level of education - respondent, 10 levels - (D)	EDU	1058
ETS_10	Someone smokes inside home	ETS	542
ETS_11	Number of people who smoke inside home	ETS	542
ETS_20	Exposed to second-hand smoke in private vehicle	ETS	543
ETS_20B	Exposed to second-hand smoke in public places	ETS	543
ETS_5	Restrictions against smoking cigarettes in home	ETS	544
ETS_6A	Smoking restrictions - not permitted in home	ETS	544
ETS_6B	Smoking restrictions - permitted in certain rooms only	ETS	545
ETS_6C	Smoking restrictions - not in presence of young children	ETS	545
ETS_6D	Smoking restrictions - other	ETS	546
ETS_7	Smoking restrictions at place of work	ETS	1062
EYX_140	Visit eye doctor - 12 m	EYX	276
EYX_142	Last time eye examination	EYX	277
EYX_46A	No eye exam - not gotten around to it - past 2 yrs	EYX	277
EYX_46B	No eye exam - respondent didn't think necessary	EYX	278
EYX_46C	No eye exam - doctor didn't think necessary	EYX	278
EYX_46D	No eye exam - personal or family responsibilities	EYX	279
EYX_46E	No eye exam - not available when required	EYX	279
EYX_46F	No eye exam- not available in area	EYX	280
EYX_46G	No eye exam - waiting time too long	EYX	280
EYX_46H	No eye exam - transportation problems	EYX	281
EYX_46I	No eye exam - language problem	EYX	281
EYX_46J	No eye exam - cost	EYX	282
EYX_46K	No eye exam - did not know where to go	EYX	282
EYX_46L	No eye exam - fear	EYX	283
EYX_46M	No eye exam - other reason	EYX	284
EYX_46N	No eye exam - health problem	EYX	283
EYXFOPT	Optional module: Eye examinations - (F)	EYX	276
FDC_1A	Chooses or avoids foods - concerned about body weight	FDC	322
FDC_1B	Chooses or avoids foods - concerned about heart disease	FDC	323
FDC_1C	Chooses or avoids foods - concerned about cancer	FDC	323
FDC_1D	Chooses or avoids foods - concerned about osteoporosis	FDC	324
FDC_2A	Reason to choose foods - lower fat content	FDC	324
FDC_2B	Reason to choose foods - fibre content	FDC	325
FDC_2C	Reason to choose foods - calcium content	FDC	325
FDC_3A	Reason to avoid foods - fat content	FDC	326
FDC_3B	Reason to avoid foods - type of fat	FDC	326

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
FDC_3C	Reason to avoid foods - salt content	FDC	327
FDC_3D	Reason to avoid foods - cholesterol content	FDC	327
FDC_3E	Reason to avoid foods - calorie content	FDC	328
FDCFAVD	Avoids foods for content reasons - (F)	FDC	329
FDCFCAH	Chooses/avoids foods b/c of certain health concerns - (F)	FDC	328
FDCFCHO	Chooses foods for content reasons - (F)	FDC	329
FDCFOPT	Optional module: Food choices - (F)	FDC	322
FLU_160	Ever had a flu shot	FLU	220
FLU_162	Had flu shot - last time	FLU	221
FLU_164	Had flu shot - which month	FLU	222
FLU_165	Had flu shot - current/last year	FLU	223
FLU_66A	No flu shot - have not gotten around to it	FLU	223
FLU_66B	No flu shot - respondent didn't think it was necessary	FLU	224
FLU_66C	No flu shot - doctor didn't think it was necessary	FLU	224
FLU_66D	No flu shot - personal or family responsibilities	FLU	225
FLU_66E	No flu shot - not available at time required	FLU	225
FLU_66F	No flu shot - not available at all in area	FLU	226
FLU_66G	No flu shot - waiting time was too long	FLU	226
FLU_66H	No flu shot - transportation problems	FLU	227
FLU_66I	No flu shot - language problem	FLU	227
FLU_66J	No flu shot - cost	FLU	228
FLU_66K	No flu shot - did not know where to go	FLU	228
FLU_66L	No flu shot - fear	FLU	229
FLU_66M	No flu shot - bad reaction to previous shot	FLU	229
FLU_66N	No flu shot - other	FLU	230
FLU_66O	No flu shot - unable to leave house / health problem	FLU	230
FSC_010	Food situation in household - 12 mo	FSC	1116
FSC_020	Worried food would run out - 12 mo	FSC	1116
FSC_030	Food bought just didn't last and no money to buy more -12 mo	FSC	1117
FSC_040	Could not afford to eat balanced meals - 12 mo	FSC	1117
FSC_050	Relied on few kinds of low-cost food for children - 12 mo	FSC	1118
FSC_060	Could not feed children a balanced meal - 12 mo	FSC	1118
FSC_070	Children were not eating enough - 12 mo	FSC	1119
FSC_080	Adults skipped or cut size of meals - 12 mo	FSC	1119
FSC_081	Adults skipped or cut size of meals - frequency - 12 mo	FSC	1120
FSC_090	Ate less than felt should - 12 mo	FSC	1121
FSC_100	Was hungry but could not afford to eat - 12 mo	FSC	1121

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
FSC_110	Lost weight no money to buy food- 12 mo	FSC	1122
FSC_120	Adults did not eat for whole day - 12 mo	FSC	1122
FSC_121	Adults did not eat whole day - frequency - 12 mo	FSC	1123
FSC_130	Adults cut size of children's meals - 12 mo	FSC	1124
FSC_140	Children skipped meals - 12 mo	FSC	1125
FSC_141	Children skipped meals - frequency - 12 mo	FSC	1126
FSC_150	Children were hungry - 12 mo	FSC	1127
FSC_160	Children did not eat for whole day - 12 mo	FSC	1128
FSCDHFS	Household food security status - (D)	FSC	1128
FSCDHFS2	État de sécurité alimentaire du ménage - Version modifiée	FSD	1129
FSCFTH	Theme module: Food security - (F)	FSC	1115
FVC_1A	Drinks fruit juices - reporting unit	FVC	333
FVC_1B	Drinks fruit juices - number of times per day	FVC	333
FVC_1C	Drinks fruit juices - number of times per week	FVC	334
FVC_1D	Drinks fruit juices - number of times per month	FVC	334
FVC_1E	Drinks fruit juices - number of times per year	FVC	335
FVC_2A	Eats fruit - reporting unit	FVC	335
FVC_2B	Eats fruit - number of times per day	FVC	336
FVC_2C	Eats fruit - number of times per week	FVC	336
FVC_2D	Eats fruit - number of times per month	FVC	337
FVC_2E	Eats fruit - number of times per year	FVC	337
FVC_3A	Eats green salad - reporting unit	FVC	338
FVC_3B	Eats green salad - number of times per day	FVC	338
FVC_3C	Eats green salad - number of times per week	FVC	339
FVC_3D	Eats green salad - number of times per month	FVC	339
FVC_3E	Eats green salad - number of times per year	FVC	340
FVC_4A	Eats potatoes - reporting unit	FVC	340
FVC_4B	Eats potatoes - number of times per day	FVC	341
FVC_4C	Eats potatoes - number of times per week	FVC	341
FVC_4D	Eats potatoes - number of times per month	FVC	342
FVC_4E	Eats potatoes - number of times per year	FVC	342
FVC_5A	Eats carrots - reporting unit	FVC	343
FVC_5B	Eats carrots - number of times per day	FVC	343
FVC_5C	Eats carrots - number of times per week	FVC	344
FVC_5D	Eats carrots - number of times per month	FVC	344
FVC_5E	Eats carrots - number of times per year	FVC	345
FVC_6A	Eats other vegetables - reporting unit	FVC	345

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
FVC_6B	Eats other vegetables - number of servings per day	FVC	346
FVC_6C	Eats other vegetables - number of servings per week	FVC	346
FVC_6D	Eats other vegetables - number of servings per month	FVC	347
FVC_6E	Eats other vegetables - number of servings per year	FVC	347
FVDCAR	Daily consumption - carrots - (D)	FVC	350
FVDFRU	Daily consumption - fruit - (D)	FVC	348
FVCDJUI	Daily consumption - fruit juice - (D)	FVC	348
FVCDPOT	Daily consumption - potatoes - (D)	FVC	349
FVCDLH	Daily consumption - green salad - (D)	FVC	349
FVCDTOT	Daily consumption - total fruits and vegetables - (D)	FVC	351
FVCDVEG	Daily consumption - other vegetables - (D)	FVC	350
FVCGTOT	Daily consumption - total fruits and vegetables - (D, G)	FVC	351
GEN_01	Self-perceived health	GEN	27
GEN_02	Self-perceived health compared to one year ago	GEN	28
GEN_02A	Satisfaction with life in general	GEN	29
GEN_02B	Self-perceived mental health	GEN	30
GEN_07	Perceived life stress	GEN	31
GEN_08	Worked at job or business	GEN	31
GEN_09	Self-perceived work stress	GEN	32
GEN_10	Sense of belonging to local community	GEN	33
GENDHDI	Perceived Health	GEN	33
GENDMHI	Perceived Mental Health	GEN	34
GEO_PRV	Province of residence of respondent	GEO	2
GEODCD	Census Division - (D)	GEO	8
GEODCMA1	2001 Census Metropolitan Area (CMA) - (D)	GEO	12
GEODCMA6	2006 Census Metropolitan Area (CMA) - (D)	GEO	10
GEODCSD	Census Sub-Division - (D)	GEO	8
GEODDA01	2001 Census Dissemination Area - (D)	GEO	8
GEODDA06	2006 Census Dissemination Area - (D)	GEO	7
GEODFED	Federal Electoral District - (D)	GEO	8
GEODHR4	Health Region of residence of respondent - (D)	GEO	3
GEODLHN	Local Health Integrated Networks (LHIN) - Ontario - (D)	GEO	7
GEODPC	Postal code - (D)	GEO	2
GEODPRG	Health Region Peer Group - (D)	GEO	13
GEODPSZ	Population size group - (D)	GEO	15
GEODSAT	Statistical area classification type - (D)	GEO	9
GEODUR	Urban and Rural Areas	GEO	14

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
GEODUR2	Urban and Rural Areas - 2 levels - (D)	GEO	14
HCS_1	Rating of availability of health care - province	HCS	60
HCS_2	Rating of quality of health care - province	HCS	61
HCS_3	Rating of availability of health care - community	HCS	62
HCS_4	Rating of quality of health care - community	HCS	63
HCSFOPT	Optional module: Health care system satisfaction - (F)	HCS	60
HCU_01	Overnight patient	HCU	131
HCU_01A	Number of nights as patient	HCU	131
HCU_02A	Number of consultations - fam. doctor/general practitioner	HCU	132
HCU_02AA	Consulted with family doctor/general practitioner	HCU	132
HCU_02B	Number of consultations - eye specialist	HCU	134
HCU_02BB	Consulted with eye specialist	HCU	134
HCU_02C	Number of consultations - other medical doctor	HCU	135
HCU_02CC	Consulted with other medical doctor	HCU	135
HCU_02D	Number of consultations - nurse	HCU	137
HCU_02DD	Consulted with nurse	HCU	137
HCU_02E	Number of consultations - dentist or orthodontist	HCU	139
HCU_02EE	Consulted with dentist or orthodontist	HCU	139
HCU_02F	Number of consultations - chiropractor	HCU	140
HCU_02FF	Consulted with chiropractor	HCU	140
HCU_02G	Number of consultations - physiotherapist	HCU	141
HCU_02GG	Consulted with physiotherapist	HCU	141
HCU_02H	Number of consultations - social worker or counsellor	HCU	143
HCU_02HH	Consulted with social worker or counsellor	HCU	143
HCU_02I	Number of consultations - psychologist	HCU	142
HCU_02II	Consulted with psychologist	HCU	142
HCU_02J	Number of consultations - speech/audiology/occ. therapist	HCU	144
HCU_02JJ	Consulted with speech/audiology/occ. therapist	HCU	144
HCU_03A	Where the most recent contact took place	HCU	133
HCU_03C	Where the most recent contact took place	HCU	136
HCU_03D	Where the most recent contact took place	HCU	138
HCU_1A1	Has a usual place to go when sick/needs health advice	HCU	128
HCU_1A2	Kind of place	HCU	129
HCU_1AA	Has regular medical doctor	HCU	125
HCU_1AC	Language spoken to doctor	HCU	130
HCU_1BA	Reason has no regular doctor - no one available in area	HCU	125
HCU_1BB	Reason has no regular doctor - none taking new patients	HCU	126

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
HCU_1BC	Reason has no regular doctor - not tried to contact one	HCU	126
HCU_1BD	Reason has no regular doctor - has left or retired	HCU	127
HCU_1BE	Reason has no regular doctor - other	HCU	127
HCUDMDC	Number of consultations with medical doctor - (D)	HCU	145
HCUFCOP	Consultations with health professionals - (F)	HCU	145
HMC_09	Received home care services - cost covered by government	HMC	146
HMC_10A	Type of govt. home care rec'd - nursing care	HMC	147
HMC_10B	Type of govt. home care rec'd - health services	HMC	147
HMC_10C	Type of govt. home care rec'd - personal care	HMC	148
HMC_10D	Type of govt. home care rec'd - housework	HMC	149
HMC_10E	Type of govt. home care rec'd - meals	HMC	149
HMC_10F	Type of govt. home care rec'd - shopping	HMC	150
HMC_10G	Type of govt. home care rec'd - respite care	HMC	150
HMC_10H	Type of govt. home care rec'd - other	HMC	151
HMC_10I	Type of govt. home care rec'd - Medical equipment	HMC	148
HMC_11	Received home care services - cost not covered by government	HMC	151
HMC_12A	Non govt. home care - provided by nurse from private agency	HMC	152
HMC_12B	Non govt. home care - provided by homemaker	HMC	152
HMC_12C	Non govt. home care - provided by neighbour or friend	HMC	153
HMC_12D	Non govt. home care - provided by family member	HMC	154
HMC_12E	Non govt. home care - provided by volunteer	HMC	154
HMC_12F	Non govt. home care - provided by other	HMC	155
HMC_12G	Non govt. home care - physiotherapist	HMC	153
HMC_14	Self-perceived unmet home care needs	HMC	187
HMC_15A	Home care not received - not available / area	HMC	187
HMC_15B	Home care not received - not available at time required	HMC	188
HMC_15C	Home care not received - waiting time too long	HMC	188
HMC_15D	Home care not received - felt would be inadequate	HMC	189
HMC_15E	Home care not received - cost	HMC	189
HMC_15F	Home care not received - too busy	HMC	190
HMC_15G	Home care not received - didn't get around to it	HMC	190
HMC_15H	Home care not received - didn't know where to go	HMC	191
HMC_15I	Home care not received - language problems	HMC	191
HMC_15J	Home care not received - family responsibilities	HMC	192
HMC_15K	Home care not received - decided not to seek services	HMC	192
HMC_15L	Home care not received - doctor didn't think necessary	HMC	193
HMC_15M	Home care not received - other	HMC	194

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
HMC_15N	Home care not received - Did not qualify	HMC	193
HMC_15O	Home care not received - Still waiting for homecare	HMC	194
HMC_16A	Type of home care needed - nursing care	HMC	195
HMC_16B	Type of home care needed - health services	HMC	195
HMC_16C	Type of home care needed - personal care	HMC	196
HMC_16D	Type of home care needed - housework	HMC	197
HMC_16E	Type of home care needed - meals	HMC	197
HMC_16F	Type of home care needed - shopping	HMC	198
HMC_16G	Type of home care needed - respite care	HMC	198
HMC_16H	Type of home care needed - other	HMC	199
HMC_16I	Type of home care needed - Medical equipment or supplies	HMC	196
HMC_17A	Who contacted for home care - government sponsored program	HMC	199
HMC_17B	Who contacted for home care - private agency	HMC	200
HMC_17C	Who contacted for home care - family member or friend	HMC	200
HMC_17D	Who contacted for home care - volunteer organization	HMC	201
HMC_17E	Who contacted for home care - other	HMC	201
HMC_3AA	Home care provided by private agency nurse - nursing care	HMC	155
HMC_3AB	Home care provided by private agency nurse - health services	HMC	156
HMC_3AC	Home care provided by private agency nurse - personal care	HMC	157
HMC_3AD	Home care provided by private agency nurse - housework	HMC	157
HMC_3AE	Home care provided by private agency nurse - meals	HMC	158
HMC_3AF	Home care provided by private agency nurse - shopping	HMC	158
HMC_3AG	Home care provided by private agency nurse - respite care	HMC	159
HMC_3AH	Home care provided by private agency nurse - other	HMC	159
HMC_3AI	Home care provided by private agency nurse - med. equip.	HMC	156
HMC_3BA	Home care by homemaker from private agency - nursing care	HMC	160
HMC_3BB	Home care by homemaker from private agency - health services	HMC	160
HMC_3BC	Home care by homemaker from private agency - personal care	HMC	161
HMC_3BD	Home care by homemaker from private agency - housework	HMC	162
HMC_3BE	Home care by homemaker from private agency - meals	HMC	162
HMC_3BF	Home care by homemaker from private agency - shopping	HMC	163
HMC_3BG	Home care by homemaker from private agency - respite care	HMC	163
HMC_3BH	Home care by homemaker from private agency - other	HMC	164
HMC_3BI	Home care by homemaker from private agency - med. equip.	HMC	161
HMC_3CA	Home care provided by neighbour or friend - nursing care	HMC	169
HMC_3CB	Home care provided by neighbour or friend - health services	HMC	169
HMC_3CC	Home care provided by neighbour or friend - personal care	HMC	170

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
HMC_3CD	Home care provided by neighbour or friend - housework	HMC	171
HMC_3CE	Home care provided by neighbour or friend - meals	HMC	171
HMC_3CF	Home care provided by neighbour or friend - shopping	HMC	172
HMC_3CG	Home care provided by neighbour or friend - respite	HMC	172
HMC_3CH	Home care provided by neighbour or friend - other	HMC	173
HMC_3CI	Home care provided by neighbour or friend - med. equip./sup.	HMC	170
HMC_3DA	Home care provided by family - nursing care	HMC	173
HMC_3DB	Home care provided by family - health services	HMC	174
HMC_3DC	Home care provided by family - personal care	HMC	175
HMC_3DD	Home care provided by family - housework	HMC	175
HMC_3DE	Home care provided by family - meal preparation or delivery	HMC	176
HMC_3DF	Home care provided by family - shopping	HMC	176
HMC_3DG	Home care provided by family - respite care	HMC	177
HMC_3DH	Home care provided by family - other	HMC	177
HMC_3DI	Home care provided by family - medical equipment/supplies	HMC	174
HMC_3EA	Home care provided by a volunteer - nursing care	HMC	178
HMC_3EB	Home care provided by a volunteer - health services	HMC	178
HMC_3EC	Home care provided by a volunteer - personal care	HMC	179
HMC_3ED	Home care provided by a volunteer - housework	HMC	180
HMC_3EE	Home care provided by a volunteer - meals	HMC	180
HMC_3EF	Home care provided by a volunteer - shopping	HMC	181
HMC_3EG	Home care provided by a volunteer - respite care	HMC	181
HMC_3EH	Home care provided by a volunteer - other	HMC	182
HMC_3EI	Home care provided by a volunteer - medical equip./supplies.	HMC	179
HMC_3FA	Home care provided by other - nursing care	HMC	182
HMC_3FB	Home care provided by other - health services	HMC	183
HMC_3FC	Home care provided by other - personal care	HMC	184
HMC_3FD	Home care provided by other - housework	HMC	184
HMC_3FE	Home care provided by other - meals	HMC	185
HMC_3FF	Home care provided by other - shopping	HMC	185
HMC_3FG	Home care provided by other - respite care	HMC	186
HMC_3FH	Home care provided by other - other	HMC	186
HMC_3FI	Home care provided by other - medical equipment or supplies	HMC	183
HMC_3GA	Home care by private agency physiotherapist - nursing care	HMC	164
HMC_3GB	Home care by private agency physiotherapist - health serv.	HMC	165
HMC_3GC	Home care by private agency physiotherapist - personal care	HMC	166
HMC_3GD	Home care by private agency physiotherapist - housework	HMC	166

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
HMC_3GE	Home care by private agency physiotherapist - meal prep.	HMC	167
HMC_3GF	Home care by private agency physiotherapist - shopping	HMC	167
HMC_3GG	Home care by private agency physiotherapist - respite care	HMC	168
HMC_3GH	Home care by private agency physiotherapist - other	HMC	168
HMC_3GI	Home care by private agency physiotherapist - medical equip.	HMC	165
HMCFOPT	Optional module: Home care services - (F)	HMC	146
HMCFRHC	Received home care - (F)	HMC	202
HMS_1	Working smoke detector in home	HMS	1089
HMS_2	Smoke detectors on every level	HMS	1089
HMS_3	Smoke detectors tested each month	HMS	1090
HMS_4	Frequency - changed batteries in smoke detector	HMS	1090
HMS_5	Escape plan to get out of home	HMS	1091
HMS_6	Members of household discussed escape plan	HMS	1091
HMSFOPT	Optional module flag: Home safety - (F)	HMS	1088
HUI_01	Vision - read newsprint without glasses / contacts	HUI	100
HUI_02	Vision - read newsprint with glasses / contacts	HUI	101
HUI_03	Vision - able to see	HUI	101
HUI_04	Vision - recognize a friend without glasses / contacts	HUI	102
HUI_05	Vision - recognize a friend with glasses / contacts	HUI	102
HUI_06	Hearing - in group without hearing aid	HUI	103
HUI_07	Hearing - in group with hearing aid	HUI	103
HUI_07A	Hearing - able to hear	HUI	104
HUI_08	Hearing - in quiet room without hearing aid	HUI	104
HUI_09	Hearing - in quiet room with hearing aid	HUI	105
HUI_10	Speech - completely understood by strangers	HUI	105
HUI_11	Speech - partially understood by strangers	HUI	106
HUI_12	Speech - completely understood by non-strangers	HUI	106
HUI_13	Speech - partially understood by non-strangers	HUI	107
HUI_14	Mobility - walk without difficulty and without support	HUI	107
HUI_15	Mobility - able to walk	HUI	108
HUI_16	Mobility - requires support to walk	HUI	108
HUI_17	Mobility - requires help of person to walk	HUI	109
HUI_18	Mobility - requires a wheelchair	HUI	109
HUI_19	Mobility - frequency of wheelchair use	HUI	110
HUI_20	Mobility - requires help to move in wheelchair	HUI	110
HUI_21	Dexterity - able to grasp and handle small objects	HUI	111
HUI_22	Dexterity - requires help due to limitation in hands	HUI	111

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
HUI_23	Dexterity - requires help with tasks	HUI	112
HUI_24	Dexterity - requires special equipment / hand limitation	HUI	112
HUI_25	Emotion - self evaluation	HUI	113
HUI_26	Cognition - ability to remember things	HUI	114
HUI_27	Cognition - ability to think and solve problems	HUI	115
HUIDCOG	Cognition problems - function code - (D)	HUI	122
HUIDDEX	Dexterity (function code) - (D)	HUI	120
HUIDEMO	Emotion (function code) - (D)	HUI	121
HUIDHER	Hearing (function code) - (D)	HUI	117
HUIDHSI	Health utilities index - (D)	HUI	122
HUIDMOB	Ambulation (mobility) (function code) - (D)	HUI	119
HUIDSPE	Speech (function code) - (D)	HUI	118
HUIDVIS	Vision (function code) - (D)	HUI	116
HUIFOPT	Optional module: Health utility index - (F)	HUI	100
HUP_01	Usually free of pain or discomfort	HUI	123
HUP_02	Pain and discomfort - usual intensity	HUI	123
HUP_03	Pain and discomfort - number of activities prevented	HUI	124
HUPDPAD	Pain (function code) - (D)	HUI	124
HWT_2	Height / self-reported	HWT	64
HWT_2A	Height - exact height from 1'0" to 1'11" / self-reported	HWT	64
HWT_2B	Height - exact height from 2'0" to 2'11" / self-reported	HWT	65
HWT_2C	Height - exact height from 3'0" to 3'11" / self-reported	HWT	65
HWT_2D	Height - exact height from 4'0" to 4'11" / self-reported	HWT	66
HWT_2E	Height - exact height from 5'0" to 5'11" / self-reported	HWT	67
HWT_2F	Height - exact height from 6'0" to 6'11" / self-reported	HWT	68
HWT_3	Weight / self-reported	HWT	69
HWT_4	Respondent's opinion of own weight - self-reported	HWT	70
HWT_N4	Weight - unit of measure in pounds/kilograms / self-reported	HWT	69
HWTDBMI	Body Mass Index (BMI) / self-report - (D)	HWT	73
HWTDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	74
HWTDHTM	Height (metres) / self-reported - (D)	HWT	71
HWTDISW	BMI class. (18 +) / self-report - Intern. standard - (D)	HWT	73
HWTDWTK	Weight (kilograms) / self-reported - (D)	HWT	72
IDG_01	Used - marijuana, cannabis, hashish - life	IDG	614
IDG_02	Used - marijuana, cannabis, hashish - 12 mo	IDG	614
IDG_03	Frequency - marijuana, cannabis, hashish - 12 mo	IDG	615
IDG_04	Used - cocaine, crack - life	IDG	616

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
IDG_05	Used - cocaine, crack - 12 mo	IDG	616
IDG_06	Frequency - cocaine, crack - 12 mo	IDG	617
IDG_07	Used - speed (amphetamines) - life	IDG	617
IDG_08	Used - speed (amphetamines) - 12 mo	IDG	618
IDG_09	Frequency - speed (amphetamines) - 12 mo	IDG	618
IDG_10	Used - ecstasy (MDMA) - life	IDG	619
IDG_11	Used - ecstasy (MDMA) - 12 mo	IDG	619
IDG_12	Frequency - ecstasy (MDMA) - 12 mo	IDG	620
IDG_13	Used - hallucinogens, PCP, LSD - life	IDG	620
IDG_14	Used - hallucinogens, PCP, LSD - 12 mo	IDG	621
IDG_15	Frequency - hallucinogens, PCP, LSD - 12 mo	IDG	621
IDG_16	Sniffed - glue, gasoline, other solvents - life	IDG	622
IDG_17	Sniffed - glue, gasoline, other solvents - 12 mo	IDG	622
IDG_18	Frequency - glue, gasoline, other solvents - 12 mo	IDG	623
IDG_19	Used - heroin - life	IDG	623
IDG_20	Used - heroin - 12 mo	IDG	624
IDG_21	Frequency - heroin - 12 mo	IDG	624
IDG_22	Used - steroids - life	IDG	625
IDG_23	Used - steroids - 12 mo	IDG	625
IDG_24	Frequency - steroids - 12 mo	IDG	626
IDG_25A	Needed more drugs than usual to get high - 12 mo	IDG	626
IDG_25B	Had symptom during period of cut down/no drugs - 12 mo	IDG	627
IDG_25C	Used drugs - prevent having symptoms - 12 mo	IDG	627
IDG_25D	Used drugs - even though promised wouldn't - 12 mo	IDG	628
IDG_25E	Used drugs - more frequently than intended - 12 mo	IDG	628
IDG_25F	Used drugs - little time for anything else 12 mo	IDG	629
IDG_25G	Reduced important activities - because of drugs - 12 mo	IDG	629
IDG_25H	Continued taking drugs despite health problems - 12 mo	IDG	630
IDG_26A	Level of interference - home responsibilities - 12 mo	IDG	631
IDG_26C	Level of interference - close relationships - 12 mo	IDG	634
IDG_26D	Level of interference - social life - 12 mo	IDG	635
IDG_6B1	Level of interference - attend school - 12 mo	IDG	632
IDG_6B2	Level of interference - work at a job - 12 mo	IDG	633
IDGDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	643
IDGFINT	Illicit drug interference - 12 mo - (F)	IDG	643
IDGFLA	Illicit drug use - including one time cannabis - life - (F)	IDG	641
IDGFLAC	Illicit drug use - excluding one time cannabis - life - (F)	IDG	641

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
IDGFLAM	Amphetamine (speed) drug use - life - (F)	IDG	638
IDGFLCA	Cannabis drug use - including one time only - life - (F)	IDG	636
IDGFLCM	Cannabis drug use - excluding one time only - life - (F)	IDG	636
IDGFLCO	Cocaine / crack drug use - life - (F)	IDG	637
IDGFLEX	MDMA (ecstasy) drug use - life - (F)	IDG	638
IDGFLGL	Glue, gasoline or other solvent use - life - (F)	IDG	639
IDGFLHA	Hallucinogens, PCP or LSD drug use - life - (F)	IDG	639
IDGFLHE	Heroin drug use - life - (F)	IDG	640
IDGFLST	Steroid use - life - (F)	IDG	640
IDGFOPT	Optional module: Illicit drugs use - (F)	IDG	613
IDGFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	IDG	642
IDGFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	IDG	642
IDGFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	IDG	637
INC_1A	Source of household income - wages and salaries	INC	1092
INC_1B	Source of household income - self-employment	INC	1092
INC_1C	Source of household income - dividends and interest	INC	1093
INC_1D	Source of household income - employment insurance	INC	1093
INC_1E	Source of household income - worker's compensation	INC	1094
INC_1F	Source of hh income - benefits from Can. / Que. Pension Plan	INC	1094
INC_1G	Src of hh income - pensions, superan. and annuities	INC	1095
INC_1H	Source of household income - Old Age Security / G.I.S.	INC	1095
INC_1I	Source of household income - child tax benefit	INC	1096
INC_1J	Source of household income - social assistance / welfare	INC	1096
INC_1K	Source of household income - child support	INC	1097
INC_1L	Source of household income - alimony	INC	1097
INC_1M	Source of household income - other	INC	1098
INC_1N	Source of household income - none	INC	1098
INC_2	Total household income - main source	INC	1099
INC_3	Total household income - best estimate	INC	1100
INC_3A	Total household income - < \$20,000 or >= \$20,000	INC	1100
INC_3B	Total household income - < \$10,000 or >= \$10,000	INC	1101
INC_3C	Total household income - < \$5,000 or >= \$5,000	INC	1101
INC_3D	Total household income - < \$15,000 or >= \$15,000	INC	1102
INC_3E	Total household income - < \$40,000 or >= \$40,000	INC	1102
INC_3F	Total household income - < \$30,000 or >= \$30,000	INC	1103
INC_3G	Total household income - >= \$40,000	INC	1104
INC_4	Total personal income - best estimate	INC	1105

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
INC_4A	Total personal income - < \$20,000 or >= \$20,000	INC	1105
INC_4B	Total personal income - < \$10,000 or >= \$10,000	INC	1106
INC_4C	Total personal income - < \$5,000 or >= \$5,000	INC	1106
INC_4D	Total personal income - < \$15,000 or >= \$15,000	INC	1107
INC_4E	Total personal income - < \$40,000 or >= \$40,000	INC	1107
INC_4F	Total personal income - < \$30,000 or >= \$30,000	INC	1108
INC_4G	Total personal income - >= \$40,000	INC	1109
INCDADR	Adjusted household income ratio - (D)	INC	1112
INCDHH	Total household income from all sources - (D)	INC	1110
INCDPER	Total personal income from all sources - (D)	INC	1111
INCDRCA	Household income distribution - (D)	INC	1113
INCDRPR	Household income distribution - provincial level - (D)	INC	1114
INCDRRS	Household income distribution - health region level - (D)	INC	1115
INJ_01	Injured in past 12 months	INJ	424
INJ_02	Number of injuries in past 12 months	INJ	425
INJ_03	Most serious injury - month of occurrence	INJ	426
INJ_04	Most serious injury - year of occurrence	INJ	427
INJ_05	Most serious injury - type	INJ	428
INJ_06	Most serious injury - body part affected	INJ	429
INJ_07	Internal organs - body part affected	INJ	430
INJ_08	Most serious injury - place of occurrence	INJ	431
INJ_09	Most serious injury - activity when injured	INJ	432
INJ_10	Most serious injury - result of a fall	INJ	432
INJ_11	Most serious injury - how fell	INJ	433
INJ_12	Most serious injury - cause	INJ	434
INJ_13	Most serious injury - received treatment within 48 hours	INJ	435
INJ_14A	Most serious injury - treated in doctor's office	INJ	435
INJ_14B	Most serious injury - treated in hospital emergency room	INJ	436
INJ_14C	Most serious injury - treated in outpatient clinic	INJ	436
INJ_14D	Most serious injury - treated in walk-in clinic	INJ	437
INJ_14E	Most serious injury - treated in appointment clinic	INJ	437
INJ_14F	Most serious injury - treated in community h. centre / CLSC	INJ	438
INJ_14G	Most serious injury - treated at work	INJ	438
INJ_14H	Most serious injury - treated at school	INJ	439
INJ_14I	Most serious injury - treated at home	INJ	439
INJ_14J	Most serious injury - treated by telephone consultation	INJ	440
INJ_14K	Most serious injury - treated in other place	INJ	440

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
INJ_15	Most serious injury - admitted to hospital	INJ	441
INJ_16	Other injuries - treated but did not limit normal activities	INJ	441
INJ_17	Other injuries - number	INJ	442
INJDCAU	Cause of injury - (D)	INJ	443
INJDCBP	Cause of injury by place of occurrence - (D)	INJ	444
INJDSTT	Injury Status - (D)	INJ	444
INJDTBS	Type of injury by body site - (D)	INJ	442
INJFOPT	Optional module: Injuries - (F)	INJ	419
INS_1	Insurance - prescription medications	INS	1080
INS_1A	Type of health insurance plan - government-sponsored	INS	1081
INS_1B	Type of health insurance plan - employer-sponsored	INS	1081
INS_1C	Type of health insurance plan - private	INS	1082
INS_2	Insurance - dental expenses	INS	1082
INS_2A	Type of health insurance plan - government-sponsored	INS	1083
INS_2B	Type of health insurance plan - employer-sponsored	INS	1083
INS_2C	Type of health insurance plan - private	INS	1084
INS_3	Insurance - eye glasses / contact lenses	INS	1084
INS_3A	Type of health insurance plan - government-sponsored	INS	1085
INS_3B	Type of health insurance plan - employer-sponsored	INS	1085
INS_3C	Type of health insurance plan - private	INS	1086
INS_4	Insurance - hospital charges	INS	1086
INS_4A	Type of health insurance plan - government-sponsored	INS	1087
INS_4B	Type of health insurance plan - employer-sponsored	INS	1087
INS_4C	Type of health insurance plan - private	INS	1088
INSFOPT	Optional module: Insurance coverage - (F)	INS	1080
LBS_01	Worked at job or business last week	LBS	1059
LBS_02	Absent from job or business last week	LBS	1059
LBS_03	Had more than one job or business last week	LBS	1060
LBS_11	Looked for work in past 4 weeks	LBS	1060
LBS_31	Employee or self-employed	LBS	1061
LBS_42	Usual number of hours worked - current main job	LBS	1061
LBS_53	Usual number of hours worked - current other job	LBS	1062
LBSCSIC	North American Industry Classification System (NAICS)'02-©	LBS	1066
LBSCSOC	Nation. Occupatio. Class. for Statistics (NOCS), 2001 - (C)	LBS	1066
LBSDHPW	Total usual hours worked - current jobs - (D)	LBS	1066
LBSDING	Industry group - (D)	LBS	1068
LBSDOCG	Occupation group - (D)	LBS	1069

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
LBSDPFT	Current - full-time / part-time status - (D)	LBS	1067
LBSDWSS	Working status last week - 4 groups - (D)	LBS	1067
LBSF32	Response entered-name of business (self-employed) - (F)	LBF	1063
LBSF33	Response entered - whom you work for - (F)	LBF	1063
LBSF34	Response entered - kind of business - (F)	LBF	1064
LBSF35	Response entered - kind of work - (F)	LBF	1064
LBSF35S	Response entered - other - kind of work - (F)	LBF	1065
LBSF36	Response entered - most important duties at work - (F)	LBF	1065
MAM_030	Ever had mammogram	MAM	249
MAM_032	Last time mammogram was done	MAM	254
MAM_037	Currently pregnant	HWT	63
MAM_038	Had a hysterectomy	MAM	262
MAM_31A	Had mammogram - family history	MAM	250
MAM_31B	Had mammogram - regular check-up	MAM	250
MAM_31C	Had mammogram - age	MAM	251
MAM_31D	Had mammogram - previously detected lump	MAM	251
MAM_31E	Had mammogram - follow-up of treatment	MAM	252
MAM_31F	Had mammogram - on hormone replacement therapy	MAM	252
MAM_31G	Had mammogram - breast problem	MAM	253
MAM_31H	Had mammogram - other	MAM	253
MAM_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	254
MAM_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	255
MAM_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	255
MAM_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	256
MAM_36E	No mammogram - not available when required - past 2 yrs	MAM	256
MAM_36F	No mammogram - not available in the area - past 2 yrs	MAM	257
MAM_36G	No mammogram - waiting time too long - past 2 yrs	MAM	257
MAM_36H	No mammogram - transportation problems - past 2 yrs	MAM	258
MAM_36I	No mammogram - language problem - past 2 yrs	MAM	258
MAM_36J	No mammogram - cost - past 2 yrs	MAM	259
MAM_36K	No mammogram - did not know where to go - past 2 yrs	MAM	259
MAM_36L	No mammogram - fear - past 2 yrs	MAM	260
MAM_36M	No mammogram - other - past 2 yrs	MAM	261
MAM_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	260
MAM_36O	No mammogram - Breasts removed / Mastectomy	MAM	261
MAMFOPT	Optional module: Mammography - (F)	MAM	249
MAS_601	Mastery - lack of control	MAS	498

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
MAS_602	Mastery - cannot solve problems	MAS	499
MAS_603	Mastery - cannot change things	MAS	500
MAS_604	Mastery - helpless	MAS	501
MAS_605	Mastery - pushed around	MAS	502
MAS_606	Mastery - fate depends upon self	MAS	503
MAS_607	Mastery - can do anything	MAS	504
MASDM1	Mastery scale - (D)	MAS	504
MASFOPT	Optional module flag: Mastery - (F)	MAS	498
MEX_01	Has given birth in the past 5 years	MEX	595
MEX_01A	Year of birth of last baby	MEX	595
MEX_02	Took folic acid - before last pregnancy	MEX	596
MEX_03	Breastfed or tried to breastfeed last child	MEX	596
MEX_04	Main reason did not breastfeed last child	MEX	597
MEX_05	Still breastfeeding last child	MEX	598
MEX_06	Duration of breastfeeding last child	MEX	599
MEX_07	Age of last baby - other foods added	MEX	600
MEX_08	Main reason - other foods added	MEX	601
MEX_09	Gave vitamin D - when breast milk only	MEX	602
MEX_10	Main reason why stopped breastfeeding	MEX	603
MEXDEBF	Duration of exclusive breastfeeding - (D)	MEX	604
MEXFEB6	Exclusively breastfed for at least 6 months - (F)	MEX	605
MXA_01	Drank alcohol - last pregnancy	MXS	606
MXA_02	Frequency of drinking - last pregnancy	MXS	607
MXA_03	Drank alcohol - while breastfeeding last baby	MXS	608
MXA_04	Frequency of drinking - while breastfeeding last baby	MXS	609
MXAFOPT	Opt. mod.: Maternal exp. – Alcohol during pregnancy - (F)	MXA	605
MXS_01	Type of smoker - last pregnancy	MXS	610
MXS_02	No. of cigarettes daily - last pregnancy (daily smoker)	MXS	610
MXS_03	No. of cigarettes daily - last pregnancy (occasional smoker)	MXS	611
MXS_04	Smoked while breastfeeding last baby (occasional smoker)	MXS	611
MXS_05	No. of cigarettes daily - while breastfeeding (daily smoker)	MXS	612
MXS_06	No. of cigarettes daily - while breastfeeding (occ. smoker)	MXS	612
MXS_07	Second-hand smoke - during or after last pregnancy	MXS	613
MXSFOPT	Opt. mod.: Maternal exp. – Smoking during pregnancy - (F)	MXS	609
NDE_1	How long after waking smokes first cigarette	NDE	522
NDE_2	Difficult to not smoke where forbidden	NDE	523
NDE_3	Cigarette most hates to give up	NDE	523

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
NDE_4	Smokes more frequently after waking	NDE	524
NDE_5	Smokes even if sick	NDE	524
NDEDFTT	Fagerström Tolerance Test - (D)	NDE	525
NDEFOPT	Optional module: Smoking - Nicotine dependence - (F)	NDE	522
OH1_20	Self-perceived health of teeth and mouth	OH1	57
OH1_21A	Ability to chew - firm foods	OH1	57
OH1_21B	Ability to chew - fresh apple	OH1	58
OH1_21C	Ability to chew - boiled vegetables	OH1	58
OH1_22	Frequency of pain in teeth or gums - past month	OH1	59
OH1FCHW	Inability to chew - (F)	OH1	59
OH1FTH	Theme module: Oral health 1 - (F)	OH1	56
OH2_10	Frequency usually visits the dentist	OH2	311
OH2_11	Insurance for dental expenses	OH2	311
OH2_11A	Type of dental insurance plan - government-sponsored	OH2	312
OH2_11B	Type of dental insurance plan - employer-sponsored	OH2	312
OH2_11C	Type of dental insurance plan - private	OH2	313
OH2_12	Teeth removed by dentist - 12 mo	OH2	313
OH2_13	Teeth removed - decay or gum disease - 12 mo	OH2	314
OH2_20	Has one or more of own teeth	OH2	314
OH2_21	Wears dentures	OH2	315
OH2_22	Condition of teeth/mouth - difficulty speaking clearly	OH2	315
OH2_23	Condition of teeth/mouth - avoided conversation - 12 mo	OH2	316
OH2_24	Condition of teeth/mouth - avoided laughing/smiling - 12 mo	OH2	316
OH2_25A	Had a toothache - past mo.	OH2	317
OH2_25B	Teeth sensitive to hot or cold - past mo.	OH2	317
OH2_25C	Had pain - jaw joints - past mo.	OH2	318
OH2_25D	Had pain - mouth or face - past mo.	OH2	318
OH2_25E	Had bleeding gums - past mo.	OH2	319
OH2_25F	Had dry mouth - past mo.	OH2	319
OH2_25G	Had bad breath - past mo.	OH2	320
OH2_30	Frequency of brushing teeth	OH2	320
OH2FLIM	Limited socially due to oral health status - 12 mo - (F)	OH2	321
OH2FOFP	Oral or facial pain - past mo. - (F)	OH2	321
OH2FOPT	Optional module: Oral health 2 - (F)	OH2	310
ORG_1	Member of a voluntary organization	ORG	35
ORG_2	Frequency - participate in activities	ORG	35
ORGFOPT	Opt. module : Voluntary organizations - Participation - (F)	ORG	34

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
PAC_1A	Activity / last 3 months - walking	PAC	352
PAC_1B	Activity / last 3 months - gardening or yard work	PAC	352
PAC_1C	Activity / last 3 months - swimming	PAC	353
PAC_1D	Activity / last 3 months - bicycling	PAC	353
PAC_1E	Activity / last 3 months - popular or social dance	PAC	354
PAC_1F	Activity / last 3 months - home exercises	PAC	354
PAC_1G	Activity / last 3 months - ice hockey	PAC	355
PAC_1H	Activity / last 3 months - ice skating	PAC	355
PAC_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	356
PAC_1J	Activity / last 3 months - jogging or running	PAC	356
PAC_1K	Activity / last 3 months - golfing	PAC	357
PAC_1L	Activity / last 3 months - exercise class or aerobics	PAC	357
PAC_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	358
PAC_1N	Activity / last 3 months - bowling	PAC	358
PAC_1O	Activity / last 3 months - baseball or softball	PAC	359
PAC_1P	Activity / last 3 months - tennis	PAC	359
PAC_1Q	Activity / last 3 months - weight-training	PAC	360
PAC_1R	Activity / last 3 months - fishing	PAC	360
PAC_1S	Activity / last 3 months - volleyball	PAC	361
PAC_1T	Activity / last 3 months - basketball	PAC	361
PAC_1U	Activity / last 3 months - Any other	PAC	362
PAC_1V	Activity / last 3 months - No physical activity	PAC	363
PAC_1W	Activity / last 3 months - other (#2)	PAC	363
PAC_1X	Activity / last 3 months - other (#3)	PAC	364
PAC_1Z	Activity / last 3 months - Soccer	PAC	362
PAC_2A	Number of times / 3 months - walking for exercise	PAC	364
PAC_2B	Number of times / 3 months - gardening/yard work	PAC	365
PAC_2C	Number of times / 3 months - swimming	PAC	366
PAC_2D	Number of times / 3 months - bicycling	PAC	367
PAC_2E	Number of times / 3 months - popular or social dance	PAC	368
PAC_2F	Number of times / 3 months - home exercises	PAC	369
PAC_2G	Number of times / 3 months - ice hockey	PAC	370
PAC_2H	Number of times / 3 months - ice skating	PAC	371
PAC_2I	Number of times / 3 months- in-line skating or rollerblading	PAC	372
PAC_2J	Number of times / 3 months - jogging or running	PAC	373
PAC_2K	Number of times / 3 months - golfing	PAC	374
PAC_2L	Number of times / 3 months - exercise class or aerobics	PAC	375

CCHS 2007: Alphabetic Index

Master File - 12-Month (Rounded)

Page 34

June 2008

Variable Name	Description	Section	Page
PAC_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	376
PAC_2N	Number of times / 3 months - bowling	PAC	377
PAC_2O	Number of times / 3 months - baseball or softball	PAC	378
PAC_2P	Number of times / 3 months - tennis	PAC	379
PAC_2Q	Number of times / 3 months - weight-training	PAC	380
PAC_2R	Number of times / 3 months - fishing	PAC	381
PAC_2S	Number of times / 3 months - volleyball	PAC	382
PAC_2T	Number of times / 3 months - basketball	PAC	383
PAC_2U	Number of times / 3 months - other activity (#1)	PAC	385
PAC_2W	Number of times / 3 months - other activity (#2)	PAC	386
PAC_2X	Number of times - other activity (#3)	PAC	387
PAC_2Z	Number of times / 3 months - soccer	PAC	384
PAC_3A	Time spent - walking for exercise	PAC	365
PAC_3B	Time spent - gardening or yard work	PAC	366
PAC_3C	Time spent - swimming	PAC	367
PAC_3D	Time spent - bicycling	PAC	368
PAC_3E	Time spent - popular or social dance	PAC	369
PAC_3F	Time spent - home exercises	PAC	370
PAC_3G	Time spent - ice hockey	PAC	371
PAC_3H	Time spent - ice skating	PAC	372
PAC_3I	Time spent - in-line skating or rollerblading	PAC	373
PAC_3J	Time spent - jogging or running	PAC	374
PAC_3K	Time spent - golfing	PAC	375
PAC_3L	Time spent - exercise class or aerobics	PAC	376
PAC_3M	Time spent - downhill skiing or snowboarding	PAC	377
PAC_3N	Time spent - bowling	PAC	378
PAC_3O	Time spent - baseball or softball	PAC	379
PAC_3P	Time spent - tennis	PAC	380
PAC_3Q	Time spent - weight-training	PAC	381
PAC_3R	Time spent - fishing	PAC	382
PAC_3S	Time spent - volleyball	PAC	383
PAC_3T	Time spent - basketball	PAC	384
PAC_3U	Time spent - other activity (#1)	PAC	386
PAC_3W	Time spent - other activity (#2)	PAC	387
PAC_3X	Time spent - other activity (#3)	PAC	388
PAC_3Z	Time spent - soccer	PAC	385
PAC_7	Walked to work or school / last 3 months	PAC	388

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
PAC_7A	Number of times / 3 months - walking to go work or school	PAC	389
PAC_7B	Time spent - walking to go work or school	PAC	389
PAC_8	Bicycled to work or school / last 3 months	PAC	390
PAC_8A	Number of times / 3 months - bicycling to go work or school	PAC	390
PAC_8B	Time spent - bicycling to go work or school	PAC	391
PACDEE	Daily energy expenditure - Leisure physical activities - (D)	PAC	391
PACDFM	Month. freq. - Leisure phys. activity lasting >15 min. - (D)	PAC	392
PACDFR	Frequency of all leisure physical activity > 15 min. - (D)	PAC	393
PACDLTI	Leisure and transportation physical activity index - (D)	PAC	395
PACDPAI	Leisure physical activity index - (D)	PAC	394
PACDTLE	Daily ener. expend. - Transport. and leisure phy. act. - (D)	PAC	394
PACFD	Participant in daily leisure phys. activity > 15 min. - (F)	PAC	393
PACFLEI	Participant in leisure physical activity - (F)	PAC	392
PACFLT1	Participant in leisure or transportation phys. activ. - (F)	PAC	395
PAF_01	Work at home	PAF	1070
PAF_02	At work - Access to a pleasant place to walk	PAF	1070
PAF_03	At work - Access to playing fields	PAF	1071
PAF_04	At work - Access to a gym	PAF	1071
PAF_05	At work - Access to fitness classes	PAF	1072
PAF_06	At work - Access to any organized sport teams	PAF	1072
PAF_07	At work - Access to showers / change rooms	PAF	1073
PAF_08	At work - Access to programs to improve health	PAF	1073
PAFFACC	Access to physical activity facilities at work - (F)	PAF	1074
PAFFTH	Theme module: Physical activities - Facilities at work (F)	PAF	1069
PAP_020	Ever had PAP smear test	PAP	240
PAP_022	Last time had PAP smear test	PAP	240
PAP_26A	No PAP smear - have not gotten around to it	PAP	241
PAP_26B	No PAP smear - respondent didn't think necessary	PAP	241
PAP_26C	No PAP smear - doctor didn't think necessary	PAP	242
PAP_26D	No PAP smear - personal / family responsibilities	PAP	242
PAP_26E	No PAP smear - not available when required	PAP	243
PAP_26F	No PAP smear - not available in area	PAP	243
PAP_26G	No PAP smear - waiting time too long	PAP	244
PAP_26H	No PAP smear - transportation problems	PAP	244
PAP_26I	No PAP smear - language problem	PAP	245
PAP_26J	No PAP smear - cost	PAP	245
PAP_26K	No PAP smear - did not know where to go	PAP	246

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
PAP_26L	No PAP smear - fear	PAP	246
PAP_26M	No PAP smear - hysterectomy	PAP	247
PAP_26N	No PAP smear - hate / dislike having one done	PAP	247
PAP_26O	No PAP smear - other	PAP	248
PAP_26P	No PAP smear - unable to leave house / health problem	PAP	248
PAPFOPT	Optional module: PAP smear test - (F)	PAP	239
PAS_11	Received health care services	PAS	203
PAS_12	Rating of quality of care received	PAS	203
PAS_13	Satisfaction with way care provided	PAS	204
PAS_21A	Received health care services at hospital	PAS	205
PAS_21B	Type of patient - most recent visit	PAS	205
PAS_22	Rating of quality of care received - hospital	PAS	206
PAS_23	Satisfaction with way care provided - hospital	PAS	207
PAS_31A	Received physician care	PAS	208
PAS_31B	Type of physician - most recent care	PAS	208
PAS_32	Rating of quality of care received - physician	PAS	209
PAS_33	Satisfaction with way care provided - physician	PAS	210
PASFOPT	Opt. mod.: Patient satisfaction – Health care services - (F)	PAS	202
PERSONID	Person identifier of respondent selected - health interview	DHH	1
PSA_170	Ever had a PSA blood test (prostate cancer)	PSA	285
PSA_172	Last time had PSA blood test	PSA	285
PSA_174	Had a digital rectal exam	PSA	289
PSA_175	Last time had digital rectal exam	PSA	290
PSA_73A	Had PSA test - family history of prostate cancer	PSA	286
PSA_73B	Had PSA test - regular check-up	PSA	286
PSA_73C	Had PSA test - age	PSA	287
PSA_73D	Had PSA test - follow-up of problem	PSA	288
PSA_73E	Had PSA test - follow-up of prostate cancer treatment	PSA	288
PSA_73F	Had PSA test - other	PSA	289
PSA_73G	Had PSA test - race	PSA	287
PSAFOPT	Optional module: Prostate cancer screening - (F)	PSA	284
PSC_1	Received any community-based care	PSC	211
PSC_2	How rate quality of the community-based received	PSC	211
PSC_3	How satisfied with the way community-based care provided	PSC	212
PSCFOPT	Opt. mod.: Patient satisf. - Community-based care - (F)	PSC	210
PWB_01	Frequency - felt self-confident - past month	PWB	694
PWB_02	Frequency - satisfied with accomplishments - past month	PWB	695

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
PWB_03	Frequency - took on lots of projects - past month	PWB	696
PWB_04	Frequency - felt emotionally balanced - past month	PWB	697
PWB_05	Frequency - felt loved and appreciated - past month	PWB	698
PWB_06	Frequency - had goals and ambitions - past month	PWB	699
PWB_07	Frequency - felt like having fun - past month	PWB	700
PWB_08	Frequency - felt useful - past month	PWB	701
PWB_09	Frequency - smiled easily - past month	PWB	702
PWB_10	Frequency - was true to self - past month	PWB	703
PWB_11	Frequency - did good job listening to friends - past month	PWB	704
PWB_12	Frequency - was curious and interested - past month	PWB	705
PWB_13	Frequency - was able to clearly sort things out - past month	PWB	706
PWB_14	Frequency - found life exciting - past month	PWB	707
PWB_15	Frequency - life was well-balanced - past month	PWB	708
PWB_16	Frequency - was calm and level-headed - past month	PWB	709
PWB_17	Frequency - easily found answers - past month	PWB	710
PWB_18	Frequency - got along well with others - past month	PWB	711
PWB_19	Frequency - lived at normal pace - past month	PWB	712
PWB_20	Frequency - impression of enjoying life - past month	PWB	713
PWB_21	Frequency - had good sense of humour - past month	PWB	714
PWB_22	Frequency - was at peace with self - past month	PWB	715
PWB_23	Frequency - felt healthy/in good shape - past month	PWB	716
PWB_24	Frequency - face situations positively - past month	PWB	717
PWB_25	Frequency - had good morale - past month	PWB	718
PWBDPWB	Psychological well-being scale - past month - (D)	PWB	718
PWBFOPT	Optional module: Psychological well-being - (F)	PWB	694
RAC_1	Has difficulty with activities	RAC	212
RAC_2A	Reduction in kind/amount of activities - at home	RAC	213
RAC_2B1	Reduction in kind/amount of activities - at school	RAC	213
RAC_2B2	Reduction in kind/amount of activities - at work	RAC	214
RAC_2C	Reduction in kind/amount of activities - other activities	RAC	214
RAC_5	Cause of health problem	RAC	215
RAC_6A	Needs help - preparing meals	RAC	216
RAC_6B1	Needs help - getting to appointments / running errands	RAC	216
RAC_6C	Needs help - doing housework	RAC	217
RAC_6E	Needs help - personal care	RAC	217
RAC_6F	Needs help - moving about inside the house	RAC	218
RAC_6G	Needs help - looking after personal finances	RAC	218

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
RACDIMP	Impact of health problems - (D)	RAC	219
RACDPAL	Participation and activity limitation - (D)	RAC	219
RACF6R	Help needed for tasks - (F)	RAC	220
REFPER	Reference period	SAM	1
REP_1	Repetitive strain injury	INJ	419
REP_3	Repetitive strain - body part affected	INJ	420
REP_4A	Repetitive strain - sports or physical exercise	INJ	421
REP_4B	Repetitive strain - leisure or hobby	INJ	421
REP_4C	Repetitive strain - working at a job or business	INJ	422
REP_4D	Repetitive strain - chores, unpaid work, education	INJ	423
REP_4E	Repetitive strain - sleeping, eating, personal care	INJ	423
REP_4F	Repetitive strain - other	INJ	424
REP_4G	Repetitive strain - travel to or from work	INJ	422
RLE_201	Beaten up, physically attacked / past 12 months	RLE	467
RLE_202	Unwanted pregnancy / past 12 months	RLE	467
RLE_203	Abortion, miscarriage / past 12 months	RLE	468
RLE_204	Financial crisis / past 12 months	RLE	468
RLE_205	Fail school, training program / past 12 months	RLE	469
RLE_206	Change of job - job worse than preceding / past 12 months	RLE	469
RLE_207	Demotion at work, cut in pay / past 12 months	RLE	470
RLE_208	Arguments with partner / past 12 months	RLE	470
RLE_209	Gone on welfare / past 12 months	RLE	471
RLE_210	Has children	RLE	471
RLE_211	Child move back house / past 12 months	RLE	472
RLEFOPT	Optional module: Stress - Recent life events - (F)	RLE	466
SAC_1	Number of hours - on a computer - past 3 mo	SAC	396
SAC_2	Number of hours - playing video games - past 3 mo	SAC	397
SAC_3	Number of hours - watching television or videos - past 3 mo	SAC	398
SAC_4	Number of hours - reading - past 3 mo	SAC	399
SACDTER	Total no. hrs / week (excl. reading) - sedentary act. - (D)	SAC	401
SACDTOT	Total number hours - sedentary activities - past 3 mo - (D)	SAC	400
SACFTH	Theme module: Sedentary activities - (F)	SAC	396
SAM_CP	Sampled collection period	SAM	15
SAM_TYP	Sample type	SAM	16
SAMDLNK	Permission to link data - (D)	SAM	17
SAMDSHR	Permission to share data - (D)	SAM	16
SAMPLEID	Household identifier	SAM	1

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SCA_10	Has used nicotine patch	SCA	526
SCA_10A	Usefulness of nicotine patch	SCA	526
SCA_11	Has used nicotine gum or candy	SCA	527
SCA_11A	Usefulness of nicotine gum or candy	SCA	527
SCA_12	Has used medication such as Zyban	SCA	528
SCA_12A	Usefulness of medication such as Zyban	SCA	528
SCA_50	Stopped smoking for at least 24 hours	SCA	529
SCA_60	Tried to quit smoking - nicotine patch	SCA	529
SCA_61	Tried to quit smoking - nicotine gum or candy - past 12 mo	SCA	530
SCA_62	Tried to quit smoking - medication such as Zyban	SCA	530
SCADQUI	Attempted to stop smoking - (D)	SCA	531
SCAFOPT	Optional module: Smoking cessation methods - (F)	SCA	525
SCH_1	Quitting smoking - next 6 months	SCH	519
SCH_2	Quitting smoking - next 30 days	SCH	520
SCH_3	Stopped smoking for at least 24 hours - 12 mo	SCH	520
SCH_4	Number of times stopped for at least 24 hours - 12 mo	SCH	521
SCHDSTG	Smoking stages of change - (D)	SCH	521
SCHFOPT	Optional module: Smoking - stages of change - (F)	SCH	519
SDC_1	Country of birth	SDC	983
SDC_2	Canadian citizen by birth	SDC	984
SDC_3	Year of immigration to Canada	SDC	984
SDC_41	Aboriginal - North American Indian, Métis, Inuit	SDC	995
SDC_42A	Aboriginal person(s) - North American Indian	SDC	996
SDC_42B	Aboriginal person(s) - Métis	SDC	996
SDC_42C	Aboriginal person(s) - Inuit	SDC	997
SDC_43A	Cultural / racial origin - White	SDC	997
SDC_43B	Cultural/racial origin - Chinese	SDC	998
SDC_43C	Cultural/racial origin - South Asian	SDC	998
SDC_43D	Cultural/racial origin - Black	SDC	999
SDC_43E	Cultural/racial origin - Filipino	SDC	999
SDC_43F	Cultural/racial origin - Latin American	SDC	1000
SDC_43G	Cultural/racial origin - South East Asian	SDC	1000
SDC_43H	Cultural/racial origin - Arab	SDC	1001
SDC_43I	Cultural/racial origin - West Asian	SDC	1001
SDC_43J	Cultural/racial origin - Japanese	SDC	1002
SDC_43K	Ethnic origin - Korean	SDC	1002
SDC_43M	Cultural/racial origin - other	SDC	1003

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SDC_4A	Ethnic origin - Canadian	SDC	985
SDC_4B	Ethnic origin - French	SDC	985
SDC_4C	Ethnic origin - English	SDC	986
SDC_4D	Ethnic origin - German	SDC	986
SDC_4E	Ethnic origin - Scottish	SDC	987
SDC_4F	Ethnic origin - Irish	SDC	987
SDC_4G	Ethnic origin - Italian	SDC	988
SDC_4H	Ethnic origin - Ukrainian	SDC	988
SDC_4I	Ethnic origin - Dutch (Netherlands)	SDC	989
SDC_4J	Ethnic origin - Chinese	SDC	989
SDC_4K	Ethnic origin - Jewish	SDC	990
SDC_4L	Ethnic origin - Polish	SDC	990
SDC_4M	Ethnic origin - Portuguese	SDC	991
SDC_4N	Ethnic origin - South Asian	SDC	991
SDC_4P	Ethnic origin - Norwegian	SDC	993
SDC_4Q	Ethnic origin - Welsh	SDC	994
SDC_4R	Ethnic origin - Swedish	SDC	994
SDC_4S	Ethnic origin - other	SDC	995
SDC_4T	Ethnic origin - North American Indian	SDC	992
SDC_4U	Ethnic origin - Métis	SDC	992
SDC_4V	Ethnic origin - Inuit	SDC	993
SDC_5A	Can converse - English	SDC	1003
SDC_5AA	Language spoken most often at home - English	SDC	1015
SDC_5AB	Language spoken most often at home - French	SDC	1015
SDC_5AC	Language spoken most often at home - Arabic	SDC	1016
SDC_5AD	Language spoken most often at home - Chinese	SDC	1016
SDC_5AE	Language spoken most often at home - Cree	SDC	1017
SDC_5AF	Language spoken most often at home - German	SDC	1017
SDC_5AG	Language spoken most often at home - Greek	SDC	1018
SDC_5AH	Language spoken most often at home - Hungarian	SDC	1018
SDC_5AI	Language spoken most often at home - Italian	SDC	1019
SDC_5AJ	Language spoken most often at home - Korean	SDC	1019
SDC_5AK	Language spoken most often at home - Persian (Farsi)	SDC	1020
SDC_5AL	Language spoken most often at home - Polish	SDC	1020
SDC_5AM	Language spoken most often at home - Portuguese	SDC	1021
SDC_5AN	Language spoken most often at home - Punjabi	SDC	1021
SDC_5AO	Language spoken most often at home - Spanish	SDC	1022

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SDC_5AP	Language spoken most often at home - Tagalog (Filipino)	SDC	1022
SDC_5AQ	Language spoken most often at home - Ukrainian	SDC	1023
SDC_5AR	Language spoken most often at home - Vietnamese	SDC	1023
SDC_5AS	Language spoken most often at home - Other	SDC	1026
SDC_5AT	Language spoken most often at home - Dutch	SDC	1024
SDC_5AU	Language spoken most often at home - Hindi	SDC	1024
SDC_5AV	Language spoken most often at home - Russian	SDC	1025
SDC_5AW	Language spoken most often at home - Tamil	SDC	1025
SDC_5B	Can converse - French	SDC	1004
SDC_5C	Can converse - Arabic	SDC	1004
SDC_5D	Can converse - Chinese	SDC	1005
SDC_5E	Can converse - Cree	SDC	1005
SDC_5F	Can converse - German	SDC	1006
SDC_5G	Can converse - Greek	SDC	1006
SDC_5H	Can converse - Hungarian	SDC	1007
SDC_5I	Can converse - Italian	SDC	1007
SDC_5J	Can converse - Korean	SDC	1008
SDC_5K	Can converse - Persian (Farsi)	SDC	1008
SDC_5L	Can converse - Polish	SDC	1009
SDC_5M	Can converse - Portuguese	SDC	1009
SDC_5N	Can converse - Punjabi	SDC	1010
SDC_5O	Can converse - Spanish	SDC	1010
SDC_5P	Can converse - Tagalog (Filipino)	SDC	1011
SDC_5Q	Can converse - Ukrainian	SDC	1011
SDC_5R	Can converse - Vietnamese	SDC	1012
SDC_5S	Can converse - other language	SDC	1014
SDC_5T	Can converse - Dutch	SDC	1012
SDC_5U	Can converse - Hindi	SDC	1013
SDC_5V	Can converse - Russian	SDC	1013
SDC_5W	Can converse - Tamil	SDC	1014
SDC_6A	First language learned and still understood - English	SDC	1026
SDC_6B	First language learned and still understood - French	SDC	1027
SDC_6C	First language learned and still understood - Arabic	SDC	1027
SDC_6D	First language learned and still understood - Chinese	SDC	1028
SDC_6E	First language learned and still understood - Cree	SDC	1028
SDC_6F	First language learned and still understood - German	SDC	1029
SDC_6G	First language learned and still understood - Greek	SDC	1029

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SDC_6H	First language learned and still understood - Hungarian	SDC	1030
SDC_6I	First language learned and still understood - Italian	SDC	1030
SDC_6J	First language learned and still understood - Korean	SDC	1031
SDC_6K	First language learned / still understood - Persian (Farsi)	SDC	1031
SDC_6L	First language learned and still understood - Polish	SDC	1032
SDC_6M	First language learned and still understood - Portuguese	SDC	1032
SDC_6N	First language learned and still understood - Punjabi	SDC	1033
SDC_6O	First language learned and still understood - Spanish	SDC	1033
SDC_6P	First lang. learned / still understood - Tagalog (Filipino)	SDC	1034
SDC_6Q	First language learned and still understood - Ukrainian	SDC	1034
SDC_6R	First language learned and still understood - Vietnamese	SDC	1035
SDC_6S	First language learned and still understood - other	SDC	1037
SDC_6T	First language learned and still understood - Dutch	SDC	1035
SDC_6U	First language learned and still understood - Hindi	SDC	1036
SDC_6V	First language learned and still understood - Russian	SDC	1036
SDC_6W	First language learned and still understood - Tamil	SDC	1037
SDC_7AA	Considers self heterosexual, homosexual or bisexual	SDC	1038
SDC_8	Current student	EDU	1054
SDC_9	Full-time student or part-time student	EDU	1054
SDCCCB	Country of birth - (C)	SDC	1039
SDCDABT	Aboriginal identity - (D)	SDC	1047
SDCDAIM	Age at time of immigration - (D)	SDC	1045
SDCDCGT	Cultural / racial background - (D)	SDC	1048
SDCDFL1	First official language learned and still understood - (D)	SDC	1050
SDCDLHM	Language(s) spoken at home - (D)	SDC	1051
SDCDLNG	Languages - can converse - (D)	SDC	1049
SDCDRES	Length of time in Canada since immigration - (D)	SDC	1046
SDCFIMM	Immigrant - (F)	SDC	1046
SDCGCB	Country of birth - (G)	SDC	1045
SFE_501	Self-esteem - has good qualities	SFE	494
SFE_502	Self-esteem - is person of worth	SFE	495
SFE_503	Self-esteem - is able to do things well	SFE	495
SFE_504	Self-esteem - takes positive attitude towards self	SFE	496
SFE_505	Self-esteem - satisfied with self	SFE	496
SFE_506	Self-esteem - feels is a failure	SFE	497
SFEDE1	Self-esteem scale - (D)	SFE	497
SFEFOPT	Optional module: Self-esteem - (F)	SFE	494

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SFR_03	Health status - limits vigorous activities	SFR	800
SFR_04	Health status - limits moderate activities	SFR	801
SFR_05	Health status - limits lifting and carrying groceries	SFR	801
SFR_06	Health status - limits climbing several flights of stairs	SFR	802
SFR_07	Health status - limits climbing one flight of stairs	SFR	802
SFR_08	Health status - limits bending, kneeling, stooping	SFR	803
SFR_09	Health status - limits walking more than one km	SFR	803
SFR_10	Health status - limits walking several blocks	SFR	804
SFR_11	Health status - limits walking one block	SFR	804
SFR_12	Health status - limits bathing and dressing self	SFR	805
SFR_13	Physical hlth - cut down time work/activities - past 4 wks	SFR	805
SFR_14	Physcial hlth - accomplished less - past 4 wks	SFR	806
SFR_15	Physical hlth - limited type of work/activity - past 4 wks	SFR	806
SFR_16	Phys. hlth - difficulty performing work/activities - 4 wks	SFR	807
SFR_17	Emotion prob. - less time spent/work/activities - past 4 wks	SFR	807
SFR_18	Emotional problems - accomplished less - past 4 wks	SFR	808
SFR_19	Emotional prob. - not as careful at work/act. - past 4 wks	SFR	808
SFR_20	Phys./emo. prob. interfered with social act. - past 4 wks	SFR	809
SFR_21	Level of bodily pain - past 4 wks	SFR	810
SFR_22	Pain interfered with normal work - past 4 wks	SFR	811
SFR_23	Feeling full of pep - past 4 wks	SFR	812
SFR_24	Feeling nervous - past 4 wks	SFR	813
SFR_25	Feeling down and can't be cheered up - past 4 wks	SFR	814
SFR_26	Feeling calm and peaceful - past 4 wks	SFR	815
SFR_27	Have lots of energy - past 4 wks	SFR	816
SFR_28	Feeling downhearted and blue - past 4 wks	SFR	817
SFR_29	Feeling worn out - past 4 wks	SFR	818
SFR_30	Feeling happy - past 4 wks	SFR	819
SFR_31	Feeling tired - past 4 wks	SFR	820
SFR_32	Health limited social activities - past 4 wks	SFR	821
SFR_33	Seem to get sick easier than others	SFR	822
SFR_34	Sees self as healthy as others	SFR	823
SFR_35	Expects health to worsen	SFR	824
SFR_36	Views own health as excellent	SFR	825
SFRDBPS	Bodily pain scale - (D)	SFR	828
SFRDGHP	General health perceptions scale - (D)	SFR	829
SFRDGMH	General mental health scale - (D)	SFR	827

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SFRDMCS	Summary measure of mental health - (D)	SFR	830
SFRDMRF	Role functioning (mental) scale - (D)	SFR	827
SFRDPCS	Summary measure of physical health - (D)	SFR	829
SFRDPFS	Physical functioning scale - (D)	SFR	825
SFRDPRF	Role functioning (physical) scale - (D)	SFR	826
SFRDSFS	Social functioning scale - (D)	SFR	826
SFRDVTS	Vitality scale - (D)	SFR	828
SFRFOPT	Optional module: Health status (SF-36) - (F)	SFR	800
SLP_01	Number of hours spent sleeping per night	SLP	37
SLP_02	Frequency - trouble sleeping	SLP	38
SLP_03	Frequency - find sleep refreshing	SLP	39
SLP_04	Frequency - find it difficult to stay awake	SLP	40
SLPFOPT	Optional module: Sleep - (F)	SLP	36
SMK_01A	Smoked 100 or more cigarettes - life	SMK	505
SMK_01B	Ever smoked whole cigarette	SMK	505
SMK_01C	Age - smoked first whole cigarette	SMK	506
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	508
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	508
SMK_05D	Ever smoked cigarettes daily	SMK	509
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	509
SMK_06B	Stopped smoking - month (never daily smoker)	SMK	510
SMK_06C	Number of years since stopped smoking	SMK	511
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	512
SMK_09B	Stopped smoking daily - month (former daily smoker)	SMK	513
SMK_09C	No. of yrs since stopped smoking daily (former daily smoker)	SMK	514
SMK_10	Quit smoking completely (former daily smoker)	SMK	514
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	515
SMK_10B	Stopped smoking completely - month (former daily smoker)	SMK	516
SMK_10C	Number of years since stopped smoking (daily)	SMK	517
SMK_202	Type of smoker	SMK	506
SMK_203	Age - started smoking daily (daily smoker)	SMK	507
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	507
SMK_207	Age - started smoking daily (former daily smoker)	SMK	511
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	512
SMKDSTP	Number of years since stopped smoking completely - (D)	SMK	518
SMKDSTY	Type of smoker - (D)	SMK	517
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	518

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SPC_10	Visited regular medical doctor	SPC	532
SPC_11	Doctor - knows smokes/smoked	SPC	532
SPC_12	Doctor - advised to quit	SPC	533
SPC_13	Doctor - gave specific help	SPC	533
SPC_14A	Type of help - referral to one-on-one program	SPC	534
SPC_14B	Type of help - referral to group program	SPC	534
SPC_14C	Type of help - recommended nicotine patch or gum	SPC	535
SPC_14D	Type of help - recommended Zyban or other medication	SPC	535
SPC_14E	Type of help - provided self-help information	SPC	536
SPC_14F	Type of help - doctor offered counselling	SPC	536
SPC_14G	Type of help - other	SPC	537
SPC_20	Visited dentist	SPC	537
SPC_21	Dentist/hygienist - knows smokes/smoked	SPC	538
SPC_22	Dentist/hygienist - advised to quit	SPC	538
SPCFOPT	Optional module: Smoking - physician counselling - (F)	SPC	531
SPV_1	Spiritual values - playing important role in life	SPV	749
SPV_2	Spiritual values - helping to find meaning to life	SPV	749
SPV_3	Spiritual values - strength for everyday difficulties	SPV	750
SPV_4	Spiritual values - understanding difficulties of life	SPV	751
SPV_5	Respondent's religion	SPV	752
SPV_6	Frequency - attends religious services or meetings	SPV	753
SPV_7	Self-perception - being religious	SPV	754
SPVFOPT	Optional module flag: Spiritual values - (F)	SPV	748
SSA_01	Number of close friends and relatives	SSA	719
SSA_02	Has someone to give help if confined to bed	SSA	720
SSA_03	Has someone to listen	SSA	721
SSA_04	Has someone to receive advice about a crisis	SSA	722
SSA_05	Has someone to take to doctor	SSA	723
SSA_06	Has someone who shows love and affection	SSA	724
SSA_07	Has someone to have a good time with	SSA	725
SSA_08	Has someone to receive info to help understand a situation	SSA	726
SSA_09	Has someone to confide in	SSA	727
SSA_10	Has someone who gives hugs	SSA	728
SSA_11	Has someone to get together with for relaxation	SSA	729
SSA_12	Has someone to prepare meals	SSA	730
SSA_13	Has someone to give advice	SSA	731
SSA_14	Has someone to do things to get mind off things	SSA	732

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SSA_15	Has someone to help with daily chores if sick	SSA	733
SSA_16	Has someone to share most private worries and fears with	SSA	734
SSA_17	Has someone to turn to for suggestions for personal problems	SSA	735
SSA_18	Has someone to do something enjoyable with	SSA	736
SSA_19	Has someone who understands problems	SSA	737
SSA_20	Has someone who loves and makes feel wanted	SSA	738
SSADAFF	Affection - MOS subscale - (D)	SSA	739
SSADEMO	Emotional or informational support - MOS subscale - (D)	SSA	740
SSADSOC	Positive social interaction - MOS subscale - (D)	SSA	739
SSADTNG	Tangible social support - MOS subscale - (D)	SSA	738
SSAFOPT	Optional module: Social support - availability - (F)	SSA	719
SSB_01	Been sunburnt - past 12 months	SSB	410
SSB_02	Sunburn involved blistering	SSB	411
SSB_03	Sunburns involved pain - lasting more than 1 day	SSB	411
SSB_06	Amount of time in the sun - 11 am to 4 pm	SSB	412
SSB_07	Frequency - seek shade	SSB	413
SSB_08	Frequency - wear hat in the sun	SSB	414
SSB_09A	Frequency - wear long pants or skirt in the sun	SSB	415
SSB_09B	Frequency - use sunscreen on your face	SSB	415
SSB_10	Sun Protection factor (SPF) usually use - face	SSB	416
SSB_11	Frequency - use sunscreen on your body	SSB	416
SSB_12	Sun Protection factor (SPF) usually use on body	SSB	417
SSB_13	Skin cancer	SSB	417
SSB_14	Skin cancer - diagnostic	SSB	418
SSB_15	Skin cancer - type of cancer	SSB	418
SSBFOPT	Optional module: Sun safety behaviours - (F)	SSB	410
SSU_21A	Received tangible social support	SSU	741
SSU_21B	Frequency of tangible social support	SSU	742
SSU_22A	Received affective support	SSU	743
SSU_22B	Frequency of affective support	SSU	744
SSU_23A	Received positive social interactive support	SSU	745
SSU_23B	Frequency of positive social interactive support	SSU	746
SSU_24A	Received emotional/informational support	SSU	747
SSU_24B	Frequency of emotional/informational support	SSU	748
SSUFOPT	Optional module: Social Support - utilization - (F)	SSU	740
STC_61	Frequency - coping - problem solving	STC	457
STC_610	Frequency - coping - blaming oneself	STC	465

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
STC_611	Frequency - coping - wishing situation would go away	STC	466
STC_62	Frequency - coping - talking to others	STC	458
STC_63	Frequency - coping - avoiding being with people	STC	458
STC_64	Frequency - coping - sleeping more than usual	STC	459
STC_65A	Frequency - coping - eating more or less than usual	STC	460
STC_65B	Frequency - coping - smoking more cigarettes than usual	STC	461
STC_65C	Frequency - coping - drinking alcohol	STC	461
STC_65D	Frequency - coping - using drugs or medication	STC	462
STC_66	Frequency - coping - jogging or other exercise	STC	462
STC_67	Frequency - coping - praying or seeking spiritual help	STC	463
STC_68	Frequency - coping - doing something enjoyable	STC	464
STC_69	Frequency - coping - looking on the bright side of things	STC	464
STCFOPT	Optional module: Stress – Coping with stress - (F)	STC	457
STS_1	Self-perceived ability to handle unexpected problem	STS	454
STS_2	Self-perceived ability to handle day-to-day demands	STS	455
STS_3	Most important source of feelings of stress	STS	456
STSFOPT	Optional module: Stress - sources - (F)	STS	453
SUI_1	Seriously considered suicide - lifetime	SUI	793
SUI_2	Seriously considered suicide - past 12 months	SUI	794
SUI_3	Attempted suicide - lifetime	SUI	794
SUI_4	Attempted suicide - past 12 months	SUI	795
SUI_5	Consulted health professional following suicide attempt	SUI	795
SUI_6A	Suicide attempt - consulted family doctor or g.p.	SUI	796
SUI_6B	Suicide attempt - consulted psychiatrist	SUI	796
SUI_6C	Suicide attempt - consulted psychologist	SUI	797
SUI_6D	Suicide attempt - consulted nurse	SUI	797
SUI_6E	Suicide attempt - consulted social worker or counsellor	SUI	798
SUI_6F	Suicide attempt - consulted other health professional	SUI	799
SUI_6G	Suicide attempt - consulted religious or spiritual advisor	SUI	798
SUI_6H	Suicide attempt - consulted a teacher or guidance counsellor	SUI	799
SUIFOPT	Optional module - Suicidal thoughts and attempts - (F)	SUI	793
SWL_02	Satisfaction - job	SWL	445
SWL_03	Satisfaction - leisure activities	SWL	446
SWL_04	Satisfaction - financial situation	SWL	447
SWL_05	Satisfaction - with self	SWL	448
SWL_06	Satisfaction - way body looks	SWL	449
SWL_07	Satisfaction - relationships with other family members	SWL	450

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
SWL_08	Satisfaction - relationships with friends	SWL	451
SWL_09	Satisfaction - housing	SWL	452
SWL_10	Satisfaction - neighbourhood	SWL	453
SWLFOPT	Optional module: Satisfaction with life - (F)	SWL	445
SXB_07	Ever diagnosed with STD	SXB	684
SXB_09	Important to avoid getting pregnant	SXB	685
SXB_1	Ever had sexual intercourse	SXB	682
SXB_10	Important to avoid getting partner pregnant	SXB	686
SXB_11	Usually use birth control - past 12 months	SXB	687
SXB_12A	Usual birth control method - condom	SXB	687
SXB_12B	Usual birth control method - Birth control pill	SXB	688
SXB_12C	Usual birth control method - diaphragm	SXB	688
SXB_12D	Usual birth control method - spermicide	SXB	689
SXB_12E	Usual birth control method - other	SXB	690
SXB_12F	Usual birth control method - birth control injection	SXB	689
SXB_13A	Birth control method used last time - condom	SXB	690
SXB_13B	Birth control method used last time - birth control pill	SXB	691
SXB_13C	Birth control method used last time - diaphragm	SXB	691
SXB_13D	Birth control method used last time - spermicide	SXB	692
SXB_13E	Method used last time - nothing	SXB	693
SXB_13F	Birth control method used last time - other	SXB	692
SXB_13G	Birth cntrl. method used last time - birth control injection	SXB	693
SXB_2	Age - first sexual intercourse	SXB	683
SXB_3	Had sexual intercourse - past 12 months	SXB	683
SXB_4	Number of different partners - past 12 months	SXB	684
SXB_7A	Condom use - last time	SXB	685
SXBFOPT	Optional module: Sexual behaviours - (F)	SXB	682
TAL_1	Smoked cigars - last month	TAL	547
TAL_2	Smoked a pipe - last month	TAL	547
TAL_3	Used snuff - last month	TAL	548
TAL_4	Used chewing tobacco - last month	TAL	548
TALFOPT	Optional module: Smoking - Other tobacco products - (F)	TAL	546
UPE_01	Frequency - wears helmet - bicycling	UPE	402
UPE_02A	Frequency - wears helmet - in-line skating	UPE	402
UPE_02B	Frequency - wears wrist guards - in-line skating	UPE	403
UPE_02C	Frequency - wears elbow pads - in-line skating	UPE	403
UPE_03A	Downhill skiing or snowboarding - past 3 mo.	UPE	404

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
UPE_03B	Downhill skiing or snowboarding - past 12 mo	UPE	404
UPE_04A	Frequency - wears helmet - downhill skiing	UPE	405
UPE_05A	Frequency - wears helmet - snowboarding	UPE	405
UPE_05B	Frequency - wears wrist guards - snowboarding	UPE	406
UPE_06	Has done skateboarding - past 12 mo	UPE	406
UPE_06A	Frequency - wears helmet - skateboarding	UPE	407
UPE_06B	Frequency - wears wrist guards/protectors - skateboarding	UPE	407
UPE_06C	Frequency - wears elbow pads - skateboarding	UPE	408
UPEFILS	Wears all protective equipment - in-line skating - (F)	UPE	408
UPEFOPT	Optional module: Use of protective equipment - (F)	UPE	401
UPEFSKB	Wears all protective equipment - skateboarding - (F)	UPE	409
UPEFSNB	Wears all protective equipment - snowboarding - (F)	UPE	409
VERDATE	Date of file creation	SAM	1
WST_12A	Work stress - had materials/equipment needed	WST	489
WST_401	Work stress - must learn new things	WST	477
WST_402	Work stress - high level of skill	WST	478
WST_403	Work stress - freedom to decide	WST	479
WST_404	Work stress - repetitive tasks	WST	480
WST_405	Work stress - job hectic	WST	481
WST_406	Work stress - free from conflicting demands	WST	482
WST_407	Work stress - good job security	WST	483
WST_408	Work stress - required a lot of physical effort	WST	484
WST_409	Work stress - had own job input	WST	485
WST_410	Work stress - hostility or conflict from others	WST	486
WST_411	Work stress - supervisor helpful	WST	487
WST_412	Work stress - co-workers helpful	WST	488
WST_413	Work stress - job satisfaction	WST	490
WSTDAUT	Work stress - decision latitude / authority - (D)	WST	491
WSTDJIN	Work stress - job insecurity - (D)	WST	492
WSTDJST	Work stress - job strain - (D)	WST	493
WSTDPHY	Work stress - physical exertion - (D)	WST	492
WSTDPSY	Work stress - psychological demands - (D)	WST	491
WSTDSKI	Work stress - decision latitude / discretion - (D)	WST	490
WSTDSOC	Work stress - social support - (D)	WST	493
WSTFOPT	Optional module: Stress - Work stress - (F)	WST	476
WTM_01	Required visit to medical specialist	WTM	913
WTM_02	Required visit to medical specialist - type of condition	WTM	914

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
WTM_03	Person who referred respondent to medical specialist	WTM	915
WTM_04	Already visited the medical specialist	WTM	915
WTM_05	Had difficulties seeing the medical specialist	WTM	916
WTM_06A	Difficulty - getting a referral	WTM	916
WTM_06B	Difficulty - getting an appointment	WTM	917
WTM_06C	Difficulty - no specialists in area	WTM	917
WTM_06D	Difficulty - waited too long for an appointment	WTM	918
WTM_06E	Difficulty - waited too long to see doctor	WTM	918
WTM_06F	Difficulty - transportation	WTM	919
WTM_06G	Difficulty - language	WTM	919
WTM_06H	Difficulty - cost	WTM	920
WTM_06I	Difficulty - personal or family responsibilities	WTM	920
WTM_06J	Difficulty - general deterioration of health	WTM	921
WTM_06K	Difficulty - appointment cancelled/deferred	WTM	921
WTM_06L	Difficulty - unable to leave house/health problem	WTM	922
WTM_06M	Difficulty - other	WTM	922
WTM_07A	Length of wait to see specialist	WTM	923
WTM_07B	Length of wait to see specialist - reporting unit	WTM	923
WTM_08A	Length of time been waiting to see specialist	WTM	924
WTM_08B	Length of time been waiting to see specialist - report. unit	WTM	924
WTM_10	Respondent's opinion of waiting time	WTM	925
WTM_11A	Acceptable waiting time	WTM	925
WTM_11B	Acceptable waiting time - reporting unit	WTM	926
WTM_12	Visit to specialist cancelled or postponed	WTM	926
WTM_13A	Visit cancelled/postponed - by respondent	WTM	927
WTM_13B	Visit cancelled/postponed - by specialist	WTM	927
WTM_13C	Visit cancelled/postponed - by other	WTM	928
WTM_14	Life affected by wait for visit to specialist	WTM	928
WTM_15A	Life affected by wait - worry	WTM	929
WTM_15B	Life affected by wait - worry for family	WTM	929
WTM_15C	Life affected by wait - pain	WTM	930
WTM_15D	Life affected by wait - prob. with activities/daily living	WTM	930
WTM_15E	Life affected by wait - loss of work	WTM	931
WTM_15F	Life affected by wait - loss of income	WTM	931
WTM_15G	Life affected by wait - increased dependence	WTM	932
WTM_15H	Life affected by wait - increased use medications	WTM	932
WTM_15I	Life affected by wait - health deteriorated	WTM	933

CCHS 2007: Alphabetic Index
Master File - 12-Month (Rounded)*June 2008*

Variable Name	Description	Section	Page
WTM_15J	Life affected by wait - health problem improved	WTM	933
WTM_15K	Life affected by wait - pers. relationships suffered	WTM	934
WTM_15L	Life affected by wait - other	WTM	934
WTM_16	Type of surgery required	WTM	935
WTM_17	Already had the surgery	WTM	936
WTM_18	Surgery required overnight hospital stay	WTM	936
WTM_19	Experienced difficulties getting this surgery	WTM	937
WTM_20A	Difficulty - getting an appointment	WTM	937
WTM_20B	Difficulty - getting a diagnosis	WTM	938
WTM_20C	Difficulty - waited too long for a diagnostic test	WTM	938
WTM_20D	Difficulty - waited too long for a hospital bed	WTM	939
WTM_20E	Difficulty - waited too long for surgery	WTM	939
WTM_20F	Difficulty - service not available in area	WTM	940
WTM_20G	Difficulty - transportation	WTM	940
WTM_20H	Difficulty - language	WTM	941
WTM_20I	Difficulty - cost	WTM	941
WTM_20J	Difficulty - personal or family responsibilities	WTM	942
WTM_20K	Difficulty - general deterioration of health	WTM	942
WTM_20L	Difficulty - appointment cancelled/deferred	WTM	943
WTM_20M	Difficulty - unable to leave house/health problem	WTM	943
WTM_20N	Difficulty - other	WTM	944
WTM_21A	Length of wait between decision and surgery	WTM	944
WTM_21B	Length of wait between decision and surgery - reported unit	WTM	945
WTM_22	Surgery will require overnight hospital stay	WTM	945
WTM_23A	Time since decision to have surgery	WTM	946
WTM_23B	Time since decision to have surgery - reported unit	WTM	946
WTM_24	Respondent's opinion of waiting time	WTM	947
WTM_25A	Acceptable waiting time	WTM	947
WTM_25B	Acceptable waiting time - reported unit	WTM	948
WTM_26	Surgery cancelled or postponed	WTM	948
WTM_27A	Surgery cancelled/postponed - by respondent	WTM	949
WTM_27B	Surgery cancelled/postponed - by surgeon	WTM	949
WTM_27C	Surgery cancelled/postponed - by hospital	WTM	950
WTM_27D	Surgery cancelled/postponed - other	WTM	950
WTM_28	Life affected by wait for surgery	WTM	951
WTM_29A	Life affected by wait - worry	WTM	951
WTM_29B	Life affected by wait - worry for family	WTM	952

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
WTM_29C	Life affected by wait - pain	WTM	952
WTM_29D	Life affected by wait - prob. with activities/daily living	WTM	953
WTM_29E	Life affected by wait - loss of work	WTM	953
WTM_29F	Life affected by wait - loss of income	WTM	954
WTM_29G	Life affected by wait - increased dependence	WTM	954
WTM_29H	Life affected by wait - increased used of medication	WTM	955
WTM_29I	Life affected by wait - health deteriorated	WTM	955
WTM_29J	Life affected by wait - health problem improved	WTM	956
WTM_29K	Life affected by wait - personal relationships suffered	WTM	956
WTM_29L	Life affected by wait - other	WTM	957
WTM_30	Type of diagnostic test required	WTM	957
WTM_31	Required diagnostic test - type of condition	WTM	958
WTM_32	Already had diagnostic test	WTM	958
WTM_33	Location of test	WTM	959
WTM_34	Location of clinic	WTM	959
WTM_35	Patient in hospital at time of test	WTM	960
WTM_36	Had difficulties getting the diagnostic test	WTM	960
WTM_37A	Difficulty - getting a referral	WTM	961
WTM_37B	Difficulty - getting an appointment	WTM	961
WTM_37C	Difficulty - waited too long to get an appointment	WTM	962
WTM_37D	Difficulty - waited long to get test	WTM	962
WTM_37E	Difficulty - service not available at time required	WTM	963
WTM_37F	Difficulty - service not available in area	WTM	963
WTM_37G	Difficulty - transportation	WTM	964
WTM_37H	Difficulty - language	WTM	964
WTM_37I	Difficulty - cost	WTM	965
WTM_37J	Difficulty - general deterioration of health	WTM	965
WTM_37K	Difficulty - did not know where to get information	WTM	966
WTM_37L	Difficulty - unable to leave house/health problem	WTM	966
WTM_37M	Difficulty - other	WTM	967
WTM_38A	Length of wait between decision and test	WTM	967
WTM_38B	Length of wait between decision and test - reporting unit	WTM	968
WTM_39A	Length of time been waiting for diagnostic test	WTM	968
WTM_39B	Length of time been waiting for diagnostic test - unit	WTM	969
WTM_40	Respondent's opinion of waiting time	WTM	969
WTM_41A	Acceptable waiting time	WTM	970
WTM_41B	Acceptable waiting time - unit	WTM	970

CCHS 2007: Alphabetic Index
 Master File - 12-Month (Rounded)

June 2008

Variable Name	Description	Section	Page
WTM_42	Test cancelled or postponed	WTM	971
WTM_43	Test cancelled or postponed by	WTM	971
WTM_44	Life affected by wait for test	WTM	972
WTM_45A	Life affected by wait - worry	WTM	972
WTM_45B	Life affected by wait - worry for family	WTM	973
WTM_45C	Life affected by wait - pain	WTM	973
WTM_45D	Life affected by wait - prob. with activities/daily living	WTM	974
WTM_45E	Life affected by wait - loss of work	WTM	974
WTM_45F	Life affected by wait - loss of income	WTM	975
WTM_45G	Life affected by wait - increased dependence	WTM	975
WTM_45H	Life affected by wait - increased use medications	WTM	976
WTM_45I	Life affected by wait - health deteriorated	WTM	976
WTM_45J	Life affected by wait - health problem improved	WTM	977
WTM_45K	Life affected by wait - personal relationships suffered	WTM	977
WTM_45L	Life affected by wait - other	WTM	978
WTMDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	981
WTMDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	980
WTMDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	980
WTMDSA	Number of days acceptable wait - med. specialist - (D)	WTM	979
WTMDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	979
WTMDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	978
WTMDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	982
WTMDTN	Number of days wait - diagnostic test - not done - (D)	WTM	982
WTMDTO	Number of days wait - diagnostic test - done - (D)	WTM	981
WTMFOPT	Optional module: Waiting times - (F)	WTM	912
WTS_M	Weights - Master	WTS	1129
WTS_S	Weights - Share	WTS	1129
YSM_1	Source of cigarettes	YSM	539
YSM_2	Bought cigarettes for self or others	YSM	540
YSM_3	Age asked when buying cigarettes in store	YSM	540
YSM_4	Someone refused to sell cigarettes	YSM	541
YSM_5	Asked a stranger to buy cigarettes	YSM	541
YSMFOPT	Optional module: Smoking - Youth smoking - (F)	YSM	539