

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 1

June, 1998

---

Variable Name	Description	Page
<b>AD : Alcohol dependence</b>		
AD_6_1	Drunk / at work / school / taking care of child	600
AD_6_2	Number of times drunk / hung-over	600
AD_6_3	Being drunk increased chances of getting hurt	601
AD_6_4	Emotional / psychological problems due to alcohol	601
AD_6_5	Strong desire or urge to drink	602
AD_6_6	Spent month or more getting drunk	602
AD_6_7	Drank much more than intended	603
AD_6_8	Number of times drank much more than intended	603
AD_6_9	Had to drink more for the same effect	604
AD_6DPP	Derived alcohol dependence - short probability of CIDI	605
AD_6DSF	Derived alcohol dependence - short form score	604
<b>AL : Alcohol</b>		
ALC6_1	Drank alcohol in past 12 months	578
ALC6_2	Frequency of drinking alcohol	578
ALC6_3	Frequency of having 5 or more drinks	579
ALC6_5	Drank alcohol in past week	580
ALC6_5A1	Number of drinks - Monday	580
ALC6_5A2	Number of drinks - Tuesday	581
ALC6_5A3	Number of drinks - Wednesday	581
ALC6_5A4	Number of drinks - Thursday	582
ALC6_5A5	Number of drinks - Friday	582
ALC6_5A6	Number of drinks - Saturday	583
ALC6_5A7	Number of drinks - Sunday	583
ALC6_5B	Has ever had a drink	584
ALC6_6	Regularly drank more than 12 drinks a week	584
ALC6_7A	Reason reduced drinking - dieting	585
ALC6_7B	Reason reduced drinking - athletic training	585
ALC6_7C	Reason reduced drinking - pregnancy	586
ALC6_7D	Reason reduced drinking - getting older	586
ALC6_7E	Reason reduced drinking - drinking too much	587
ALC6_7F	Reason reduced drinking - affected work / studies	587
ALC6_7G	Reason reduced drinking - interfered with family life	588
ALC6_7H	Reason reduced drinking - affected physical health	588

# 1996-97 NPHS: Master File - Health Topical Index

Page 2

June, 1998

Variable Name	Description	Page
ALC6_7I	Reason reduced drinking - affected social relationships	589
ALC6_7J	Reason reduced drinking - affected financial position	589
ALC6_7K	Reason reduced drinking - affected happiness	590
ALC6_7L	Reason reduced drinking - influence of family / friends	590
ALC6_7M	Reason reduced drinking - other	591
ALC6_DAY	Day of the week that interview took place	579
ALC6D7	Derived single reason for reducing or quitting drinking	592
ALC6DDL7	Derived average daily consumption	594
ALC6DTYP	Derived type of drinker	593
ALC6DWKY	Derived weekly total of alcohol consumed	594
ALC6G7	Single reason for reducing or quitting drinking - grouped	593
ALP6_1	Drank alcohol during last pregnancy	594
ALP6_2	Average number of drinks during pregnancy	595
ALP6_3	Consumed alcohol while breastfeeding	595
ALP6_4	Average number of drinks while breastfeeding	596
ALS6_1	Definition of moderate drinking	596
ALS6_2	Moderate drinking can be good for your health	597
ALS6_3	It's alright to get drunk once in a while	597
ALS6_4	Rather pay for a taxi than see a friend drive after drinking	598
ALS6_5	Alright to get drunk once a week if no drinking rest of week	598
ALS6_6	Pregnant woman should not drink any amount of alcohol	599
ALS6_7	Alright for breastfeeding woman to drink occasionally	599
<b>AM : Administration of the survey</b>		
AM36_LNG	Language of H03 interview	35
AM36_LP	Language preference of household	16
AM36_PAR	CASEID of household record	14
AM36_SRC	Record number of person providing H03 information	34
AM36_TEL	H03 interview by telephone or in person	15
AM56_BDD	Day of interview - H05 (start)	46
AM56_BMM	Month of interview - H05 (start)	46
AM56_BYE	Year of interview - H05 (start)	47
AM56_CAS	CASEID on H05 file	47
AM56_EDD	Day of interview - H05 (end)	217
AM56_EMM	Month of interview - H05 (end)	217
AM56_EYY	Year of interview - H05 (end)	218

# 1996-97 NPHS: Master File - Health Topical Index

Page 3

June, 1998

Variable Name	Description	Page
AM56_LNG	Language of H05 interview	216
AM56_PXY	H05 completed by proxy	47
AM56_SHA	Agree to share information (H05)	35
AM56_SRC	Record number of person providing information for H05	47
AM56_TEL	H05 interview by telephone or in person	215
AM66_5	Respondent gives contact information (H06)	701
AM66_AFF	Answers affected by someone else being there	702
AM66_ALO	Respondent alone for health questionnaire	702
AM66_BDD	Day of interview - H06 (start)	219
AM66_BMM	Month of interview - H06 (start)	218
AM66_BYE	Year of interview - H06 (start)	219
AM66_CAS	CASEID on H06 file	220
AM66_EDD	Day of interview - H06 (end)	704
AM66_EMM	Month of interview - H06 (end)	704
AM66_EYY	Year of interview - H06 (end)	705
AM66_HNC	Flag for health number (used for processing only)	700
AM66_LNG	Language of H06 interview	703
AM66_LNK	Permission to link data	700
AM66_PXY	H06 completed by proxy	219
AM66_RC	Long answer collected - reason for proxy (H06)	220
AM66_RNO	Record number on Health Microdata file	1
AM66_SHA	Agree to share information (H06)	36
AM66_SRC	Record number of person providing information for H06	219
AM66_TEL	H06 interview by telephone or in person	701
PERSONID	Record identifier for person in the household	1
REALUKEY	Record identifier for the household	1

## AP : Attitudes towards parents

APP6_1	My parents are strict for my own good	651
APP6_10	My parents trust me	656
APP6_2	My parents do not understand me	652
APP6_3	I have a lot of arguments with my parents	652
APP6_4	What my parents think of me is important	653
APP6_5	Are times when I would like to run away from home	653
APP6_6	I have a happy home life	654
APP6_7	I would raise my children differently	654

## Topical Index

June, 1998

Variable Name	Description	Page
APP6_8	My parents expect too much of me	655
APP6_9	I ask my parents for advice on serious matters	655
<b>BP : Blood pressure</b>		
BPC6_10	Ever had blood pressure taken	249
BPC6_12	Last time blood pressure was taken	249
BPC6_13A	Blood pressure taken - regular check-up	250
BPC6_13B	Blood pressure taken - high blood pressure / heart disease	250
BPC6_13C	Blood pressure taken - doctor always does it	251
BPC6_13D	Blood pressure taken - health problem	251
BPC6_13E	Blood pressure taken - age	252
BPC6_13F	Blood pressure taken - job requirement	252
BPC6_13G	Blood pressure taken - pregnant	253
BPC6_13H	Blood pressure taken - in hospital for other reason	253
BPC6_13I	Blood pressure taken - when donating blood	254
BPC6_13J	Blood pressure taken - just for the "fun" of it	254
BPC6_13K	Blood pressure taken - other reason	255
BPC6_14	Had problems getting blood pressure test	255
BPC6_15A	Problem getting b.p. test - not available when required	256
BPC6_15B	Problem getting b.p. test - not available in area	256
BPC6_15C	Problem getting b.p. test - waiting time too long	256
BPC6_15D	Problem getting b.p. test - transportation	257
BPC6_15E	Problem getting b.p. test - language	257
BPC6_15F	Problem getting b.p. test - cost	257
BPC6_15G	Problem getting b.p. test - did not know where to go	258
BPC6_15H	Problem getting b.p. test - other	258
BPC6_16A	Blood pressure not taken - have not gotten around to it	259
BPC6_16B	Blood pressure not taken - resp. did not think it was neces.	259
BPC6_16C	Blood pressure not taken - dr. did not think it was neces.	260
BPC6_16D	Blood pressure not taken - personal / family resp.	260
BPC6_16E	Blood pressure not taken - not available when required	261
BPC6_16F	Blood pressure not taken - not available in area	261
BPC6_16G	Blood pressure not taken - waiting time too long	262
BPC6_16H	Blood pressure not taken - transportation problems	262
BPC6_16I	Blood pressure not taken - language problem	263
BPC6_16J	Blood pressure not taken - cost	263

# 1996-97 NPHS: Master File - Health Topical Index

Page 5

June, 1998

Variable Name	Description	Page
BPC6_16K	Blood pressure not taken - did not know where to go	264
BPC6_16L	Blood pressure not taken - fear	264
BPC6_16M	Blood pressure not taken - other reason	265
<b>CC : Chronic conditions</b>		
CCC6_1A	Has food allergies	107
CCC6_1B	Has allergies other than food allergies	107
CCC6_1C	Has asthma	108
CCC6_1D	Has arthritis or rheumatism	109
CCC6_1E	Has back problems excluding arthritis	112
CCC6_1F	Has high blood pressure	112
CCC6_1G	Has migraine headaches	115
CCC6_1H	Has chronic bronchitis or emphysema	117
CCC6_1I	Has sinusitis	118
CCC6_1J	Has diabetes	118
CCC6_1K	Has epilepsy	121
CCC6_1L	Has heart disease	122
CCC6_1M	Has cancer	122
CCC6_1N	Has stomach or intestinal ulcers	123
CCC6_1O	Suffers from the effects of a stroke	123
CCC6_1P	Has urinary incontinence	124
CCC6_1Q	Has a bowel disorder such as Crohn's Disease or colitis	124
CCC6_1R	Has Alzheimer's disease or other dementia	125
CCC6_1S	Has cataracts	125
CCC6_1T	Has glaucoma	126
CCC6_1U	Has a thyroid condition	126
CCC6_1V	Has other chronic condition	127
CCC6_C5	Asthma - had symptoms or attacks	108
CCC6_C6	Asthma - took medication	109
CCC6_D5	Arthritis / rheumatism - receives treatment or medication	110
CCC6_D6A	Arthritis / rheumatism - treatment - drug	110
CCC6_D6B	Arthritis / rheumatism - treatment - diet	111
CCC6_D6C	Arthritis / rheumatism - treatment - other kind	111
CCC6_F5	High blood pressure - receives treatment or medication	113
CCC6_F6A	High blood pressure - treatment - drug	113
CCC6_F6B	High blood pressure - treatment - diet	114

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 6

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
CCC6_F6C	High blood pressure - treatment - other kind	114
CCC6_G5	Migraines - receives treatment or medication	115
CCC6_G6A	Migraines - treatment - drug	116
CCC6_G6B	Migraines - treatment - diet	116
CCC6_G6C	Migraines - treatment - other kind	117
CCC6_J5	Diabetes - takes insulin	119
CCC6_J6	Diabetes - takes treatment other than insulin	119
CCC6_J7A	Diabetes - treatment - drug	120
CCC6_J7B	Diabetes - treatment - diet	120
CCC6_J7C	Diabetes - treatment - other kind	121
CCC6DANY	Derived - has a chronic condition	127
CCC6DNUM	Derived number of chronic conditions	127
CCC6GNUM	Derived number of chronic conditions - grouped	128
CCK6_1	Frequency of nose or throat infections	105
CCK6_2	Has had otitis	106
CCK6_3	Number of times had otitis since birth	106
<b>CO : Coping</b>		
COP6_1	Ability to handle day-to-day demands	699
COP6_2	Ability to handle unexpected / difficult problems	699
<b>DG : Drug use</b>		
DGC6_1A	Took pain relievers	494
DGC6_1B	Took tranquilizers	495
DGC6_1C	Took diet pills	495
DGC6_1D	Took anti-depressants	496
DGC6_1E	Took codeine, Demerol or morphine	496
DGC6_1F	Took allergy medicine	497
DGC6_1G	Took asthma medications	497
DGC6_1H	Took cough or cold remedies	498
DGC6_1I	Took penicillin or other antibiotics	498
DGC6_1J	Took medicine for the heart	499
DGC6_1K	Took medicine for blood pressure	499
DGC6_1L	Took diuretics	500
DGC6_1M	Took steroids	500
DGC6_1N	Took insulin	501

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 7

*June, 1998*

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DGC6_1O	Took pills to control diabetes	501
DGC6_1P	Took sleeping pills	502
DGC6_1Q	Took stomach remedies	502
DGC6_1R	Took laxatives	503
DGC6_1S	Took birth control pills	503
DGC6_1T	Took hormones for menopause	504
DGC6_1T1	Hormone therapy - type	504
DGC6_1T2	Hormone therapy - year started	505
DGC6_1U	Took thyroid medication	505
DGC6_1V	Took other medication	506
DGC6_2	Number of different medications taken in past 2 days	508
DGC6_3AC	Long answer collected - drug 1	509
DGC6_3BC	Long answer collected - drug 2	511
DGC6_3CC	Long answer collected - drug 3	513
DGC6_3DC	Long answer collected - drug 4	515
DGC6_3EC	Long answer collected - drug 5	517
DGC6_3FC	Long answer collected - drug 6	519
DGC6_3GC	Long answer collected - drug 7	521
DGC6_3HC	Long answer collected - drug 8	523
DGC6_3IC	Long answer collected - drug 9	525
DGC6_3JC	Long answer collected - drug 10	526
DGC6_3KC	Long answer collected - drug 11	528
DGC6_3LC	Long answer collected - drug 12	529
DGC6_4	Uses other health products	531
DGC6_5AA	Uses a 2nd health product	534
DGC6_5AC	Long answer collected - health product 1	531
DGC6_5BA	Uses a 3rd health product	537
DGC6_5BC	Long answer collected - health product 2	534
DGC6_5CA	Uses a 4th health product	539
DGC6_5CC	Long answer collected - health product 3	537
DGC6_5DA	Uses a 5th health product	541
DGC6_5DC	Long answer collected - health product 4	539
DGC6_5EA	Uses a 6th health product	542
DGC6_5EC	Long answer collected - health product 5	541
DGC6_5FA	Uses a 7th health product	544
DGC6_5FC	Long answer collected - health product 6	543

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 8

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DGC6_5GA	Uses an 8th health product	546
DGC6_5GC	Long answer collected - health product 7	545
DGC6_5HA	Uses a 9th health product	548
DGC6_5HC	Long answer collected - health product 8	547
DGC6_5IA	Uses a 10th health product	550
DGC6_5IC	Long answer collected - health product 9	549
DGC6_5JA	Uses an 11th health product	552
DGC6_5JC	Long answer collected - health product 10	551
DGC6_5KA	Uses a 12th health product	554
DGC6_5KC	Long answer collected - health product 11	553
DGC6_5LC	Long answer collected - health product 12	555
DGC6_6	Insurance covering prescription medication	556
DGC6C3A	Drug code - drug 1	509
DGC6C3B	Drug code - drug 2	511
DGC6C3C	Drug code - drug 3	513
DGC6C3D	Drug code - drug 4	515
DGC6C3E	Drug code - drug 5	517
DGC6C3F	Drug code - drug 6	519
DGC6C3G	Drug code - drug 7	521
DGC6C3H	Drug code - drug 8	523
DGC6C3I	Drug code - drug 9	525
DGC6C3J	Drug code - drug 10	527
DGC6C3K	Drug code - drug 11	528
DGC6C3L	Drug code - drug 12	530
DGC6C5A	Code for health product - product 1	532
DGC6C5B	Code for health product - product 2	535
DGC6C5C	Code for health product - product 3	538
DGC6C5D	Code for health product - product 4	540
DGC6C5E	Code for health product - product 5	541
DGC6C5F	Code for health product - product 6	543
DGC6C5G	Code for health product - product 7	545
DGC6C5H	Code for health product - product 8	547
DGC6C5I	Code for health product - product 9	549
DGC6C5J	Code for health product - product 10	551
DGC6C5K	Code for health product - product 11	553
DGC6C5L	Code for health product - product 12	555



---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 9

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DGC6F1	Took medications	506
DGC6G3A	Drug code - drug 1 - grouped	510
DGC6G3B	Drug code - drug 2 - grouped	512
DGC6G3C	Drug code - drug 3 - grouped	514
DGC6G3D	Drug code - drug 4 - grouped	516
DGC6G3E	Drug code - drug 5 - grouped	518
DGC6G3F	Drug code - drug 6 - grouped	520
DGC6G3G	Drug code - drug 7 - grouped	522
DGC6G3H	Drug code - drug 8 - grouped	524
DGC6G3I	Drug code - drug 9 - grouped	526
DGC6G3J	Drug code - drug 10 - grouped	527
DGC6G3K	Drug code - drug 11 - grouped	529
DGC6G3L	Drug code - drug 12 - grouped	530
DGC6G5A	Code for health product - product 1 - grouped	533
DGC6G5B	Code for health product - product 2 - grouped	536
DGC6G5C	Code for health product - product 3 - grouped	538
DGC6G5D	Code for health product - product 4 - grouped	540
DGC6G5E	Code for health product - product 5 - grouped	542
DGC6G5F	Code for health product - product 6 - grouped	544
DGC6G5G	Code for health product - product 7 - grouped	546
DGC6G5H	Code for health product - product 8 - grouped	548
DGC6G5I	Code for health product - product 9 - grouped	550
DGC6G5J	Code for health product - product 10 - grouped	552
DGC6G5K	Code for health product - product 11 - grouped	554
DGC6G5L	Code for health product - product 12 - grouped	556
DGK6_1	Takes ventolin or other inhalants	507
DGK6_3	Takes tranquilizers or nerve pills	507
DGK6_4	Takes anti-convulsants or anti-epileptic pills	508

**DH : Demographic and household variables**

DHC6_AGE	Age	38
DHC6_BED	Number of bedrooms	17
DHC6_DOB	Day of birth	36
DHC6_DWE	Type of dwelling	16
DHC6_FID	Family ID code	40
DHC6_MAR	Marital status	39

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 10

June, 1998

Variable Name	Description	Page
DHC6_MOB	Month of birth	37
DHC6_OWEN	Dwelling owned by household member	17
DHC6_PK	Selected respondent to answer the H06 questionnaire	45
DHC6_PKC	Selected RDD child to answer the H06 questionnaire	45
DHC6_SEX	Sex	39
DHC6_YOB	Year of birth	37
DHC6D611	Derived number of persons 6 to 11 years old in household	42
DHC6DECF	Derived type of household	43
DHC6DHSZ	Derived household size	40
DHC6DL12	Derived number of persons < 12 years old in household	41
DHC6DLE5	Derived number of persons <= 5 years old in household	41
DHC6DLVG	Derived living arrangements of the selected respondent	44
DHC6G611	Derived persons 6 to 11 years old in hhld - grouped	42
DHC6GAGE	Age - grouped	38
DHC6GBED	Derived number of bedrooms in dwelling - grouped	18
DHC6GECF	Derived household type - grouped	44
DHC6GHSZ	Derived household size - grouped	41
DHC6GLE5	Derived persons <= 5 years old in household - grouped	42
DHC6GMAR	Marital status - grouped	40
<b>DV : Dental visits</b>		
DV_6_60	Visited dentist	351
DV_6_61	Last time visited dentist	352
DV_6_62A	Visits dentist - make sure everything is OK	352
DV_6_62B	Visits dentist - check-up covered by insurance	353
DV_6_62C	Visits dentist - catch problems early	353
DV_6_62D	Visits dentist - for good dental health	354
DV_6_62E	Visits dentist - care of teeth / gums / dentures	354
DV_6_62F	Visits dentist - for cleaning / fluoride / maintenance	355
DV_6_62G	Visits dentist - to get a filling / extraction	355
DV_6_62H	Visits dentist - to check braces	356
DV_6_62I	Visits dentist - other reason	356
DV_6_63	Had problems obtaining dental services	357
DV_6_64A	Problem getting dental services - not avail. when required	357
DV_6_64B	Problem getting dental services - not available in area	358
DV_6_64C	Problem getting dental services - waiting time too long	358

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 11

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DV_6_64D	Problem getting dental services - transportation	359
DV_6_64E	Problem getting dental services - language	359
DV_6_64F	Problem getting dental services - cost	360
DV_6_64G	Problem getting dental services - did not know where to go	360
DV_6_64H	Problem getting dental services - other	361
DV_6_65A	No dental visit - have not gotten around to it	361
DV_6_65B	No dental visit - respondent did not think it was necessary	362
DV_6_65C	No dental visit - dentist did not think it was necessary	362
DV_6_65D	No dental visit - personal or family responsibilities	363
DV_6_65E	No dental visit - not available when required	363
DV_6_65F	No dental visit - not available at all in area	364
DV_6_65G	No dental visit - waiting time too long	364
DV_6_65H	No dental visit - transportation problems	365
DV_6_65I	No dental visit - language problem	365
DV_6_65J	No dental visit - cost	366
DV_6_65K	No dental visit - did not know where to go	366
DV_6_65L	No dental visit - fear	367
DV_6_65M	No dental visit - wears dentures	367
DV_6_65N	No dental visit - other reason	368
DV_6_66	Has dental insurance	368
<b>ED : Education</b>		
EDC6_1	Currently attending a school, college or university	163
EDC6_2	Full-time student or part-time student	163
EDC6_3	Attended school since last interview	164
EDC6_4	Number of years of elementary / high school completed	164
EDC6_5	Graduated from high school	165
EDC6_6	Attended post-secondary institution	165
EDC6_7	Highest level of post-secondary education attained	166
EDC6D1	Derived highest level of education - 14 levels	168
EDC6D2	Derived highest level of education - 12 levels	169
EDC6D3	Derived highest level of education - 4 levels	169
EDC6DLF	Derived labour force activity of students	170
EDC6G7	Derived highest level of education - 7 levels - grouped	167

**ES : Emergency services**

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 12

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
ES_6_80	Overall quality of emergency services	387
ES_6_81	Used emergency services	387
ES_6_82	Has health insurance covering hospital charges	388
 <b>EX : Eye examination</b>		
EX_6_70	Visited optometrist or ophthalmologist	369
EX_6_71	Last eye examination	369
EX_6_72	Frequency of eye examinations	370
EX_6_73A	Has eye exam - make sure everything is OK	370
EX_6_73B	Has eye exam - glaucoma test	371
EX_6_73C	Has eye exam - job requirement	371
EX_6_73D	Has eye exam - check prescription	372
EX_6_73E	Has eye exam - cataracts are developing	372
EX_6_73F	Has eye exam - to get driver's license	373
EX_6_73G	Has eye exam - eye problem / infection	373
EX_6_73H	Has eye exam - diabetes	374
EX_6_73I	Has eye exam - sight deterioration	374
EX_6_73J	Has eye exam - other reason	375
EX_6_74	Had problems obtaining an eye examination	375
EX_6_75A	Problem getting eye exam - not available when required	376
EX_6_75B	Problem getting eye exam - not available at all in area	376
EX_6_75C	Problem getting eye exam - waiting time too long	377
EX_6_75D	Problem getting eye exam - transportation	377
EX_6_75E	Problem getting eye exam - language	378
EX_6_75F	Problem getting eye exam - cost	378
EX_6_75G	Problem getting eye exam - did not know where to go	379
EX_6_75H	Problem getting eye exam - other	379
EX_6_76A	No eye exam - have not gotten around to it	380
EX_6_76B	No eye exam - respondent did not think it was neces.	380
EX_6_76C	No eye exam - doctor did not think it was necessary	381
EX_6_76D	No eye exam - personal or family responsibilities	381
EX_6_76E	No eye exam - not available when required	382
EX_6_76F	No eye exam - not available at all in area	382
EX_6_76G	No eye exam - waiting time too long	383
EX_6_76H	No eye exam - transportation problems	383
EX_6_76I	No eye exam - language problem	384

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 13

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
EX_6_76J	No eye exam - cost	384
EX_6_76K	No eye exam - did not know where to go	385
EX_6_76L	No eye exam - fear	385
EX_6_76M	No eye exam - other reason	386
EX_6_77	Has insurance covering cost of eye glasses / contact lenses	386
<b>FS : Flu shots</b>		
FS_6_50	Ever had a flu shot	336
FS_6_52	Last time had flu shot	337
FS_6_53A	Had flu shot - peer pressure	337
FS_6_53B	Had flu shot - job requirement	338
FS_6_53C	Had flu shot - helps prevent the flu	338
FS_6_53D	Had flu shot - to protect others	339
FS_6_53E	Had flu shot - recommended because of age	339
FS_6_53F	Had flu shot - health problem	340
FS_6_53G	Had flu shot - other reason	340
FS_6_54	Had problems obtaining a flu shot	341
FS_6_55A	Problem getting flu shot - not available when required	341
FS_6_55B	Problem getting flu shot - not available in area	342
FS_6_55C	Problem getting flu shot - waiting time too long	342
FS_6_55D	Problem getting flu shot - transportation	342
FS_6_55E	Problem getting flu shot - language	343
FS_6_55F	Problem getting flu shot - cost	343
FS_6_55G	Problem getting flu shot - did not know where to go	343
FS_6_55H	Problem getting flu shot - other	344
FS_6_56A	No flu shot - have not gotten around to it	344
FS_6_56B	No flu shot - respondent did not think it was necessary	345
FS_6_56C	No flu shot - doctor did not think it was necessary	345
FS_6_56D	No flu shot - personal or family responsibilities	346
FS_6_56E	No flu shot - not available when required	346
FS_6_56F	No flu shot - not available in area	347
FS_6_56G	No flu shot - waiting time too long	347
FS_6_56H	No flu shot - transportation problems	348
FS_6_56I	No flu shot - language problem	348
FS_6_56J	No flu shot - cost	349
FS_6_56K	No flu shot - did not know where to go	349

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 14

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
FS_6_56L	No flu shot - fear	350
FS_6_56M	No flu shot - bad reaction to previous shot	350
FS_6_56N	No flu shot - other reason	351
<b>GE : Geographic identifiers</b>		
GE36DCD	Derived 1991 Census Division	3
GE36DCMA	Derived 1991 Census Metropolitan Area	4
GE36DCSD	Derived 1991 Census Sub-Division	3
GE36DFED	Derived 1991 Federal Electoral District	5
GE36DHLR	Derived health regions	6
GE36DHRO	Derived health regions (original sample)	9
GE36DURB	Derived rural and urban area	3
GE36GCMA	Derived 1991 Census Metropolitan Area - grouped	5
GE36GHLR	Derived health areas - 26 groups - grouped	8
GE36GHRO	Derived health areas - 33 groups - grouped	11
GE36GURB	Derived rural and urban area - grouped	3
<b>GH : General health</b>		
GHC6_1	Respondent's general health	220
GHC6_21	Gave birth since last interview	314
GHC6DHD	Derived health description index	221
GHK6_2	Level of physical activity - children	221
GHK6_4HT	Height - children	242
GHK6_6	Birth weight	244
GHP6_21A	Gave birth in the past 5 years	314
GHP6_25	Still breast-feeding	316
GHP6_26	Duration of breast-feeding last child	317
GHP6_27	Received help / advice about breast-feeding	317
GHP6_28	From whom received breast-feeding advice	318
GHP6_29	Main reason for stopping breast-feeding	319
GHS6_11	Did something to improve health	222
GHS6_12	Most important change to improve health	222
GHS6_13	Thinks something should be done to improve health	223
GHS6_14	Most important thing to be done to improve health	223
GHS6_15	Barrier to improving health	224
GHS6_16A	Reason for no improvement - lack of will power	224

1996-97 NPHS: Master File - Health  
Topical Index

Page 15

June, 1998

Variable Name	Description	Page
GHS6_16B	Reason for no improvement - lack of time	225
GHS6_16C	Reason for no improvement - too tired	225
GHS6_16D	Reason for no improvement - too difficult	226
GHS6_16E	Reason for no improvement - too costly	226
GHS6_16F	Reason for no improvement - too stressed	227
GHS6_16G	Reason for no improvement - disability / health problem	227
GHS6_16H	Reason for no improvement - other	228
GHS6_17	Intending to improve health over next year	228
GHS6_18A	Health improvement over next year - more exercise	229
GHS6_18B	Health improvement over next year - lose weight	229
GHS6_18C	Health improvement over next year - improve eating habits	230
GHS6_18D	Health improvement over next year - quit smoking	230
GHS6_18E	Health improvement over next year - reduce amount smoked	231
GHS6_18F	Health improvement over next year - manage stress	231
GHS6_18G	Health improvement over next year - reduce stress level	232
GHS6_18H	Health improvement over next year - take vitamins	232
GHS6_18I	Health improvement over next year - other	233
GHS6_22	Gave birth to last baby in hospital	315
GHS6_23	Used services of doctor, midwife or both	315
GHS6_24	Breast fed child or tried to breast feed	316
GHS6_31	Smoked during last pregnancy	565
GHS6_32	Average number of cigarettes smoked daily during pregnancy	565
GHS6_33	Smoked while breast-feeding last baby	566
GHS6_34	Average no. of cigarettes smoked daily during breast-feeding	566
GHS6_35	Someone smoked reg. in presence during / after pregnancy	566

**HC : Health care utilization**

HCC6_1	Overnight patient	53
HCC6_10A	Home care received - nursing care	89
HCC6_10B	Home care received - other health care	90
HCC6_10C	Home care received - personal care	90
HCC6_10D	Home care received - housework	91
HCC6_10E	Home care received - meal preparation or delivery	91
HCC6_10F	Home care received - shopping	91
HCC6_10G	Home care received - respite care	92
HCC6_10H	Home care received - other type	92

---

# 1996-97 NPHS: Master File - Health Topical Index

Page 16

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
HCC6_11	Received health care services in the United States	93
HCC6_12	Went to United States primarily to receive health care	93
HCC6_1A	Number of nights as patient	53
HCC6_2A	Number of consultations - family doctor / g.p.	56
HCC6_2B	Number of consultations - eye specialist	58
HCC6_2C	Number of consultations - other medical doctor	59
HCC6_2D	Number of consultations - nurse	62
HCC6_2E	Number of consultations - dentist or orthodontist	64
HCC6_2F	Number of consultations - chiropractor	65
HCC6_2G	Number of consultations - physiotherapist	66
HCC6_2H	Number of consultations - social worker / counselor	67
HCC6_2I	Number of consultations - psychologist	68
HCC6_2J	No. of consul. - speech / audiology / occupational therapist	69
HCC6_3A	Place of most recent contact - family doctor	57
HCC6_3C	Place of most recent contact - other medical doctor	61
HCC6_3D	Place of most recent contact - nurse	64
HCC6_4	Consulted alternative health care provider	72
HCC6_4A	Attended self-help group	71
HCC6_5A	Alternative health care - massage therapist	72
HCC6_5B	Alternative health care - acupuncturist	73
HCC6_5C	Alternative health care - homeopath / naturopath	73
HCC6_5D	Alternative health care - Feldenkrais / Alexander	74
HCC6_5E	Alternative health care - relaxation therapist	74
HCC6_5F	Alternative health care - biofeedback	75
HCC6_5G	Alternative health care - rolfers	75
HCC6_5H	Alternative health care - herbalist	76
HCC6_5I	Alternative health care - reflexologist	76
HCC6_5J	Alternative health care - spiritual healer	77
HCC6_5K	Alternative health care - religious healer	77
HCC6_5L	Alternative health care - other	78
HCC6_6	Felt that health care was needed but didn't receive it	79
HCC6_7A	Health care not received - not available in area	79
HCC6_7B	Health care not received - not available when required	80
HCC6_7C	Health care not received - waiting time too long	80
HCC6_7D	Health care not received - felt would be inadequate	81
HCC6_7E	Health care not received - cost	81



---

# 1996-97 NPHS: Master File - Health Topical Index

Page 17

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
HCC6_7F	Health care not received - too busy to get care	82
HCC6_7G	Health care not received - didn't get around to it	82
HCC6_7H	Health care not received - didn't know where to go	83
HCC6_7I	Health care not received - transportation problems	83
HCC6_7J	Health care not received - language problem	84
HCC6_7K	Health care not received - personal or family resp.	84
HCC6_7L	Health care not received - dislikes doctors / afraid	85
HCC6_7M	Health care not received - decided not to seek care	85
HCC6_7N	Health care not received - other reason	86
HCC6_8A	Health care not received - treat. of physical health problem	86
HCC6_8B	Health care not received - treat. of mental health problem	87
HCC6_8C	Health care not received - a regular check-up	87
HCC6_8D	Health care not received - care of injury	88
HCC6_8E	Health care not received - other type	88
HCC6_9	Received home care services	89
HCC6DHPC	Derived consultations with health professionals	71
HCC6DMDC	Derived number of consultations with medical doctors	70
HCC6F1	Used any health care service	70
HCC6G1A	No. of nights as patient - grouped	54
HCC6G2A	No. of consultations - family doctor / g.p. - grouped	56
HCC6G2B	No. of consultations - eye specialist - grouped	59
HCC6G2C	No. of consultations - other medical doctor - grouped	60
HCC6G2D	No. of consultations - nurse - grouped	63
HCC6G2E	No. of consultations - dentist / orthodontist - grouped	65
HCC6G2F	No. of consultations - chiropractor - grouped	66
HCC6G2G	No. of consultations - physiotherapist - grouped	66
HCC6G2H	No. of consultations - social worker / counsellor - grouped	67
HCC6G2I	No. of consultations - psychologist - grouped	68
HCC6G2J	No. of consultat. - speech/ audio./ occup. therapist-grouped	69
HCC6G3A	Place / most recent contact - family doctor - grouped	58
HCC6G3C	Place / most recent contact - other medical doctor - grouped	62
HCC6G5L	Alternative health care - other - grouped	78
HCC6GMDC	Derived no. of consultations with medical doctors - grouped	70
HCK6_2A	Overnight patient - respiratory problem	54
HCK6_2B	Overnight patient - gastrointestinal problem	54
HCK6_2C	Overnight patient - injuries	55

---

# 1996-97 NPHS: Master File - Health Topical Index

Page 18

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
HCK6_2D	Overnight patient - at birth	55
HCK6_2E	Overnight patient - other reason	55
<b>HI : Health information</b>		
HIP6_1	First source of information - sports injuries	394
HIP6_1A	Look for other source - sports injuries	394
HIP6_1B	Second source of information - sports injuries	395
HIP6_2	First source of information - AIDS / STD	396
HIP6_2A	Look for other source - AIDS / STD	396
HIP6_2B	Second source of information - AIDS / STD	397
HIP6_3	First source of information - depression	398
HIP6_3A	Look for other source - depression	398
HIP6_3B	Second source of information - depression	399
HIP6_4	First source of information - pregnancy	400
HIP6_4A	Look for other source - pregnancy	400
HIP6_4B	Second source of information - pregnancy	401
HIP6_5	Attended school in past 12 months	401
HIP6_6	Rating of information received at school on improving health	402
HIP6_7	Attended sex education classes at school	402
HIP6_8	Rating of sex education classes	403
<b>HS : Health status</b>		
HSC6_1	Sees well enough to read newsprint without glasses /contacts	403
HSC6_10	Understood by strangers in own language	410
HSC6_11	Understood partially by strangers in own language	411
HSC6_12	Understood by non-strangers in own language	411
HSC6_13	Understood partially by non-strangers in own language	412
HSC6_14	Able to walk without difficulty without support	413
HSC6_15	Able to walk	414
HSC6_16	Requires support to walk	414
HSC6_17	Requires help of person to walk	415
HSC6_18	Requires a wheelchair	415
HSC6_19	Frequency of wheelchair use	416
HSC6_2	Sees well enough to read newsprint with glasses / contacts	404
HSC6_20	Requires help to move in wheelchair	416
HSC6_21	Able to grasp and handle small objects	418

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 19

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
HSC6_22	Requires help due to limitation in hands	418
HSC6_23	Requires help with tasks	419
HSC6_24	Requires special equipment due to limitation in hands	419
HSC6_25	Description of feelings	421
HSC6_26	Ability to remember things	422
HSC6_27	Ability to think and solve problems	422
HSC6_28	Free of pain or discomfort	424
HSC6_29	Intensity of pain or discomfort	424
HSC6_3	Able to see	404
HSC6_30	Number of activities prevented by pain / discomfort	425
HSC6_4	Sees well enough to recognize friend without glasses	405
HSC6_5	Sees well enough to recognize friend with glasses	405
HSC6_6	Hears in group of people without hearing aid	407
HSC6_7	Hears in group of people with hearing aid	407
HSC6_7A	Able to hear	408
HSC6_8	Hears in quiet room without hearing aid	408
HSC6_9	Hears in quiet room with hearing aid	409
HSC6DCOG	Derived cognition - function code	423
HSC6DDEX	Derived dexterity trouble - function code	420
HSC6DEMO	Derived emotional problems - function code	421
HSC6DHER	Derived hearing problems - function code	409
HSC6DHSI	Derived Health Status Index (3 decimal places)	426
HSC6DMOB	Derived mobility trouble - function code	417
HSC6DPAD	Derived activities prevented-pain/discomfort - function code	425
HSC6DSEV	Derived severity of pain - function code	426
HSC6DSPE	Derived speech trouble - function code	412
HSC6DVIS	Derived vision trouble - function code	406
HSC6GCOG	Derived cognition - function code - grouped	423
HSC6GDEX	Derived dexterity trouble - function code - grouped	420
HSC6GHER	Derived hearing problems - function code - grouped	410
HSC6GMOB	Derived mobility trouble - function code - grouped	417
HSC6GSPE	Derived speech trouble - function code - grouped	413
HSC6GVIS	Derived vision trouble - function code - grouped	406
HSK6_25A	Event causing great amount of worry or unhappiness	427
HSK6_31A	Worry or unhappiness - death in family	427
HSK6_31B	Worry or unhappiness - divorce / separation	428

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 20

June, 1998

Variable Name	Description	Page
HSK6_31C	Worry or unhappiness - move	428
HSK6_31D	Worry or unhappiness - illness / injury of family member	429
HSK6_31E	Worry or unhappiness - conflict between parents	429
HSK6_31F	Worry or unhappiness - other event	430
<b>HV : HIV</b>		
HVS6_1	Tissue sample given for life insurance	389
HVS6_2	Donated blood at the Red Cross	389
HVS6_3	Year of last blood donation	390
HVS6_4	Test for HIV or AIDS other than for insurance / blood donat.	390
HVS6_5	Year of last HIV / AIDS test	391
HVS6_6	Reason for HIV / AIDS test	391
HVS6_7	Received "clotting factor" between 1978 and 1985	392
HVS6_8	Received a blood transfusion between 1978 and 1985	392
HVS6_9	Has injected non-prescription drugs	393
<b>H : Height and weight</b>		
HWC6_1	Currently pregnant	233
HWC6_2HT	Height - adults	234
HWC6_3KG	Weight - kilograms	241
HWC6_3LB	Weight - pounds	241
HWC6_HT	Height - adults and children	236
HWC6DBMI	Derived Body Mass Index (1 decimal place)	244
HWC6DSW	Derived standard weight	245
HWC6G3KG	Weight in kilograms - grouped	241
HWC6GBMI	Derived Body Mass Index (1 decimal place) - grouped	245
HWC6GHT	Height - adults and children - grouped	239
HWC6GSW	Derived standard weight - grouped	246
HWS6_1	Respondent's opinion of own weight	246
HWS6_2KG	Desired weight - kilograms	247
HWS6_2LB	Desired weight - pounds	247
HWS6_4	Most important thing done to follow a healthy diet	248
HWS6_5	Skipping breakfast can control / reduce weight	248
<b>IJ : Injury</b>		
IJC6_1	Had an injury limiting normal activities	480

1996-97 NPHS: Master File - Health  
 Topical Index

June, 1998

Variable Name	Description	Page
IJC6_2	Number of times injured	480
IJC6_3	Type of injury	481
IJC6_4	Body part affected by injury	482
IJC6_5	Place where injury happened	483
IJC6_6	Reason for injury	485
IJC6_7	Injury occurred at work	486
IJC6_8A	To avoid the injury recurring - gave up the activity	487
IJC6_8B	To avoid the injury recurring - being more careful	487
IJC6_8C	To avoid the injury recurring - safety training	488
IJC6_8D	To avoid the injury recurring - protective gear	488
IJC6_8E	To avoid the injury recurring - changing physical situation	489
IJC6_8F	To avoid the injury recurring - other precaution	489
IJC6_8G	To avoid the injury recurring - no precautions taken	490
IJC6D1	Derived type of injury by body site	490
IJC6D2	Derived cause of injury by place of occurrence	491
IJC6G5	Place of injury - grouped	484
IJC6G6	Reason for injury - grouped	486
IJC6GD2	Derived cause of injury by place of occurrence - grouped	492

**IN : Income**

INC6_1A	Source of income - wages and salaries	19
INC6_1B	Source of income - income from self-employment	19
INC6_1C	Source of income - dividends and interest	20
INC6_1D	Source of income - unemployment insurance	20
INC6_1E	Source of income - worker's compensation	21
INC6_1F	Source of income - benefits from Can. / Que. Pension Plan	21
INC6_1G	Source - retirement pensions, superannuation and annuities	22
INC6_1H	Source of income - Old Age Security	22
INC6_1I	Source of income - child tax benefit	23
INC6_1J	Source of income - social assistance	23
INC6_1K	Source of income - child support	24
INC6_1L	Source of income - alimony	24
INC6_1M	Source of income - other	25
INC6_1N	Source of income - none	25
INC6_2	Main source of household income	26
INC6_3A	Total household income: < \$20,000 or >= \$20,000	27

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 22

June, 1998

Variable Name	Description	Page
INC6_3B	Total household income: < \$10,000 or >= \$10,000	28
INC6_3C	Total household income: < \$5,000 or >= \$5,000	28
INC6_3D	Total household income: < \$15,000 or >= \$15,000	29
INC6_3E	Total household income: < \$40,000 or >= \$40,000	29
INC6_3F	Total household income: < \$30,000 or >= \$30,000	30
INC6_3G	Total household income: >= \$50,000	30
INC6CCPI	1996 Consumer Price Index (All items 1986=100)	33
INC6DHH	Derived total household income from all sources	32
INC6DIA2	Derived income adequacy - 2 groups	31
INC6DIA4	Derived income adequacy - 4 groups	31
INC6DIA5	Derived income adequacy - 5 groups	32
INC6F1	Household questions asked of this H05 respondent	18
INC6G2	Main source of household income - grouped	27
INS6_4	Household ran out of money to buy food	33
INS6_5	Received food from a charity	33
INS6_6	Description of food situation	34
<b>IS : Insurance</b>		
IS_6D1	Derived number of types of medical insurance	388
<b>LF : Labour force</b>		
LFC6_101	Usually works weekends - job 1	177
LFC6_102	Usually works weekends - job 2	184
LFC6_103	Usually works weekends - job 3	191
LFC6_111	Worked - other than job 1	178
LFC6_112	Worked - other than job 1 and job 2	185
LFC6_13C	Long answer collected - main job industry	192
LFC6_14C	Long answer collected - main job kind of work	192
LFC6_15C	Long answer collected - main job duties	193
LFC6_16	Worked for others or in own business - main job	193
LFC6_17A	Reason for not working - most recent period	194
LFC6_17B	Reason for not working - currently	196
LFC6_2	Worked for pay or profit	170
LFC6_2B	Worked for same employer as in last interview	171
LFC6_41	Had job one year ago without break - job 1	172
LFC6_42	Had job one year ago without break - job 2	179

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 23

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
LFC6_43	Had job one year ago without break - job 3	186
LFC6_51D	Day started - job 1	173
LFC6_51M	Month started - job 1	173
LFC6_51Y	Year started - job 1	174
LFC6_52D	Day started - job 2	180
LFC6_52M	Month started - job 2	180
LFC6_52Y	Year started - job 2	181
LFC6_53D	Day started - job 3	187
LFC6_53M	Month started - job 3	186
LFC6_53Y	Year started - job 3	187
LFC6_61	Has job now - job 1	174
LFC6_62	Has job now - job 2	181
LFC6_63	Has job now - job 3	188
LFC6_71D	Day stopped - job 1	175
LFC6_71M	Month stopped - job 1	175
LFC6_71Y	Year stopped - job 1	176
LFC6_72D	Day stopped - job 2	182
LFC6_72M	Month stopped - job 2	182
LFC6_72Y	Year stopped - job 2	183
LFC6_73D	Day stopped - job 3	189
LFC6_73M	Month stopped - job 3	188
LFC6_73Y	Year stopped - job 3	189
LFC6_81	Hours usually worked per week - job 1	176
LFC6_82	Hours usually worked per week - job 2	183
LFC6_83	Hours usually worked per week - job 3	190
LFC6_91	Type of working hours - job 1	177
LFC6_92	Type of working hours - job 2	184
LFC6_93	Type of working hours - job 3	190
LFC6_E1C	Long answer collected - employer - job 1	171
LFC6_E2C	Long answer collected - employer - job 2	178
LFC6_E3C	Long answer collected - employer - job 3	185
LFC6CSIC	Standard Industrial Codes for main job	202
LFC6CSOC	Standard Occupation Codes for main job	199
LFC6DBLI	Derived Blishen socio-economic index for main job	203
LFC6DCMN	Derived main job is the current job	206
LFC6DCWS	Derived working status in last 12 months	204

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 24

June, 1998

Variable Name	Description	Page
LFC6DD1	Derived work duration - job 1	209
LFC6DD2	Derived work duration - job 2	210
LFC6DD3	Derived work duration - job 3	211
LFC6DDA	Derived duration of work without a break > 30 days	204
LFC6DDMN	Derived work duration - main job	207
LFC6DGA	Derived number of gaps of 30 days or more	198
LFC6DH1	Derived hours of work - job 1	211
LFC6DH2	Derived hours of work - job 2	212
LFC6DH3	Derived hours of work - job 3	212
LFC6DHA	Derived pattern of working hours of all jobs reported	205
LFC6DHMN	Derived hours of work - main job	207
LFC6DHW1	Derived household labour force status - current	214
LFC6DHW2	Derived household labour force status - during year	215
LFC6DJA	Derived number of jobs	205
LFC6DJGA	Derived pattern of number of jobs	206
LFC6DPIN	Derived Pineo socio-econ. class. for main occupation	203
LFC6DT1	Derived type of working hours - job 1	213
LFC6DT2	Derived type of working hours - job 2	213
LFC6DT3	Derived type of working hours - job 3	214
LFC6DTMN	Derived type of working hours - main job	208
LFC6FGAP	Jobless spell (gap) greater than 6 days	198
LFC6FMN	Job number of main job	191
LFC6FWK	Work flag used for processing only	197
LFC6G17A	Reason for not working - most recent period - grouped	195
LFC6G17B	Reasons for not currently working - grouped	197
LFC6GI13	Industry Codes for main job - 13 groups - grouped	202
LFC6GO21	Occupation Codes for main job - 21 groups - grouped	201
LFC6GO34	Occupation Codes for main job - 34 groups - grouped	200
<b>MH : Mental health</b>		
MHC6_10	Depressed - frequency of trouble falling asleep	619
MHC6_11	Depressed - trouble concentrating	620
MHC6_12	Depressed - felt down on self	620
MHC6_13	Depressed - thought a lot about death	621
MHC6_14	Depressed - number of weeks in past 12 months	621
MHC6_15	Month in which depression occurred	622



---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 25

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MHC6_16	Lost interest in most things that usually give pleasure	623
MHC6_17	Loss of interest - duration	623
MHC6_18	Loss of interest - frequency	624
MHC6_19	Loss of interest - felt tired all the time	624
MHC6_1A	Number of times - felt nothing could cheer you up	605
MHC6_1B	Number of times - felt nervous	606
MHC6_1C	Number of times - felt restless / fidgety	606
MHC6_1D	Number of times - felt hopeless	607
MHC6_1E	Number of times - felt worthless	607
MHC6_1F	Number of times - felt everything was an effort	608
MHC6_1G	Feelings occurred more or less often than usual	608
MHC6_1H	Feelings occurred how much more often	609
MHC6_1I	Feelings occurred how much less often	609
MHC6_1J	How much these experiences interfere with life / activities	610
MHC6_1K	Consulted health professional about mental health	610
MHC6_1L	No. of times consulted health professional for mental health	611
MHC6_1MA	Mental health, consulted - family doctor	612
MHC6_1MB	Mental health, consulted - psychiatrist	612
MHC6_1MC	Mental health, consulted - psychologist	613
MHC6_1MD	Mental health, consulted - nurse	613
MHC6_1ME	Mental health, consulted - social worker or counselor	614
MHC6_1MF	Mental health, consulted - other person	614
MHC6_2	Felt depressed for 2 weeks or more in past year	615
MHC6_20	Loss of interest - weight change	625
MHC6_21K	Loss of interest - weight change (kg.)	625
MHC6_21L	Loss of interest - weight change (lb.)	626
MHC6_22	Loss of interest - trouble falling asleep	626
MHC6_23	Loss of interest - frequency of sleep problem	627
MHC6_24	Loss of interest - trouble concentrating	627
MHC6_25	Loss of interest - felt down on self	628
MHC6_26	Loss of interest - thought a lot about death	628
MHC6_27	Number of weeks feeling loss of interest	629
MHC6_28	Month in which loss of interest occurred	629
MHC6_3	Depressed - length of time feelings usually last	615
MHC6_4	Depressed - number of times felt this way	616
MHC6_5	Depressed - lost interest in most things	616

# 1996-97 NPHS: Master File - Health Topical Index

Page 26

June, 1998

Variable Name	Description	Page
MHC6_6	Depressed - felt tired all of the time	617
MHC6_7	Depressed - weight change	617
MHC6_8KG	Depressed - weight change (kg.)	618
MHC6_8LB	Depressed - weight change (lb.)	618
MHC6_9	Depressed - trouble falling asleep	619
MHC6DCH	Derived Chronicity of Distress and Impairment Scale	630
MHC6DDS	Derived Distress Scale	630
MHC6DMT	Derived specific month when felt depressed	632
MHC6DPP	Derived Depression Scale - Predicted Probability (2 dec pts)	631
MHC6DSF	Derived Depression Scale - Short Form Score	631
MHC6DWK	Derived number of weeks felt depressed	631
MHC6G1L	No. of consult. / health profes. / mental health - grouped	611
<b>PA : Physical activity</b>		
PAC6_1A	Walked for exercise in last 3 months	430
PAC6_1B	Gardening / yard work in last 3 months	431
PAC6_1C	Swam in last 3 months	431
PAC6_1D	Bicycled in last 3 months	432
PAC6_1E	Popular or social dance in last 3 months	432
PAC6_1F	Home exercises in last 3 months	433
PAC6_1G	Played ice hockey in last 3 months	433
PAC6_1H	Ice skated in last 3 months	434
PAC6_1I	Downhill skied in last 3 months	434
PAC6_1J	Jogged or ran in last 3 months	435
PAC6_1K	Golfed in last 3 months	435
PAC6_1L	Had exercise class or did aerobics in last 3 months	436
PAC6_1M	Cross-country skied in last 3 months	436
PAC6_1N	Bowled in last 3 months	437
PAC6_1O	Played baseball or softball in last 3 months	437
PAC6_1P	Played tennis in last 3 months	438
PAC6_1Q	Weight-trained in last 3 months	438
PAC6_1R	Fished in last 3 months	439
PAC6_1S	Played volleyball in last 3 months	439
PAC6_1T	Played basketball in last 3 months	440
PAC6_1U	Did other physical activity in last 3 months - (#1)	440
PAC6_1V	Did no physical activity in last 3 months	441

## Topical Index

June, 1998

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
PAC6_1W	Did other physical activity in last 3 months - (#2)	442
PAC6_1X	Did other physical activity in last 3 months - (#3)	443
PAC6_2A	Number of times participated - walking for exercise	444
PAC6_2B	Number of times participated - gardening or yard work	445
PAC6_2C	Number of times participated - swimming	446
PAC6_2D	Number of times participated - bicycling	447
PAC6_2E	Number of times participated - popular or social dance	448
PAC6_2F	Number of times participated - home exercises	449
PAC6_2G	Number of times participated - ice hockey	450
PAC6_2H	Number of times participated - ice skating	451
PAC6_2I	Number of times participated - downhill skiing	452
PAC6_2J	Number of times participated - jogging or running	453
PAC6_2K	Number of times participated - golfing	454
PAC6_2L	Number of times participated - exercise class or aerobics	455
PAC6_2M	Number of times participated - cross-country skiing	456
PAC6_2N	Number of times participated - bowling	457
PAC6_2O	Number of times participated - baseball or softball	458
PAC6_2P	Number of times participated - tennis	459
PAC6_2Q	Number of times participated - weight training	460
PAC6_2R	Number of times participated - fishing	461
PAC6_2S	Number of times participated - volleyball	462
PAC6_2T	Number of times participated - basketball	463
PAC6_2U	Number of times participated - other physical activity (#1)	464
PAC6_2W	Number of times participated - other physical activity (#2)	465
PAC6_2X	Number of times participated - other physical activity (#3)	466
PAC6_3A	Time spent - walking for exercise	444
PAC6_3B	Time spent - gardening or yard work	445
PAC6_3C	Time spent - swimming	446
PAC6_3D	Time spent - bicycling	447
PAC6_3E	Time spent - popular or social dance	448
PAC6_3F	Time spent - home exercises	449
PAC6_3G	Time spent - ice hockey	450
PAC6_3H	Time spent - ice skating	451
PAC6_3I	Time spent - downhill skiing	452
PAC6_3J	Time spent - jogging or running	453
PAC6_3K	Time spent - golfing	454

# 1996-97 NPHS: Master File - Health Topical Index

Page 28

June, 1998

Variable Name	Description	Page
PAC6_3L	Time spent - exercise class or aerobics	455
PAC6_3M	Time spent - cross-country skiing	456
PAC6_3N	Time spent - bowling	457
PAC6_3O	Time spent - baseball or softball	458
PAC6_3P	Time spent - tennis	459
PAC6_3Q	Time spent - weight training	460
PAC6_3R	Time spent - fishing	461
PAC6_3S	Time spent - volleyball	462
PAC6_3T	Time spent - basketball	463
PAC6_3U	Time spent - other physical activity (#1)	464
PAC6_3W	Time spent - other physical activity (#2)	465
PAC6_3X	Time spent - other physical activity (#3)	466
PAC6_4A	Number of hours walking to work / school	467
PAC6_4B	Number of hours biking to work / school	467
PAC6_5	Frequency of bike helmet use	468
PAC6_6	Level of physical activity for usual day	468
PAC6_C1C	Long answer collected - other physical activity (#1)	441
PAC6_C2C	Long answer collected - other physical activity (#2)	442
PAC6_C3C	Long answer collected - other physical activity (#3)	443
PAC6DEE	Derived energy expenditure (1 decimal point)	469
PAC6DFD	Derived participation / daily phys. activities > 15 min.	470
PAC6DFM	Derived monthly freq. of physical activity lasting > 15 min.	469
PAC6DFR	Derived frequency of all physical activity	470
PAC6DLEI	Derived participant in leisure physical activity	469
PAC6DPAI	Derived physical activity index	471
<b>PC : Physical check-up</b>		
PC_6_40	Had physical check-up without having a health problem	319
PC_6_41	Had physical check-up during visit for health problem	320
PC_6_42	Last time had physical check up	320
PC_6_42A	Frequency of physical check-ups	321
PC_6_43A	Gets physical check-up - family history of health problems	321
PC_6_43B	Gets physical check-up - testing	322
PC_6_43C	Gets physical check-up - required for job, etc.	322
PC_6_43D	Gets physical check-up - make sure everything is OK	323
PC_6_43E	Gets physical check-up - catch problems early	323

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 29

June, 1998

Variable Name	Description	Page
PC_6_43F	Gets physical check-up - for prevention	324
PC_6_43G	Gets physical check-up - for health reasons	324
PC_6_43H	Gets physical check-up - other reason	325
PC_6_44	Had problems obtaining physical check-up	325
PC_6_45A	Prob. getting phys. check-up - not available when required	326
PC_6_45B	Prob. getting phys. check-up - not available in area	326
PC_6_45C	Prob. getting phys. check-up - waiting time too long	327
PC_6_45D	Prob. getting phys. check-up - transportation	327
PC_6_45E	Prob. getting phys. check-up - language	328
PC_6_45F	Prob. getting phys. check-up - cost	328
PC_6_45G	Prob. getting phys. check-up - did not know where to go	329
PC_6_45H	Prob. getting phys. check-up - other	329
PC_6_46A	No physical check-up - have not gotten around to it	330
PC_6_46B	No physical check-up - resp. didn't think it was neces.	330
PC_6_46C	No physical check-up - doctor didn't think it was neces.	331
PC_6_46D	No physical check-up - personal or family respons.	331
PC_6_46E	No physical check-up - not available / time required	332
PC_6_46F	No physical check-up - not available at all in area	332
PC_6_46G	No physical check-up - waiting time too long	333
PC_6_46H	No physical check-up - transportation problems	333
PC_6_46I	No physical check-up - language problem	334
PC_6_46J	No physical check-up - cost	334
PC_6_46K	No physical check-up - did not know where to go	335
PC_6_46L	No physical check-up - fear	335
PC_6_46M	No physical check-up - other reason	336
<b>PR : Province</b>		
PRC6_CUR	Province of residence	2
PRC6_DES	Design province	2
<b>RA : Restriction of activity</b>		
RAC6_1A	Limited in kind or amount of activities - at home	94
RAC6_1B	Limited in kind or amount of activities - at school	94
RAC6_1C	Limited in kind or amount of activities - at work	95
RAC6_1D	Limited in kind or amount of activities - other	95
RAC6_2	Has long-term disabilities or handicaps	96

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 30

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
RAC6_3C	Long answer collected - problem causing limitation	96
RAC6_5	Cause of condition	101
RAC6_6A	Needs help - preparing meals	102
RAC6_6B	Needs help - shopping for groceries or other necessities	102
RAC6_6C	Needs help - housework	103
RAC6_6D	Needs help - heavy household chores	103
RAC6_6E	Needs help - personal care	104
RAC6_6F	Needs help - moving about in the house	104
RAC6CIC	ICD-9 code for main health problem causing limitations	97
RAC6D6G	Derived need for help in series of tasks	105
RAC6F1	Restriction of activity flag	97
RAC6G5	Cause of health problem - grouped	101
RAC6GC12	Derived main health problem - 12 groups - grouped	99
RAC6GC25	Derived main health problem - 25 groups - grouped	98
RAC6GC7	Derived main health problem - 7 groups - grouped	100
 <b>RP : Repetitive strain</b>		
RPC6_1	Had repetitive strain injuries	476
RPC6_2	Number of repetitive strain injuries	477
RPC6_3	Body part affected by repetitive strain injury	477
RPC6_4A	Injury caused by activity at home	478
RPC6_4B	Injury caused by activity at school	478
RPC6_4C	Injury caused by leisure activities	479
RPC6_4D	Injury caused by other activity	479
 <b>RS : Road safety</b>		
RSS6_1	Been passenger with driver who had too much to drink	686
RSS6_10	Frequency - designated driver	694
RSS6_2	Driver intoxicated - tried to prevent person from driving	687
RSS6_3A	Driver intoxicated - drove person home yourself	687
RSS6_3B	Driver intoxicated - asked someone to drive person home	688
RSS6_3C	Driver intoxicated - asked person to take a taxi	688
RSS6_3D	Driver intoxicated - hid person's car keys	689
RSS6_3E	Driver intoxicated - served coffee to person	689
RSS6_3F	Driver intoxicated - kept the person at home	690
RSS6_3G	Driver intoxicated - other action to prevent driving	690

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 31

*June, 1998*

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
RSS6_4	Has valid driver's license for a motor vehicle	691
RSS6_5	Frequency - insisting that passengers wear their seatbelt	691
RSS6_6	Frequency - obey speed limits	692
RSS6_7	Number of times drank too much and drove	692
RSS6_8	Go out with friends / family to consume alcohol	693
RSS6_9	Have designated driver when going out	693
<b>SD : Socio-demographics</b>		
SDC6_1	Country of birth	129
SDC6_3	Year came to Canada	130
SDC6_4A	Ethnic origin - Canadian	132
SDC6_4B	Ethnic origin - French	133
SDC6_4C	Ethnic origin - English	133
SDC6_4D	Ethnic origin - German	134
SDC6_4E	Ethnic origin - Scottish	134
SDC6_4F	Ethnic origin - Irish	135
SDC6_4G	Ethnic origin - Italian	135
SDC6_4H	Ethnic origin - Ukrainian	136
SDC6_4I	Ethnic origin - Dutch (Netherlands)	136
SDC6_4J	Ethnic origin - Chinese	137
SDC6_4K	Ethnic origin - Jewish	137
SDC6_4L	Ethnic origin - Polish	138
SDC6_4M	Ethnic origin - Portuguese	138
SDC6_4N	Ethnic origin - South Asian	139
SDC6_4O	Ethnic origin - Black	139
SDC6_4P	Ethnic origin - North American Indian	140
SDC6_4Q	Ethnic origin - Métis	140
SDC6_4R	Ethnic origin - Inuit / Eskimo	141
SDC6_4S	Ethnic origin - other	141
SDC6_5A	Can conduct a conversation - English	142
SDC6_5B	Can conduct a conversation - French	142
SDC6_5C	Can conduct a conversation - Arabic	142
SDC6_5D	Can conduct a conversation - Chinese	143
SDC6_5E	Can conduct a conversation - Cree	143
SDC6_5F	Can conduct a conversation - German	143
SDC6_5G	Can conduct a conversation - Greek	144

## Topical Index

June, 1998

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SDC6_5H	Can conduct a conversation - Hungarian	144
SDC6_5I	Can conduct a conversation - Italian	144
SDC6_5J	Can conduct a conversation - Korean	145
SDC6_5K	Can conduct a conversation - Persian	145
SDC6_5L	Can conduct a conversation - Polish	145
SDC6_5M	Can conduct a conversation - Portuguese	146
SDC6_5N	Can conduct a conversation - Punjabi	146
SDC6_5O	Can conduct a conversation - Spanish	146
SDC6_5P	Can conduct a conversation - Tagalog	147
SDC6_5Q	Can conduct a conversation - Ukrainian	147
SDC6_5R	Can conduct a conversation - Vietnamese	147
SDC6_5S	Can conduct a conversation - other language	148
SDC6_6A	First language learned and still understood - English	149
SDC6_6B	First language learned and still understood - French	150
SDC6_6C	First language learned and still understood - Arabic	150
SDC6_6D	First language learned and still understood - Chinese	150
SDC6_6E	First language learned and still understood - Cree	151
SDC6_6F	First language learned and still understood - German	151
SDC6_6G	First language learned and still understood - Greek	151
SDC6_6H	First language learned and still understood - Hungarian	152
SDC6_6I	First language learned and still understood - Italian	152
SDC6_6J	First language learned and still understood - Korean	152
SDC6_6K	First language learned and still understood - Persian	153
SDC6_6L	First language learned and still understood - Polish	153
SDC6_6M	First language learned and still understood - Portuguese	153
SDC6_6N	First language learned and still understood - Punjabi	154
SDC6_6O	First language learned and still understood - Spanish	154
SDC6_6P	First language learned and still understood - Tagalog	155
SDC6_6Q	First language learned and still understood - Ukrainian	155
SDC6_6R	First language learned and still understood - Vietnamese	156
SDC6_6S	First language learned and still understood - other	156
SDC6_7A	Race or colour - White	156
SDC6_7B	Race or colour - Chinese	157
SDC6_7C	Race or colour - South Asian	157
SDC6_7D	Race or colour - Black	158
SDC6_7E	Race or colour - Native / Aboriginal peoples of N. America	158



# 1996-97 NPHS: Master File - Health

## Topical Index

Page 33

June, 1998

Variable Name	Description	Page
SDC6_7F	Race or colour - Arab / West Asian	159
SDC6_7G	Race or colour - Filipino	159
SDC6_7H	Race or colour - South East Asian	160
SDC6_7I	Race or colour - Latin American	160
SDC6_7J	Race or colour - Japanese	161
SDC6_7K	Race or colour - Korean	161
SDC6_7L	Race or colour - other	161
SDC6CB	Code of country of birth	129
SDC6DAIM	Derived age at time of immigration	131
SDC6DLNG	Derived language resp. can conduct conversation in	148
SDC6DRAC	Derived race or colour	162
SDC6DRES	Derived length of time in Canada since immigration	131
SDC6FIMM	Flag indicating that the respondent is an immigrant	131
SDC6GCB	Country of birth - grouped	130
SDC6GLG4	Derived language resp. can conduct conversation in - grouped	149
SDC6GRAC	Derived race or colour - grouped	162
SDC6GRES	Derived length of time in Canada - grouped	132

### SH : Sexual health

SHP6_1	Effective in preventing STD - using condom	672
SHP6_10	Chance of getting an STD	681
SHP6_11	To prevent STD - changed sexual behaviour	682
SHP6_12	To prevent STD - sex with only 1 partner	682
SHP6_13	To prevent STD - using condoms	683
SHP6_14	To prevent STD - using spermicidal jellies and foams	683
SHP6_15	To prevent STD - more careful in selecting partners	684
SHP6_16	To prevent STD - started being tested for STD	684
SHP6_17	To prevent STD - insisting that partner be tested for STD	685
SHP6_18	To prevent STD - abstaining from sexual intercourse	685
SHP6_19	To prevent STD - other measures	686
SHP6_2	Effective in preventing STD - birth control pill	672
SHP6_3	Effective in preventing STD - diaphragm / sponge	673
SHP6_4	Effective in preventing STD - spermicidal jelly / foam	673
SHP6_5	Effective in preventing STD - asking if a partner has one	674
SHP6_6	Effective in preventing STD - having regular partner	674
SHP6_7	Effective in preventing STD - asking partner to go for test	675

1996-97 NPHS: Master File - Health  
 Topical Index

June, 1998

Variable Name	Description	Page
SHP6_8	Has sources of information on preventing STD	675
SHP6_9A	Main source of information on STD - parents	676
SHP6_9B	Main source of information on STD - medical professional	676
SHP6_9C	Main source of information on STD - friends	677
SHP6_9D	Main source of information on STD - school	677
SHP6_9E	Main source of information on STD - church	678
SHP6_9F	Main source of information on STD - youth club	678
SHP6_9G	Main source of information on STD - TV / radio	679
SHP6_9H	Main source of information on STD - magazines / newspaper	679
SHP6_9I	Main source of information on STD - information pamphlets	680
SHP6_9J	Main source of information on STD - books	680
SHP6_9K	Main source of information on STD - other	681
SHS6_1	Ever had sexual intercourse	662
SHS6_10	Had / has - syphilis	668
SHS6_11	Had / has - genital warts	668
SHS6_12	Had / has - genital herpes	669
SHS6_13	Had / has - hepatitis B	669
SHS6_14	Has - HIV / AIDS	670
SHS6_15	Had / has - pelvic inflammatory disease	670
SHS6_16	Had / has - other STD	671
SHS6_2	Age at first sexual intercourse	663
SHS6_3	Had sexual intercourse in past 12 months	664
SHS6_4	Number of partners (sexual intercourse)	664
SHS6_5	Relationship lasted 12 months or longer	665
SHS6_6	Relationships lasted less than 12 months	665
SHS6_7	Condom use in relationship(s) lasting less than 12 months	666
SHS6_7A	Used a condom the last time	666
SHS6_8	Had / has - chlamydia	667
SHS6_9	Had / has - gonorrhea	667
SHS6D1	Derived - had at least 1 sexually-transmitted disease	671
SHS6G2	Age at first sexual intercourse - grouped	663
<b>SM : Smoking</b>		
SMC6_1	Household member smokes regularly inside house	557
SMC6_2	Type of smoker	557
SMC6_3	Age started smoking daily - daily smoker	558

1996-97 NPHS: Master File - Health  
 Topical Index

June, 1998

Variable Name	Description	Page
SMC6_4	Number of cigarettes smoked each day - daily smoker	559
SMC6_4A	Ever smoked cigarettes	559
SMC6_5	Ever smoked daily	560
SMC6_6	Age started smoking daily - former daily smoker	560
SMC6_7	Number of cigarettes smoked each day - former daily smoker	561
SMC6_8	Age stopped smoking daily - former daily smoker	562
SMC6DTYP	Derived type of smoker	564
SMC6DYRS	Derived number of years smoked	564
SMC6G3	Age started smoking daily - daily smoker - grouped	558
SMC6G6	Age started smoking daily - former daily smoker - grouped	561
SMC6G8	Age stopped smoking daily - former daily smoker - grouped	563
SMS6_12	Restrictions on smoking in work place	568
SMS6_13A	Children more likely to start smoking if their parents smoke	568
SMS6_13B	People too concerned about second-hand smoke	569
SMS6_13C	Non-smokers mind when people smoke in their presence	569
SMS6_13D	Children/ second-hand smoke / more likely to have ill health	570
SMS6_13E	Pregnant women / others living with / should not smoke	570
SMS6_13F	Provide non-smokers with a smoke-free environment at work	571
SMS6_13G	Ask permission to smoke in the presence of others	571
SMS6_13H	Lower cigarette prices lead to increased smoking	572
SMS6_14	Feels unpleasant effects from second-hand smoke	572
SMS6_15	Second-hand smoke can cause health problems in non-smoker	573
SMS6_16A	Second-hand smoke can cause lung cancer in a non-smoker	573
SMS6_16B	Second-hand smoke can cause heart problems in non-smoker	574
SMS6_16C	Second-hand smoke can cause a stroke in a non-smoker	574
SMS6_16D	Second-hand smoke can cause breathing problems in non-smoker	575
SMS6_17	Smoking cigarettes can cause health problems in smoker	575
SMS6_18A	Smoking cigarettes can cause lung cancer in a smoker	576
SMS6_18B	Smoking cigarettes can cause heart disease in a smoker	576
SMS6_18C	Smoking cigarettes can cause a stroke in a smoker	577
SMS6_18D	Smoking cigarettes can cause breathing problems in a smoker	577
SMS6_8	Time until first cigarette after waking up	567
SMS6_9	Considering quitting smoking in next 6 months	567

**SP :** Sample identifiers

CYCLE	Survey cycle that household joined	12
-------	------------------------------------	----

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 36

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MEMCYCLE	Cycle in which respondent joined the survey	36
SP36_CPA	Actual collection period	14
SP36_CPS	Sampled collection period	13
SP36DPC	Derived postal code	15
SPC6_TYP	Type of sample	15
SUBCYCLE	1996 sample indicator	12
 <b>SS : Social support</b>		
SSC6_1	Member of organization / association	632
SSC6_2	Frequency of participation in organizations / associations	633
SSC6_2A	Frequency of attending religious services	633
SSC6_3	Has someone to confide in	635
SSC6_4	Has someone to count on in crisis situation	635
SSC6_5	Has someone who gives advice when making important decisions	636
SSC6_6	Has someone to make feel loved and cared for	636
SSC6_7A	Frequency of contact with parents / in-laws	637
SSC6_7B	Frequency of contact with grandparents	638
SSC6_7C	Frequency of contact with daughters / daughters-in-law	639
SSC6_7D	Frequency of contact with sons / sons-in-law	640
SSC6_7E	Frequency of contact with brothers / sisters	641
SSC6_7F	Frequency of contact with other relatives	642
SSC6_7G	Frequency of contact with close friends	643
SSC6_7H	Frequency of contact with neighbours	644
SSC6D1	Derived social support index	644
SSC6D2	Derived social involvement score	645
SSC6D3	Derived average frequency of contacts	645
SSP6_1	Received care from friend / relative in the past 12 months	649
SSP6_2	Received care from friend / relative in last month	650
SSP6_3	Level of support from family / friends	650
SSP6_4	Helped relative / friend with health problem	651
SSS6_1	Spiritual values / faith play important role in life	634
SSS6_2	Self-perception of religiousness / spirituality	634
SSS6_3	Number of people seen socially who smoke	646
SSS6_4	Number of people seen socially who drink too much	646
SSS6_5A	Partner smokes cigarettes	647
SSS6_5B	Partner exercises regularly	647

---

# 1996-97 NPHS: Master File - Health Topical Index

Page 37

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SSS6_5C	Partner drinks too much	648
SSS6_5D	Partner overeats	648
SSS6_5E	Partner uses tranquilizers	649
<b>SV : Health services</b>		
SVB6_1	Overall quality of the health care system for children	660
SVB6_2	Quality of children's health care services in community	660
SVB6_3	Availability of children's health care services in community	661
SVB6_4	Difficulty of getting health care services	661
SVB6_5	Overall quality of health care in past 12 months	662
SVP6_1	Overall rating of health care system	656
SVP6_2	Availability of community health care	657
SVP6_3	Overall quality of health care in community	657
SVP6_4	Overall availability of health care in community	658
SVP6_5	Quality of health care in community	658
SVP6_6	Difficulty getting health care services needed	659
SVP6_7	Quality of health care received in past 12 months	659
<b>TU : Tanning and UV exposure</b>		
TUP6_1	Tried to get a suntan (sun or artificial)	471
TUP6_10	Frequency of wearing protective clothing in the sun	476
TUP6_2	Deepness of suntan	472
TUP6_3	Got sunburnt	472
TUP6_4	Number of times sunburned	473
TUP6_5	Description of worst sunburn	473
TUP6_6	Frequency of using sunscreen in summer	474
TUP6_7	Frequency of avoiding sun from 11am to 4pm	474
TUP6_8	Frequency of avoiding long periods in the sun	475
TUP6_9	Frequency of wearing sunglasses with UV protection	475
<b>TW : Two-week disability</b>		
TWC6_1	Stayed in bed / hospital due to illness / injury	48
TWC6_2	Number of days spent in bed	49
TWC6_3	Cut down on things normally done due to illness / injury	50
TWC6_4	Number of days cut down on things	51
TWC6_5	Has regular medical doctor	52

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 38

June, 1998

Variable Name	Description	Page
TWC6DDDY	Derived total number of disability days	52
<b>VS : Violence and personal safety</b>		
VSP6_1	Frequency of feeling safe in community	694
VSP6_10	Number of times attacked outside of school	698
VSP6_2	Frequency of feeling safe at home	695
VSP6_4	Frequency of feeling safe at school	695
VSP6_5	Number of times verbally abused at school / school bus	696
VSP6_6	Number of times verbally threatened at school / school bus	696
VSP6_7	Number of times attacked at school / school bus	697
VSP6_8	Number of times verbally abused outside of school	697
VSP6_9	Number of times verbally threatened outside of school	698
<b>W : Women's health</b>		
WHC6_20	Had PAP smear test	265
WHC6_22	Last time PAP smear test was done	266
WHC6_23A	Had PAP smear - part of check-up	266
WHC6_23B	Had PAP smear - high risk group	267
WHC6_23C	Had PAP smear - follow-up of previous problem	267
WHC6_23D	Had PAP smear - abnormal bleeding / other symptoms	268
WHC6_23E	Had PAP smear - sexually active	268
WHC6_23F	Had PAP smear - on birth control pill	269
WHC6_23G	Had PAP smear - pregnant / after delivery	269
WHC6_23H	Had PAP smear - on hormone replacement therapy	270
WHC6_23I	Had PAP smear - other reason	270
WHC6_24	Had problems getting a PAP smear test	271
WHC6_25A	Problem getting PAP smear - not available when required	271
WHC6_25B	Problem getting PAP smear - not available in area	272
WHC6_25C	Problem getting PAP smear - waiting time too long	272
WHC6_25D	Problem getting PAP smear - transportation	273
WHC6_25E	Problem getting PAP smear - language	273
WHC6_25F	Problem getting PAP smear - cost	274
WHC6_25G	Problem getting PAP smear - did not know where to go	274
WHC6_25H	Problem getting PAP smear - other	275
WHC6_26A	No PAP smear - have not gotten around to it	275
WHC6_26B	No PAP smear - respondent did not think it was necessary	276

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 39

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
WHC6_26C	No PAP smear - doctor did not think it was necessary	276
WHC6_26D	No PAP smear - personal or family responsibilities	277
WHC6_26E	No PAP smear - not available when required	277
WHC6_26F	No PAP smear - not available at all in area	278
WHC6_26G	No PAP smear - waiting time too long	278
WHC6_26H	No PAP smear - transportation problems	279
WHC6_26I	No PAP smear - language problem	279
WHC6_26J	No PAP smear - cost	280
WHC6_26K	No PAP smear - did not know where to go	280
WHC6_26L	No PAP smear - fear	281
WHC6_26M	No PAP smear - hysterectomy	281
WHC6_26N	No PAP smear - hate / dislike having one done	282
WHC6_26O	No PAP smear - other reason	282
WHC6_30	Ever had mammogram	283
WHC6_32	Last time mammogram was done	283
WHC6_33A	Had mammogram - family history	284
WHC6_33B	Had mammogram - regular check-up	284
WHC6_33C	Had mammogram - age	285
WHC6_33D	Had mammogram - previously detected lump	285
WHC6_33E	Had mammogram - follow-up treatment	286
WHC6_33F	Had mammogram - on hormone replacement therapy	286
WHC6_33G	Had mammogram - other reason	287
WHC6_34	Had problems getting a mammogram	287
WHC6_35A	Problem getting mammogram - not available when required	288
WHC6_35B	Problem getting mammogram - not available at all in area	288
WHC6_35C	Problem getting mammogram - waiting time too long	288
WHC6_35D	Problem getting mammogram - transportation	289
WHC6_35E	Problem getting mammogram - language	289
WHC6_35F	Problem getting mammogram - cost	289
WHC6_35G	Problem getting mammogram - did not know where to go	290
WHC6_35H	Problem getting mammogram - other	290
WHC6_36A	No mammogram - have not gotten around to it	291
WHC6_36B	No mammogram - resp. did not think it was neces.	291
WHC6_36C	No mammogram - doctor did not think it was neces.	292
WHC6_36D	No mammogram - pers. or family responsibilities	292
WHC6_36E	No mammogram - not available when required	293

---

# 1996-97 NPHS: Master File - Health

## Topical Index

Page 40

June, 1998

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
WHC6_36F	No mammogram - not available at all in the area	293
WHC6_36G	No mammogram - waiting time was too long	294
WHC6_36H	No mammogram - transportation problems	294
WHC6_36I	No mammogram - language problem	295
WHC6_36J	No mammogram - cost	295
WHC6_36K	No mammogram - did not know where to go	296
WHC6_36L	No mammogram - fear	296
WHC6_36M	No mammogram - other reason	297
WHC6_90	Had breasts examined for lumps by health professional	298
WHC6_92	Last time breasts examined for lumps	298
WHC6_93A	Had breast exam - family history	299
WHC6_93B	Had breast exam - regular check-up	299
WHC6_93C	Had breast exam - age	300
WHC6_93D	Had breast exam - previously detected lump	300
WHC6_93E	Had breast exam - follow-up treatment	301
WHC6_93F	Had breast exam - on hormone replacement therapy	301
WHC6_93G	Had breast exam - other reason	302
WHC6_94	Had problems getting a breast exam	302
WHC6_95A	Problem getting breast exam - not available when required	303
WHC6_95B	Problem getting breast exam - not available in area	303
WHC6_95C	Problem getting breast exam - waiting time too long	303
WHC6_95D	Problem getting breast exam - transportation	304
WHC6_95E	Problem getting breast exam - language	304
WHC6_95F	Problem getting breast exam - cost	304
WHC6_95G	Problem getting breast exam - did not know where to go	305
WHC6_95H	Problem getting breast exam - other	305
WHC6_96A	No breast exam - have not gotten around to it	306
WHC6_96B	No breast exam - respondent did not think it was necessary	306
WHC6_96C	No breast exam - doctor did not think it was necessary	307
WHC6_96D	No breast exam - personal or family responsibilities	307
WHC6_96E	No breast exam - not available when required	308
WHC6_96F	No breast exam - not available at all in area	308
WHC6_96G	No breast exam - waiting time too long	309
WHC6_96H	No breast exam - transportation problems	309
WHC6_96I	No breast exam - language problem	310
WHC6_96J	No breast exam - cost	310



## Topical Index

*June, 1998*

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
WHC6_96K	No breast exam - did not know where to go	311
WHC6_96L	No breast exam - fear	311
WHC6_96M	No breast exam - other reason	312
WHS6_37	Intend to have a mammogram in the next 2 years	297
WHS6_90	Self-examined breasts for lumps	312
WHS6_91	Frequency of breast self-examination	313
WHS6_92	How breast self-exam was learned	313
<b>WT : Sample weights</b>		
WT66	Sampling weight for selected respondent	705
WT66_C	Core - Analysis purposes only.	705
WT66_N	Sampling weight for selected resp. for non-common content	705
WT66_NR	RDD - Analysis purposes only for non-common content	706
WT66_R	RDD - Analysis purposes only for common content	705