
1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 1

April, 1999

Variable Name	Description	Page
AL : Alcohol		
ALI6_1	Drank alcohol in past 12 months	66
ALI6_2	Frequency of drinking alcohol	67
ALI6_3	Has ever had a drink	67
ALI6_4	Regularly drank more than 12 drinks a week	68
ALI6DTYP	Derived type of drinker	68
AM : Administration of the survey		
AMI6_DOI	Day of interview	2
AMI6_FS	Final status of interview in 1996-97	2
AMI6_HN1	Permission to obtain health number	5
AMI6_IN	Institution number	2
AMI6_LNG	Language of interview	3
AMI6_LNK	Permission to link information	4
AMI6_MOI	Month of interview	3
AMI6_PER	Permission to obtain information	4
AMI6_RNO	Record number on microdata file	1
AMI6_RO	Regional office code	1
AMI6_SHR	Agree to share information	5
AMI6_ST	Institution stratum number	1
AMI6_YOI	Year of interview	3
AMI6DCOD	Type of respondent - derived	4
UNIQUEID	Record identifier for the respondent	1
CC : Chronic conditions		
CCI6_1A	Has arthritis or rheumatism	34
CCI6_1B	Has high blood pressure	35
CCI6_1C	Has asthma	35
CCI6_1D	Has chronic bronchitis or emphysema	35
CCI6_1E	Has diabetes	36
CCI6_1F	Has epilepsy	36
CCI6_1G	Has heart disease	36
CCI6_1H	Suffers from the effects of a stroke	37
CCI6_1I	Suffers from partial or complete paralysis	37
CCI6_1J	Has urinary incontinence	38

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 2

April, 1999

Variable Name	Description	Page
CCI6_1K	Has difficulty controlling bowels	38
CCI6_1L	Has Alzheimer's disease or other dementia	38
CCI6_1M	Has osteoporosis or brittle bones	39
CCI6_1N	Has cataracts	39
CCI6_1O	Has glaucoma	39
CCI6_1P	Has stomach or intestinal ulcers	40
CCI6_1Q	Suffers from kidney failure or disease	40
CCI6_1R	Has a bowel disorder such as Crohn's Disease or colitis	40
CCI6_1S	Has a thyroid condition	41
CCI6_1T	Has a developmental delay	41
CCI6_1U	Has schizophrenia / depression / other	42
CCI6_1V	Has other chronic condition	42
CCI6DNUM	Derived number of chronic conditions	42

DG : Drug use

DGI6_2	Number of different medications taken in past 2 days	114
DGI6_3AC	Long answer collected - drug 1	115
DGI6_3BC	Long answer collected - drug 2	117
DGI6_3CC	Long answer collected - drug 3	119
DGI6_3DC	Long answer collected - drug 4	121
DGI6_3EC	Long answer collected - drug 5	123
DGI6_3FC	Long answer collected - drug 6	125
DGI6_3GC	Long answer collected - drug 7	126
DGI6_3HC	Long answer collected - drug 8	129
DGI6_3IC	Long answer collected - drug 9	131
DGI6_3JC	Long answer collected - drug 10	133
DGI6_3KC	Long answer collected - drug 11	134
DGI6_3LC	Long answer collected - drug 12	136
DGI6C3A	Drug code - drug 1	115
DGI6C3B	Drug code - drug 2	117
DGI6C3C	Drug code - drug 3	119
DGI6C3D	Drug code - drug 4	121
DGI6C3E	Drug code - drug 5	123
DGI6C3F	Drug code - drug 6	125
DGI6C3G	Drug code - drug 7	127
DGI6C3H	Drug code - drug 8	129

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 3

April, 1999

Variable Name	Description	Page
DGI6C3I	Drug code - drug 9	131
DGI6C3J	Drug code - drug 10	133
DGI6C3K	Drug code - drug 11	135
DGI6C3L	Drug code - drug 12	136
DGI6G3A	Drug code - drug 1 - grouped	116
DGI6G3B	Drug code - drug 2 - grouped	118
DGI6G3C	Drug code - drug 3 - grouped	120
DGI6G3D	Drug code - drug 4 - grouped	122
DGI6G3E	Drug code - drug 5 - grouped	124
DGI6G3F	Drug code - drug 6 - grouped	126
DGI6G3G	Drug code - drug 7 - grouped	128
DGI6G3H	Drug code - drug 8 - grouped	130
DGI6G3I	Drug code - drug 9 - grouped	132
DGI6G3J	Drug code - drug 10 - grouped	134
DGI6G3K	Drug code - drug 11 - grouped	135
DGI6G3L	Drug code - drug 12 - grouped	137

DH : Demographic and household variables

DHI6_1	Information source	6
DHI6_11	Place of residency prior to admission	12
DHI6_7	Spouse in facility	9
DHI6_8	Room alone	9
DHI6_9	Has telephone in room	9
DHI6_DOB	Day of birth	6
DHI6_MAR	Marital status	8
DHI6_MOA	Month of admission	10
DHI6_MOB	Month of birth	7
DHI6_SEX	Sex	6
DHI6_YOA	Year of admission	10
DHI6_YOB	Year of birth	7
DHI6DADM	Derived age at admission in the facility	11
DHI6DAGE	Derived age at interview	8
DHI6DSTY	Derived length of stay in the facility	11

ED : Education

EDI6_1	Highest level of education attained	109
--------	-------------------------------------	-----

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 4

April, 1999

Variable Name	Description	Page
FL : Balance		
FLI6_1	Has fallen	55
FLI6_2	Number of falls	55
FLI6_3	Was injured in fall	56
FLI6_4	Most serious injury resulting from fall	56
FLI6_5A	Cause of fall - dizziness / fainting	57
FLI6_5B	Cause of fall - illness	57
FLI6_5C	Cause of fall - weakness / frailty	58
FLI6_5D	Cause of fall - problems with balance	58
FLI6_5E	Cause of fall - fell asleep	59
FLI6_5F	Cause of fall - reaction to medication	59
FLI6_5G	Cause of fall - poor eyesight	60
FLI6_5H	Cause of fall - tripped over / bumped object	60
FLI6_5I	Cause of fall - misjudged distance	61
FLI6_5J	Cause of fall - other	61
GH : General health		
GHI6_1	Respondent's general health	12
GHI6DHD	Derived Health Description Index	13
HC : Health care utilization		
HCI6_1A	Number of consultations - general practitioner	138
HCI6_1B	Number of consultations - eye specialist	138
HCI6_1C	Number of consultations - other medical doctor	139
HCI6_1D	Number of consultations - nurse	139
HCI6_1E	Number of consultations - physiotherapist	140
HCI6_1F	Number of consultations - speech / audiology therapist	140
HCI6_1G	Number of consultations - occupational therapist	141
HCI6_1H	Number of consultations - respiratory therapist	141
HCI6_1I	Number of consultations - dentist / denture therapist	142
HCI6_1J	Number of consultations - psychologist	142
HCI6_1K	Number of consultations - social worker or counselor	143
HCI6_2	Temporary transfer to acute care facility	143
HS : Health status		

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 5

April, 1999

Variable Name	Description	Page
HSI6_1	Sees well enough to read newsprint without glasses/ contacts	13
HSI6_10	Hears in quiet room with hearing aid	18
HSI6_11	Understood by strangers in own language	19
HSI6_12	Understood partially by strangers in own language	20
HSI6_13	Understood by non-strangers in own language	20
HSI6_14	Understood partially by non-strangers in own language	21
HSI6_15	Able to walk without difficulty without support	22
HSI6_16	Able to walk	22
HSI6_17	Requires support to walk	23
HSI6_18	Requires help of person to walk	23
HSI6_19	Requires a wheelchair	24
HSI6_2	Sees well enough to read newsprint with glasses / contacts	14
HSI6_20	Frequency of wheelchair use	24
HSI6_21	Requires help to move in wheelchair	25
HSI6_22	Has difficulty cutting own toenails	26
HSI6_23	Able to grasp and handle small objects	26
HSI6_24	Requires help due to limitations in hands	26
HSI6_25	Requires help with tasks	27
HSI6_26	Requires special equipment due to limitation in hands	27
HSI6_27	Description of feelings	28
HSI6_28	Ability to remember things	29
HSI6_29	Memory problems	30
HSI6_3	Able to see	14
HSI6_30	Ability to think and solve problems	30
HSI6_31	Free of pain or discomfort	31
HSI6_32	Intensity of pain or discomfort	32
HSI6_33	Number of activities prevented by pain / discomfort	32
HSI6_4	Sees well enough to recognize friend without glasses	15
HSI6_5	Sees well enough to recognize friend with glasses	15
HSI6_6	Hears in group of people without hearing aid	16
HSI6_7	Hears in group of people with hearing aid	17
HSI6_8	Able to hear	17
HSI6_9	Hears in quiet room without hearing aid	18
HSI6DCOG	Derived cognition - function code	31
HSI6DDEX	Derived dexterity trouble - function code	28
HSI6DEMO	Derived emotional problems - function code	29

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 6

April, 1999

Variable Name	Description	Page
HSI6DHER	Derived hearing problems - function code	19
HSI6DHSI	Derived Health Status Index (3 dec.)	34
HSI6DMOB	Derived mobility trouble - function code	25
HSI6DPAD	Derived activities prevented- pain / discomfort -funct. code	33
HSI6DSEV	Derived severity of pain - function code	33
HSI6DSPE	Derived speech trouble - function code	21
HSI6DVIS	Derived vision trouble - function code	16
HSI6FIMP	Imputation flag for Health Status Index	34
H : Height and weight		
HWI6_2HT	Height	144
HWI6_KG	Weight - kilograms	145
HWI6_LBS	Weight - pounds	145
IN : Income		
INI6_1A	Source of income - Old Age Security	109
INI6_1B	Source of income - benefits from C.P.P. / Q.P.P.	110
INI6_1C	Source of income - Guaranteed Income Supplement	110
INI6_1D	Source of income - retirement, superannuation, annuities	111
INI6_1E	Source of income - dividends and interest	111
INI6_1F	Source of income - social assistance	112
INI6_1G	Source of income - wages / salaries / self-employ income	112
INI6_1H	Source of income - other	113
INI6_1I	Source of income - none	113
INI6_2	Total personal income	114
IP : Institution policy		
IPI6_1	Smoking policy	145
IPI6_2	Alcohol consumption policy	146
IPI6_3	Regular organized activities for residents	146
IPI6_4A	Organized activities - group activities	146
IPI6_4B	Organized activities - art or music classes	147
IPI6_4C	Organized activities - social activities	147
IPI6_4D	Organized activities - religious services	148
IPI6_4E	Organized activities - individual activities	148
IPI6_4F	Organized activities - other	148

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 7

April, 1999

Variable Name	Description	Page
IPI6_5	Organized activities for the residents' families	149
IPI6_6	Living wills completed before admission	149
RA : Restriction of activity		
RAI6_1A	Limited in activities - within facility	43
RAI6_1B	Limited in activities - outside facility	43
RAI6_2	Has a long-term health problem	44
RAI6_3C	Long answer collected - problem causing limitations	45
RAI6_4	Cause of main health problem	48
RAI6_5	Has a second long-term health problem	48
RAI6_6	Cause of second health problem	51
RAI6_7A	Needs help - personal care	51
RAI6_7B	Needs help - moving about inside	52
RAI6_7C	Needs help - moving about outside	52
RAI6_7D	Needs help - getting in or out of bed	53
RAI6_7E	Needs help - getting in and out of a chair	53
RAI6_8	Confined to bed or chair most of the day	54
RAI6CIC1	ICD-9 code for main health problem causing limitations	45
RAI6CIC2	ICD-9 code for second health problem causing limitations	49
RAI6DNUM	Derived number of tasks needing help with	54
RAI6F1	Restriction of activity flag	44
RAI6G12A	Derived main health problem - 12 groups - grouped	46
RAI6G12B	Derived second health problem -12 groups -grouped	49
RAI6G25A	Derived main health problem - 25 groups - grouped	47
RAI6G25B	Derived second health problem - 25 groups - grouped	50
SD : Socio-demographics		
SDI6_1	Country of birth	82
SDI6_2	Year of immigration to Canada	84
SDI6_3A	Ethnic origin - Canadian	85
SDI6_3B	Ethnic origin - French	86
SDI6_3C	Ethnic origin - English	86
SDI6_3D	Ethnic origin - German	87
SDI6_3E	Ethnic origin - Scottish	87
SDI6_3F	Ethnic origin - Irish	88
SDI6_3G	Ethnic origin - Italian	88

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 8

April, 1999

Variable Name	Description	Page
SDI6_3H	Ethnic origin - Ukrainian	89
SDI6_3I	Ethnic origin - Dutch (Netherlands)	89
SDI6_3J	Ethnic origin - Chinese	90
SDI6_3K	Ethnic origin - Jewish	90
SDI6_3L	Ethnic origin - Polish	91
SDI6_3M	Ethnic origin - Portuguese	91
SDI6_3N	Ethnic origin - Swedish	92
SDI6_3O	Ethnic origin - Russian	92
SDI6_3P	Ethnic origin - South Asian	93
SDI6_3Q	Ethnic origin - Black	93
SDI6_3R	Ethnic origin - North American Indian	94
SDI6_3S	Ethnic origin - Métis	94
SDI6_3T	Ethnic origin - Inuit / Eskimo	95
SDI6_3U	Ethnic origin - other	95
SDI6_4A	First language learned and still understood - English	95
SDI6_4B	First language learned and still understood - French	96
SDI6_4C	First language learned and still understood - Chinese	96
SDI6_4D	First language learned and still understood - Cree	96
SDI6_4E	First language learned and still understood - Dutch	97
SDI6_4F	First language learned and still understood - Finnish	97
SDI6_4G	First language learned and still understood - German	97
SDI6_4H	First language learned and still understood - Greek	98
SDI6_4I	First language learned and still understood - Hungarian	98
SDI6_4J	First language learned and still understood - Italian	98
SDI6_4K	First language learned and still understood - Polish	99
SDI6_4L	First language learned and still understood - Portuguese	99
SDI6_4M	First language learned and still understood - Punjabi	99
SDI6_4N	First language learned and still understood - Spanish	100
SDI6_4O	First language learned and still understood - Swedish	100
SDI6_4P	First language learned and still understood - Russian	100
SDI6_4Q	First language learned and still understood - Ukrainian	101
SDI6_4R	First language learned and still understood - other	101
SDI6_5A	Can conduct a conversation - English	101
SDI6_5B	Can conduct a conversation - French	102
SDI6_5C	Can conduct a conversation - other language	102
SDI6_5D	Cannot speak or understand spoken language	102

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 9

April, 1999

Variable Name	Description	Page
SDI6_6A	Race or colour - White	103
SDI6_6B	Race or colour - Chinese	104
SDI6_6C	Race or colour - South Asian	104
SDI6_6D	Race or colour - Black	105
SDI6_6E	Race or colour - Native / Aboriginal peoples of N. America	105
SDI6_6F	Race or colour - Arab / West Asian	106
SDI6_6G	Race or colour - Filipino	106
SDI6_6H	Race or colour - South East Asian	107
SDI6_6I	Race or colour - Latin American	107
SDI6_6J	Race or colour - Japanese	108
SDI6_6K	Race or colour - Korean	108
SDI6_6L	Race or colour - other	108
SDI6CCB	Country of birth code	83
SDI6DAIM	Derived age at time of immigration	85
SDI6DLNG	Derived language respondent can conduct conversation in	103
SDI6DRES	Derived length of time in Canada since immigration	85
SM : Smoking		
SMI6_1	Type of smoker	62
SMI6_2	Age started smoking daily - daily smoker	62
SMI6_3	Number of cigarettes smoked each day - daily smoker	63
SMI6_4	Ever smoked cigarettes	63
SMI6_5	Ever smoked daily	64
SMI6_6	Age started smoking daily - former daily smoker	64
SMI6_7	Age stopped smoking daily - former daily smoker	65
SMI6DTYP	Derived type of smoker	66
SMI6DYRS	Derived number of years smoked	65
SP : Sample identifiers		
SPI6DFTP	Derived type of health institution	5
SS : Social support		
SSI6_1	Group participant inside facility	69
SSI6_10	Number of close staff members	73
SSI6_11	Frequency of outings - social / recreational activities	74
SSI6_12A	Reason for outings - visited friends or relatives	74

1996-97 NPHS: INST. Master File - Cross-sectional Topical Index

Page 10

April, 1999

Variable Name	Description	Page
SSI6_12B	Reason for outings - shopping	75
SSI6_12C	Reason for outings - social / religious events	75
SSI6_12D	Reason for outings - library	76
SSI6_12E	Reason for outings - movies	76
SSI6_12F	Reason for outings - beauty shop	77
SSI6_12G	Reason for outings - music or craft classes	77
SSI6_12H	Reason for outings - community club	78
SSI6_12I	Reason for outings - walks	78
SSI6_12J	Reason for outings - other	79
SSI6_13	Frequency of telephone conversations - friend / relative	79
SSI6_2	Frequency of participation - meetings or activities	69
SSI6_3	Participation in one-to-one activities	70
SSI6_4	Number of close relatives	70
SSI6_5	Frequency of contacts - close relatives	71
SSI6_6	Number of close friends - inside facility	71
SSI6_7	Number of close friends - outside facility	72
SSI6_8	Frequency of contacts - outside friends	72
SSI6_9	Person seen most often	73
SSI6DCON	Derived frequency of contact - friends / relatives outside	80
SSI6DDIV	Diversity of contacts - friends / relatives / staff	81
SSI6DSIS	Derived frequency of social involvement	80
WT : Sample weights		
WTI6WGHT	Sampling weight - cross-sectional (2 dec.)	149