#### **Table of Contents**

Household Smoking (HS)	2
Person Age (PA)	
Smoking Status (SS)	4
Past Smoking (PS)	6
Weekly Pattern (WP)	7
Smoking Behaviour (SB)	8
Cigarette Brand (CB)	
Cigarette Access (CA)	10
Cigarette Source (CS)	11
Cheaper Cigarettes (CC)	12
Fire Risk (FR)	13
Smoking Cessation (SC)	15
Cessation Methods (CM)	
Other Cessation Methods (OM)	
Cessation Products (CP)	20
Health Professionals (HP)	
Smoking and Pregnancy (SP)	22
Tobacco Products (TP)	23
Opinions on Smoking (OS)	24
Exposure to Second-hand Smoke(EY)	26
Language and Education (LA)	28
Labour Force (LF)	29
Student Income (SI)	30
Postal Code (PC)	31
Marijuana Use (ไป )	32

Notes:		
1		e respondent. Text in normal font is not read to the e prefaced by the word 'INTERVIEWER', and are
2 3	Unless otherwise specified, flow goes to The options Don't Know (DK) and Refu "Other - Specify". However, the response	sal (RF) are allowed on every question except for use categories are shown in this document only
4	when the flow from these responses is The survey introduction, household ros	not to the next question. ter, demographics are part of the Entry/Exit block.
Section:	Household Smoking (HS)	4
HS_BEG	Beginning of Section	
Note:	This block requires number of people in	n the household (HHSIZĘ).
HS_Q10	^DoAnyE smoke cigarettes?	
1	Yes	
2	No	
Coverage:	Household respondent	
Note:	If HHSIZE=1, then ^DoAnyE = "Do you Otherwise, ^DoAnyE = "Does anyone in	
HS_Q20	How many people smoke charectes day? Include all family members and	<u>inside</u> your home every day or almost every d visitors.
	(2 spaces)	[Min: 0 Max: 15]
Coverage:	Household respondent	
HS_C30	If HS_Q20=0 or 'HS_Q20=DK or HS_Q Othe: vise, go to HS_Q30	20=RF, go to HS_Q40
HS_Q30	ા a typical day, how many cigarette	es are smoked <u>inside</u> your home?
1 2 3 4 5	to 10 cigarettes 11 to 20 cigarettes 21 to 30 cigarettes 31 to 40 cigarettes 41 or more cigarettes	
Coverage:	Households where at least one person smokes in	nside the home
Default:	(Go to HS_Q50)	
HS_Q40	Is smoking cigarettes allowed inside	your home?
1 2	Yes No DK, RF	(Go to HS_END) (Go to HS_END)

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

HS\_Q50 Is smoking cigarettes <u>inside</u> your home restricted in any way?

1 Yes

2 No (Go to HS\_END) DK, RF (Go to HS\_END)

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked

inside the home

HS Q60 How is smoking cigarettes restricted inside your home?

INTERVIEWER: Read categories to respondent. Mark all that apply

1 Allowed in certain rooms only

2 Restricted in the presence of young children

3 Allowed only if windows are open or with another type of ventilation

4 Other restriction(s)

Coverage: Households where smoking is restricted inside the home

HS\_END End of Section

Section: Person Age (PA)

PA\_Beg Beginning of Section

Notes: This block requires roster age.

A header consisting of the name, sex and the age of the selected person should be

displayed at the top of the screen. For example:

Household Respandent: John

Gender: Mala Age: 25

PA Q01 For statistical purposes only, may we confirm your age, as of today?

(3 spaces) [Min: 0 Max: 130] Di (RF (Go to PA\_C01)

Coverage: All respondents

PA C01 AGE=PA Q01. If PA Q01 is DK or RF then AGE=ANDB Q01 (Roster Age), go to

PA C02

Otherwise, go to PA\_E01

PA\_E01 The respondent's age is different from roster age. Please verify age entered in

PA\_Q01.

Note: Trigger soft edit if PA\_Q01 is a response equal to or greater than 15 years and the

entered age is different by more than three (3) years from the roster age. Pop up a soft edit with the following text: 'The respondent's age is different from roster age. Please verify age entered in PA Q01'. Select <Suppress> to accept the answer and continue

or <Goto> to return and correct.

Question involved:	$PA_{\underline{}}$	Q01.
--------------------	---------------------	------

PA E02 The respondent's age is less than 15. Please verify age entered in PA\_Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be completed. Enter <X> to accept the answer and continue or return to PA Q01 and correct. Note: Trigger soft edit if PA Q01 is equal to a response <15 years. Pop up a soft edit with the following text: 'The respondent's age is less than 15. Please verify age entered in PA Q01. If the respondent is less than 15, a CTUMS Questionnaire will not be completed.' Select <Suppress> to accept the answer and continue or <Goto> to return and correct. Question involved: PA Q01. PA C02 If the respondent's age is <15, go to End of person roster. If SEL=1, go to Thank You 3 and End of Interview. The outcome code will be auto round. If SEL=2, go to start PMSR. End of Section PA END Section: **Smoking Status (SS)** SS BEG Beginning of Section SS\_R10 I am going to start with questions about sigarette smoking. Include cigarettes that are bought ready-made as well as cigarettes that you make yourself. INTERVIEWER: Press <Ent; > tc continue. SS Q10 At the present time, in you smoke cigarettes every day, occasionally or not at all? 1 Every day (Go to SS\_C30) 2 Occasionally 3 Not at all Coverage: All respondent SS Q20 In the past 30 days, did you smoke any cigarettes? 1 YCS 2 lo Coverage. Respondents who are not current daily smokers SS\_E20 Potentially inconsistent answers have been entered. Please confirm. Trigger soft edit if (SS Q10=3 (Not at all)) and (SS Q20=1(Yes)). Note: SS\_C30 If SS\_Q10=1 (Daily smoker) or SS\_Q20=1 (Smoked in past 30 days), go to SS\_Q30 Otherwise, go to SS Q40 SS Q30 During the past 30 days, did you smoke every day? Yes 1

2

No

Coverage: Current daily smokers or respondents who smoked in the past

SS\_Q40 Have you smoked at least 100 cigarettes in your life?

1 Yes 2 No

Coverage: All respondents

SS\_D40 Create variable SS\_Stat

If SS\_Q10 = 1, then SS\_Stat = 1 (Daily smoker)

Else, if SS\_Q10 = 2, then SS\_Stat = 2 (Occasional smoker)

Else, if  $SS_Q10 = 3$  and  $SS_Q40 = 1$ , then  $SS_Stat = 3$  (Former smoker) Else, if  $SS_Q10 = 3$  and  $SS_Q40 = 2$ , then  $SS_Stat = 4$  (Neve. smoked)

Otherwise, SS\_Stat = 5 (Not determined)

SS\_END End of Section

	•
Section:	Past Smoking (PS)
PS_BEG	Beginning of Section
Note:	This block requires SS_Stat, PA_Q01 ,SS_Q20 and SS_Q30. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).
PS_C10	If SS_Stat = 4 (Never smoked), go to PS_Q10 Otherwise, go to PS_C20
PS_Q10	Have you ever smoked a whole cigarette?
1 2	Yes No
Coverage:	Never smokers (did not smoke 100 cigarettes in life and was not smoking at tire tin of the interview)
PS_C20	If (SS_Stat = 2 (Occasional) and (SS_Q30 NE 1 or SS_Q30 NE=1)) or SS_Stat = 3 (Former) , go to PS_Q20 Otherwise, go to PS_C30
PS_Q20	Have you ever smoked cigarettes daily?
1 2	Yes No
Coverage:	Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days.
PS_C30	If SS_Stat = 1 (Daily) or SS_Stat = 2 (Occasional) or SS_Stat = 3 (Former) or PS_Q10 = 1 (Yes), go to PS_Q30 Otherwise, go to PS_END
PS_Q30	At what age did you smoke your first cigarette?
	(2 spaces) [Min: 4 Max: 94]
Coverage:	Respondents who have ever smoked a cigarette
PS_E30	The age in PS_Q30 should not be greater than age of respondent. Please confirm.
Note:	Trigger soft edit if PS_Q30>AGE of respondent.  Questions Involved: PS_Q30 and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB_Q01 (Roster Age).
PS_C40	If SS_Stat = 1 (Daily) or PS_Q20 = 1 (Yes), go to PS_Q40 Otherwise, go to PS_END
PS_Q40	At what age did you begin to smoke cigarettes daily?
	(2 spaces) [Min: 4 Max: 94]
Coverage:	Respondents who are actually daily smokers or who have ever smoked cigarettes daily
PS_E40A	The age in PS_Q40 should not be greater than age of respondent. Please confirm.

Note: Trigger soft edit if PS Q40>AGE of respondent.

Questions Involved: PS\_Q40 and PA\_Q01. AGE=PA\_Q01. If PA\_Q01 is DK or RF then

AGE=ANDB\_Q01 (Roster Age).

PS\_E40B The age in PS\_Q40 should not be less than the age given in PS\_Q30. Please confirm.

Note: Trigger soft edit if PS\_Q40<PS\_Q30.

Questions Involved: PS\_Q30 and PS\_Q40.

PS\_END End of Section

Section: Weekly Pattern (WP)

WP\_BEG Beginning of Section

Note: This block requires SS\_Stat and SS\_Q20.

WP\_C10 If SS\_Stat=1 (Daily) or SS\_Q20=1 (Smoked in past 3 ) day 3), go to WP\_D10

Otherwise, go to WP\_END

WP\_D10 Create variables to fill day of week in WP\_Q10A to XP\_Q10G: For example, if today is

Monday, then Day1 = yesterday (Sunday), Day? = Saturday, Day3 = Friday, etc.

WP\_Q10A Some people smoke more or less depending upon the day of the week.

So, thinking back over the past 7 d. vs, s.arting with yesterday, how many

cigarettes did you smoke:

... yesterday (^Day1)?

\_\_ (2 spaces) [Min: 0 Max: 90] DK, RF (Go to WP END)

Coverage: Daily smokers or the 'e who smoked in the last 30 days

WP\_Q10B ... on ^Day??

INTERVIEWER: If same amount every day, please enter 91.

\_ (2 spaces) [Min: 0 Max: 91] 9. DK, RF (Go to WP\_END)

Coverage: Daily smokers or those who smoked in the last 30 days

WP\_Q10C ... on ^Day3?

INTERVIEWER: If same amount every day, please enter 91.

\_\_ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP\_END)

Coverage: Daily smokers or those who smoked in the last 30 days

WP\_Q10D ... on ^Day4?

INTERVIEWER: If same amount every day, please enter 91.

\_\_ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP\_END)

Coverage: Daily smokers or those who smoked in the last 30 days

WP\_Q10E ... on ^Day5?

INTERVIEWER: If same amount every day, please enter 91.

\_\_ (2 spaces) [Min: 0 Max: 91] 91, DK, RF (Go to WP\_END)

Coverage: Daily smokers or those who smoked in the last 30 days

WP\_Q10F ... on ^Day6?

INTERVIEWER: If same amount every day, please enter 91

\_\_ (2 spaces) [Min: 0 Max: 91<sub>1</sub> 91, DK, RF (Go to WP\_E ND)

Coverage: Daily smokers or those who smoked in the last 30 days

WP\_Q10G ... on ^Day7?

INTERVIEWER: If same amount every day, please enter 91.

Coverage: Daily smokers or those who smokens of in the last 30 days

WP\_END End of Section

Section: Smoking Betaviour (SB)

SB\_BEG Beginning of Section

Note: This block requires SS\_Stat.

SB\_C10 | N 55\_3tat = 1 (Daily), go to SB\_Q10

Tis≱ go to SB\_END

SB\_Q1c How soon after you wake up do you smoke your first cigarette?

Within 5 minutes
6 to 30 minutes
3 31 to 60 minutes
More than 60 minutes

Coverage: Current daily smokers

SB END End of Section

Section: Cigarette Brand (CB)

CB\_BEG Beginning of Section

Note: This block requires SS Stat.

CB\_C12 If SS\_Stat=1 (Daily) or if SS\_Stat=2 (Occasional), go to CB\_Q12

Otherwise, go to CB\_END

CB Q12 What is the full brand name of the cigarettes you usually smoke?

INTERVIEWER: Probe if necessary: For example, "Craven Menthol King Size", "Peter Jackson Select Flavour King Size". If you cannot find the brand described on the list, choose Other (specify).

- 1. Belvedere Extra Mild Lights Regular Size
- 2. Belvedere Select Regular / (Extra Mild)
- 3. Belvedere Medium Regular Size
- 4. Benson & Hedges Sterling 100's / (Lights 100's)
- 5. Canadian Classics (White) Regular / (Extra Light)
- 6. Canadian Classics (Silver) Regular / (Light)
- 7. Canadian Classics Regular Size
- 8. Craven Menthol King Size
- 9. du Maurier Premiere / (Extra Light)
- 10. du Maurier King Size
- 11. du Maurier Distinct King Size / (Light)
- 12. du Maurier Distinct Regular / (Light)
- 13. du Maurier Regular Size
- 14. du Maurier Special King Size / Special Mild)
- 15. du Maurier Prestige King Size ((Ultra Light))
- 16. Export 'A' Full Flavoa Peໄໝ່ ກ່ Size
- 17. Export 'A' Smooth Degular Size / (Light)
- 18. Export 'A' Mediun Fagular Size
- 19. Export 'A' Ulara and the Regular Size / (Ultra Light)
- 20. Matinée Melaw King Size / (Extra Mild)
- 21. Matinée Mellow Regular Size / (Extra Mild)
- 22. Matinée Sinns King Size / (Slims Extra Mild)
- 23. Nungoer (Silver) Regular / (Extra Mild)
- 24. Number 7 (Blue) Regular / (Lights)
- 25 Num er 7 Regular Size
- ?6 Peter Jackson Regular 20
- Peter Jackson King Size
- 28. Peter Jackson Select Flavour King Size / (Light)
- 29. Player's Smooth Flavour King Size / (Extra Light)
- 30. Player's Smooth Flavour Regular Size / (Extra Light)
- 31. Player's Rich Flavour King Size / (Light)
- 32. Player's Rich Flavour Regular Size / (Light)
- 33. Player's Light Smooth Regular Size
- 34. Player's Regular Size
- 35. No regular brand
- 36. Other (specify) (Go to CB\_S12)

Default: (Go to CB Q20)

Coverage: Current smokers

CB \$12 What is the full brand name of the cigarettes you usually smoke?

2008 C1 E.doc 9 25/09/2008

	INTERVIEWER: Specify.
	(80 spaces)
CB_Q20	At the present time, do you roll your own or make your own cigarettes:
	INTERVIEWER: Read categories to respondent.
1 2 3 4	all the time? most of the time? sometimes? never?
Coverage:	Current smokers
CB_END	End of Section
Section:	Cigarette Access (CA)
CA_BEG	Beginning of Section
Note:	This block requires SS_STAT and PA_Q01. AGE=PA_Q01. If PA_Q01 is DK or RF then AGE=ANDB=Q01 (Roster Age)
CA_C10	If SS_STAT=1 (Dair,\ o. SS_STAT=2 (Occasional), go to CA_Q10 Otherwise, go to CA_t:ND
CA_Q10	Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)
01 02 03 04 05 06 07 08 09 10 11 12 13	I buy them from a vending machine I buy them at a small grocery / corner store I buy them at a supermarket I buy them at a drug store I buy them at a gasoline station I buy them at a another kind of store I buy them from a friend or someone else I buy them by mail order I buy them from the internet My brother or sister gives them to me My mother or father gives them to me I take them from my mother, father or siblings Other – specify  (Go to CA_S10)

Coverage: Current smokers

CA\_S10 Where do you usually get your cigarettes? INTERVIEWER: Specify. (80 spaces) CA C20 If (CA Q10=01,07,08,09,10,11,12,13,14 (do not buy from stores) and AGE<19, go to Else if (CA\_Q10=02 or CA\_Q10=03 or CA\_Q10=04 or CA\_Q10=05 or CA\_Q10=06) and AGE<19, go to CA Q30, Otherwise, go to CA \_END **CA Q20** In the past 12 months, have you bought or have you tried to buy cigarettes from a store? 1 Yes 2 No (Go to CA Q50) DK, RF (Go to CA\_Q50) Coverage: Current smokers between the age of 15-18 who don't usually buy cigare. 's irom a store **CA Q30** (In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else? 1 Yes 2 No Coverage: Current smokers between the age of 15-18 who a vally buy cigarettes from a store or bought them in the past 12 months **CA Q40** (In the past 12 months), has anyone in a store refused to sell you cigarettes? Yes 2 No Coverage: Current smokers petv. en the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months **CA Q50** (In the past ?? months), have you asked anyone to buy cigarettes for you? ۷as 1 2 Nc. Coverage: Current smokers between the age of 15-18 CA ENL End of Section Section: Cigarette Source (CS) CS BEG Beginning of Section Note: This block requires PA block. CS C30 If AGE > = 15, go to CS\_Q30 Otherwise, go to CS\_END CS Q31 Have you ever purchased cigarettes for, or given cigarettes to, a minor?

2008\_C1\_E.doc 11 25/09/2008

INTERVIEWER: Depending on the province, a minor is defined as a person who is below the legal age to purchase cigarettes. In the provinces of N.L., P.E.I., N.S., N.B., Ont., and B.C., the legal age is 19. In the provinces of Que., Man., Sask., and Alta., the legal age is 18.

1 Yes

2 No (Go to CS\_END)
DK, RF (Go to CS\_END)

Coverage: All respondents

CS\_Q41 Did you purchase cigarettes for or give cigarettes to a minor within the last 12

months?

1 Yes

2 No (Go to CS\_END)

DK, RF (Go to CS\_END)

Coverage: Current smokers who have ever purchased or gave cigarettes to a nino.

CS\_Q51 Did you purchase cigarettes for or give cigarettes to a minor within the last 30

days?

1 Yes 2 No

Coverage: Current smokers who in the past 12 months have purchased or gave cigarettes to a minor

CS\_END End of Section

Section: Cheaper Cigarettes (CC)

CC BEG Beginning of Section

Note: This block requires SS\_Stat.

CC\_C10 If SS\_Stat=1 (Daily) or SS\_Stat= 2 (Occasional), go to CC\_R10

Otherwise, go to CC\_END

`0: t.

<u>INTERVIEWER</u>: Press <Enter> to continue.

CC\_Q20 In the past 6 months, did you buy:

... a discount brand?

1 Yes 2 No

Coverage: Current smokers

CC Q30 ... from a First Nation's Reserve?

1 Yes 2 No

Coverage: Current smokers

CC\_Q40 ... from the internet?

1 Yes 2 No

Coverage: Current smokers

CC Q50 ... by mail order?

1 Yes 2 No

Coverage: Current smokers

CC\_Q60 In the past 6 months, did you buy cigarettes:

... from outside your province?

1 Yes 2 No

Coverage: Current smokers

CC\_Q70 ... cigarettes that may have been sinuggled?

1 Yes 2 No

Coverage: Current smokers

CC\_Q80 Did you do anything else to buy cigarettes at a lower cost?

1 Yes 2 No

Coverage: Cu rent smokers

CC END Lind of section

Section: Fire Risk (FR)

FR\_BEG Beginning of Section

Note: This block requires SS\_Stat.

FR\_C10 If SS\_Stat = 1 (Daily) or SS\_Stat = 2 (Occasional), go to FR\_Q10

Otherwise, go to FR\_END

FR\_Q10 Many people will smoke in bed while watching television or reading. When was the

last time you smoked in bed? Was it...

	INTERVIEWER: Read categories to re	spondent.
1 2 3 4 5	in the past week? in the past month? within one to six months? more than six months ago? Never DK, RF	(Go to FR_Q30) (Go to FR_Q30)
Coverage:	Current smokers	
FR_Q20	In the past year, how often did you s	moke in bed?
	INTERVIEWER: Read categories to re	spondent.
1 2 3 4 5	Everyday A few times a week Once a week Once a month or less Never	
Coverage:	Respondents who have smoked in bed	
FR_E20	The answer category selected for F5 smoked in bed in the last year (Plans	213 specifies that the respondent has se refurn and correct).
Note:	Trigger hard edit if FR_Q10 in (1,∠,3) a Question Involved: FR_Q10 .nd FR_Q	
FR_Q30	Sometimes people all asleap with a in a chair. When was the last time th	lit cigarette. This could be in bed, on a sofa or is happened to you? Was it
	INTERVIEWER: Pead categories to re	spondent.
1 2	in the past week? in the past month?	
3	within one to six months?	
4 5	m re than six months ago?	(Go to FR_Q50)
	OK,RF	(Go to FR_Q50)
Coverage.	Current smokers	
FR_Q40	In the past year, how many times did	I this happen to you?
1 2	Never Once	
3	Two to five times	
4	More than five times	
Coverage:	Respondents who have fallen asleep with a lit cig	garette
FR_E40	The answer category selected for FR asleep with a lit cigarette in the last y	2_Q30 specifies that the respondent has fallen year. (Please return and correct).

2008\_C1\_E.doc 14 25/09/2008

Note: Trigger hard edit if FR\_Q30 in (1,2,3) and FR\_Q40=1

Question Involved: FR\_Q30 and FR\_Q40

FR\_Q50 Sometimes people leave a cigarette burning in an ashtray while attending to

something else. When was the last time you did this? Was it...

**INTERVIEWER**: Read categories to respondent.

in the past week?
in the past month?

within one to six months?more than six months ago?

5 Never (Go to FR\_END) 6 Don't use ashtrays (Go to FR\_END) DK, RF (Go to FR\_END)

Coverage: Current smokers

FR\_Q60 In the past year, how often did you leave a cigarette burning in an ashtray while

attending to something else?

INTERVIEWER: Read categories to respondent.

1 Everyday

2 A few times a week

3 Once a week

4 Once a month or less

5 Never

Coverage: Respondents who have left a corrette burning in an ashtray

FR\_E60 The answer categor; salected for FR\_Q50 specifies that the respondent has left a

cigarette burning in an ashtray in the last year (Please return and correct).

Note: Trigger hard add it TR\_Q50 in (1,2,3) and FR\_Q60=5

Question Involved: FR\_Q50 and FR\_Q60

FR END End or section

Section: Snoking Cessation (SC)

SC\_BEG Beginning of Section

Note: This block requires SS\_Stat.

SC\_C010 If SS\_Stat=3 (Former), go to SC\_Q010

Else if SS Stat=1 (Daily) or SS Stat=2 (Occasional), go to SC C060

Otherwise, go to SC END

SC Q010 When did you stop smoking?

INTERVIEWER: Read categories to respondent.

2008\_C1\_E.doc 15 25/09/2008

1 2 3 4	Less than 1 year ago 1 to 2 years ago 3 to 5 years ago More than 5 years ago DK, RF	(Go to SC_Q040) (Go to SC_Q040) (Go to SC_Q040) (Go to SC_Q040)
Coverage:	Former smokers	
SC_Q020	In what month did you s	top smoking?
	INTERVIEWER: Select t	ne month.
	02       February       0         03       March       0         04       April       1         05       May       1	7 July 8 August 9 September 0 October 1 November 2 December
Coverage:	Respondents who stopped smo	king less than one year ago
SC_Q030	What was your main rea	son to quit smoking?
	INTERVIEWER: Read ca	itegories to responden.
1 2 3 4 5 6	Health Pregnancy or a baby in Less stress in life Cost of cigarettes Smoking is less socially Some other reason	
Default:	(Go to SC_Q040)	
Coverage:	Respondents who sto, ned smo	king less than one year ago
SC_S030	What was your main reas	on to quit smoking?
SC_Q040		(80 spaces) ny attempts to quit did you make before you quit smoking
<b>y</b>	(2 spaces)	[Min: 1 Max: 94]
Coverage:	Former smokers	
SC_Q050	On average, how many	cigarettes were you smoking per day at the time you quit?
	(2 spaces)	[Min: 1 Max: 94]
Coverage:	Former smokers	
SC_C060	If SS_Stat=1 (Daily) or SS Otherwise, go to SC_C08	S_Stat=2 (Occasional), go to SC_Q060

2008\_C1\_E.doc 16 25/09/2008

SC_Q060	Are you seriously considering quitting w	vithin the next 6 months?
1 2		o to SC_C080) o to SC_C080)
Coverage:	Current smokers	
SC_Q070	Are you seriously considering quitting w	vithin the next 30 days?
1 2	Yes No	4 1
Coverage:	Current smokers who are considering quitting within th	ne next six months
SC_C080	If SS_Stat=1 (Daily) or SS_Stat=2 (Occasion who quit in the past year), go to SC_Q080 Otherwise, go to SC_END	onal) or SC_Q010=1 (r ormer smokers
SC_Q080	In the past year, how many times did you because you were trying to quit?	u stop smoking for at least 24 hours
	(2 spaces) [N	in: 0 Max: 94]
Coverage:	Current smokers and former smokers who quares smokers	a in the past 12 months
SC_C090	If (SC_Q010=1 and SC_Q080=0, former sn SC_END, If (SS_Stat=1 or SS_Stat=2) and (GC_Q080 smokers who did not try to quit in the past y Otherwise, go to SC_Qc90	0=0 or DK or RF) (Daily or Occasional
SC_Q090	How many or these attempts lasted at lea	ast 1 week?
	(2 snaces) [Mi	in: 0 Max: 52]
Coverage:	Current smokers who stopped smoking for at least 24 smoking in the past 12 months	hours in the past 12 months and former smokers who quit
SC_E090	Tr. a number of attempts which lasted longer umber of times you stopped smoking for 2	•
Note:	Trigger hard edit if (SC_Q090 is greater tha RF)	nn SC_Q080) and if (SC_Q080 NE to DK or
SC_C100	If (SS_Stat=1 (Daily) or SS_Stat=2 (Occasion Otherwise, go to SC_END	onal)) and SC_Q080 > 0, go to SC_Q100
SC_Q100	What was the main reason you began to	smoke again?
1 2 3 4 5	To control body weight Stress, need to relax or to calm down Boredom Addiction / habit Lack of support or information	

2008\_C1\_E.doc 17 25/09/2008

6 Going out more (bars, parties)

Increased availability
 No reason / felt like it
 Family or friends smoke

10 Other

Default: (Go to SC\_END)

Coverage: Current smokers who tried to quit smoking in the past 12 months

SC\_Q110 Have you ever tried to quit smoking?

1 Yes 2 No

Coverage: Current smokers who did not try to quit in the past year

SC END End of Section

Section: Cessation Methods (CM)

CM\_BEG Beginning of Section

Note: This block requires SS Stat, SC Q010, SC Q030 and SC Q110.

CM\_C05 If  $SC_Q110 = (2,DK,RF)$ , go to  $CM_END$ 

Otherwise, go to CM\_C10

CM C10 If (SS Stat=1 (Daily) or SS Stat=2 (Occasional)) and SC Q080=0, DK or RF, go to

CM Q10

If (SS\_Stat=1 or SS\_Stat=2) and (SC\_Q080>0 and SC\_Q080<95) go to CM\_R20 Else if SS\_Stat=3 (For her) and (SC\_Q010=1 or SC\_Q010=2), go to CM\_R20

Otherwise, go to CM END

CM Q10 Have you tried to guit smoking in the past 2 years?

1 Yes

2 No (Go to CM\_END)
(Go to CM\_END)

Coverage: Res condents who did not try to quit smoking in the last year (SC\_Q080=0)

CM\_R20 Now, I am going to ask you about methods you might have used to quit smoking in

the past 2 years.

<u>INTERVIEWER</u>: Press <Enter> to continue.

CM\_Q20 In the past 2 years, did you use a nicotine patch?

1 Yes 2 No

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

CM Q40 (In the past 2 years), did you use nicotine gum such as "Nicorette"?

2008\_C1\_E.doc 18 25/09/2008

1 2	Yes No
Coverage:	Current and former smokers who tried to quit or quit smoking in the past two years
CM_Q60	(In the past 2 years), did you use a product such as "Zyban"?
1 2	Yes No
Coverage:	Current and former smokers who tried to quit or quit smoking in the past two years
CM_C80	If CM_Q20=2 and CM_Q40=2 and CM_Q60=2 (did not use patch, gurn, or a product like Zyban), go to CM_Q80 Otherwise, go to CM_END
CM_Q80	What were your reasons for not using either a patch, modifie gum or a product such as "Zyban" to help you quit smoking?
	INTERVIEWER: Read categories to respondent. Mark all that apply.
1 2 3 4 5	You were concerned about possible side offects You didn't believe these products work You didn't have enough information about these products They cost too much Some other reason
Coverage:	Current and former smokers who tri d to quit or quit smoking in the past two years
CM_END	End of Section
Section:	Other Cessation Meth 205 (OM)
OM_BEG	Beginning of Cection
Note:	This ! lock requires SS_Stat, SC_Q10, SC_Q080, CM_Q10, CM_Q20, CM_Q40 and CM_Qc า.
OM_C030	1. ((CC_Stat=1 or SS_Stat=2) and (SC_Q080>0 and SC_Q080<96)) or CM_Q10=1 or (S\S_Stat=3 and (SC_Q010=1 or SC_Q010=2))), go to OM_Q030 ()therwise, go to OM_END
OM_Q030	Did you make a deal with a friend or family member to quit smoking together?
1 2	Yes No
Coverage:	Current and former smokers who tried to quit or quit smoking in the past two years
OM_Q070	Did you reduce the number of cigarettes you smoked as a strategy to quit?
1 2	Yes No

2008\_C1\_E.doc 19 25/09/2008

Coverage: Current and former smokers who tried to guit or guit smoking in the past two years

OM\_Q080 Are you aware of any smoking cessation programs offered at your workplace?

1 Yes

2 No (OM\_C129)

OM\_Q090 Have you used any of these programs?

1 Yes 2 No

OM\_C129 If (CM\_Q20=2 and CM\_Q40=2 and CM\_Q60=2 and OM\_Q030-2 and OM\_Q070=2 and

OM Q080=2) (did not use any of the methods), go to OM Q130

Otherwise, go to OM END

OM\_Q130 Did you try to quit smoking on your own without special preparation or help?

1 Yes 2 No

Coverage: Current and former smokers who tried to qu'i c quit si, sking in the past two years without using any of the

above mentioned methods

OM\_END End of Section

Section: Cessation Products (CP)

CP\_BEG Beginning of Section

Note: This block requires SS\_Stat

CP\_C10 If SS\_Stat =1 or SS\_Stat=2, go to CP\_Q10,

Otherwice, go to CP\_END

CP Q10 \_\_\_\_\_cimes smokers use products such as a nicotine patch or gum when they are

<u>vor</u> trying to quit smoking. Have you ever used such products when you were not

able to smoke or when you wanted to smoke fewer cigarettes?

(For example, in a meeting, on a plane, at school?)

1 Yes 2 No

Coverage: Current smokers

CP\_END End of Section

Section: Health Professionals (HP)

HP\_BEG Beginning of Section

Note: This block requires SS\_Stat.

HP\_C010 If SS\_Stat=1 (Daily) or SS\_Stat=2 (Occasional), go to HP\_R010

Otherwise, go to HP\_END

HP\_R010 Now, I'd like to ask you about your visits with health professionals.

<u>INTERVIEWER</u>: Press <Enter> to continue.

HP\_Q010 In the past 12 months, did you see a doctor?

1 Yes

2 No (Go to HP\_Q040)

DK, RF (Go to HP\_Q040)

Coverage: Current smokers

HP\_Q020 Did the doctor advise you to reduce or quit smoking?

1 Yes

2 No (Go to HP\_Q04u)

DK, RF (Go to 112\_0040)

Coverage: Current smokers who saw a doctor in the past 12 mc nths

HP\_Q030 Did the doctor provide you with information on quit smoking aids such as the

patch, a product like "Zyban" or coul selling programs?

1 Yes 2 No

Coverage:

Current smokers who say a a octor in the past 12 months and were advised to reduce or quit smoking

HP\_Q040 In the past 12 months, aid you see a dentist or dental hygienist?

1 Yes

2 No (Go to HP\_Q100)

DK, FF (Go to HP\_Q100)

Coverage: Coverage:

HP\_Q050 Div the dentist or dental hygienist advise you to reduce or quit smoking?

1 Yes

2 No (Go to HP\_Q100)

DK, RF (Go to HP Q100)

Coverage: Current smokers who saw a dentist in the past 12 months

HP Q060 Did the dentist or dental hygienist provide you with information on quit smoking

aids such as the patch, a product like "Zyban" or counselling programs?

1 Yes 2 No

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

2008\_C1\_E.doc 21 25/09/2008

HP\_Q100 In the past 12 months, did you talk with a pharmacist?

1 Yes

2 No (Go to HP\_END)

DK, RF (Go to HP\_END)

Coverage: Current smokers

HP Q110 Did the pharmacist advise you to reduce or quit smoking?

1 Yes

2 No (Go to HP\_END)

DK, RF (Go to HP\_END)

Coverage: Current smokers who talked with a pharmacist in the past 12 months

HP\_Q120 Did the pharmacist provide you with information on quit smc'ring aids such as the

patch, a product like "Zyban" or counselling programs:

1 Yes 2 No

Coverage: Current smokers who talked with a pharmacist in the part 12 months and were advised to reduce or quit

smoking

HP\_END End of Section

Section: Smoking and Pregnancy (SP)

SP\_BEG Beginning of Section

Note: This block requires SEY, PA\_Q01, SS\_Stat and SC\_Q010. AGE=PA\_Q01.

If PA Q01 is DK or k ti en AGE=ANDB Q01 (Roster Age).

SP\_C10 If SEX=2 (Fe. vale) and (AGE>=20 and AGE<=44), go to SP\_R10

Otherwise, go to SP\_END

SP\_R10 Now, a few questions about smoking and pregnancy.

'N. TERVIEWER: Press < Enter > to continue.

SP\_Q1 Have you been pregnant in the past 5 years (that is since ^5YearsAgo)?

1 Yes (Go to SP\_C20) 2 No (Go to SP\_END)

No (Go to SP\_END) DK, RF (Go to SP\_END)

Coverage: Women aged 20-44

Note: Create variable called ^5YearsAgo

This will be the system month and system year minus 5, e.g. February 1999

SP\_C20 If SS\_Stat=1 (Daily) or SS\_Stat=2 (Occasional) or (SS\_Stat=3 (Former) and

SC Q010=1or 2 or 3 (former smokers who quit less than 5 years ago)), go to SP Q20

Otherwise, go to SP\_Q30

SP_Q20	During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?
1 2	Yes No
Coverage:	Women aged 20-44 who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years
SP_Q30	During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?
1	Yes
2 3	No Not applicable (no spouse/partner)
Coverage:	Women aged 20-44 who were pregnant in the last 5 years
SP_END	End of Section
Section:	Tobacco Products (TP)
TP_BEG	Beginning of Section
_	
TP_R010	Now, a few questions about tobacco products, other than cigarettes.
	INTERVIEWER: Press <ent>r&gt; to continue.</ent>
TP_Q015	Have you ever tried smoking a little cigar or cigarillos (plain or flavored)?
1 2	Yes No (Go to TP_Q025) DK, RF (Go to TP_Q025)
Coverage:	All respondents
TP_Q020	In the , ast 30 days, did you smoke any little cigars or cigarillos (plain or flavored)?
1 2	Vez No
Coverag	Respondents who have ever smoked a little cigar or cigarillos
TP_Q025	Have you ever tried smoking a cigar (not including a little cigar/cigarillo plain or flavored)?
1	Yes
2	No (Go to TP_Q030) DK, RF (Go to TP_Q030)
Coverage:	All respondents
TP_Q026	In the past 30 days, did you smoke any cigars (not including a little cigar/cigarillo plain or flavored)?

2008\_C1\_E.doc 23 25/09/2008

1 Yes 2 No

DK, RF

Coverage: Respondents who have ever smoked a cigar

TP\_Q030 Have you ever tried smoking a pipe?

1 Yes

2 No (Go to TP\_Q050)

DK, RF (Go to TP\_Q050)

Coverage: All respondents

TP\_Q040 In the past 30 days, did you smoke a pipe?

1 Yes 2 No

Coverage: Respondents who have ever smoked a pipe

TP\_Q050 Have you ever tried chewing tobacco, pinch or snuff?

1 Yes

2 No (G to 7P\_Q075)

DK, RF (Co to TP\_Q075)

Coverage: All respondents

TP\_Q060 In the past 30 days, did you are any chewing tobacco, pinch or snuff?

1 Yes 2 No

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

TP\_Q075 Have you even tried smoking herbal cigarettes (these are tobacco free cigarettes

often found in natural food stores)?

1 Yes

2 Nc (Go to TP\_END)

DiCRF (Go to TP\_END)

Coverag : All respondents

TP\_Q076 In the past 30 days, did you smoke any herbal cigarettes?

1 Yes 2 No

Coverage: Respondents who have ever tried to smoke herbal cigarettes

TP\_END End of Section

Section: Opinions on Smoking (OS)

OS\_BEG Beginning of Section

OS_Q10	Which of the following statements comes closest to how you feel about smoking in <u>restaurants</u> ?
	INTERVIEWER: Read categories to respondent.
1 2 3 4	Smoking should not be allowed in a restaurant (Smoking should be) allowed only in a section of a restaurant that is enclosed (Smoking should be) allowed only in a designated section of a restaurant (Smoking should be) allowed anywhere in a restaurant
Coverage:	All respondents
OS_Q20	Which of the following statements comes closest to how you feel about smoking in bars and taverns?
	INTERVIEWER: Read categories to respondent.
1 2 3 4	Smoking should not be allowed in a bar or tavern (Smoking should be) allowed only in a section of a bar or tavern that is enclosed (Smoking should be) allowed only in a designated section of a bar or tavern (Smoking should be) allowed anywhere in a bar or tavern
Coverage:	All respondents
OS_Q30	Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the verkelace?
	INTERVIEWER: Read categories to respondent.
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor
2 3	(Smoking s'houlu be) allowed only in enclosed smoking areas in the workplace (Smoking should be) allowed only in designated outdoor smoking areas of the workplace
4	(Smoring should be) allowed anywhere in the workplace, whether indoor or outdoo.
Coverage:	۲." resp undents
OS_Q40	In your opinion, who is the most responsible for young people starting to smoke?
	INTERVIEWER: Read categories to respondent. Mark only one.
1 <b>2</b>	Young people themselves Friends / peers
	Parents
4	Other adults
5	Brother / sister
6 7	Celebrities Tobacco industry
<i>1</i> 8	Government
9	Other (do not specify)
	DK,RF

Coverage: All respondents

OS END End of Section

Section: Exposure to Second-hand Smoke (EX)

EX BEG Beginning of section

Note: This block requires SS\_Stat

Note: If SS\_Stat=1 or SS\_Stat=2, then ^ExcludingE= "excluding your own smoking, "

Otherwise, ^ExcludingE=" "

EX\_R010 The next questions are about exposure to second-hand smoke in places other than

your own home. Second-hand smoke is what smokers exit le and the smoke from

a burning cigarette.

<u>INTERVIEWER</u>: Press <Enter> to continue.

EX\_Q010 In the past month, ^ExcludingE were you expected to second-hand smoke:

...inside a car or other vehicle?

1 Yes 2 No

Coverage: All respondents

EX Q020 ...inside someone else's hor e?

1 Yes 2 No

Coverage: All respondents

EX\_Q030 In the past month, ^ExcludingE were you exposed to second-hand smoke:

... n an outdoor patio of a restaurant or bar?

1 Yes

Coverage: All respondents

EX\_Q040 ...inside a restaurant?

1 Yes 2 No

Coverage: All respondents

EX\_Q050 ...inside a bar or tavern?

1 Yes 2 No

All respondents

EX\_Q060 ...at a bus stop or shelter?

1 Yes 2 No

Coverage:

Coverage: All respondents

EX\_Q070 In the past month, ^ExcludingE were you exposed to second-hand smoke:

...at an entrance to a building?

1 Yes 2 No

Coverage: All respondents

EX\_Q080 ...at your workplace?

1 Yes 2 No

Coverage: All respondents

EX\_Q090 ...at your school?

1 Yes 2 No

Coverage: All respondents

EX\_Q100 ...at any other public pince such as a shopping mall, arena, bingo hall, concert or

sporting event?

Yes 1 2 No

Coverage: nts וAll respon

EX\_Q110 ... utgoors such as on a sidewalk or in a park?

1 Yes 2 No

All respondents Coverage:

**EX Q120** ...anywhere else?

Yes 1

2 (Go to EX\_C130) No DK, RF (Go to EX\_C130)

Coverage: All respondents

EX\_Q125 Where were you exposed to second-hand smoke in the past month?

2008 C1 E.doc 27 25/09/2008

	INTERVIEWER: Specify.
	(80 spaces)
Coverage:	Respondents who in the past 12 months were exposed to second-hand smoke in places other than those listed above
EX_C130	If any EX_Q010 to EX_Q120=1 then go to EX_Q130, Otherwise go to EX_END
EX_Q130	Overall, ^ExcludingE, in the past month were you exposed to second-hand smoke:
	INTERVIEWER: Read categories to respondent.
1 2 3 4	Every day? Almost every day? At least once a week? At least once in the past month?
Coverage:	Respondents who in the past month were exposed to second-hard smoke in places other than their own home
EX_END	End of Section
Section:	Language and Education (! A)
LA_BEG	Beginning of Section
LA_R10	Now, a few general questions that will help us analyze the survey data.
	INTERVIEWE : Press <enter> to continue.</enter>
LA_Q10	What language do you speak most often at home?
1 2 3 4	English French E oth English and French Other
Coverage:	All respondents
LA_Q20	What is the highest grade or level of education you have ever reached?
1 2 3 4 5 6 7	No schooling Some elementary Completed elementary Some secondary Completed secondary Some community college, technical college, CEGEP or nurse's training Completed community college, technical college, CEGEP or nurse's training Some university or teacher's college

2008\_C1\_E.doc 28 25/09/2008

9 10	Completed university or teacher's college Other education or training
Coverage:	All respondents
LA_END	End of Section
Section:	Labour Force (LF)
LF_BEG	Beginning of Section
Note:	This block requires SEX (SEX_Q01).
LF_Q10	Did you work at a job or a business at any time in the past 12 mon. bs? Please include seasonal work, contract work, self-employniant, babysitting and any other paid work, regardless of the number of hours work.
1	Yes
2	No (Go to LF_EI 'D) DK, RF (Go to LF_END)
Coverage:	All respondents
LF_Q20	Are you currently working at a job or a basiness?
1	Yes
2	No
	DK, RF (Go to LF_END)
Coverage:	Respondents who have worked at a job or business in the past 12 months
LF_R30	The next questions a. a about your ^CurrentPastMain.
	INTERVIEWER: 'f person currently holds more than one job then report on the job for which the funder of hours worked per week is the greatest. If person does not currently work, but had more than one job in the past 12 months, then report on the job with the most hours worked.
	<u>INTERVIEWER</u> : Press <enter> to continue.</enter>
Note:	'f L¬_Q20 =1 then ^CurrentPastMain= "current job or business." Else ^CurrentPastMain= "main job or business in the past 12 months."
LF_Q30	What kind of work ^AreWere you doing? (For example: babysitting in own home, factory worker, forestry technician)
	(50 spaces)
Coverage:	Respondents who have worked at a job or business in the past 12 months
Note:	If LF_Q20 =1 then ^AreWere = "are"; Else ^AreWere = "were";
LF_Q40	What ^AreWere your most important activities or duties? (For example: caring for children, stamp press machine operator, forest examiner)

2008\_C1\_E.doc 29 25/09/2008

(50 spaces)

Coverage: Respondents who have worked at a job or business in the past 12 months

Note: If LF\_Q20 =1 then ^AreWere = "are";

Else ^AreWere = "were";

LF\_Q50 What best describes the smoking restrictions at your place of work? By place of

work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples'

homes.

INTERVIEWER: Read categories to respondent.

1 My workplace is smoke free, that is, smoking is only allowed <u>vutside</u> the building, worksite or company vehicle

2 Smoking is allowed in designated areas <u>within</u> the building, worksite or company vehicle

3 Smoking is not restricted at all

4 Other - Respondent does not have a fixed work land

Coverage: Respondents who have worked at a job or business .1 the p 1st 12 months

Note: If LF Q20 =1 then ^AreWere = "are/

Else ^AreWere = "were":

LF\_END End of Section

Section: Student Income (SI)

SI\_BEG Beginning of Securin

Note: This block requires PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then

Age=,\NDB\_Q01 (Roster Age).

SI\_C10 If \( \text{GE} < 25, \text{ go to SI\_Q10} \)

Cherwise, go to SI\_END

SI Q10 Are you currently attending a school, college or university?

1 Yes

2 No (Go to SI\_END)

DK, RF (Go to SI\_END)

Coverage: Respondents less than 25 years of age

SI\_R20 Now, think about money that you have each week to save or to spend on "extras"

such as snack food, gifts or entertainment, but not living expense items like rent or

tuition.

INTERVIEWER: Press <Enter> to continue.

SI\_Q20 About how much money do you have each week to save or spend on yourself? Please include money from jobs, allowances or any other source.

\_\_\_\_\_(4 spaces) [Min: 0 Max: 2000]

Coverage: Respondents less than 25 years of age who are currently attending a school, college or university

SI\_E20 An unusual value has been entered. Please confirm.

Note: Trigger soft edit if SI\_Q20 < 10 or SI\_Q20 > 1000.

SI END End of Section

Section: Postal Code (PC)

PC\_BEG Beginning of Section

PC\_Q10 To determine which geographic region you live in, could you tell me your postal

code?

\_\_\_\_ (6 spaces) (Go to PC\_E '0)
DK, RF (Go to PC\_Q20)

Coverage: All respondents

PC\_E10 If the first character of the postal code is not valid, pop up a hard edit with the following

text: "Invalid first letter for postal code. Please return and correct."

If fewer than three characters are intered for the postal code, pop up a hard edit with the following text: "Postal code nust be 6 characters long. Please return and correct."

If the format of the first three characters of the postal code is not valid, pop up a hard edit with the following tex: "nvaid format for postal code. Format must be X9X9X9.

Please return and connect."

If fewer than six coaracters are entered for the postal code, pop up a soft edit with the following text: Postal code must be 6 characters long. Please return and correct."

If the 'ormat of the postal code is not valid, pop up a soft edit with the following text: "Invalid 'ormat for postal code. Format must be X9X9X9. Please return and correct."

Default: (Co to PC\_END)

PC Q20 What are the first 3 digits of your postal code?

\_\_\_\_ (3 spaces) (Go to PC\_E20)
DK, RF (Go to PC\_END)

Coverage: Respondents who did not provide their postal code

PC\_E20 If the first character of the postal code is not valid, pop up a hard edit with the following

text: "Invalid first letter for postal code. Please return and correct."

If fewer than three characters are entered for the postal code, pop up a hard edit with the following text: "Postal code must be 3 characters long. Please return and correct."

2008 C1 E.doc 31 25/09/2008

If the format of the first three characters of the postal code is not valid, pop up a hard edit with the following text: "Invalid format for postal code. Format must be X9X. Please return and correct."

PC\_END End of Section

Section: Marijuana Use (MU)

MU\_BEG Beginning of Section

Note: This block requires PA Q01. AGE=PA Q01. If PA Q01 is DK or RF then

AGE=ANDB\_Q01 (Roster Age).

MU\_R10 I have finished the questions about tobacco use. Now, I am going 3 ask a couple

of questions about marijuana. Again, I would like to remind you that everything

you say will remain strictly confidential.

INTERVIEWER: Press <Enter> to continue.

MU\_Q10 Have you ever used or tried marijuana, cannabis or hashish?

INTERVIEWER: Read categories to respondent.

1 Yes, just once

2 Yes, more than once

3 **No** (Go to MU\_END) DK, RF (Go to MU\_END)

Coverage: All respondents

MU\_Q20 Have you used it in the past 12 months?

1 Yes

2 No (Go to MU\_Q40)

DK, RF (Go to MU\_Q40)

Coverage: Respondents who have ever used marijuana, cannabis or hashish

MU C30 If 110 = 1, go to MU Q40

MU\_Q30 . low often did you use marijuana, cannabis or hashish in the past 12 months?

INTERVIEWER: Read categories to respondent.

1 Less than once a month

2 1 to 3 times a month

3 Once a week

4 More than once a week

5 Every day

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

MU\_Q40 How old were you when you first did this?

\_\_\_\_ (2 spaces) [Min: 04 Max: 94]

2008 C1 E.doc 32 25/09/2008

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

MU\_E40 The age in MU\_Q40 should not be greater than age of respondent. Please confirm.

Note: Trigger soft edit if MU\_Q40 > AGE of respondent.

Questions Involved: MU\_Q40 and PA\_Q01. AGE=PA\_Q01. If PA\_Q01 is DK or RF then AGE=ANDB\_Q01 (Roster Age).

MU END End of Section

CAI\_SO END OF INTERVIEW